

NASA

Technical Memorandum 80268



Atomic Emission Lines in the Near Ultraviolet; Hydrogen Through Krypton Section II

NASA-TM-80268-SECT-2 19800023684

Raymond L. Kelly

APRIL 1979

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

EDRANT OF

007 1 000

LAGOLLY HOLL HAVE CONTER LIEPWAY, 1872A MAMPYON, VIRGINES

,		, ,	
			,

ATOMIC EMISSION LINES IN THE NEAR ULTRAVIOLET; HYDROGEN THROUGH KRYPTON SECTION II

Raymond L. Kelly
Professor of Physics
Naval Postgraduate School
Monterey

April 1979

GODDARD SPACE FLIGHT CENTER Greenbelt, Maryland

ATOMIC EMISSION LINES IN THE NEAR ULTRAVIOLET; HYDROGEN THROUGH KRYPTON SECTION II

Raymond L. Kelly
Professor of Physics
Naval Postgraduate School
Monterey

ABSTRACT

A compilation of atomic lines from the first 36 elements observed in emission or absorption covering the wavelength range 2000Å-3200Å. Section I is the Multiplet List. Section II is the Finding List.

N80-32191# N-151,097,Sect-2



CONTENTS

	Page
ABSTRACT	iii
INTRODUCTION	1
ARRANGEMENT OF THE TABLES	1
WAVELENGTHS	1
INTENSITY	
MULTIPLET NUMBERS	3
REFERENCES	3
PROCEDURES	3
DESCRIPTION OF THE TABLES	4

•

ATOMIC EMISSION LINES IN THE NEAR ULTRAVIOLET; HYDROGEN THROUGH KRYPTON

INTRODUCTION

This compilation has been prepared from published literature available through October 1977, although some information from preprints and unpublished reports is included. It is intended as an aid to the stellar spectroscopist with the problem of identifying spectra obtained above the earth's atmosphere with satellites or rockets.

Spectra from the first 36 elements make up the compilation. In most cases, only those lines which have been actually observed in emission or absorption are listed. The wavelengths included range from 2000 Angstroms to 3200 Angstroms with some additional lines up to 3500 Angstroms. Only lines of stripped atoms are reported; no molecular bands are included.

ARRANGEMENT OF THE TABLES

The tabulation is divided into two main sections. Section I lists the lines by spectrum, and Section II is the finding list of all the lines listed in Section I.

The entries in Section I are arranged by element (ordered by atomic number), with subdivision into the first spectrum, second spectrum, etc. Within each spectrum, the lines are arranged in order of increasing wavelengths. This means that in a multiplet with several lines, those lines may not be listed consecutively.

WAVELENGTHS

Wavelengths above 2000 Angstroms are traditionally given as they are observed in air. We have listed both air wavelength and vacuum wavelength, the conversion utilizing Edlen's formula*

^{*}B. Edlen, J. Opt. Soc. Am. 43, 339 (1953).

for the dispersion of standard air. The vacuum wavenumber can of course be obtained from the reciprocal of the vacuum wavelength.

The accuracy of the wavelength varies with the date of observation (because of the wavelength standards) and also with the wavelength range covered, the type of equipment, etc. As a general guide, lines measured since 1960 and with wavelengths reported to a tenth of a milliang-strom have an uncertainty less than 2 milliangstrom; all other lines have uncertainties of at least two or three in the last figure given.

INTENSITY

Only a single intensity is given for each line, selected where possible from the source in which the particular spectrum was reported as most prominent. The listed intensities have been normalized to a maximum value of 1000 for convenience in comparing the different references. The normalization procedure was usually a linear transformation of the intensities reported by the original authors, but logarithmic transformations have also been used. The normalization to a maximum of 1000 in this report was adopted as a compromise between the long-standing scale extending from 00 to 10 and some later publications with maximum intensities of 100,000 or even more.

As always, the comparison of intensities presents a most vexing problem, particularly when one reference overlaps another. There continues to be a need for a single, consistently used intensity scale. In most publications, the intensities are visual estimates of emulsion blackening. Such intensities are significant over only a limited range of wavelengths, for a particular source, operated in some particular way. For various reasons, intensities given by different observers are seldom compatible. The intensity figures, which must always be regarded as rather imprecise, have the following meaning: when two lines in a narrow wavelength region are reported with different intensities by the same observer, the one with the larger number will generally be the more intense.

MULTIPLET NUMBERS

The multiplet numbers assigned by C. E. Moore (see the reference list) are given following the wavelength. Some lines missing from the multiplet tables are added, but overlapping lines with the same wavelength in a multiplet have not been listed twice.

REFERENCES

References (listed in numerical order at the end of this report) are given with each spectral line to allow the reader to refer to the original publication.

PROCEDURES

After a thorough literature search, the observed air or vacuum wavelengths, vacuum wavenumbers, and intensities were punched onto IBM cards. A computer program was written to check the internal consistency of the wavelength-wavenumber pair and to punch a new card when all the data were correct. A substantial number of typographical errors were discovered (and corrected) in this way. Undoubtedly others remained undiscovered, but it is hoped there will be few in the final data set.

When all the wavelength cards were completed, they were read onto magnetic tapes (by spectrum) and sorted by wavelength into a finding list. The listings were searched manually for duplicates and corrections made where errors were discovered.

It is anticipated that a great deal of further checking will be carried out in the future. This additional work will require checking the observed wavelengths against those calculated from transitions between the known energy levels. (A complete file of atomic energy levels is maintained at the Naval Postgraduate School's Spectroscopic Data Center.) Such checking will allow a better evaluation of the published classifications of the spectral lines, as well as providing a means of including the classification and the excitation energy of upper and lower states of the transition in subsequent publications. Grouping the transitions into multiplets will be somewhat simplified.

DESCRIPTION OF THE TABLES

- Column 1. Element and spectrum number
- Column 2. Vacuum wavelength in Angstroms
- Column 3. Air wavelength in Angstroms
- Column 4. Intensity
- Column 5. Multiplet number (U from the Ultraviolet Multiplet Table, ref. 488 and V from the Revised Multiplet Table, ref. 1015)
- Column 6. Reference numbers
- Column 7. Notes about the line
 - P Predicted value of wavelength given
 - F Forbidden line
 - A Upper level in the transition above the first ionization limit may be autoionizing
 - N Unclassified
 - M Uncertain stage of ionization
 - Q Questionable classification
 - S Observed in solar spectrum

	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	KR II FE 111 CA 111 FE II CU II	2000.065 2000.228 2000.311 2000.342 2000.3459	1999.419 1999.582 1999.663 1999.696	200 300 10 250	81.	509 188 85 645 612		CA V ZN CR V	111 11 111 11	2002.050 2002.08 2002.276 2002.30 2002.30	2001.402 2001.43 2001.629 2001.65 2001.65	250 10 00 4 40	162. 54.	85 478 162 340 478	
	NA III CO III CO I CA III CR III	2000.45 2000.54 2000.567	1999.749 1999.80 1999.89 1999.919 1999.92	15 20 8 150 2		525 673 603 85 490		CR CL GE FE NI	111 11 11 111	2002.34 2002.3463 2002.347 2002.473 2002.48	2001.69 2001.6982 2001.700 2001.826 2001.83	2 100 1 60 20	44.	490 613 676 188 488	
	CR. II CL III AR II FE III CO III	2000.6081 2000.6470 2000.688	1999.95 1999.4128 1999.9989 2000.041 2000.06	35 125 20 40 0	48.	341 613 867 188 673		NE MN CO CU CR	111	2002.523 2002.55 2002.56 2002.565 2002.600	2001.875 2001.91 2001.91 2001.917 2001.953	70 60 0 2 250	50. 49.	563 328 673 724 893	
v	CO I CR 111 V 11 KR 11 FE 11		2000.12 2000.13 2000.14 2000.282 2000.368	12 2 10 4 300	93.	603 490 478 509 488	 Н	CO CL SE CR CU	I II I!I II	2002.7301 2002.87	2002.01 2002.0818 2002.22 2002.27 2002.27	3 90 30 1 3	÷.	603 613 588 490 670	
	SE I NI I MN II CR 1 CR III	2001.14 2001.165 2001.25	2000.47 2000.49 2000.520 2000.60 2000.72	10 5 80 20 3	43.	588 488 328 341 490		CO CO CO FE V	11 11 111 1V	2002.97 2002.974 2003.09 2003.124 2003.129	2002.32 2002.326 2002.44 2002.477 2002.480	25 25 6 25 100	37.	603 825 603 188 829	
	AS II CO II	2001.41 2001.429 2001.43 2001.433 2001.435	2000.76 2000.781 2000.78 2000.785 2000.787	5 50 5 260 - 12	236.	340 724 478 425 825		ZN AS AS FE CR	111 1 111 111	2003.19 2003.205 2003.233	2002.532 2002.54 2002.558 2002.586 2002.67	1 20 260 10	7.	162 480 425 188 490	
	NI III CA III CO III V II FE III	2001.49 2001.543 2001.74 2001.79	2000.84 2000.895 2001.09 2001.14 2001.167	0 300 100 30 25	55.	661 85 673 478 188		CR CL CR CO V	111 111 111 111	2003.36 2003.37 2003.40 2003.44 2003.47	2002.71 2002.72 2002.75 2002.79 2002.82	10 300 2 0	31.	340 43 490 673 478	
	AS II	2001.881 2001.909	2001.195 2001.234 2001.262 2001.36 2001.36	5 250 40 3 4	55. 54.	425 893 188 340 188	•	MG CA CR KR V	1 I 1 I	2003.57 2003.636 2003.64 2003.656 2003.69	2002.92 2002.987 2002.99 2003.008 2003.04	7 250 30 1 8	† 31.	2 85 340 509 489	

RENCE NOTES	REFERENCE	MULTIPLET	INTENSITY	AIR WAVELENGTH	VACUUM WAVELENGT'I	CTRUM	SPEC	NOTES	REFERENCE	MULTIPLET	INTENSITY	AIR WAVELENGTH	VACUUM WAVELENGTH	CTRUM	\$PE
328 340 516	490 328 340 516 188		3 15 3 330 4	2005.13 2005.165 2005.19 2005.218 2005.447	2005.811 2005.84 2005.866	111 11 111 111	CR MN CR NA FE		506 301 480 328 724	7.	10 3 300 20 1	2003.325 2003.337 2003.34 2003.35 2003.367	2003.985 2003.99 2004.00	111 1 11 111	AR MN AS MN CU
340 673 516	301 340 673 516 490	17. 50.	8 4 20 270 4	2005.463 2005.50 2005.55 2005.547 2005.58	2006.111 2006.15 2006.19 2006.195 2006.23	111 111 111 111	MN CR CO NA CR		835 188 425 341 835	55. 49.	3 150 5 5 1	2003.475 2003.495 2003.538 2003.55 2003.812	2004.187 2004.20	11 11 11 11	NI FE AS CR NI
532 425 188 341	532 425 188 341 490	48.	A 40 10 4	2005.7 2005.708 2005.712 2005.76 2005.85	2006.3 2006.357 2006.360 2006.41 2006.50	11 111 111 111	B AS FE CR CR		608 148 893 488 340	83. 32.	2 140 90 20 35	2003.845 2003.849 2003.870 2003.881 2003.88	2004.529	I III II II	SI MN CR FE CR
478 489 605 N	478 478 489 605 188	`55 .	15 0 9 15 25	2005.88 2006.08 2006.12 2006.260 2006.265	2006.53 2006.73 2006.77 2006.909 2006.914	11 1 1 1 1	V V V FE FE		867 673 563 43 603		20 5 10 0 10	2003.9096 2003.91 2003.930 2003.97 2004.00	2004.579 2004.62	1 11 11 11 11 11	AR CO NE CL CO
340 490	301 340 490 328 43	17.	50 10 4 15 400	2006.479 2006.61 2006.62 2006.682 2006.84	2007.128 2007.26 2007.27 2007.331 2007.49	111 111 111 111	MN CR CR MN CL		340 478 516 340 328	32. 53.	5 0 300 10 1	2004.03 2004.03 2004.216 2004.24 2004.32		II III III II	CR V NA CR MN
301 340 490	478 301 340 490 563	147. 54.	80 8 10 5 80	2006.88 2006.899 2006.91 2006.93 2007.009	2007.53 2007.548 2007.56 2007.58 2007.658	11 111 11 111	V MN CR CR NE		835 490 673 489 340	33. 32.	50 2 3 4 35	2004.266 2004.27 2004.29 2004.31 2004.34	2004.914 2004.92 2004.94 2004.96 2004.99	11 111 1 1 1-1	NI CR CO V CR
488 н 576 301	488 488 676 301 506	46. 187. 1.	35 120 50 1	2007.01 2007.013 2007.039 2007.093 2007.178	2007.66 2007.662 2007.688 2007.742 2007.827	11 11 111 111	NI FE GE MN AR		285 328 301 478 563	162.	300 60 2 90 30	2004.38 2004.56 2004.668 2004.77 2004.827	2005.03 2005.21 2005.316 2005.42 2005.476	11 11 11 11	S MN MN V NE
505 N 162 107 N	340 605 162 107 227	31.	20 15 20 25	2007.18 2007.215 2007.298 2007. 2007.360	2007.83 2007.864 2007.947 2008.	11 111 111	CR FE ZN S		2 506 341 188 188	49. 55.	60 30 8 4 40	2004.86 2004.914 2004.94 2004.965 2005.083	2005.51 2005.563 2005.59 2005.613 2005.731	111 11 111 111	MG AR CR FE FE
3 4 4 4 4 6 6 3 5 6 1 1 1		147. 54. 46. 187. 1.	10 4 15 400 80 8 10 5 80 35 120 50 1 10	2006.61 2006.62 2006.88 2006.88 2006.89 2006.91 2006.93 2007.019 2007.013 2007.039 2007.178	2007.26 2007.331 2007.49 2007.53 2007.56 2007.56 2007.66 2007.662 2007.662 2007.662 2007.662 2007.827 2007.827		CRNL VMCCRE IEEENR CFENS		516 340 328 835 490 673 489 340 285 328 301 478 563	33. 32. 162.	300 10 1 50 2 34 35 300 60 2 90 30 8	2004.216 2004.32 2004.32 2004.266 2004.27 2004.31 2004.34 2004.56 2004.668 2004.77 2004.86 2004.914 2004.915	2004.864 2004.89 2004.89 2004.94 2004.96 2004.96 2005.03 2005.21 2005.316 2005.42 2005.476		NARN IRO R NN E GRRE

SPECTRUM	VACUUM WAVELENG		INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR I FE GE	11 2008.0 11 2008.0 11 2008. 1 2008.	05 2007.40 01 2007.452 188 2007.539	10 3 150 30 7	31. 83.	340 490 488 7 227	н	CO CR V FE SC	I 111 II III	2010.75 2010.75 2010.80 2011.031 2011.070	2010.10 2010.10 2010.15 2010.383 2010.422	8 1 5 25 320	37. 95.	603 490 478 188 855	
V NI FE	1I 2008. II 2008. I 2008. 11 2008. 11 2008.	31 2007.66 34 2007.69 360 2007.711	3 25 20 120 90	126. 23. 83. 55.	2 478 488 488 188	н	V CO V CR FE	1 111 1 111 111	2011.13 2011.25 2011.31 2011.32 2011.336	2010.48 2010.60 2010.66 2010.67 2010.688	20 50 2 5 250	52. 122.	489 673 489 490 488	н
MG I	I 2008. II 2008. II 2008. II 2008. I 2008.	55 2007.90 56 2007.91 54 2007.99	1 3 2 2 15		489 328 2 490 603		TI MN AS SI FE	111 111 11 11	2011.450 2011.568 2011.573 2011.624 2011.635	2010.800 2010.920 2010.926 2010.974 2010.987	60 20 .5 30 0	6.	227 301 425 608 292	
SI FE I	I 2008. II 2009. I 2009. II 2009.	05 2008.40 089 2008.439 118 2008.469	5 1 15 40 330	38. 6. 55.	603 490 608 188 516		CO CR AR CR KR	1 11 11 111 111		2011.07 2011.13 2011.141 2011.143 2011.144	5 20 10 120 4	94. 3.	603 340 506 893 509	
MG 1	11 2009. 1 2009. 11 2009. 1 2009. 11 2009.	35 2008.70 42 2008.77 50 2008.85	3 10 7 8 1	51.	301 489 2 603 328		V MN GE V CL	IV III I III	2011.98	2011.180 2011.285 2011.293 2011.33 2011.34	40 50 50 4 100	5. 17. 15.	829 301 7 489 43	
C I	1 2009. 1 2009. 11 2009. 111 2009.	89 2009.24 97 2009.32 977 2009.327	100 9 0 20		480 603 670 34 525		CO V FE CR MN	11 111 111 111	2012.19	2011.506 2011.54 2011.544 2011.56 2011.588	50 15 40 2 20	4. 63. 86.	825 489 188 490 301	
V	II 2010. III 2010. I 2010. III 2010. IV 2010.	15 2009.50 19 2009.54 220 2009.570		11.71	328 490 489 34 154		CO FE CO CR Y	111 111 111 111	2012.310 2012.42 2012.48	2011.62 2011.662 2011.77 2011.83 2011.83	200 4 8 2 3	50. 86.	673 188 603 490 439	
FE AS	II 2010. III 2010. II 2010. I 2010. III 2010.	46 2009.81 669 2010.021 70 2010.04	2 10 20	22.	835 490 645 480 1 34		NA FE ZN MN ZN	111 111 111 111	2012.539 2012.567 2012.579	2011.866 2011.890 2011.918 2011.928 2011.941	450 25 35 100 100		516 188 162 328 457	

~

	SPECT	RUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN CR NI NE CR	11 11 11 11	2012.77 2012.797	2012.119 2012.12 2012.148 2012.149 2012.21	100 4 4 40 25	53.	328 340 835 563 340		CA FE NA V	III III III IV	2014.820 2014.83	2014.104 2014.111 2014.171 2014.18 2014.199	250 1 330 90 40	162. 5.	85 645 516 478 829	
	FE CR SC V MN	11 111 111 111	2012.906 2012.906 2013.00	2012.246 2012.257 2012.257 2012.35 2012.415	20 150 100 20 5	53. 4. 63.	645 893 855 489 301		NI AR B SI NE	11 11 11	2015. 2015.007	2014.25 2014.311 2014. 2014.356 2014.367	60 10 3 5	47.	488 506 126 370 563	
	CR CR CR V FE	11 11 11 11	2013.09 2013.23 2013.29	2012.43 2012.44 2012.58 2012.64 2012.681	10 5 20 10 40	53. 53. 96. 86.	340 490 340 478 188		FE CO CR FE MN	11 111 111 111	2015.23 2015.340 2015.453	2014.434 2014.58 2014.691 2014.804 2014.835	4 20 300 4 5	53.	645 603 893 188 301	
œ́	CD CR AS CR MN	111 11 111 111	2013.39 2013.41 2013.42	2012.73 2012.74 2012.76 2012.77 2012.799	20 10 15 4 30	50. 249. 24.	673 340 480 490 328		SI NI V V FE	II II III	2015.648 2015.67 2015.69	2014.92 2014.998 2015.02 2015.04 2015.070	. 2 15 0 25	15.03 126. 86.	678 835 478 489 188	
	V ZN ZN CU V	11 11 11 11	2013.560 2013.560 2013.6347	2012.84 2012.911 2012.911 2012.9844 2013.09	20 15 15 25 3	147. 80.	478 154 162 612 489		AR V CR FE P	II III II IV	2016.06 2016.08 2016.150	2015.3168 2015.41 2015.43 2015.500 2015.552	20 4 3 200 1	83.	867 489 490 488 937	н
	MN CU FE O AS	11 111 11 111	2013.876 2013.917 2013.92	2013.157 2013.225 2013.268 2013.27 2013.32	20 170 150 360	83. 23.	328 724 488 . 72 480	Н	v cu c co	11 11 11 111	2016.39	2015.56 2015.5791 2015.74 2015.7 2015.82	20 15 20 1 20	147. 18. 96. 42.	478 612 478 34 673	Q
	MN MG CR FE CR	111 111 11 11	2014.20 2014.30 2014.315	2013.504 2013.55 2013.65 2013.666 2013.827	100 2 40 10 350	17. 3. 53.	301 2 340 645 893		AL CR CO CO AL	11 11 111 111	2016.52 2016.65 2016.69	2015.8652 2015.87 2015.99 2016.04 2016.0523	70 15 4 10 150	30.	379 340 603 673 379	
	MG CO MN AL ZN	111 111 111 111 111	2014.53 2014.545 2014.626	2013.84 2013.88 2013.895 2013.973 2014.000	3 200 100 D		2 673 328 826 162		FE CO AL AL MN	11 1 1V 11 11	2016.82 2016.84 2016.8436	2016.092 2016.17 2016.19 2016.1937 2016.20	100 15 30 80 5	187. 91.	488 603 868 379 328	

ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
AL CR MN CR AL	11 11 111 111	2016.8843 2016.92 2016.969 2016.97 2016.9850	2016.2344 2016.27 2016.319 2016.32 2016.3351	150 7 30 3 50	17.	379 340 301 490 379		C V NA MN LI	1 I I V I I I I I I	2018.59 2018.69 2018.788 2018.867 2018.890	2017.94 2018.04 2018.137 2018.216 2018.239	4 00 110 10	18.	287 489 459 301 309	
NI AL ZN FE V	I II I I	2017.01 2017.0182 2017.098 2017.166 2017.18	2016.36 2016.3682 2016.448 2016.512 2016.53	00 100 25 5 60	45. 84. 96.	488 379 154 605 478		MN MN C NA NE	111 I II IV IV	2018.950 2018.987 2019.03 2019.035 2019.092	2018.297 2018.332 2018.38 2018.384 2018.441	40 4 10 450 90	18•	802 148 267 459 71	
O SI CR FE MG	111	2017.25 2017.304 2017.31 2017.363 2017.40	2016.60 2016.654 2016.66 2016.713 2016.75	200 3 2 25 3	15.03	36 678 490 188 2		MN . CR FE ZN NE	111 111 111 111 11	2019.102 2019.217 2019.225 2019.225 2019.302	2018.451 2018.566 2018.574 2018.574 2018.651	80 4 25 3 5	17.	301 893 188 162 563	
KR MN C GU CR	11 111 11 11	2017.436 2017.468 2017.49 2017.5442 2017.55	2016.786 2016.818 2016.84 2016.8931 2016.90	4 2 5 10 7	42. 15. 3.	509 301 34 612 340		CA AR FE NI GE	111 11 11 11 11	2019.348 2019.4067 2019.423 2019.683 2019.7198	2018.697 2018.7553 2018.772 2019.032 2019.0684	300 20 250 50 70	94. 43. 4.	85 867 488 835 7	н
CR NA MN CR FE	111 111 11 111 1	2017.59 2017.675 2017.70 2017.74 2017.740	2016.94 2017.025 2017.05 2017.09 2017.090	2 360 40 3 15		490 516 328 490 605	N	CR NA MG GE ZN	111 1V 111 111 11	2019.78 2019.840 2019.87 2019.85 2020.049	2019.13 2019.189 2019.22 2019.22 2019.398	1 360 2 2 2 25	D	490 459 2 400 154	
FE MN NA CO FE	11 11 11 11	2017.740 2017.82 2017.88 2017.92 2017.946	2017.090 2017.17 2017.23 2017.26 2017.296	150 5 30 4 40	83.	488 328 516 603 188	н	CO V CR NI FE	111 111 111 111	2020.06 2020.12 2020.21 2020.399 2020.483	2019.41 2019.47 2019.56 2019.748 2019.832	30 10 1 5	96.	673 478 490 835 645	
V V CR CU	11 11 11 111 11	2017.98 2018.11 2018.13 2018.19 2018.26	2017.32 2017.46 2017.48 2017.54 2017.60	2 2 2 1 0	126. 17.	478 478 340 490 670		CR CR CO MN CD	11 111 111 11 11	2020.53 2020.62 2020.78 2020.790 2020.83	2019.88 2019.97 2020.12 2020.141 2020.18	2 0 50 30 2	•	340 490 673 328 603	·
TI MN CR FE	1 1	2018.27 2018.284 2018.48 2018.505	2017.61 2017.630 2017.83 2017.855	4 3 2 20	186.	727 148 490 488		CL V CR CR	111 I 11	2020.84 2020.95 2020.96 2020.99	2020.19 [*] 2020.30 2020.31 2020.34	300 . 2 1	17.	43 489 340 490	

	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V CO CR CR FE	11 11 111 111	2021.21 2021.34 2021.37	2020.54 2020.56 2020.69 2020.72 2020.739	10 M 10 6 250	96. 17. 83.	478 603 340 490 488	н	NA CO MG MN V	111 111 111 111	2022.947 2023.000 2023.06 2023.349 2023.35	0022.295 2022.348 2022.40 2022.698 2022.66	270 75 3 1	4.	516 825 2 802 478	
	CA V NI MN MN	111 11 11 11! 11!	2021.424 2021.48 2021.632 2021.659 2021.664	2020.772 2020.83 2020.981 2021.008 2021.023	250 15 50 5 5	126. 43.	85 478 835 301 328		AR FE O KR AR	1	2023.61 2023.630	2022.73 2022.776 2022.96 2022.978 2023.1159	10 10 4 1	361.	503 488 168 509 867	₽
	P MN NI ZN MN	1 111 1 11 111	2021.886 2021.97	2021.15 2021.234 2021.32 2021.350 2021.351	5 5 0 50 35		496 301 602 154 802		FE CO MN NA FE	11 111 111 111	2023.82 2023.864 2023.877	2023.150 2023.17 2023.214 2023.227 2023.289	2 4 50 180 4	17.	645 603 301 516 188	
10	V AS CL O CR	11 11 111 11 11	2022.04 2022.096 2022.11 2022.18 2022.21	2021.38 2021.444 2021.46 2021.53 2021.56	10 5 300 100 20	53.	478 425 43 36 340	P	CR P CR V MN	111 111 11 11	2023.97 2024.14 2024.16 2024.21 2024.28	2023.32 2023.48 2023.51 2023.56 2023.63	4 100 4 50 5	10. 162.	490 496 490 478 328	
	CR MN V AR CR	111 111 11 111	2022.232 2022.296 2022.33 2022.41 2022.43	2021.580 2021.644 2021.72 2021.76 2021.78	60 10 0 5 2	50.	893 301 489 506 490		FE O MG CR CR	11 111 111 111	2024.365 2024.61 2024.63 2024.68 2024.68	2023.715 2023.96 2023.98 2024.02 2024.03	10 160 3 2 3	187.	488 72 2 340 490	H
	SE MN V CR CR	1 11 11 11	2022.45 2022.48 2022.49 2022.54 2022.60	2021.80 2021.83 2021.83 2021.89 2021.95	40 50 5 5 2	126. 29.	600 328 478 340 490		CR CL CR MG CU	11 111 111 111	2024.86 2024.87 2024.88 2024.94 2024.990	2024.20 2024.22 2024.23 2024.29 2024.335	2 300 1 7 140	30. 5.	340 43 490 2 672	
	V AS FE AL CR	11 11 11 11	2022.63 2022.658 2022.685 2022.7324 2022.76	2021.98 2022.005 2022.733 2022.0806 2022.10	1 20 4 40 12	50. 29.	489 425 188 379 340		SI AS MN CR NI	i 1 1 1 1 1	20,25.01	2024.345 2024.34 2024.35 2024.36 2024.37	0 5 2 1 0	46.	608 480 328 438 602	
	NE MN CU P GE	VI II II III	2022.842 2022.843 2022.85 2022.85 2022.89	2022.192 2022.191 2022.19 2022.20 2022.25	160 300 1 20 4	17.	71 301 670 496 406		CR CD SE P MN	111 111 1 1 1		2024.45 2024.47 2024.48 2024.52 2024.666	2 30 30 70 10	10.	490 673 568 496 301	
								•								

	_
-	_

\$PEC1	rum	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO AR MN V MN	1 11 111 11 111	2025.34 2025.385 2025.415 2025.50 2025.680	2024.68 2024.733 2024.764 2024.84 2025.029	10 20 8 0 6	95.	603 506 301 478 301		MN CO MN CU V	111 11 111 11 11	2027.589 2027.681 2027.746 2027.7855 2027.797	2026.938 2027.028 2027.095 2027.1327 2027.144	20 50 5 10	11. 4. 11. 17.	301 825 301 612 829	
V ZN AR FE NI	I III III III	2025.699 2025.8367 2025.947	2025.04 2025.048 2025.1842 2025.292 2025.40	3 0 30 1 50	22.	489 162 867 188 488		AS MN S F	111 111 111	2027.801 2027.964 2028. 2028.088 2028.27	2027.148 2027.312 2027. 2027. 2027.435 2027.62	0 4 300 40	11.	425 301 107 537 489	N
MN V MN ZN CU	11 11 111 11	2026.12 2026.13 2026.137	2025.46 2025.47 2025.48 2025.486 2025.4887	5 15 60 300 75	95. 1. 17.	328 478 301 457 612		CA CR CO FE MN	111 11 11 11	2028.320 2028.35 2028.43 2028.430 2028.487	2027.667 2027.69 2027.77 2027.778 2027.835	120 8 3 50 1000	249. 186. 17.	85 340 603 488 301	н
CR FE NE CR MN	111 111 11 11	2026.213 2026.213 2026.24	2025.526 2025.557 2025.560 2025.58 2025.731	90 25 80 5 6	2.	893 188 563 340 301		NI NI CR MN FE	111 11 111 111	2028.69 2028.787 2028.79 2028.800 2028.821	2028.04 2028.135 2028.13 2028.148 2028.169	1 3 12 500 0	47.	661 835 341 301 645	
MN CO CR MG NI	1 V 1 I 1 I I 1	2026.404 2026.41 2026.477	2025.750 2025.751 2025.76 2025.824 2025.84	350 30 5 35	3. 2.	799 825 490 1017 602		CA CA CA CR	I I I I	2028.974	2028.257 2028.279 2029.299 2028.322 2028.33	10	47.	101 101 101 101 341	A A A
SE CR FE CA MN	1 1 1 1 1 1 1 1	2026.52 2026.694 2026.703	2025.86 2025.86 2026.038 2026.050 2026.176	30 15 40 250 6	47.	588 341 168 65 301		CR CA CA CA	111 1 1 1 1	2029.020 2029.044	2028.339 2028.344 2028.368 2028.392 2028.418	10		893 101 101 101 101	A A A
CO NI CR CR	1111	2027.06 2027.10 2027.10	2026.35 2026.41 2026.44 2026.45 2026.51	8 5 12 1 6	37.	603 602 341 490 603		V CA CA CA NI	I I I I I	2029.154	2028.42 2028.445 2028.472 2028.502 2028.513	40	50.	489 101 • 101 101 835	A A A
MN CA AR NI CO	11 111 11	2027.242 2027.255	2026.54 2026.589 2026.602 2026.62 2026.794	40 .120 20 100 M	19.	328 85 50G 488 603		CA ZN NA AR CA	I I I I I I I I	2029.199 2029.206 2029.211	2028.533 2028.547 2028.554 2028.558 2028.565	1 360 10		101 162 516 506 101	A

	-
N	د

SPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PEC	TRUM	VACUUM WAVELENGI.	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO CA CA CA	1 1 1 1 111	2029.250 2029.285 2029.322	2028.58 2028.598 2028.633 2028.670 2028.68	50 5	46.	673 101 101 101 488	A A A	CA CO CA CR NI	1 1 1 1 1	2030.371 2030.44 2030.473 2030.50 2030.54	2029.719 2029.78 2029.821 2029.84 2029.88	8 1 0		101 603 101 340 602	, A
ZN CR CR CA	111 111 111 1	2029.35 2029.35 2029.360	2028.682 2028.69 2028.70 2028.708 2028.749	1 5 3		162 340 490 101 101	.A	CR CA CU CO	111 11 11 1	2030.54 2030.581 2030.6003 2030.65 2030.699	2029.89 2029.929 2029.9470 2029.99 2030.047	1 15 8	81.	490 101 612 603 101	A
CA CA AS CR CA	1 1 11 11	2029.52 2029.52	2028.791 2028.836 2028.86 2028.86 2028.884	2 5		101 101 480 340 101	A A	MN. CR CR CA CA	11 1 111 1 1	2030.750 2030.81 2030.82 2030.824 2030.959	2030.098 2030.15 2030.17 2030.172 2030.306	20 1 1		328 341 490 101	A A
V CR ZN CA	11 111 11 1	2029.54 2029.542 2029.586	2028.88 2028.89 2028.890 2028.934 2028.985	15 3 35		478 490 154 101 101	A A	F SC CA MN CA	111 VI I 111 1	2030.973 2031.0 2031.105 2031.152 2031.263	2030.320 2030.3 2030.452 2030.499 2030.610	450 20		537 108 101 301 101	F A A
CA NI CA CR CA	I II III I	2029.750 2029.752 2029.77	2029.042 2029.098 2029.100 2029.12 2029.162	2		101 835 101 490 101	A A A	CR ZN CO CR FE	111 111 111 111	2031.263 2031.303 2031.33 2031.413 2031.423	2030.610 2030.650 2030.68 2030.760 2030.767	120 15 2 250 10	; ;	893 162 673 893 188	
FE NI CA NI CA	11 11 1 1 1	2029.834 2029.859 2029.880 2029.94 2029.950	2029.182 2029.207 2029.228 2029.29 2029.298	80 50 15	93. 43. 44.	488 835 101 488 101	H A A	CA NE CR MN CA	I III III I	2031.432 2031.446 2031.50 2031.536 2031.617	2030.779 2030.793 2030.85 2030.883 2030.964	30 20 1		101 563 490 301 101	A
V CA MN CR CA	1 1 11 1 1	2030.02 2030.024 2030.061 2030.08 2030.102	2029.36 2029.372 2029.409 2029.42 2029.450	50 80 15	50. 17. 47.	489 101 301 341 101	A	CU NA CA MN FE	11 111 11 11	2031.6891 2031.782 2031.818 2031.85 2031.883	2031.0356 2031.129 2031.165 2031.20 2031.230	45 360 30 1	79.	612 516 101 328 645	А
ZN FE CA ZN CA	11 111 11 11		2029.464 2029.522 2029.535 2029.559 2029.623	50 10 20		154 188 101 154 101	A	CR CR V CA V	111	2031.93 2031.93 2032.01 2032.036 2032.06	2031.27 2031.28 2031.35 2031.383 2031.40	15 1 25 30		341 490 325 101 478	. A

2032.167 2032.214 2032.275 2032.29 2032.405 2032.46 2032.536 2032.58	2031.514 2031.561 2031.622 2031.64 2031.748	100 1 1 45	11.	301 645		CR	1	0000 04	2032.95	-	- -		
2032.405 2032.46 2032.536 2032.58				101 490	A	co .	111	2033.699 2033.73	2033.046 2033.07	5 50 . 3	47.	341 301 673	
2032.536 2032.58		-3	•	802		KR CL	11	2033.752 2033.8063	2033.099 2033.1525	1 160		509 613	
	2031.81 2031.883	100		673 101	A	KŖ CA	I I	2033.870 2033.876	2033.217 2033.223	25		509 101	
2032.605	2031.93 2031.951	3 9		490 825		F	111	2033.922	2033.268	12		537	
2032.62	2031.96	15	33.	603			III	2033.9226 2033.93	2033.2686 2033.27	122		613 2	
2032.643 2032.753	2031.990	20		645			III		2033.28	1		490	
2032.76	2032.10	5		489		CA :	111	2034.012	2033.358	350		85	
2032.7695	2032.1157	300		613 43		CL NI	II	2034.0285 2034.045	2033.3744 2033.391	75 . 3	15.	613 835	
2032.8042	2032.1505	170		613		ĸĸ	: 1	2034.110	2033.456	_4		509	
2032.82	2032.17	5		490		V	II	2034,13 2034.16	2033.50	10	· -	478	
	2032.170 2032.1778	30		101 867	A	N I ZN	I.I	2034.21 2034.222	2033.56 2033.568	10 20	39.	488 154	
2032.9236	2032.2698	30		613				2034.236	2033.582	7	•	301	
2032.957	2032.304	25	33.	835		co	111	2034.26	2033.61	20 5		673	
2032.968	2032,313	5 50		301 537			III	2034.307 2034.402	2033.653 2033.748	10.		101 645	
2033.01	2032.36	1 250	0.4	490				2034.414	2033.760	5		301	
2033.09	2032.43	80	10.	496	н	CL	11	2034.5425	2033.8884	90		613	
2033.13				490 101	Α		11	2034.58 2034.6476	2033.93 2033.9936	50 122		328 613	
2033.254	2032.600	10		333					2034.0529	85		613	
2033.27	2032.52	1		490		CA	1	2034.789	2034.135		50.	101	
2033.281	2032.65	1		333		CR :			2034.197 2034.24	25 35	47.	893 341	
2033.378 2033.38	2032.724	30 18	10	333				2034.94	2034.29	10		673	
2033.488	2032.835		. 13.	101	A	KR	I 1	2035.075	2034.421	1		509	
2033.59	2032.92	1		2 490		N I FE	I I I	2035.09 2035.115	2034.44 2034.461	50 10	43. 186.	488 488	
	2032.76 2032.7695 2032.8042 2032.81 2032.82 2032.823 2032.8316 2032.936 2032.957 2032.966 2032.966 2032.966 2033.01 2033.060 2033.09 2033.13 2033.254 2033.254 2033.254 2033.254 2033.31	2032.76 2032.76 2032.7695 2032.1157 2032.8042 2032.15 2032.81 2032.16 2032.82 2032.17 2032.82 2032.17 2032.8316 2032.17 2032.8316 2032.17 2032.8316 2032.17 2032.936 2032.27 2032.957 2032.966 2032.313 2032.968 2032.314 2033.01 2032.36 2033.060 2032.407 2033.09 2032.407 2033.09 2032.486 2033.13 2032.486 2033.254 2032.600 2033.254 2032.600 2033.254 2032.65 2033.378 2032.65	2032.76 2032.10 5 2032.7695 2032.1157 210 2032.80 2032.15 300 2032.80 2032.15 170 2032.81 2032.16 10 2032.82 2032.17 5 2032.83 2032.170 30 2032.936 2032.2698 30 2032.957 2032.304 25 2032.968 2032.313 5 2032.968 2032.314 50 2033.01 2032.36 1 2033.060 2032.407 250 2033.09 2032.407 250 2033.13 2032.48 1 2033.254 2032.600 10 2033.254 2032.601 20 2033.281 2032.628 20 2033.31 2032.628 20 2033.38 2032.724 30 2033.38 2032.724 30 2033.388 2032.73 18 2033.488 2032.835 <td>2032.76</td> <td>2032.76 2032.10 5 489 2032.7695 2032.1157 210 613 2032.80 2032.15 300 43 2032.8042 2032.1505 170 613 2032.81 2032.17 5 490 2032.82 2032.17 5 490 2032.836 2032.1778 30 867 2032.936 2032.2698 30 . 613 2032.937 2032.27 60 50 489 2032.957 2032.304 25 33 835 2032.968 2032.313 5 301 2033.968 2032.314 50 537 2033.060 2032.407 250 94 488 2033.09 2032.43 80 10 496 2033.13 2032.407 250 94 488 2033.13 2032.407 250 94 488 2033.13 2032.407 20 645</td> <td>2032.76</td> <td>2032.76</td> <td>2032.76</td> <td>2032.7695</td> <td>2032.76 2032.769 2032.1595 2032.1595 2030.0613 20111 2034.025 2033.3744 2032.80 2032.155 300 43 20111 2034.025 2033.3744 2032.80 2032.155 300 43 20111 2034.025 2033.3744 2032.80 2032.1505 170 613 288 P 1 2034.110 2034.035 2033.374 2032.82 2032.170 5 490 V 11 2034.16 2033.456 2032.823 2032.177 5 490 V 11 2034.16 2033.56 2032.8316 2032.8316 2032.1778 30 867 ZN 11 2034.222 2033.368 2032.936 2032.2698 30 . 613 MN 111 2034.222 2033.368 2032.936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.304 25 33. 835 2032.966 2032.313 5 301 CA 11 2034.24 2033.653 2032.968 2032.314 50 537 FE 11 2034.414 2033.760 2033.060 2032.407 250 94. 488 H ZN 111 2034.414 2033.760 2033.01 2032.264 1 490 MN 111 2034.441 2033.760 2033.060 2032.407 250 94. 488 H ZN 111 2034.414 2033.760 2033.07 2032.365 1 490 MN 11 2034.414 2033.760 2033.07 2032.48 1 490 MN 11 2034.488 2033.794 2033.13 2032.48 1 490 MN 11 2034.488 2033.794 2033.13 2032.486 1 490 MN 11 2034.488 2033.794 2033.254 2032.486 1 490 MN 11 2034.488 2033.794 2033.254 2032.486 1 490 MN 11 2034.496 2033.9936. 2033.254 2032.656 1 333 CL 11 2034.797 2034.676 2033.9936.</td> <td>2032.769</td> <td>2032.76 2032.10 5 489 CA 111 2034.012 2033.358 350 2032.2157 210 613 CL 11 2034.0245 2033.3744 75 2032.80 2032.157 210 613 CL 11 2034.045 2033.391 3 15. 2032.8042 2032.1505 170 613 KR 11 2034.110 2033.456 4 2032.81 2032.81 2032.17 5 490 V 11 2034.13 2033.47 150 10. 2032.82 2032.17 5 490 V 11 2034.13 2033.47 150 10. 2032.83 2032.17 5 490 V 11 2034.16 2033.56 10 39. 2032.816 2032.178 30 867 ZN 11 2034.21 2033.56 10 39. 2032.816 2032.178 30 867 ZN 11 2034.22 2033.56 20 20 2032.83 2032.277 60 50. 489 CR 111 2034.24 2033.59 20 2032.93 2032.93 2032.27 60 50. 489 CR 111 2034.24 2033.59 20 2032.93 2032.93 2032.93 5 50 30</td> <td>2032.76 2032.165 2032.1157 210 613 CL III 2034.025 2033.358 350 05 05 032.7655 2032.1157 210 613 CL III 2034.025 2033.3744 75 613 2032.800 2032.15 300 43 NI III 2034.045 2033.391 3 15. 835 2032.800 2032.15 170 613 RR III 2034.045 2033.391 3 15. 835 2032.800 2032.15 170 613 RR III 2034.045 2033.391 3 15. 835 2032.801 2032.16 10 328 P I 2034.13 2033.47 150 10 496 2032.82 2032.17 5 490 V III 2034.16 2033.50 10 478 2032.823 2032.178 30 867 ZN III 2034.21 2033.56 10 39. 486 2032.823 2032.178 30 867 ZN III 2034.21 2033.56 10 39. 486 2032.823 2032.178 30 867 ZN III 2034.22 2033.588 20 154 2032.831 2032.278 60 50. 489 CR III 2034.24 2033.59 20 490 2032.857 2033.303 254 2032.313 5 301 CA III 2034.24 2033.59 20 490 2032.857 2033.303 25 301 CA III 2034.26 2033.66 5 673 2032.868 2032.313 5 301 CA III 2034.26 2033.66 5 301 2032.868 2032.314 50 50 50 488 H ZN III 2034.402 2033.794 10 645 2033.00 2032.467 250 94. 488 H ZN III 2034.448 2033.794 10 162 2033.00 2032.46 1 400 MN III 2034.448 2033.794 10 162 2033.00 2032.46 1 400 MN III 2034.448 2033.794 10 162 2033.00 2032.46 1 400 MN III 2034.448 2033.794 10 162 2033.00 2032.48 1 10 490 MN III 2034.448 2033.794 10 162 2033.00 2032.48 1 10 490 MN III 2034.448 2033.794 10 162 2033.00 2032.48 1 10 490 MN III 2034.476 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.476 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.470 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.470 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.471 2034.072 2034.05 95 50 328 2033.313 2032.65 1 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.25 2033.65 1 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.25 2033.65 1 1 490 MN III 2034.49 2034.29 10 673 2033.25 2033.25 20 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.25 2032.65 1 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.35 2032.65 1 1 490 MN III 2034.49 2034.29 10 673 2033.37 2032.65 1 1 490 MN III 2034.95 2034.49 2034.29 10 673 2033.38 2032.73 18 19 .034 10 10 A RR III 2034.95 2034.29 10 673 2033.38 2032.73 18 19 .034 10 A</td>	2032.76	2032.76 2032.10 5 489 2032.7695 2032.1157 210 613 2032.80 2032.15 300 43 2032.8042 2032.1505 170 613 2032.81 2032.17 5 490 2032.82 2032.17 5 490 2032.836 2032.1778 30 867 2032.936 2032.2698 30 . 613 2032.937 2032.27 60 50 489 2032.957 2032.304 25 33 835 2032.968 2032.313 5 301 2033.968 2032.314 50 537 2033.060 2032.407 250 94 488 2033.09 2032.43 80 10 496 2033.13 2032.407 250 94 488 2033.13 2032.407 250 94 488 2033.13 2032.407 20 645	2032.76	2032.76	2032.76	2032.7695	2032.76 2032.769 2032.1595 2032.1595 2030.0613 20111 2034.025 2033.3744 2032.80 2032.155 300 43 20111 2034.025 2033.3744 2032.80 2032.155 300 43 20111 2034.025 2033.3744 2032.80 2032.1505 170 613 288 P 1 2034.110 2034.035 2033.374 2032.82 2032.170 5 490 V 11 2034.16 2033.456 2032.823 2032.177 5 490 V 11 2034.16 2033.56 2032.8316 2032.8316 2032.1778 30 867 ZN 11 2034.222 2033.368 2032.936 2032.2698 30 . 613 MN 111 2034.222 2033.368 2032.936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.2936 2032.304 25 33. 835 2032.966 2032.313 5 301 CA 11 2034.24 2033.653 2032.968 2032.314 50 537 FE 11 2034.414 2033.760 2033.060 2032.407 250 94. 488 H ZN 111 2034.414 2033.760 2033.01 2032.264 1 490 MN 111 2034.441 2033.760 2033.060 2032.407 250 94. 488 H ZN 111 2034.414 2033.760 2033.07 2032.365 1 490 MN 11 2034.414 2033.760 2033.07 2032.48 1 490 MN 11 2034.488 2033.794 2033.13 2032.48 1 490 MN 11 2034.488 2033.794 2033.13 2032.486 1 490 MN 11 2034.488 2033.794 2033.254 2032.486 1 490 MN 11 2034.488 2033.794 2033.254 2032.486 1 490 MN 11 2034.496 2033.9936. 2033.254 2032.656 1 333 CL 11 2034.797 2034.676 2033.9936.	2032.769	2032.76 2032.10 5 489 CA 111 2034.012 2033.358 350 2032.2157 210 613 CL 11 2034.0245 2033.3744 75 2032.80 2032.157 210 613 CL 11 2034.045 2033.391 3 15. 2032.8042 2032.1505 170 613 KR 11 2034.110 2033.456 4 2032.81 2032.81 2032.17 5 490 V 11 2034.13 2033.47 150 10. 2032.82 2032.17 5 490 V 11 2034.13 2033.47 150 10. 2032.83 2032.17 5 490 V 11 2034.16 2033.56 10 39. 2032.816 2032.178 30 867 ZN 11 2034.21 2033.56 10 39. 2032.816 2032.178 30 867 ZN 11 2034.22 2033.56 20 20 2032.83 2032.277 60 50. 489 CR 111 2034.24 2033.59 20 2032.93 2032.93 2032.27 60 50. 489 CR 111 2034.24 2033.59 20 2032.93 2032.93 2032.93 5 50 30	2032.76 2032.165 2032.1157 210 613 CL III 2034.025 2033.358 350 05 05 032.7655 2032.1157 210 613 CL III 2034.025 2033.3744 75 613 2032.800 2032.15 300 43 NI III 2034.045 2033.391 3 15. 835 2032.800 2032.15 170 613 RR III 2034.045 2033.391 3 15. 835 2032.800 2032.15 170 613 RR III 2034.045 2033.391 3 15. 835 2032.801 2032.16 10 328 P I 2034.13 2033.47 150 10 496 2032.82 2032.17 5 490 V III 2034.16 2033.50 10 478 2032.823 2032.178 30 867 ZN III 2034.21 2033.56 10 39. 486 2032.823 2032.178 30 867 ZN III 2034.21 2033.56 10 39. 486 2032.823 2032.178 30 867 ZN III 2034.22 2033.588 20 154 2032.831 2032.278 60 50. 489 CR III 2034.24 2033.59 20 490 2032.857 2033.303 254 2032.313 5 301 CA III 2034.24 2033.59 20 490 2032.857 2033.303 25 301 CA III 2034.26 2033.66 5 673 2032.868 2032.313 5 301 CA III 2034.26 2033.66 5 301 2032.868 2032.314 50 50 50 488 H ZN III 2034.402 2033.794 10 645 2033.00 2032.467 250 94. 488 H ZN III 2034.448 2033.794 10 162 2033.00 2032.46 1 400 MN III 2034.448 2033.794 10 162 2033.00 2032.46 1 400 MN III 2034.448 2033.794 10 162 2033.00 2032.46 1 400 MN III 2034.448 2033.794 10 162 2033.00 2032.48 1 10 490 MN III 2034.448 2033.794 10 162 2033.00 2032.48 1 10 490 MN III 2034.448 2033.794 10 162 2033.00 2032.48 1 10 490 MN III 2034.476 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.476 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.470 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.470 2033.884 90 613 2033.139 2032.48 1 10 490 MN III 2034.471 2034.072 2034.05 95 50 328 2033.313 2032.65 1 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.25 2033.65 1 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.25 2033.65 1 1 490 MN III 2034.49 2034.29 10 673 2033.25 2033.25 20 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.25 2032.65 1 1 490 MN III 2034.49 2034.05 2033.936 12 613 2033.35 2032.65 1 1 490 MN III 2034.49 2034.29 10 673 2033.37 2032.65 1 1 490 MN III 2034.95 2034.49 2034.29 10 673 2033.38 2032.73 18 19 .034 10 10 A RR III 2034.95 2034.29 10 673 2033.38 2032.73 18 19 .034 10 A

	SPEC	ŢRUM	VACUUM WAVELENGI.I	`AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUN	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO MN FE CA FE	I III I I III	2035.194 2035.330	2034.49 2034.500 2034.537 2034.676 2034.695	8 100 4	11.	603 301 188 101 188	A	FE N CR CR N	111 1 111 111	2036.663 2036.76 2037.00 2037.070 2037.08	2036.006 2036.10 2036.34 2036.416 2036.42	10 70 8 350 5	18.94 47. 69. 18.94	188 824 341 893 824	
	AR CR MN CR CL	11 111 111 111	2035.476 2035.535 2035.54	2034.7628 2034.822 2034.881 2034.88 2034.89	20 300 50 15 300	29.	867 893 301 340 43		FE CO MN CA ZN	11 11 111 1 1	2037.089 2037.238 2037.317 2037.417 2037.479	2036.435 2036.583 2036.662 2036.762 2036.824	200 30 30	137. 3. 17.	488 825 301 101 154	н
	NI N CO V NI	111 111 11 11	2035.67 2035.71 2035.72	2034.90 2035.02 2035.05 2035.06 2035.07	25 25 7 60 100	23. 43.	488 246 603 478 488	N	FE CU CR CR CU	111 11 111 111	2037.502 2037.5737 2037.64 2037.667 2037.7819	2036.845 2036.9190 2036.98 2037.014 2037.1272	10 40 3 10 250	60. 153. 16.	188 612 340 893 612	
14	SC FE MN CA FE	IV III II II	2035.785	2035.095 2035.103 2035.133 2035.285 2035.302	40 10 15		720 188 328 101 645	A	FE CR CR V	111 111 111 111	2037.804 2037.813 2037.92 2037.94 2037.94	2037.145 2037.160 2037.26 2037.29 2037.29	10 60 4 6 55	69. 222.	188 893 340 490 325	
	V KR CD NI CR	1 1 1 11 111	2035.996 2036.01	2035.30 2035.342 2035.35 2035.386 2035.492	80 4 5 2 120	50.	489 509 603 835 893		FE MN MN V FE	III III III	2037.950 2037.96 2037.968 2038.16 2038.236	2037.292 2037.31 2037.315 2037.50 2037.578	40 200 150 25 4	11.	188 328 301 478 188	
	MN N CR N AR	111 1V 111 111 111	2036.27	2035.505 2035.57 2035.61 2035.62 2035.629	10 110 10 10 5	18.94	301 824 490 246 506	N	NI CR MN CA ZN	111 111 11 111	2038.264 2038.27 2038.300 2038.320 2038.326	2037.611 2037.62 2037.643 2037.667 2037.673	2 0 200 20		835 490 328 101 162	A
	V ZN CU F FE	11 11 11 11 11	2036.44 2036.495 2036.5089 2036.512 2036.526	2035.78 2035.841 2035.8545 2035.858 2035.872	15 10 275 12 10	15.	478 154 612 537 645		CR NA V FE CO	I I I I I I I I I I I I I I I I I I I	2038.38 2038.431 2038.49 2038.506 2038.58	2037.72 2037.778 2037.93 2037.853 2037.92	1 240 50 0	45.	341 516 478 292 603	
	NA FE ZN CA CR	111 111 111 1 1	2036.552 2036.596 2036.605 2036.630 2036.66	2035.898 2035.939 2035.951 2035.976 2036.Q1	330 10 4		516 188 162 101 490	A	FE CL CR ZN V	III II III I	2038.750 2038.853 2038.87 2038.983 2039.11	2038.092 2038.198 2038.21 2038.330 2038.45	25 5 7 3		183 613 341 162 489	

,

ŞPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTF		VACUUM KAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR III MN 111 CU III FE 111 CR 11	2039.139 2039.232 2039.279	2038.48 2038.486 2038.577 2038.621 2038.64	0 100 50 4 2	222.	490 301 724 188 340	•	MN CD KR FE CR	11 111 111 111	2040.62 2040.88 2040.981 2041.065 2041.08	2039.97 2040.23 2040.327 2040.407 2040.42	200 10 25 25 4	71. 28.	328 673 509 188 340	
CO 11 CR 111 CA 1 FE 111 NI 111	2039.35 2039.360 2039.400	2038.68 2038.70 2038.707 2038.742 2038.82	9 3 10 10	19.	825 490 101 188 661	. А	CR FE MN CR FE	1:1 111 111 11	2041.09 2041.196 2041.249 2041.34 2041.345	2040.44 2040.538 2040.595 2040.68 2040.690	2 40 10 20 10	28. 93.	490 188 301 340 896	н ,
V 1 CD 11 CO 1 CR 111 FE 111	2039.519 2039.52 2039.53	2038.85 2038.864 2038.86 2038.88 2038.908	90 M . 0 1 10	50. 60.	489 825 603 490 188		FE, ZN ZN V CR	111 1V 1 1 1	2041.418 2041.524 2041.58 2041.66 2041.68	2040.760 2040.864 2040.92 2041.00 2041.02	10 10 20- 60 8	51. 28.	168 154 1014 489 340	U
MN 111 CR 1 CL 11 CR 111 CO 111	2039.64 2039.6712 2039.73	2038.955 2038.98 2039.0161 2039.08 2039.17	100 1 30 2 50	11.	301 341 613 490 673		CU CO NI FE V	IV I I I	2041.76 2041.77 2041.81 2041.858 2041.90	2041.10 2041.11 2041.16 2041.204 2041.24	12 20 10 25 00	46.	713 603 488 605 489	N
CR 111 ZN 111 V 1 CR ZN 1	2039.932 2039.95 2039.96	2039.18 2039.279 2039.29 2039.30 2039.309	1 25 60 35 60	79. 47.	490 162 478 341 457		CA TI CA CR MN	1 111 111 11	2041.986 2042.14 2042.193 2042.23 2042.293	2041.332 2041.49 2042.538 2041.57 2041.630	30 350 6 40	11.	101 488 85 340 328	А
V CR II AR I FE II	2040.086 2040.145 2040.164	2039.39 2039.432 2039.490 2039.510 2039.507	00 25 30 20 90	134.	489 893 506 292 188		NA GE CR V	1 1 1 1 1 1 1 1 1 1	2042.376	2041.663 2041.7121 2041.722 2041.74 2041.76	360 80 90 10 3	3. 69.	516 7 993 489 603	
MG II ZN II CR II V SE	I 2040.235 I 2040.318	2039.55 2039.581 2039.664 2039.61 2039.82	360 50 350 5 650	6. 69. 2.	2 162 893 489 588		CR MN NI FE CR	11 11 111 111	2042.46 2042.79 2042.83 2042.895 2042.912	2041.80 2042.14 2042.17 2042.236 2042.258	7 10 00 10 90	28.	340 328 602 188 893	
CO II CR I CA CO MN II	1 2040.56 1 2040.570 1 2040.61	2039.84 2039.90 2039.916 2039.95 2039.96	5 10 25 200	2. 92.	673 340 101 603 301	A	FE AR NE NE V	1X 11 V1 11	2043.01 2043.0170 2043.04 2043.076 2043.110	2042.36 2042.3613 2042.38 2042.420 2042.454	54 30 90 20 20		940 867 71 563 829	FH.

	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN ZN CR CD CR	11 111 111 1	2043.38	2042.50 2042.527 2042.62 2042.72 2042.72	10 10 8 8	45.	328 162 490 603 341		AS SI N CR CR	11 11 11 11	2045.416 2045.42	2044.684 2044.72 2044.761 2044.76 2044.81	2 0 1 1	27. 135.	425 608 521 340 490	P
	MN CR CR MN CO	III		2042.749 2042.78 2042.83 2042.99 2043.00	2 5 2 1 8	135.	301 . 340 490 301 603		NA ZN FE CA MN	111 111 111		2044.824 2044.92 2044.970 2045.001 2045.044	300 2 40 100	60.	516 1014 188 101 301	U
	CA CO CR NI MN	111 1 111		2043.005 2043.05 2043.06 2043.09 2043.12	2 10 2 40	47.	101 673 341 661 328	A	CR NI NA MN KR	11 111 111 111	2045.96 2046.09 2046.05J 2046.128 2046.164	2045.30 2045.43 2045.444 2045.515 2045.509	12 20 300 1	27.	340 661 516 301 509	
16	V CR: TI NA FE	111 111 111 111	2043.946	2043.13 2043.22 2043.26 2043.291 2043.31	20 5 J 360 0	11.	489 490 488 516 645		CR CU O CA FE	111 111 111 111	2046.32 2046.459	2045.56 2045.62 2045.67 2045.803 2045.830	1 5 220 300 60		490 672 72 85 188	
	CU CO MN FE CO	· I		2043.326 2043.37 2043.43 2043.478 2043.70	100 8 1 25 8	91.	724 603 328 188 603		TI CR FE ZN V	III	2046.514 2046.57 2046.704 2046.714 2046.78	2045.858 2045.91 2046.043 2046.058 2046.12	40 4 4 00 0	•	727 499 188 162 478	
	ZN GE FE MN CU	1 11	2044.451 2044.455	2043.712 2043.7695 2043.796 2043.800 2043.8022	5 80 50 15 35 <i>0</i>	4. 15.	154 7 645 328 612		AR CD MN CR AR	11 111 1V 111	2046.82 2046.861 2047.03	2046.155 2046.16 2046.202 2046.37 2046.4930	5 10 0 4 40		506 673 799 490 867	
	ZN CR FE CO V	11	2044.587 2044.59 2044.693 2044.88 2044.92	2043.932 2043.93 2044.034 2044.23 2044.26	30 3 25 5 2	71.	154 340 188 673 489		CA MN FE CA CR	111 11 111 111 11	2047.25 2047.443 2047.475	2046.537 2046.59 2046.784 2046.819 2046.98	250 20 10 250 8	2ġ.	. 85 328 188 85 340	
	V FE NI FE MN	1 111	2044.94 2044.961 2045.07 2045.200 2045.230	2044.28 2044.302 2044.41 2044.541 2044.575	5 40 00 4 300	188. 71.	478 183 602 183 301		CR FE CA FE CR		2047.785 2047.850	2047.024 2047.126 2047.193 2047.241 2047.266	1 10 200 2 350	116. 69.	893 188 85 605 893	

SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSI	ITY MULTIPLE	T REFERENCE	NOT
				1. V	•				•	· ·			•		
CR NI CO CA AS	111	2048.02	2047.32 2047.35 2047.36 2047.410 2047.57	2 50 30 50	153. 42. 22.	340 488 673 101 480	A	AS SI SI KR CR	111 11 11 11	2050.381 2050.570 2050.60 2050.637 2050.98	2049.724 2049.913 2049.94 2049.980 2050.32		30 7 57. 0 . 40 10 135.	608 509	
CU FE CO NI NA	11 11 111	2048.3350 2048.375 2048.41 2048.46	2047.719	15 10 3 00 30	180.	612 645 673 602 516		AR CR CA NI SE	II III II II 'I	2051.010 2051.012	2050.3240 2050.34 2050.353 2050.355 2050.43		20 5 1 60	867 490 101 835 600	
AR KR MN CA NA	11 1V 111	2048.6568 2048.661 2048,912	2048.0001 2048.005 2048.255 2048.293 2048.314	20 1 120 250 180		867 509 799 85 516		MN CO FE AR CU	111 111 111 11	2051.326 2051.391 2051.399 2051.4496 2051.48	2050.669 2050.734 2050.739 2050.7924 2050.82		20 4 4. 120 60. 50	188	
NI ZN	111	2048.99 2049.049 2049.08	2048.33 2048.393 2048.42 2048.42 2048.44	0 10 10 4 5		602 162 490 1014 673	U	NI FE CR V CR	11 111 11	2051.50 2051.685 2051.70 2051.93 2052.01	2050.84 2051.028 2051.04 2051.27 2051.35	. :	25 45, 250 93, 3 5 203, 2	488 490	
FE CO AS NA V	III		2048.492 2048.59 2048.716 2048.720 2048.75	50 5 3 210	121.	488 603 425 516 478	H	FE MN NA CR C	11 111 111 111 11	2052.16	2051.368 2051.447 2051.486 2051.50 2051.79		0 5 330 2 10 35.	645 301 516 490 287	
MN ZN F V	I I I I I	2049.59 2049.62 2049.624 2049.65 2049.822	2048.93 2048.96 2048.967 2048.99 2049.165	. 400 2 30 00 10		301 1014 537 489 825	U	V P NA FE NI	111 111 111 1	2052.45 2052.469 2052.503 2052.507 2052.70	2051.79 2051.812 2051.847 2051.847 2052.04		30 203 10 150 10 60 17	936 516 188	
P CR CR MN	111 111 111	2049.944 2049.97 2049.99 2050.002 2050.044	2049.287 2049.31 2049.33 2049.345 2049.384		71.	936 341 490 301 188	•	CO C FE V NI		2052.82 2052.929 2053.04	2052.11 2052.16 2052.269 2052.38 2052.45		10 10 35. 25 10 157 10 17		
٧.	111 11			70	146.	613 490 478 309 301		SE KR ZN AS MN	111	2053.175 2053.176 2053.208	2052.48 2052.519 2052.520 2052.550 2052.584		30 10 10 50	588 509 162 425 301	•

\$PEC	TRUM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU	IW.	VACUUM WAVELENG! (AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
O MN CO ZN CR	111 111 1 1 1		2052.74 2052.746 2052.82 2052.8 2052.930	160 100 6 15	36.	72 301 603 1014 893	U	SI SI V MN CU	1 1 11 111 111	2055.494 2055.51 2055.627	2054.828 2054.836 2054.85 2054.970 2054.9795	50 4 70 100 300	103. 5	608 370 478 301 612	
ZN CD CO CO NI	111 111 1 1 1	2053.77 2053.93	2053.070 2053.09 2053.11 2053.27 2053.300	5 3 200 6 5	65. 15.	162 825 673 603 835		FE ZN CL CR V	11 111 11 1! 1		2054.984 2055.036 2055.0417 2055.079 2055.15	10 12 100 120 5	74.	645 162 613 893 478	
AS CO CR CO FE	111 111 111 1	2053.97 2053.98 2054.01 2054.12 2054.182	2053.31 2053.32 2053.35 2053.46 2053.521	2 2 0 5 25		404 673 490 603 168		FE CO	111 1 1 111 1		2055.184 2055.270 2055.46 2055.49 2055.50	270 200 4- 360 75	109. 6. 19.	516 488 603 2 488	
CR FE ZN NI CR	111 111 111	2054.20 2054.383 2054.431 2054.57 2054.64	2053.54 2053.727 2053.775 2053.91 2053.98	4 0 6 5 1	17.	490 645 162 488 490		V NI CR F MN	11 11 11 11	2056.21 2056.237 2056.25 2056.320 2056.359	2055.55 2055.579 2055.59 2055.662 2055.702	8 1' 200 1 8	74.	479 835 340 538 301	
CA V CD MN NE	1 1 1 1 1 1 1	2054.661 2054.67 2054.73 2054.73 2054.796	2054.005 2054.01 2054.07 2054.07 2054.138	10 10 1	34.	101 479 603 301 563	А	FE BE NE BE SC	III VI I VI	2056.516 2056.560 2056.59 2056.670 2056.715	2055.855 2055.902 2055.93 2056.012 2056.058	90 40 90 60 450	105.	188 333 71 333 720	
KR CU ZN V CR	11 111 11 11 111	2054.899 2054.9100 2054.912 2054.93 2054.97	2054.243 2054.2521 2054.256 2054.27 2054.31	10 10 00 0 4		509 612 162 478 490		V FE SI CU CO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2056.11 2056.145 2056.158 2056.21 2056.21	2 120 1 11	71.	489 188 370 713 825	
NI S SE CU CR	1 i 1 i 1 i 1 i	2054.971 2055. 2055.02 2055.0741 2055.10	2054.313 2054. 2054.36 2054.4162 2054.44	20 40 10 4	32.	835 107 600 612 340	N	NI CR	111 111 111 111 111	2056.87 2056.97 2057.13 2057.253 2057.3990	2056.21 2056.31 2056.47 2056.595 2056.7400	100 2 2 250 122	65.	673 661 490 85 613	
GE FE CR TI CR	111 111 11 11	2055.1187 2055.141 2055.15 2055.20 2055.41	2054.4609 2054.480 2054.49 2054.54 2054.75	50 40 2 30 10	11. 27.	7 185 490 486 340		ZŅ V	11 111 11 11	2057.3990 2057.462 2057.471 2057.55 2057.582	2056.7408 2056.805 2056.814 2056.89 2056.924	122 300 20 15 50	157.	613 301 457 478 537	

	_
	_
v	_

•

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTI	Rum	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE F V GE FE	111 111 11 11		2057.058 2057.064 2057.20 2057.2382 2057.332	90 12 15 50 120	78. 74. 14. 82.	188 537 478 7 488	н	F NA CO BE FE	11 111 11 1V 11	2059.384 2059.39 2059.467 2059.532 2059.663	2058.725 2058.73 2058.806 2058.874 2059.005	40 120 40	2.	538 516 825 309 645	
V NI CR NI MN	11 11 111 11 11	2058.035 2058.12 2058.138	2057.36 2057.376 2057.46 2057.480 2057.506	25 1 4 0 30	74. 16.	478 835 490 835 301		SI CR AR MN CR	11 111 111 111	2059.673 2059.77 2059.849 2059.887 2059.95	2059.014 2059.11 2059.190 2059.229 2059.29	50 1 10 1	9.01	678 490 506 301 490	
AR ZN CR NI NI	11 111 111 111	2058.33 2058.44	2057.5129 2057.541 2057.67 2057.78 2057.838	50 0 1 10 1		867 162 490 661 835		F CR CL FE MN	111 111 111 111	2060.099 2060.19 2060.22.3 2060.339 2060.34	2059.440 2059.53 2059.5664 2059.677 2059.68	50 4 140 120 1	78. •	537 490 613 188 301	
CR FE CR SI MN	111 111 11 111	2058.61 2058.621	2057.85 2057.921 2057.95 2057.965 2058.066	1 40 1 2 2	248. 9.01	490 188 340 678 301		CR KR MN CO NI	111 11 11 11 1.	2060.39 2060.454 2060.50 2060.56 2060.58	2059.73 2059.796 2059.83 2059.90 2059.92	3 1 1 3 60	40.	490 509 328 603 488	
AR FE FE SI FE	11 1 11 1	2058.761 2058.762 2058.795	2058.0837 2058.100 2058.104 2058.136 2058.201	30 1 0 15 25	115. 52.	867 605 292 608 188		AR V NI CR ZN	11 1V 1 111 111		2060.079 2060.113 2060.20 2060.222 2060.281	10 0 40 4 8	40.	506 829 488 893 162	
CR ZN V MN ZN	111 111 11 111 111	2058.974 2059.00 2059.011	2058.25 2058.316 2058.34 2058.353 2058.381	4 0 40 1 12	74.	490 162 478 301 162		NA CR MN KR	111 111 111 11	2061.019 2061.222 2061.352 2061.407 2061.42	2060.361 2060.564 2060.694 2060.749 2060.76	300 200 30 10 5	39.	516 893 301 509 488	
CO F CR FE GE	I I I I I I I I	2059.174 2059.190 2059.221	2058.51 2058.515 2058.532 2058.560 2058.59	3 25 4 150 30	100.	603 538 893 188 7		NI AR CR CL CR	11 11 111 11		2060.820 2060.855 2060.88 2060.9822 2061.03	0 5 2 30 3	248.	835 506 490 613 340	
CA CU SI KR F	1 11 11 11	2059.29 2059.305 2059.305	2058.603 2058.63 2058.646 2058.647 2058.706	0 50 90 1	9.01	101 670 678 509 537	A	CR SI CO MN CR	III III III	2061.851 2062.05 2062.068	2061.07 2061.192 2061.39 2061.407 2061.54	10 40 6 6 175	103.	490 608 603 802 340	

P		7
•	7	۰
	_	٠,
٠	_	•

	SPEC1	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	Alr Wavelength	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE V AS SI FE	111 11 1 1 1	2062.22 2062.27 2062.30	2061.552 2061.56 2061.61 2061.64 2061.751	250 15 3 1 200	48. 101. 78.	188 478 480 608 188	Н	ZN KR N MN	111 111 111 11	2064.624 2064.666	2063.940 2063.965 2064.007 2064.043 2064.212	10 4 200 15 50	30.	162 509 521 328 506	
	MN V ZN FE FE	111 11 11 111	2062.66 2062.662 2062.745	2061.924 2062.00 2062.003 2062.083 2062.088	10 10 300 25 0	1.	301 478 457 188 292		NI ZN NI N	1 I I I I I I I I I I I I I I I I I I I	2065.05 2065.083	2064.225 2064.228 2064.39 2064.423 2064.513	2 200 40 250	4. 40. 30.	835 457 488 521 101	A
	GE CA	. III I	2062.80 2062.814 2062.83 2062.91 2063.03	2062.14 2062.154 2062.17 2062.25 2062.37	3 200 10 10 25	16. 27. 22.	406 85 673 340 488		CR V CO MG ZN	11 1 111	2065.33 2065.44 2065.52 2065.56 2065.630	2064.67 2064.78 2064.86 2064.90 2064.970	2 2 4 1000	86. 6.	490 478 603 2 162	
3	CU NE V SE CO	11 111 1 1	2063.44 2063.45	2062.4193 2062.62 2062.78 2062.79 2062.92	25 40 3 350 6	80.	612 1031 489 588 603	M	N CR NE GE CR	II III III III	2065.650 2065.776 2065.84 2065.8748 2065.90	2064.990 2065.116 2065.18 2065.2149 2065.24	90 400 80 3	14.0 38.	521 893 1031 7 490	P M
	FE NA V MN MN	111 111 111 111	2063.649 2063.78	2062.983 2062.990 2063.12 2063.138 2063.157	25 150 20 85 20	157.	188 516 478 802 301		FE NA AS ZN CR	Ţ	2066.050	2065.268 2065.282 2065.36 2065.390 2065.46	25 120 50 1 150	21. 1.	188 516 480 162 340	
	CR CU MN NI CR	111 111 1V	2063.87 2063.96 2064.043 2064.08 2064.11	2063.21 2063.30 2063.382 2063.42 2063.45	10 14 80 50	52. 43.	340 713 802 488 490		SI CO ZN V B	I 11 111 111	2066.334 2066.42	2065.516 2065.538 2065.674 2065.76 2065.776	30 35 10 40 850	103. 3. 115.	608 825 162 478 531	
	N CA V CR FE	111 1V 111	2064.16 2064.184 2064.222 2064.30 2064.331	2063.50 2063.524 2063.563 2063.64 2063.672	250 150 2 1 250	92.	168 85 829 490 488	N H	CR MN CR FE CO	II 111 111 11		2065.89 2065.894 2065.92 2066.005 2066.12	10 100 5 150	52. 109.	340 301 490 488 603	
	CR AR CO CR MN	11 11 11 111	2064.4248 2064.433	2063.76 2063.7652 2063.773 2063.80 2063.820	4 20 35 4 15	52. 3.	340 867 825 490 301		CO CR CO CU KR	I I I	2066.78 2066.84 2066.88 2066.9207 2066.957	2066.12 2066.18 2066.22 2066.2606 2066.299	0 15 12 20 4	38. 33. 81.	825 490 603 612 509	

r	_
:	_
_	_

ŞPEÇTR		VACUUM	AIR	INTENS	TY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM	AIR	INTENSITY	MULTIPLET	REFERENCE	NOTES
		WAVELENGTH	WAVELENGTH		•						WAVELENGTH	WAVELENGTH				
В	1	2067.036	2066.377		50		274		FE	11	2068.576	2067.917	200	137.	488	н
MN SI	III	2067.040 2067.073	2066.382 2066.413		00	100.	301 608		MN C.R	1 V ! I	2068.706 2068.88	2068.046 2068.22	40 1		799 340	11.
NI CR	11	2067.077 2067.10	2066.417 2066.44		3 2	15. 52.	835 340		FE N	111	2068.906 2068.91	2068.243 2068.25	350 90	_. 48.	188 168	H. N
CR	111	2067.11 2067.261	2066.45 2066.603		4		490 516		ZN CU	1 I I	2068.964 2068.984	2068.305 2068.321	50 5		154 672	
NA B	I	2067.312	2066.654 2066.66		50	52.	274 340		S NI	ı	2069.01	2068. 2068.35	00		107 602	N
CR CR	111	2067.35	2066.69		20	52.	490		SE	i	2069.01	2068.35	10		568	
CR .	I I I I	2067.41 2067.413	2066.75 2066.755	· '.	3 0	52.	340 645		CR _.	1 I 1 I	2069.04 2069.20	2068.38 2068.54	8 15	27. 173.	340 478	
V F	111	2067.49 2067.534	2066.83 2066.874		. 8 12	212.	478 537		KR CR	11	2069.274	2068.615 2068.62	60- 1		509 490	
	iii	2067.565	2066.907	:	40		516		NI	i	2069.28	2068.62	20	39.	468	
B CR	I II	2067.589 2067.62	2066.930 2066.96		3	5 2.	274 340		CR GE	1 I 1	2069.29 2069.3167	2068.63 2068.6562	1 80	3.	340 7	
CR ZN	III	2067.64 2067.653	2066.98 2066.995		5 15		490 162		N CR	111	2069.340 2069.45	2068.681 2068.79	120	30.	521 490	
B	ī,	2067.68	2067.02	•	10		1021		v	11		2068.80	60	173.	478	•
NI AS	ı İ	2067.709 2067.77	2067.049 2067.11		5 ⁻ 20	22.	835 480		v ÇU	I IV	2069.47 2069.52	2068.81 2068.86	5 10		489 713	
MN B	111	2067.84 2067.852	2067.18 2067.193		2		301 274		CO CR	111	2069.65	2068.99 2069.009	10 300	29.	603 893	
NÍ	111	2067.87	2067.21	•	10		661		MN	111		2069,025	1000	10.	301	
B F	11T	2067.893 2067.949	2067.233 2067.289		700 30		531 537		NI NI	I I I	2069.70 2069.791	2069.04 2069.130	50 1		488 835	N
FE CR	111	2067.965 2067.98	2067.302		90 5	124.	188 490		S CR	IV III	2070.	2069. 2069.467	1 -		90 893	
SI	I	2068.046	2067.386	· ·	3	99.	608		NI	1	2070.18	2069.52	40	43.	488	
MN CO	III	2068.062 2068.08	2067.403 2067.42		80		301 603		NI CR	11	2070.240 2070.27	2069.579 2069.61	6		835 490	
CR TI		2068.22 2068.224	2067.56 2067.564	1	2		490 721		MN AS	III	2070.37 2070.44	2069.71 2069.78	8 30	19.	301 480	
co	i	2068.24	2067.58		5	•	603		FE	111		2069,808	10	. •	188	
SI CA	1	2068.243 2068.287	2067.583 2067.627	•	0		608 85		MN ZN	711	2070.486 2070.553	2069.827 2069.894	. 15		301 162	
ĞE MN	III	2068.29	2067.63		40	•	7 - 301		CO O	I V I	2070.57	2069.91 2069.92	12 90	36.	603 71	

SPEC	rum	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTR	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI FE CU ZN C	11 17 11 17	2070.611 2070.76 2070.79	2069.940 2069.952 2070.10 2070.13 2070.25	1.8 100 11 50	273. 78.	835 488 713 1014 309	U	MN V CR CR FE	1V 11 111 11	2073.029 2073.09 2073.13 2073.22 2073.231	2072.364 2072.43 2072.47 2072.56 2072.571	10 30 1 2	173.	799 478 490 340 645	
O FE FE N MN	VI 111 111 111 111	2071.203 2071.29	2070.29 2070.330 2070.539 2070.63 2070.729	160 80 150 60	273. 99.	71 488 188 177 301	N	CR NA MN SI SC	111 111 111 11	2073.29 2073.334 2073.360 2073.362 2073.400	2072.63 2072.674 2072.696 2072.701 2072.740	2 330 70 200 220	9.	490 516 602 678 720	
V CR FE MN CL	11 111 111 I VI	2071.56 2071.640 2071.652	2070.79 2070.90 2070.976 2070.988 2071.0	15 10 10 5	173.	478 490 188 149 111		V N CR MN CP	I III. III	2073.42 2073.52 2073.56 2073.581 2073.60	2072.75 2072.86 2072.90 2072.917 2072.94	10 4 .5 12 3		489 177 340 148 490	N
N CR NI ZN NE	111 111 111 111		2071.088 2071.18 2071.220 2071.342 2071.419	90 15 30 30	29.0	521 490 835 162 563		FE MN FE CR V	11 111 11 11	2073.807 2073.816 2073.847 2073.87 2073.89	2073.147 2073.156 2073.187 2073.21 2073.23	80 5 0 4 2	81.	488 301 645 340 489	н
MN CO ZN N FE	III III IV II		2071.50 2071.52 2071.602 2071.79 2071.821	2 2 3 10 100	107.	301 825 162 246 488	Q H	CO CO CR MN AR	111 111 111 111	2073.91 2073.94 2074.02 2074.034 2074.0868	2073.25 2073.27 2073.36 2073.374 2073.4253	3 10 15 200 40	28. 38.	673 603 490 301 867	
KR FE CO ZN GE	11 111 1 111 1	2072.639	2071.840 2071.889 2071.95 2071.979 2071.99	40 10 4 8 10		509 188 603 162 7		CO MN V AL AL	111 11 111 111	2074.18 2074.246 2074.25 2074.301 2074.388	2073.52 2073.584 2073.58 2073.632 2073.686	3 2 2 D D		673 328 489 826	
CD SI ZN V MN	111 111 111 111	2072.67 2072.677 2072.801 2072.82 2072.87	2072.01 2072.016 2072.141 2072.16 2072.21	5 200 8 0 3	9.	673 678 162 489 301		V AR AL CR NI	11 11 11 111 11	2074.56 2074.665 2074.6685 2074.75 2074.799	2073.89 2074.003 2074.0079 2074.09 2074.138	1 10 200 0 1	42.	439 506 379 490 835	
CR NI CA V F	111 1 1 1	2072.91 2072.92 2072.946 2072.96 2072.992	2072.25 2072.26 2072.286 2072.30 2072.331	1 15 6 30	21.	490 488 101 489 537	А	O FE CU FE CR	11 11 111 111	2074.83 2074.856 2074.88 2074.904 2074.91	2074.17 2074.195 2074.22 2074.240 2074.25	4 80 0 25 0	91.	168 488 670 188 490	н .

	•	•
ŕ		ì
•	•	•

	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MG III NI I N III SE I	2075.40 2075.41	2074.30 2074.61 2074.74 2074.75 2074.841	3 0 10 350 200	1.	2 602 177 588 85	N.	P CO MN CO FE	111 111 111 1	2077.991 2078.01 2078.036 2078.10 2078.169	2077.329 2077.35 2077.374 2077.44 2077.507	4 1 900 1 20	10.	936 673 301 603 605	N
	MN 11 SI III NI 1	2075.53 2075.63 2075.71 2075.75 2075.768	2074.87 2074.97 2075.04 2075.09 2075.107	25 5 7 00 20	173. 80.	478 328 768 802 645		FE CR V V FE	11 111 11 11	2078.169 2078.22 2078.25 2078.41 2078.420	2077.507 2077.56 2077.58 2077.75 2077.75	120 0 15 00 40	136. 211. 105.	488 490 478 489 188	
	CR III	2075.78 2075.30 2075.87 2076.166 2076.338	2075.12 2075.13 2075.21 2075.505 2075.677	0 15 2 250 300	173.	673 478 490 893 893		CO CR V CU ZN	1 111 111 111	2078.43 2078.45 2078.45 2078.475 2078.554	2077.76 2077.79 2077.79 2077.813 2077.892	25 1 40 5 5		603 490 478 724 162	
23	NI -1 AR II	2076.344 2076.73 2076.8453 2076.873 2076.981	2075.683 2076.07 2076.1833 2076.210 2076.316	50 10 20 170 25	107. 42.	488 488 867 328 188		NA NI CO MN V	III II III I	2078.636 2078.678 2078.73 2078.786 2078.79	2077.974 2078.016 2078.06 2078.124 2078.12	270 3 2 300 0		516 835 603 301 489	
	ZN I V NE 1 V I MN 1	2077.161 2077.18	2076.377 2076.41 2076.499 2076.52 2076.66	20 8 5 0 3	173.	154 489 563 .478 328		ZN CR FE CR CU	111 111 111 111	2078.806 2078.81 2078.926 2079.073 2079.3252	2078.144 2078.15 2079.164 2078.411 2078.6628	5 0 80 250 100	91. 78.	162 490 489 893 612	н
	V I FE 11 8E 11 N I	1 2077.53 1 2077.581	2076.78 2076.87 2076.916 2076.94 2076.944	0 60 4 60 70	14.0	489 478 188 425 200		CA SC NE ZN FE	111 1V 111 111	2079.578 2079.587 2079.61 2079.619 2079.654	2078.916 2078.925 2078.95 2078.957 2078.989	400 285 300 12 500	48.	85 720 1031 162 188	M H
	CR I V	1 2077.699	2076.946 2076.96 2077.00 2077.037 2077.046	15 30 5 120 75	38.	328 340 489 893 724		CO ZN ZN ZN NI	11 1V 111 1	2079.66 2079.690 2079.70 2079.743 2079.837	2079.00 2078.992 2079.04 2079.081 2079.174	1 20 12 120 30		825 154 162 1014 835	u
	Cń II	I 2077.754 I 2077.803	2077.087 2077.089 2077.141 2077.16 2077.22	250 4 20 15 0	63.	531 188 724 489 602		CR V V AS FE	11 11 1V 1	2079.94 2079.96 2079.962 2079.97 2079.972	2079.27 2079.29 2079.300 2079.30 2079.307	20 10 30 7 25		340 478 829 480 188	
											-				

SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO CR S MN	111 V1 111	2079.98 2079.982 2080. 2080.061 2080.192	2079.32 2079.320 2079. 2079.399 2079.529	12 120 15 20	34. 26.	603 893 107 301 672		N MN CO FE CR	11 111 111 11	2081.783 2081.807 2081.90 2081.947 2081.96	2081.120 2081.141 2081.24 2081.284 2081.30	75 2 2 1	14.0	521 802 673 896 490	P
O R R N	I II II II	2080.23 2080.3158	2079.55 2079.56 2079.6531 2079.65 2079.69	M 15 40 2 5	:	603 489 867 340 328		MN NI V AL ZN	11 11 11 11	2082.001 2082.01 2082.1415	2081.30 2081.338 2081.35 2081.4805 2081.528	20 2 2 15 4	3.	328 835 489 379 154	
O S R	111 111 11 11	2080.40 2080.455 2080.52 2080.53 2080.54	2079.74 2079.791 2079.86 2079.86 2079.87	10 10 90 10 1	. 152.	673 425 246 340 489	N	MN V MN CR CR	11 111 111 111	2082.37	2081.548 2081.70 2081.704 2081.81 2082.018	20 0 40 1 350		328 489 602 490 893	
N N I U R	11 111 11 11	2080.550 2080.550 2080.631 2080.7229 2080.885	2079.887 2079.887 2079.968 2080.0602 2080.222	50 20 40 5 4	14.0	154 162 200 612 509		SI AR CO C	I I I V I V I	2082.772	2082.0234 2082.109 2082.11 2082.16 2082.18	8 30 12 40	51. 31. 89.	. 608 506 603 309 71	
E R E	111 111 111		2080.242 2080.254 2080.34 2080.357 2080.38	5 10 160 50 40	92. 18.95	896 893 824 506 428	. н	CR MN CO LI FE	111 111 111 111 111	2082.88 2082.89 2082.91 2082.917 2083.043	2082.22 2082.23 2082.25 2082.254 2082.377	1 1 0 25		490 301 673 309 188	
N N R	11 1V 11 11	2081.078 2081.079 2081.13 2081.215 2081.36	2080.415 2080.415 2080.46 2080.552 2080.70	25 25 2 90 2		154 154 489 509 489		CR V ZN NI CO	III IV II II	2083.19 2083.200	2082.47 2082.52 2082.507 2082.605 2082.68	1 30 1 4 25	48.	490 489 154 835 825	
R II IO IN	1! I 11 1 111 111	2081.45 2081.513 2081.53 2081.67 2081.691	2080.79 2080.850 2080.86 2081.01 2081.028	2 20 2 2 10	16.	490 835 489 673 301		KR CA FE ZN CL	11 111 111 111	2083.415 2083.442 2083.454 2083.455 2083.4813	2082.754 2082.781 2082.788 2082.794 2082.8181	1 4 3 100	,	509 101 168 162 613	Α ·
0 N L N	1 1 1 1 1 1 1 V 1 V 1 V 1 V 1 V 1 V 1 V	2081.728	2081.04 2081.053 2081.0596 2081.061 2081.08	10 70 60 15 80	35.	603 802 613 154 600		MN V NI NA CU	111 I I II1 11	2083.503 2083.51 2083.53 2083.570 2083.59	2082.836 2082.84 2082.87 2082.909 2082.92	15 12 40 390 2	19.	802 489 488 516 670	

\sim	
S	

	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CR FE MN CU FE	111 111 111 111	2083.801 2084.092 2084.115	2083.06 2083.139 2083.430 2083.452 2083.512	1 0 20 2 0	273.	490 645 301 724 488		NI KR FE NE CR	1 11 11 111	2086.065 2086.088 2086.130	2085.37 2085.403 2085.424 2085.466 2085.50	20 10 50 150	41.	488 509 896 563 490	· M
	FE V NI C NI	111 11 11 17 17	2084.31 2084.313 2084.42	2083.530 2083.65 2083.649 2083.76 2083.770	90 00 1 5	124. 14. 32.	188 469 835 309 835		NE V NI NI NI	111 1 1 111	2086.23 2086.23 2086.27	2085.56 2085.56 2085.57 2085.61 2085.654	100 10 5	49. 65.	1031 489 488 940 835	M FH
	CR KR CR CD FE	111 11 1 1 1	2084.565 2084.75 2084.76	2083.81 2083.903 2084.08 2084.09 2084.1217	11 40 10 10	33.	490 509 341 603 896		CO CL P MN CR	1 111 111 111		2085.67 2085.7420 2085.760 2085.813 2085.834	15 122 4 0	•	603 613 936 799 893	
25	V CR CO MN CU	I I I I I I I I I I	2084.87 2084.89 2084.892	2084.12 2084.21 2084.23 2084.230 2084.323	10 3 1 800 4	49.	489 490 673 301 612		FE MG V GE V	111 111 1 1 1 1	2086.56	2085.839 2085.89 2085.91 2086.0208 2086.073	60 360 20 60 30	49.	188 2 489 7 829	
	FE P V CR SI	111 111 11 11	2085.027 2035.037 2085.10	2084.349 2084.363 2034.433 2084.43 2084.4669	250 40 20 4 10	67. 50.	188 936 829 340 608		FE MN FE MN V	111 11 11 111 111	2086.939	2086.128 2086.14 2086.276 2086.310 2086.33	40 10 0 3 20	105.	188 328 292 301 489	
	FE KR MN ZN ZN	111 11 11 11	2085.223 2085.42 2085.478	2084.515 2084.561 2084.76 2084.816 2084.816	25 60 100 30 15	67.	188 509 328 154 162		MN CL P NI V	11 11 111 11	2087.166	2086.45 2086.4825 2086.502 2086.519 2086.57	2 140 4 20 15	49.	328 613 936 835 489	
	NI CO CR CO FE	11 11 111 111 111	2085.58	2084.875 2084.91 2084.93 2084.95 2084.968	30 10 2 2 60	42. 77.	835 825 490 673 168		MN KR SI AR MN	111 11 11 11	2087.409 2087.4759	2086.624 2086.728 2086.745 2086.8119 2086.84	60 150 1 20 30	50.	301 509 608 867 328	
	CO CR AS GU NI	I 1 I	2085.71 2085.76 2085.91 2085.9381 2085.979	2085.04 2085.10 2085.25 2085.2744 2085.315	9 2 30 8 25	32. 21. 14.	603 490 480 612 835		AL ZN NE FE ZN	11 11 111 111	2087.61 2087.62 2087.799	2086.8642 2086.95 2086.96 2087.132 2087.333	30 200 200 150 60	3.	379 1014 1031 168 1014	U
											·					J

	SPECTRUM	a	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
		III	2088.06	2087.40	1		673		NI	I	2089.64	2088.98	20	40.	488	
	A,S	11	2088.10 2088.127	2087.44 2087.462	140		1031 425		NI S	1 I 1 I I	2089.7	2089.000 2089.0	35 300		835 285	
	V KR	1 1	2088.14 2088.142	2087.47 2087.479	8 4		489 509		NS 10	111	2089.700 2089.75	2089. 037 2089. 0 9	5 20	19.	162 488	
	FE	ı	2088.1750	2087.5109	4	34.	896		FE	111	2089.756	2089.089	90	77.	188	
	FE V	11	2088.206 2088.21	2087.542 2087.54	8 15	108.	896 47მ	Н	CR V	11	2089.79 2089.80	2089.12 2089.13	12 2	16.	340 489	
	ČO	I	2088.22	2087.55	15		603		CR	111		2089.161	1		693	
		ΙΙΙ	2088.24	2087.58	1		490		NE	111		2089.20	40		1031	M
	SI	I	2088.280	2087.616	5	50.	608		AL	111		2089.163	D .		826 328	
	MN I	111	2088.281 2088.29	2087.618 2087.62	2 10	49.	301 489		MN S	11	2089.95 2090.	2089.29 2089.	10		107	N
1	NI	11	2088.336	2087.672	7		835		CO	I	2090.02	2089.35	15	87.	603	
	AR	ΙΙ	2088.382	2087.718	10		506		co	111	2090.09	2089.43	. 0		673	
		ij	2088.406	2087.742	15		724		NE	111	2090.09	2089.43	300 500	2	1031 274	
		. I . I I	2088.42 2088.570	2087.75 2087.907	00· 5		602 301		B CO	I		2089.573 2089.67	10	2. 25.	603	
	FE 1	11	2088.574	2087.907	120	77.	188		AS	I	2090.41	2089.74	6	19.	480	
1	CU	11	2088.5834	2087.9192	10		612		ÇO	I	2090.50	2089.83	10	90.	603	
		11	2088.59	2087.92	20	114.	478		çu	īv	2090.51	2089.85	11		713	
	CU V	1:1	2088.6339 2088.64	2087.9697 2087.97	40 1	94.	612 489		V CL	I II	2090.61	2089.94 2089.9646	20 160		4ଧ9 613	
1	GE	ΙÎ	2086.690	2038.025	3	*	676		KR	11	2090.669	2090.005	10		509	
	AS	ΙI	2088.760	2088.096	190		425		MN	111	2090.718	2090.054	600	10.	301	
		11	2088.794	2088.131	150		893		FE	111	2090.721	2090.053	120	124.	188	
		11	2088.815 2088.876	2088.152 2088.212	250 1		509 835		ZN N I	111		2090.075 2090.103	1 15	15.	1 62 835	н
	co	ii	2089.22	2088.56	4		825		FE	111		2000.139	350	67.	168	••
,	V	I	2089.23	2088.56	40	49.	489		CO	11	2090.86	2090.19	16		825	
		11	2089.24	2088.58	15		673		FE	111	2090.908	2090.240	90	59.	188	
		11	2089.2476 2089.292	2088.5834 2088.625	185 60	67.	613 188		MN P	111		2090.257 2090.262	300 10	10.	301 936	
		ĪV	2089,369	2088.705	200	01.4	937		v	111		2090.33	25	194.	47s	
	٧	ΙV	2089.401	2088.737	50		829		FE	I		2090.3831	6	31.	896	
		111	2089.436	2088.773	10		301		NI	1		2090.42	10	17.	438	
	FE B.	11	2089.515	2088.852 2088.910	10 500	2.	645 274		co co	11		2090.47 2090.51	2 10	64.	825 673	
		11	2089.573 2089.58	2088.91	40	۷٠	328		v	111	2091.21	2090.54	5		469	
		ΙΙΙ	2089.58	2088,92	100		1031		v	Ţ		2090.68	30	48.	489	

-	1
•	

ŞPECTRUM	W	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NUTES	ș PEC 1		VACUUM WAVELENGT'I	WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR 11		2091.37 2091.395	2090.70 2090.730	20 25	38.	340 936		CU NE		2093.073 2093.10	2092.408 2092.44	15 240		724 1031	
CR 111		2091.436	2090.772	90		893		V.	I	2093.10	2092.44	60	.48.	489	
FE 1	I	2091.5194	2090.8545	6	34.	896		MN	Í	2093.185	2092.516	50		148	
v 1	I	2091.63	2090.96	10	49.	489		CR	111	2093.24	2092.58	1		490	
CR 1::		2091.63 2091.713	2090.97 2091.048	4 6	2.	490 825		MN	11	2093.25 2093.364	2092.59 2092.667	30 D		32 9 826	
	1	2091.713	2091.048	15	89.	603		A L Z N	111	2093.364	2092.739	2		162	
TI '	V	2091.769	2091.105	60		727		AR	11	2093.429	2092.764	30	•	506	
C 1	I	2091.83	2091.17	10	28.	267		CR	111	2093.43	2092.77	3		490	
MN III		2091.848	2091,184	. 5		301 490		MN.	111	2093.440	2092.775	5 5		301 825	
CR 11: V .:		2091.87 2091.96	2091.21 2091.29	1 20	48.	489		CO NI	11 11	2093.46 2093.505	2092.80 2092.840	3.		835	
FE 11	I	2091.980	2091.312	120	77.	188		FE	111	2093.613	2092.945	90	129.	188	
N I	I	2091.981	2091.316	40	16.0	200		CR	1 I I	2093.64	2092.98	1		490	
GA 1		2092.00	2091.34	1000	1.	652		AS	11	2093.675	2093.010	10		425	
CO CL I		2092,07 2092,1233	2091.40 2031.4585	10 185	29.	603 613		KR C	1 1 1 I	2093.786 2093.79	2093.121 2093.13	40 [.] 4	28.	500 287	
P II	I	2092.143	2091,478	10		936		CR	11	2093.96	2093.29	8	16.	340	
FE 11.	Ι.	2092.156	2091.488	10		188		KR	11	2094.036	2093.371	150		509	
CR 11		2092.22 2092.2884	2091.56 2091.6234	1		490 867		CO	1	2094.07	2093.40	15	86.	G03	
AR I C I		2092.2884	2091.6234	50 10	28.	287		MN NI	I ! i	2094.076 2094.131	2093.407 2093.466	140 15		835	
NI	1.	2092.35	2091.69	0	39.	488		FE	111	2094.172	2093.504	40	77.	.183	
CR 11	1	2092.41	2091.75	0		490		co.	ΙI	2094.18	2093.51	1		825	
	ľ	2092.48 2092.533 2092.56	2091.81	2		478 509		NI	ï	2094.220	2093.555	20	15.	835	н
KR I NE II	I I	2092.533	2091.869 2091.90	40 80		1031	М	FE CR	11	2094.286 2094.29	2093.621	60 2	16.	645 340	
V	I	2092.58	2091.91	4		469		NE	111	2094.30	2093.64	60		1031	M
MG II		2092.63	2091.96	640		2		cu	11	2094.3029	2093.6376	35	79.	612	
co .	I	2092.65	2091.98 2091.999	12	88. 12.01	603 34		CR	111	2094.31	2093.65	4		490	
C !! CR !!	1	2092.664	2091.999	160 5	12.01	490		P FE	111	2094.316 2094.3502	2093.651 2093.6849	90 40	33.	936 389	
ZN II	1	2092.703	2092.039	15		162		٧	1	2094.37	2093.70	1		489	
NI I		2092.807	2092.142	3		835		FE	11	2094.377	2093.711	50	290.	896	
	1	2092.827	2092.159	220		148		CR	1:1	2094.534 2094.794	2093.869	500		893	
CO 11		2092.88 2092.97	2092.22 2092.30	0 10	48.	673 489		N I MN	11 111	2094.794 2094.814	2094.128 2094.149	. 15 300		835 301	
CR II	I	2093.00	2092.34	. 1	,	490		ΝE	- 111	2094.82	2094.15	40		1031	M
AR 1	. I	2093.002	2092.337	30		50შ		V	1	2094.82	2094.15	8		. 489	

ĸ	. 1
٠.	
С	n
	•

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTR	IUM:	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	2094.87	2094.183 2094.21 2094.211 2094.241 2094.2582	40 7 10 3 250	16.0 96. 3.	200 2 608 825 7		FE N NI NE FE	11 11 111 111	2096.20	2095.451 2095.532 2095.53 2095.54 2095.593	1 160 15 400 10	31. 16.0	605 200 488 1031 188	N
AL I P 19 NI I NI 1 CR 11	2094.967 2095.013 2095.053	2094.2644 2094.301 2094.348 2094.388 2094.46	700 4 1 7		379 937 835 835 490		CL FE NI CO V	11 111 1 1	2096.42	2095.6546 2095.688 2095.75 2095.77	40 40 20 15 25	18. 49.	613 188 468 603 489	
FE I V AL I CL I MN II	2095.38 2095.4092 2095.4160	2094.641 2094.71 2094.7440 2094.7505 2094.785	10 40 150 30 500	107. 49.	488 489 379 613 301		MN CR NI CR V	111 	2096.50 2096.51.4 2096.60	2095.809 2095.83 2095.852 2095.94 2095.94	75 8 1 1 25	2. 105.	802 341 835 490 478	
AL I AS I CU I NA II CO	2095.456 2095.4591 2095.474	2094.7906 2094.790 2094.7935 2094.809 2094.86	300 60 5 120 15	86.	379 425 612 516 603		AR NE CU N V	11 11 11 11	2096.8559 2096.858	2095.976 2096.106 2096.1900 2096.192 2096.19	10 180 4 70 20	16.0 47.	506 563 612 200 489	
CR II FE 1 CR KR I V I	2095.650 2095.67 2095.699	2094.92 2094.985 2095.00 2095.034 2095.05	3 20 12 60 15	91. 2. 105.	490 488 341 509 478		KR NE NE SC NI	11 111 11 111 111	2096.90 2096.914	2096.227 2096.23 2096.248 2096.27 2096.29	250 240 120 2		509 1031 563 855 661	M .
CU II MN II AL I V KR I	2095.758 2095.7688 2095.78	2095.09 2095.093 2095.1035 2095.11 2095.115	10 200 100 2 4	10.	713 301 379 489 509		NI V FE CR V	11 111 11 -1	2097.099 2097.11	2096.306 2096.37 2096.430 2096.42 2096.54	0 20 90 6 00	47. 59. 152.	835 489 188 340 489	
NI AL I FE II V FE 11	2095.8065 2095.811 2095.96 2095.995	2095.13 2095.1411 2095.143 2095.29 2095.327	20 200 25 2 25	65. 105.	488 379 168 489 188		V CR AR N ZN	111 111 11 11	2097.522	2096.72 2096.726 2096.806 2096.856 2096.894	15 120 10 110 20	49. 38. 1Ģ.0	489 893 506 200 162	
CR 11. V 1. CR AS 1. P 1.	2096.04 2096.07 2096.081	2095.35 2095.37 2095.40 2095.415 2095.446	1 15 10 225 4	105. 2.	490 478 341 425 937		ZN CO FE V	1 1	2097,656	2096.930 2096.95 2096.990 2097.00 2097.03	80 3 0 8 2	91.	1014 673 488 439 478	υ

r			•
٠	•	٦	•
١	ı	٢	

PECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VAÇUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	,	REFERENCE	NUTE
NI CO S TI	11 11 111 111	2097.760 2097.789 2097.9 2097.965 2098.	2097.094 2097.123 2097.2 2097.299 2097.	140 4 300 130	31.	835 825 285 227 107	H N.	CU	111 11 111 11	2099.389 2099.4078 2099.485 2099.599 2099.6050	2098.725 2098.7415 2098.816 2098.934 2098.9386	60 5 25 10 3	34.	893 612 188 509 896	
CR V AS NE CA	111 I IV 111 I	2098.00 2098.03 2098.07 2098.09 2098.103	2097.34 2097.36 2097.40 2097.43 2097.439	3 30 100 40	48.	490 489 584 1031 296	M A		1 11 111 1 1		2098.942 2099.013 2099.03 2099.060 2099.118	12 25 2	28.	603 509 490 1006 506	
MN FE FE FE CO	11 111 11 11 11	2098.130 2098.149 2098.176 2098.176 2098.180	2097.463 2097.480 2097.512 2097.512 2097.511	140 570 250 250 20	67. 120. 80.	328 188 488 488 603	H H	N I V MN	1!1 11 11 11	2099.79 2099.816 2099.83 2099.84 2099.900	2099.13 2099.150 2099.16 2099.17 2099.231	2 0 30 5 60	9 4. 66.	490 835 478 328 188	
MN AS CO FE S	1 11 111 111	2098.223 2098.236 2098.30 2098.361 2098.4	2097.554 2097.570 2097.64 2097.692 2097.7	30 2 10 350 300	66.	148 425 673 188 285		FE CO	1 1 1 1-1 1 1 1 1 1 1 1	2100.00 2100.001 2100.02 2100.051 2100.068	2099.34 2099.332 2099.35 2099.384 2099.403	200 90 10 4 4	129. 32.	1031 188 603 936 509	
CR MG MN NE V	111 111 111 111	2098.42 2098.60 2098.601 2098.66 2098.67	2097.76 2097.94 2097.937 2098.00 2098.00	1 270 500 20 5	10. 156.	490 2 301 1031 478	М	FE V	11 11 11 111	2100.110 2100.14 2100.200 2100.22 2100.229	2099.445 2099.47 2099.531 2099.55 2099.564	10 0 10 3 180	•	645 478 188 489 516	
TI CR FE AR FE	V 111 1 11 1	2098.73 2098.750 2098.789	2098.044 2098.07 2098.081 2098.123 2098.163	40 1 15 10 2	31.	727 490 605 506 896	М	NI NI AL	111 11 11 11 11	2100.25 2100.280 2100.335 2100.3790 2100.387	2099.59 2099.614 2099.668 2099.7142 2099.718	80 12 6 80 4		1031 835 835 379 188	
MN CU CO AR NI	11 11 11 11	2098.9737 2099.01	2098.301 2098.3075 2098.34 2098.364 2098.368	10 15 4 5 10		328 612 825 506 835			111 111 11 11 11	2100.591	2099.845 2099.862 2099.91 2099.925 2099.939	150 80 0 13 300	4.	893 227 506 835 457	
CU CA V V	111 111 11 111	2099.17 2099.27	2098.3984 2098.497 2098.50 2098.60 2098.611	115 400 40 0 60	95. 47.	612 85 469 478 936	·	0	1 I I I	2100.638 2100.68 2100.72 2100.814 2100.907	2099.973 2100.01 2100.05 2100.144 2100.240	500 4 15 10 3	34.	301 168 406 605 835	

SPECT	RUM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
MN V NI CR NA	11 11 11	2100.92 2100.92 2100.975 2101.01 2101.110	2100.25 2100.25 2100.308 2100.34 2100.445	8 0 60 15 90	16.	326 478 835 340 516		FE GE MN CR AL	III	2103.0211 2103.09 2103.17 2103.22 2103.225	2102.3541 2102.42 2102.50 2102.55 2102.558	20 15 140 5		896 406 328 340 1006	
C CR V CR CR	1 11	2101.12 2101.149 2101.18 2101.28 2101.30	2100.46 2100.484 2100.51 2100.61 2100.63	1 500 25 10 5	23. 48. 16.	34 893 489 340 490		V CR CD CR NA	111 I 11	2103.25 2103.274 2103.29 2103.39 2103.429	2102.58 2102.700 2102.62 2102.72 2102.763	15 10 10 7 360	42.	489 893 603 340 516	
CO O MN V FE	11. VI. 1	2101.33 2101.36 2101.37 2101.44 2101.4646	2100.66 2100.69 2100.709 2100.77 2100.7976	6 4 0 25 10	48. 33.	603 168 799 489 - 896		FE AS AL NI FE	V 1 I I I I I	2103.471 2103.473 2103.516	2102.78 2102.804 2102.806 2102.849 2102.9104	50 1 20	34.	229 425 1006 835 389	F
CR FE CR FE MN	111 11 11 111 111	2101.628 2101.63 2101.630	2100.815 2100.963 2100.96 2100.961 2101.103	200 50 2 150 200	250. 16. 129. 10.	893 488 340 188 301		CR CR CL V FE	11 111 11 1	2103.65 2103.6715 2103.71	2102.97 2102.98 2103.0042 2103.04 2103.0530	25 5 85 8 6	15. 31.	340 490 613 489 896	
CO V NI TI CR	11 11 11 11	2101.84 2101.885 2101.95	2101.10 2101.17 2101.218 2101.28 2101.37	3 50 3 1	94.	825 478 835 601 490		CO GE TI SI CR	1V	2103.77 2103.81 2103.827 2103.830 2103.887	2103.10 2103.19 2103.160 2103.213 2103.221	4 2 800 30 350	2. 95.0 41.	603 406 721 603 893	
AR V V CR FE	111	2102.134 2102.18 2102.18 2102.36 2102.363	2101.467 2101.51 2101.51 2101.69 2101.698	10 00 2 4 10		506 489 325 340 292		CA CR CR AR NI	11 111 111 11	2103.99 2104.012 2104.0191 2104.059	2103.235 2103.32 2103.346 2103.3518 2103.392	10 20 350 50 20	9. 41. 41. 31.	186 490 893 867 835	
CO CR MN V CR	111 11 11	2102.37 2102.380 2102.52 2102.53 2102.81	2101.70 2101.715 2101.86 2101.86 2102.14	3 60 5 20 5	156.	603 893 328 476 490		V TI FE V ZN	111	2104.20 2104.27 2104.317 2104.37 2104.373	2103.53 2103.60 2103.647 2103.70 2103.707	30 40 60 80 50	172. 66. 94.	478 227 188 478 162	
ZN V V GE NE	III	2102.844 2102.88 2102.90 2102.93 2103.00	2102.178 2102.22 2102.23 2102.27 2102.33	200 3 15 40 40		457 325 489 7 1031	M	CR FE CD C	. 1	2104.61	2103.72 2103.799 2103.85 2103.94 2103.964	1 ,350 5 25	66. 11.20 31.	490 188 603 35 605	Н

SPECTRUM	VACUUM WAVELENGT	AIR H WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY		REFERENCE	
	2104.73	7 2104.071 2104.07 2104.18	4 24 3 10 3		855 154 489 328 490		GE NI CR MN AR	1 1 111 11 11	2106.53 2106.56	2105.8241 2105.85 2105.86 2105.89 2105.935	50 5 1 20 30	3. 43.	7 488 490 328 506	
ZN 1 ZN	2104.91 2105.04 2105.05 2105.09 2105.09	2104.37 8 2104.392 2 2104.425	7 10 30 150 40	11.20	35 601 154 1014 936	U .	MN MN MN CR	111 111 111 111	2106.722 2106.79	2105.98 2106.052 2106.12 2106.22 2106.247	10 100 5 2 10		301 148 328 490 506	
CO V MN 1	1 2105.12 I 2105.17 I 2105.24 I 2105.25 I 2105.26	2104.50 2104.57 2104.57	25 12 15 30 5	47.	406 603 489 328 301		FE NA V CR KR	1 1 V 1 1 1 I	2106.995 2107.06 2107.02	2106.2600 2106.328 2106.33 2106.35 2106.358	2 650 15 3 10	31.	896 459 469 341 509	
CO NA Iì	I 2105.33 I 2105.39 I 2105.40 I 2105.40 I 2105.40	2104.684 2104.730 2104.76	15 4 25 0 325	15.	162 893 603 516 512		FE CU FE AR V	111 11 11 11	2107.205	2106.360 2106.3786 2106.3946 2106.537 2106.560	25 3 10 10 2	33. •	188 612 896 506 829	•
TI II	1 2105.5° I 2105.5° I 2105.5°	2104.84 24 2104.857 52 2104.885	3 20 25 30 300	49. 41.	301 489 227 506 693		MN CO CR NI MN	11 1 111 11	2107.469 2107.494 2107.605	2106.760 2106.798 2106.827 2106.937 2106.97	30 25 250 0 5	90.	328 603 893 835 328	
NI II	V 2105.63 I 2105.63 I 2105.63 I 2105.63 I 2105.63	7 2105.01 3 2105.02 30 2105.020	20 15 . M 60 0	146.	799 661 603 188 162		BR GE CA CR NI	11 111 111 111	2107.78 2107.804 2107.850 2107.88	2107.035 2107.11 2107.136 2107.183 2107.21	0 1 200 150	61. 62.	606 406 85 893 488	
CO II	I 2105.78	32 2105.112 1 2105.14 4 2105.17	40 280 1 3 3	23. 64.	227 672 825 673 825		CR FE V AL FE	111 11 1	2107.95 2107.995 2108.07 2108.194	2107.28 2107.324 2107.40 2107.526 2107.555	2 250 10 100	66. 125. 250.	340 188 478 1006 488	Н
CR 11		2105.332 31 2105.414 46 2105.478 53 2105.586	60 15 2 300 0		802 162 825 893 829		CR P NI FE	111 111 11	2108.391 2108.417 2108.494	2107.724 2107.749 2107.826 2107.862 2107.90	250 250 25 1 10 15	10.	893 936 835 292 301	

.

٠		۵
Ñ	7	•
ι		•

SPECTRU		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	CTRUM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR CO NI CO MN	11 11 1	2108.59 2108.62 2108.622 2108.72 2108.73	2107.92 2107.95 2107.954 2108.05 2108.06	15 10 140 0 100	16. 60.	340 825 835 603 328		ZN SI CO CR MN	111 1 111 111	2110.245 2110.25 2110.25	2109.533 2109.577 2109.58 2109.58 2109.585	20 1 1 2 170	•	162 608 825 490 148	
AR CR FE FE CO	I I I I I I	2108.7379 2108.80 2108.8047 2108.806 2108.83	2108.0697 2108.13 2108.1365 2108.139 2108.16	20 1 12 150 0		867 490 389 488 603	н	ZN KR NI AS CR	111 11 1 11 11	2110.46 2110.460	2109.610 2109.788 2109.79 2109.791 2109.85	5 60 10 100 6	17.	162 509 488 425 340	
FE ! ZN		2108.859 2108.888 2108.9701 2108.980 2108.99	2108.188 2108.217 2108.3019 2108.312 2108.32	1 10 12 10	32. 34.	605 188 389 162 490		FE CR KR CU CR	111 11 1V	2110.529 2110.53 2110.549 2110.65 2110.73	2109.861 2109.86 2109.881 2109.98 2110.06	25 6 25 13 4		605 490 509 713 490	N
A L MN	I III	2109.011 2109.088 2109.265 2109.278 2109.33	2108.339 2108.420 2108.596 2108.610 2108.66	0 30 15 150	10.	799 724 1006 301 584		FE FE CU MN CR	11	2110.9040 2110.908 2110.965 2110.987 2111.03	2110.2354 2110.240 2110.296 2110.319 2110.36	8 250 5 10 4	31. 290.	896 488 612 301 490	
	111 11 11 1		2108.676 2108.886 2108.942 2108.9591 2108.97	60 10 250 10 8	105. 227. 33.	188 506 488 896 489		CR V V MN CR	11 1 111	2111.04 2111.15 2111.18 2111.188 2111.33	2110.37 2110.48 2110.51 2110.519 2110.66	5 5 1 20 5	16. 47.	340 478 489 802 490	•
NI AR FE	III II II	2109.660 2109.691 2109.7167 2109.765	2109.0483 2109.097	15 50 18 20 100	60. 227.	603 802 835 867 488		CU CR FE AR CO	I I I I	2111.33 2111.35 2111.401 2111.416 2111.56	2110.66 2110.68 2110.732 2110.747 2110.89	2 4 2 20 M	26. 108.	672 340 896 506 603	н
CO ZN	111 I 111	2109.765 2109.77 2109.877 2109.931 2109.94	2109.097 2109.10 2109.206 2109.263 2109.27	100 1 5 10 30	250.	488 490 603 162 516		AR CR CR MN V	11 11 11	2111.65	2110.8965 2110.92 2110.98 2111.022 2111.04	20 5 10 10	26. 26.	867 340 340 328 478	
NI CL MN	II II	2109.94 2109.98 2110.056 2110.13 2110.158	2109.27 2109.31 2109.388 2109.46 2109.490	8 1 37 5 350	156.	478 661 613 328 893	• .	CO ZN CA CO CU	V11 III	2111.75 2111.759 2111.8 2111.82 2111.87	2111.08 2111.091 2111.1 2111.15 2111.20	5 1 0		603 162 726 673 672	F

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE NOTE	:s
CR III	1 2111.93	2111.220 2111.25 2111.26 2111.269 2111.274	0 4 4 4 20	31. 26.	378 490 340 855 605	N	AS CR CR FE NA	1 11 1 1 1 1 1 1	2113.66 2113.68 2113.71 2113.7561 2113.768	2112.99 2113.01 2113.04 2113.0869 2113.099	100 3 8 20 70	20. 15. 81.	480 490 340 389 459	
ZN II NI I	I 2112.05 I 2112.072	2111.2944 2111.38 2111.403 2111.418 2111.416	40 5 15 2 10	30.	612 489 162 835 603		CA KR SC CO CU	1 I 1 I I V I 1	2113.815 2113.850 2113.855 2113.87 2113.93	2113.146 2113.181 2113.186 2113.20 2113.26	4 25 220 3 2	9.	186 509 720 603 672	
CO 1 CR 1 MN 1 SC 11	I 2112.24 I 2112.31	2111.442 2111.57 2111.64 2111.682 2111.73	15 3 1 2 25	3. 17.	825 340 328 855 488		MN CR NI FE ZN	111 111 111 111	2113.946 2113.96 2113.969 2114.016 2114.074	2113.277 2113.29 2113.300 2113.344 2113.405	40 3 0 60 10		802 490 835 188 162	
MN I FE 11 CR 11 SC 1 MN I	I 2112,466 I 2112,51	2111.79 2111.795 2111.84 2111.961 2112.01	2 40 1 40 3		328 188 490 720 328	·	CO V CO MN CR	11 1 111 111	2114.18 2114.19 2114.208 2114.214 2114.216	2113.51 2113.52 2113.536 2113.545 2113.547	15 0 12 4 250	87.	825 469 603 802 893	
CU I FE I CR I CR II ZN II	I 2112.815 I 2112.83 I 2112.83	2112.1004 2112.146 2112.16 2112.16 2112.265	300 0 10 5 4	55. 15.	612 645 340 490 162		CU ZN NI AL NI	1 11 11 1 11	2114.24 2114.243 2114.248 2114.262 2114.343	2113.57 2113.574 2113.579 2113.593 2113.674	2 8 180 4	60.	672 162 835 1006 835	
FE II CU II MN II CO CR II	1 2112.983 1 2113.035 1 2113.07	2112.282 2112.314 2112.362 2112.40 2112.43	10 15 9 12	83.	188 724 802 603 490		MN CU CR CU FE	111	2114.39 2114.410 2114.483 2114.52 2114.563	2113.72 2113.741 2113.814 2113.85 2113.891	2 10 570 1 90	41.	301 724 893 670 188	
FE II	1 2113.1945 1 2113.21		50 40 4 0 210	× .	835 188 612 328 516		SE MN V FE CO	11 11 11 11 11	2114.62 2114.634 2114.70 2114.774 2114.92	2113.95 2113.964 2114.03 2114.107 2114.25	50 170- 30 0 2	172.	468 328 478 645 825	
CR II CA I MG II	II 2113.426 II 2113.44	2112.66 2112.74 2112.757 2112.77 2112.9688	2 2 10 360 25	9. 33.	825 490 186 2 389		V CR FE CO	111 111 111 11	2114.97 2114.973 2115.011 2115.067 2115.08	2114.30 2114.306 2114.339 2114.398 2114.41	15 300 25 2	172. 40. 83.	478 893 188 825 603	

•	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES	ŞPEC	:TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CA NI AR NA CR	I II IV	2115.082 2115.10 2115.201 2115.203 2115.240	2114.413 2114.43 2114.532 2114.536 2114.573		64.	85 488 506 459 893		MN CR AL FE MN	111 1 111	2117.020 2117.07 2117.212 2117.260 2117.270	2116.350 2116.40 2116.542 2116.588 2116.602	10 2 120 6	58.	802 490 1006 188 301	
	KR FE SI C V	I I I1	2115.245 2115.2691 2115.300 2115.39 2115.49	2114.577 2114.5997 2114.631 2114.72 2114.82	10 25 30 1	33. 4. 45. 47.	509 339 608 287 489	Q	AR CR AS NA NI	111 11 111	2117.357 2117.36 2117.399 2117.420 2117.488	2116.687 2116.69 2116.729 2116.752 2116.818	50 2 1 360		506 490 425 516 835	
	CR AR NA FE NI	11 1V 1 11	2115.570 2115.760 2115.80 2115.8388 2115.846	2114.902 2115.090 2115.13 2115.1693 2115.176	400 10 40 20 3	33.	893 506 459 389 835		CO CR FE TI CO	111 .11 1	2117.515 2117.613 2117.62J 2117.68 2117.76	2116.842 2116.945 2116.960 2117.01 2117.09	60	24. 213.	603 893 488 488 825	N
•	KR MN KR ZN CO	111 11 111	2115.922 2115.972 2115.996 2116.002 2116.011			•	509 802 509 162		MN ZN V CU SC	111 11 11	2117.874 2117.908 2117.966 2117.9798 2117.993	2117.206 2117.240 2117.293 2117.3098 2117.323	2 12 25 325 F	172. 94.	301 162 478 612 863	
	ZN	11 11 111	2116.06 2116.062 2116.090 2116.144 2116.16	2115.39 2115.391 2115.422 2115.476 2115.49	3 10 2 10 2		490 328 645 162 603		ŃΙ	I I I I I	2118.114 2118.15 2118.155 2118.164 2118.218	2117.446 2117.48 2117.482 2117.494 2117.550	0 20 12 1 570	42. 8. 41.	645 489 478 835 893	
i	ZN	111	2116.26 2116.313 2116.34 2116.343 2116.514	2115.59 2115.645 2115.675 2115.842	3 0 2 0 8		490 162 328 645 802		N CO MN CR AR	111 11 111 11	2118.261 2118.35 2118.57 2118.578 2118.604	2117.593 2117.68 2117.90 2117.909 2117.934	90 15 1 300 10	29.0 86. 40.	521 603 328 893 506	
· . [CR MN MN CR NA	11 111: 111	2116.58 2116.72 2116.743 2116.79 2116.828	2115.91 2116.05 2116.070 2116.12 2116.160	4 10 18		490 328 802 490 459		CO ZN FE CR TI	YIV	2118.615 2118.649 2118.864 2118.880 2118.9	2117.945 2117.980 2118.195 2118.211 2118.2	5 0 80 250	120.	925 162 488 893 913	H F P
1	CR AR NI CO ZN	II II I	2116.84 2116.881 2116.898 2116.96 2116.986	2116.17 2116.210 2116.228 2116.29 2116.318		•	340 506 835 603 154		KR MN CU FE V	11 111 111 111 11	2118.908 2118.950 2119.044 2119.088 2119.10	2118.239 2118.281 2118.374 2118.415 2118.43	40 20 10 60 30	137. 58. 137.	509 301 612 183 478	

PECTRUM	VACU WAVELE		AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES
00 BE 11 FE 11	I 2119 I 2119 I 2119 I 2119 I 2119	.178 .23 .240	2118.454 2118.505 2118.56 2118.567 2118.672	30 6 25 90	80. 58.	328 603 217 188 1018	A	FE MN ZN CR N	11 111 111		2120.239 2120.27 2120.336 2120.392 2120.464	60 15 1 250 40	58. 40. 29.0	188 326 162 893 521	
MN 1 ZN 11 KR 1 V 1	I 2119 I 2119 I 2119 I 2119 I 2119	.39 .429 .484 .52	2118.702 2118.72 2118.760 2118.815 2118.84	200 1 3 200 25	61.	893 328 162 509 478		O NI MN CR CO	11	2121.25 2121.252 2121.34 2121.35 2121.378	2120.58 2120.582 2120.67 2120.68 2120.705	4 6 1 1	28.	86 835 328 490 603	
NI I AR I SC I	I 2119 I 2119	.524 .533 .618	2118.855 2118.863 2118.948 2118.969 2118.990	10 2 10 650 0	•	855 635 506 720 162		NA FE AR KR NI	111 11 11	2121.40 2121.440 2121.521 2121.536 2121.586	2120.73 2120.767 2120.850 2120.867 2120.915	120 40 10 10	58.	516 188 506 509 835	
FE I FE SC II V I	I 2119 I 2119 I 2119 I 2119 I 2119	.8066 .828 .83	2119.050 2119.1362 2119.159 2119.15 2119.17	120 5 2 40 1	120. 28.	488 389 855 478 301	н .	ZN BR ZN SI CO	11 111 1	2121.711 2121.788 2121.863 2121.8651 2121.89	2121.041 2121.119 2121.193 2121.1945 2121.22	. 1 5 10 5	4.	162 606 162 608 673	
CR II SC II MN I	I 2119 I 2120 I 2120 I 2120	.881 .015 .08	2119.192 2119.212 2119.345 2119.40 2119.422		85.	603 893 863 328 162		CR AR CR CO MN	III	2121.93 2121.977 2122.03 2122.065 2122.068	2121.26 2121.306 2121.36 2121.391 2121.402	30 20 10 3 100	79.	340 506 490 603 301	
CR II MN I MN II FE I	I 2120	.32 .32 .328	2119.562 2119.637 2119.65 2119.65 2119.659	15 200 100 100		478 893 328 301 645		NI CR N AR V	111	2122.07 2122.17 2122.171 2122.213 2122.214	2121.40 2121.50 2121.501 2121.542 2121.540	40 1 90 10	38. 29.0	488 340 521 506 478	
MN I CO II KR I	I 2120 I 2120 I 2120 I 2120 I 2120	. 385 . 45 . 49	2119.715 2119.78 ,2119.82 2119.858 2119.904	5 60 3 10	80.	724 328 673 509 603		AL CR NI TI MN	I I I	2122.247 2122.382 2122.440 2122.57 2122.601	2121.576 2121.712 2121.769 2121.90 2121.931	300 1 60 35		1006 893 835 488 802	
V 1 ZN 11 SI 1	V 2120 I 2120 V 2120	.6543 .724 .748 .850 .903	2119.9838 2120.052 2120.079 2120.179 2120.234	30 40 0 90	18.	867 829 162 767 162		CO NI FE V CR	1 11 111 11	2122.695 2122.78	2121.99 2121.995 2122.021 2122.11 2122.14	6 0 60 1 1	8.	603 835 188 478 490	

SPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	TRUM .	VACUUM WAVELENGT !	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU FE NI BE FE	1V I I I I I I I	2122.863 2122.92 2122.94	2122.14 2122.188 2122.25 2122.27 2122.456	10 1 5 4 0	26. 41.	713 605 488 428 292		V FE NE CU SC	I III I I IV	2124.82 2124.899 2124.94 2125.02 2125.064	2124.15 2124.225 2124.27 2124.35 2124.393	12 40 140 5 160	42.	489 188 1031 672 720	М
NI CR NI CO NI	11 11 11 11	2123.151 2123.261 2123.31	2122.474 2122.481 2122.590 2122.64 2122.720	25 300 2 10 0	61. 77.	835 893 835 603 835		S ZN FE NA CR	III III III III	2125.1 2125.101 2125.165 2125.182 2125.388	2124.4 2124.430 2124.494 2124.511 2124.717	400 3 0 300 300	81.	285 162 378 516 893	
ZN CR MN CU SI	II III III II	2123.452 2123.54/ 2123.6511	2122.741 2122.782 2122.877 2122.9800 2122.994	75 200 15 350 15	40. 54. 49.	154 893 301 612 608		GE NI CO NA FE	I I IV III	2125.4152 2125.47 2125.48 2125.546 2125.650	2124.7438 2124.80 2124.80 2124.875 2124.976	50 15 0 70 25	13. 63.	7 488 603 459 188	
CA FE CR S MN	111 111 111 111	2123.789 2123.797 2123.9	2123.029 2123.118 2123.127 2123.2 2123.253	700 0 200 300 300	40. `	85 378 893 285 301		N CD NI KR CU	II II II II	2125.674 2125.69 2125.702 2125.714 2125.7778	2125.003 2125.02 2125.030 2125.043 2125.1063	10 4 100	14.0	521 825 835 509 612	Р
NI V AL ŤI CR	11 11 1 1	2124.014 2124.033 2124.17	2123.298 2123.340 2123.362 2123.50 2123.554	50 60 3 70 400	8.	835 478 198 488 893	N	CO NI FE MN CU	1 11 111 111	2125.790 2125.793 2125.844 2125.875 2125.9390	2125.116 2125.122 2125.170 2125.204 2125.2674	10 40 40 200 15	84. 14.	603 835 188 .301 612	н
ZN FE V MN CO	111 111 111 111	2124.264 2124.29 2124.45	2123.559 2123.590 2123.62 2123.78 2123.83	1 150 10 1 3	104.	162 188 478 301 825		AR CO B S FE	i I I I I I	2125.944 2125.996 2126. 2126. 2126.098	2125.272 2125.322 2125. 2125. 2125.427	10 5	28.	506 603 392 90 645	•
GE NI ZN V CO	111 111 111 111	2124.507 2124.663 2124.68	2123.83 2123.836 2123.993 2124.00 2124.07	30 3 2 5 5	8.	7 835 162 478 673		N NI BE NI CR	III XIII	2126.115 2126.17 2126.240 2126.29 2126.307	2125.444 2125.50 2125.568 2125.62 2125.636	34 3 25 120	16. 41.	521 940 333 488 893	P FH
CR FE NI SI CO	111 111 1 1 1	2124.749 2124.78	2124.07 2124.075 2124.10 2124.1225 2124.13	1 10 0 100 8	48.	490 188 602 608 603		BE AR KR V CO	I II I I I	2126.51	2125.685 2125.706 2125.770 2125.84 2125.849	7 10 25 20 2	42.	333 506 509 439 825	

	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO	11 1 111	2126.554 2126.586 2126.623 2126.659 2128.7163	2125.882 2125.914 2125.949 2125.988 2126.0445	81 25 5 2 350	13. 25.	613 835 603 162 612		NA FE CR FE CR	111 I III II	2128.535 2128.60 2128.639	2127.842 2127.863 2127.93 2127.967 2128.13	330 2 10 100 10	290.	516 378 490 488 490	
	CO FE	Ī	2126.874 2126.887 2127.186	2126.156 2126.199 2126.212 2126.515 2126.585	200 5 1 90 25	83. 27.	301 603 605 893 478		V CU CR NI AL	II IV III I	2128.916 2128.99 2129.08 2129.08 2129.12	2128.241 2128.31 2128.41 2128.41 2128.45	7 11 2 15 40	8.	478 713 490 488 888	
	AR -	111 11 M1 1	2127.30 2127.3362 2127.343 2127.42 2127.443	2126.63 2126.6643 2126.672 2126.74 2126.771	330 40 25 5 28	40.	516 867 893 489 613		CL GE CU CG NI	II II II	2129.179 2129.24 2129.24 2129.25 2129.25	2128.507 2128.57 2128.57 2128.58 2128.583	11 30 30 1 70	15.	613 7 724 825 835	н,
37		III III II II	2127.474 2127.484 2127.510 2127.56 2127.607	2126.803 2126.812 2126.838 2126.89 2126.932	2 250 180 50 20	8.	162 85 835 488 478	N	AR CR CA CO NI	11 111 11 11	2129.337 2129.36 2129.422 2129.47 2129.734	2128.665 2128.69 2128.750 2128.80 2129.061	10 1 1 1	3.	506 490 186 825 835	
	CR FE AR CO V	III II I I	2127.653 2127.691 2127.7221 2127.822 2127.85	2126.982 2127.020 2127.0501 2127.147 2127.17	150 10 20 10 5		893 645 867 603 489		CL NI MN CO	II II II II	2129.796 2129.796 2129.813 2129.83 2129.847	2129.124 2129.124 2129.141 2129.16 2129.175	9 9 3 2 M	31.	613 613 835 328 825	
		111 111 11 1 1	2127.87 2127.93 2127.974	2127.18 2127.20 2127.26 2127.302 2127.337	150 4 7	•	301 428 340 1006 613		CA CR FE CR CR	111 111 111 111	2129.913 2129.945	2129.191 2129.23 2129.238 2129.273 2129.42	400 5 10 60 2	15. 41. 41.	85 490 188 893 490	
	V FE SI CR MN	11 1V 11 111	2128.139 2128.139 2128.20	2127.34 2127.467 2127.467 2127.53 2127.57	5 1 160 8 15	28. 18. 25.	478 378 767 340 301		AR V CO ZN NI	I I	2130.0963 2130.152 2130.183 2130.189	2129.4239 2129.477 2129.508 2129.517 2129.523	40 40 5 3 8	7. 30.	867 478 603 162 835	1
	AR NI	III II III III	2128.3205	2127.634 2127.6485 2127.685 2127.74 2127.777	10 30 1 2 40		188 867 835 490 835		NE TI CR CD AL	111 111 111 11	2130.277 2130.28	2129.54 2129.58 2129.605 2129.61 2129.663	120 3 300 20 3	, 1	1031 227 893 825 198	М

ľ		۰	•
и		и	1
	۰		

	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
٠	FE CO AR KR CR	11 11 11	2130.358 2130.47 2130.4813 2130.492 2130.57	2129.683 2129.80 2129.8088 2129.820 2129.89	60 20 30 40 50		188 825 867 509 340		CD NI CR S GE	11 111 V		2131.26 2131.265 2131.31 2131. 2131.35	3 35 5	14.	825 835 490 90 7	н
	MN V NI CU	. I	2130.58 2130.606 2130.63 2130.7583 2130.82	2129.91 2129.934 2129.96 2130.0858 2130.15	1 30 50 40 10	. 37.	328 829 488 612 601		GE NI FE MN CA	1 î 1 î	2132.03 2132.043 2132.054 2132.16 2132.178	2131.36 2131.370 2131.383 2131.48 2131.505	20 1 0 2 10	3.	676 835 645 328 186	
	NI N CR FE CO	11 11	2130.845 2130.852 2130.91 2130.931 2130.951	2130.172 2130.179 2130.22 2130.259 2130.276	0 110	25. 79. 80. 27.	835 200 340 488 603	Н	CR CD V FE CR	111	2132.474 2132.51 2132.52 2132.626 2132.666	2131.803 2131.84 2131.85 2131.951 2131.995	150 0 80 25 300	41. 8.	893 603 478 188 893	
2	FE V AR KR FE	11	2131.092 2131.10 2131.102 2131.105 2131.201	2130.417 2130.42 2130.429 2130.432 2130.528	1 5 60 120 120	83. 180.	605 478 506 509 645		FE V FE MN TI	I III II	2132.6899 2132.71 2132.765 2132.81 2132.87		10 3 4 1	25.	896 489 188 328 601	-
	MN NI CU NI FE	. 1	2131.270 2131.300 2131.436 2131.45 2131.504	2130.597 2130.628 2130.762 2130.78 2130.829	200 3 50 15 25	21.	301 835 672 488 188	N	KR CR CO CA S	111 11	2132.871 2132.885 2132.95 2132.977 2133.	2132.200 2132.214 2132.28 2132.304 2132.	4 40 2 4	40. 3.	509 893 825 186 107	
	AL V MN CD	11 1V	2131.51 2131.51 2131.52 2131.560 2131.59	2130.84 2130.84 2130.85 2130.885 2130.91	200 200 0 0 M	·	385 385 478 799 603		NI AL CR FE FE	1 11 11	2133.026 2133.061 2133.07 2133.175 2133.208	2132.353 2132.388 2132.38 2132.504 2132.537	1 8 30 20	24. 272.	835 1006 340 645 488	
	AL KR FE AR NI	11 1 11	2131.59 2131.610 2131.637 2131.646 2131.719	2130.92 2130.937 2130.964 2130.974 2131.046	200 4 4 5 60	31.	889 509 896 506 835	M	CR D ZN CR CO	1V 111		2132.62 2132.64 2132.692 2132.71 2132.767	40 10 0 35 10	24. 24. 23.	340 86 162 340 603	
	CO MN CR NI CU	11 111 11 11	2131.727 2131.73 2131.77 2131.772 2131.9285	2131.052 2131.05 2131.10 2131.099 2131.2558	3 30 5 180 8	29.	603 328 490 835 612		V CR ZN CR	111	2133.58 2133.61 2133.698 2133.72 2133.72	2132.91 2132.93 2133.027 2133.03 2133.04	8 40 0 30 60		489 340 162 340 478	

3
С

	\$PEC1		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO FE TI FE MN	II III III	2133.93 2133.987 2134.03 2134.034 2134.126	2133.26 2133.311 2133.36 2133.358 2133.452	30 1 1 10 100	81.	825 605 601 188 328		NI TI FE CO CR	11 111 111 111	2135.537 2135.55	2134.760 2134.84 2134.861 2134.88 2134.88	20 1 200 2 25	.98. 23.	835 601 188 673 340	
	CO CR NI TI ZN	11 11 11 17	2134.139 2134.18 2134.190 2134.30 2134.426	2133.466 2133.49 2133.517 2133.63 2133.746	4 100 50 0	2. 23.	825 340 835 601 154		CO NI AR CR CR	I II III . II	2135.76	2134.92 2134.93 2134.941 2135.09 2135.09	6 100 10 7	37.	603 488 506 490 340	
	AS CR CR KR CU	1 111 11 11	2134.48 2134.486 2134.50 2134.516 2134.54	2133.80 2133.814 2133.81 2133.844 2133.87	50 120 18 40 0	20. 23.	480 893 340 509 672		MN FE	11 1 111 11	2135.801 2135.86 2135.876 2135.89 2135.955	2135.127 2135.18 2135.204 2135.21 2135.283	160 0 8· 50 6		835 469 162 328 645	
٠.	AS V CA SI FE	1 111 11 11	2134.66	2133.89 2133.90 2133.953 2133.99 2133.990	2 0 400 10 80	33. 213.	404 489 85 678 488		NI CR HE CR P	I II II II	2136.02 2136.024	2135.34 2135.34 2135.350 2135.42 2135.47	15 50 50 100	18. 23. 23. 4.	488 340 309 340 496	
	MG CO V CO CR	111 1 11 111 111	2134.73 2134.78 2134.80 2134.82 2134.865	2134.06 2134.10 2134.12 2134.15 2134.193	410 8 200 10 200	7. 61.	2 603 478 673 893		AR FE V CO TI	11 111 1 . I	2136.199 2136.22 2136.27	2135.515 2135.523 2135.54 2135.59 2135.73	10 40 · 1 3 10	28.	506 188 489 603 601	
	CR NI CU NI NI	11 11 11 11	2134.88 2134.963 2135.0144 2135.048 2135.114	2134.20 2134.289 2134.3410 2134.375 2134.441	40 50 425 10 15	23. 31. 52.	340 835 612 835 835		CO ZN' MN FE CU	1 111 11 1 1 11	2136.51 2136.622	2135.798 2135.834 2135.83 2135.948 2135.9810	4 25 2 2 900	29.	603 162 328 896 612	М
	CO CR MN FE FE	11 11 11 11	2135.19 2135.21 2135.24 2135.249 2135.264	2134.52 2134.52 2134.57 2134.577 2134.592	20 100 20 20 20	23. 226.	825 340 328 645 488		SE CO P MN V	III I		2136.06 2136.14 2136.18 2136.23 2136.27	10 3 200 1	4.	588 673 496 328 489	
	FE CR KR MM AL	11 11 11 111	2135.264 2135.30 2135.366 2135.384 2135.407	2134.592 2134.62 2134.694 2134.712 2134.733	20 75 25 5 7	212. 23.	488 340 509 301 198		V MN FE BR SI	IV III III II	2137.02	2136.330 2136.35 2136.360 2136.396 2136.402	10 20 60 0 30	76. 32.	829 328 188 606 678	

SPEC 		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO FE SI CU NI	1 I 1 I 1 V	2137.145 2137.177 2137.236 2137.28 2137.296	2136.471 2136.505 2136.560 2136.61 2136.622	2 200 .50 11 10	2. 249. 32.	825 645 678 713 835		AR V SE GE MN	111 1 111 111	2139.27 2139.30 2139.32 2139.33 2139.51	2138.59 2138.62 2138.65 2138.65 2138.84	100 10 10 1	63.	79 489 588 406 301	٠
CR GE MN CA BE	I III III	2137.30 2137.39 2137.396 2137.514 2137.60	2136.63 2136.71 2136.722 2136.840 2136.93	1 30 4 25 5		490 7 802 85 217		FE AR TI MN CO	11 111 11	2139.542 2139.556 2139.57 2139.63 2139.648	2138.869 2138.882 2138.90 2138.96 2138.971	6 30 3 1 15	28.	645 506 227 328 603	
CR FE ZN MN CD	111 111 11	2137.622 2137.685 2137.799 2137.85 2137.98	2136.949 2137.009 2137.126 2137.17 2137.31	400 60 3 15 5	59.	893 188 162 328 673		NI CR ZN TI	II III	2139.681 2139.759 2139.813 2139.827 2139.92	2139.007 2139.085 2139.140 2139.154 2139.25	0 400 20	0.0 48.	200 835 893 162 601	
V FE CO C ZN	III III III	2137.99 2138.041 2138.06 2138.091 2138.099	2137.31 2137.365 2137.38 2137.417 2137.426	100 150 0 25 4	7. 58. 17.	478 188 603 287 162		MN CR TI V FE	-1 I I I	2139.921 2140.01 2140.08 2140.12 2140.138	2139.244 2139.33 2139.41 2139.45 2139.461	25 7 50 0 10	14.	802 340 488 489 188	N
CR CR V CR FE	111	2138.16 2138.18 2138.39 2138.40 2138.408	2137.49 2137.50 2137.71 2137.73 2137.735	2 7 2 3 150	284. 6.	490 340 489 490 488	н	N MN CA CR NI	II III II.	2140.162 2140.20 2140.205 2140.23 2140.343	2139.489 2139.52 2139.531 2139.54 2139.668	1 120 10 1	15.0	521 328 85 340 835	Р .
V CO B C	I III II	2138.415 2138.457 2138.502 2138.571 2138.64	2137.741 2137.780 2137.830 2137.897 2137.96	20 15 110 60 15	28. 17. 134.	829 603 531 287 340		FE FE NI FE V	1 1 1	2140.349 2140.3727 2140.411 2140.413 2140.475	2139.676 2139.6980 2139.710 2139.738 2139.798	250 15 20 3 100	6. 24.	488 896 835 896 478	М
CR FE NI V CU	11 11 11	2138.671 2138.776 2138.817 2138.85 2138.88	2137.998 2138.103 2138.143 2138.17 2138.21	150 200 25 60 10	41. 135. 7.	893 488 835 478 713		C CR ZN FE V	111	2140.53 2140.57 2140.577 2140.6094 2140.741	2139.86 2139.90 2139.904 2139.9349 2140.064	5 3 12 2 150	40.	34 490 162 896 478	
CR CU ZN NI FE	I	2139.08 2139.209 2139.248 2139.256 2139.2668	2138.41 2138.533 2138.575 2138.582 2138.5924	3 220 200 50 4	24. 1. 13. 24.	490 672 830 835 896		NI FE KR V MN	II II I	2140.76 2140.855 2140.864 2141.01 2141.025	2140.09 2140.181 2140.190 2140.33 2140.350	00 4 60 1 20		602 645 509 489 328	
,		2133.2008	2138.3324	•	27.	690						-7			

	SPECTRUM	VACUUM	AIR	INTENSITY	MULTIPLET	REFERENÇE	NOTES	SPECT		VACUUM	AIR	INTENSITY	MULTIPLET	REFERENCE	NOTES
*		WAVELENGT !	WAVELENGTH					•		WAVELENGTH	WAVELENGTH				
	CU FE II CR I	I 2141.034 I 2141.05 I 2141.104 I 2141.18 I 2141.24	2140.359 2140.37 2140.427 2140.50 2140.56	400 1 40 20 2	25. 14. 25.	85 672 188 340 672		CO AL V NI V		2143.02 2143.077 2143.08 2143.128 2143.13	2142.34 2142.402 2142.40 2142.453 2142.45	2 3 3 0	124.	603 1006 478 835 489	
	CA II		2140.691 2140.724	10 40 0 450 100	212. 16.	488 85 425 516 301		C AS FE MN CR	111 111 111 111	2143.16 2143.21 2143.210 2143.267 2143.310	2142.49 2142.53 2142.533 2142.593 2142.636	5 150 25 5 150	38.	34 584 188 301 893	
:	ZN II C II FE I		2140.838 2140.92 2141.036	20 5 5 50 270	40.	506 162 34 645 516		N CU V N ZN	II	2143.34 2143.39 2143.42 2143.450 2143.451	2142.67 2142.72 2142.74 2142.775 2142.777	1 5 4 160 2	6. 0.0	246 672 478 200 162	N
4	FE. MN II NI I	I 2141.761 II 2141.763 II 2141.859 II 2141.861 IV 2141.873	2141.083 2141.089 2141.184 2141.187	1 1 12 500 40	26. 40.	605 301 835 893 829		AS CR V FE CR	111 11 111	2143.48 2143.60 2143.716 2143.723 2143.76	2142.80 2142.93 2143.038 2143.045 2143.09	2 1 60 120	7. 76.	480 490 478 188 490	
	FE CL N V	1 2142.09 I 2142.146 /I 2142.2 I1 2142.3 II 2142.357	2141.5 2141.7	2 3 20		672 378 92 309 506		NI CR MN MN FE	III III	2143.840 2144.00 2144.05 2144.07 2144.148	2143.165 2143.33 2143.37 2143.40 2143.470	20 2 40 5 150	59.	835 490 328 301 188	
	MN II FE CR I FE	2142.38 II 2142.388 I 2142.393 II 2142.423 II 2142.423	1 2141.7180 2141.749	4 80 6 150 20	136. 25.	478 301 896 893 645		TI MN CR CO V	111 111 1	2144.19 2144.22 2144.241 2144.357 2144.384	2143.52 2143.55 2143.566 2143.679 2143.706	60 5 4 3 5	28. 6.	488 301 893 603 478	N
	NA I MN V FE	2142.53 IV 2142.649 II 2142.650 II 2142.694 II 2142.72	2141.973	30 0 100 10 50	7.	516 799 478 645 488	N	CA FE CR FE KR	111	2144.422 2144.44 2144.469 2144.505 2144.520	2143.747 2143.76 2143.794 2143.827 2143.845	200 25 10 120 40	59 . 58.	85 188 893 188 509	
	NI FE	II 2142.737 II 2142.744 I 2142.818 II 2142.927 II 2142.951	2142.069 2142.141 2142.253	40 . 40 . 1 15 20	30.	893 835 605 301 867	•	MN CR AR FE N	11 11 1	2144.520 2144.54 2144.559 2144.567 2144.709	2143.845 2143.86 2143.884 2143.892 2144.034	2 5 30 3	284. 26.0	301 340 506 378 521	

ч	5
n	

ŞPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR AS V AS V	III	2144.73 2144.76 2144.78 2144.80 2144.81	2144.05 2144.08 2144.10 2144.13 2144.13	15 100 5 20 5	14. 20.	340 480 478 404 489		FE CR AS CU N	111 1V 111 111	2146.294 2146.334 2146.38 2146.403 2146.54	2145.616 2145.659 2145.70 2145.727 2145.86	90 200 250 5 25	59.	188 893 584 724 521	0
CR NA MN CR FE	111 111 111 1	2144.864 2144.877 2144.890 2144.92 2144.960	2144.189 2144.202 2144.215 2144.24 2144.282	500 210 80 1 150	40. 58.	893 516 301 341 188	·	CR V CR KR FE	11 11 111 11	2146.65 2146.669 2146.707 2146.717 2146.733	2145.97 2145.990 2146.032 2146.042 2146.058	15 40 10 1	134. 6.	340 478 893 509 488	н
CO CR NA FE CU	11 111 111 1	2145.02 2145.09 2145.213 2145.254 2145.3821	2144.35 2144.42 2144.543 2144.576 2144.7066	1 0 420 1 4	81.	825 490 516 605 612		FE CR CR NA CD	111 111 111 111	2146.740 2146.91 2146.91 2146.910 2146.92	2146.062 2146.23 2146.23 2146.235 2146.24	150 10 3- 270 40	59. 134.	188 340 490 516 825	
ZN ZN FE MN CR	IV III III III	2145.416 2145.417 2145.421 2145.467 2145.50	2144.742 2144.742 2144.743 2144.788 2144.82	15 12 120 35 1	98.	154 162 188 802 490		AL CO V FE FE	IV I I III II	2146.93 2146.942 2146.96 2147.017 2147.049	2146.25 2146.264 2146.28 2146.339 2146.374	15 12 6 90 10	23. 59.	858 603 489 168 292	
NI ZN CR KR FÉ	11 111 111 11 vi	2145.634 2145.710 2145.73 2145.739 2145.76	2144.958 2145.035 2145.05 2145.064 2145.08	1 00 1 150		835 162 490 509 228	F	MN CR N V CD	11 111 111 1	2147.09 2147.090 2147.246 2147.32 2147.33	2146.42 2146.414 2146.570 2146.64 2146.65	2 250 4 10 0	52. 26.0 42.	328 893 521 489 603	
NI FE CR V NA	III III III	2145.827 2145.8649 2145.87 2145.88 2145.907	2145.152 2145.1891 2145.19 2145.20 2145.232	30 12 1 3 270	27.	835 896 490 489 516		SI FE CR AR V	VII III II	2147.35 2147.389 2147.42 2147.5020 2147.503	2146.67 2146.710 2146.74 2146.8261 2146.828	28 2 3 20 50	27.	940 605 490 867 829	· FH
S S V CR CO	IV V III III I	2146. 2146. 2146.05 2146.11 2146.13	2145. 2145. 2145.37 2145.43 2145.45	0 7 12	79.	107 90 478 490 603	·	ZN CU N CO FE	111 111 111 11	2147.531 2147.5958 2147.637 2147.654 2147.721	2146.855 2146.9199 2146.961 2146.978 2147.045	12 75 4 10	156. 26.0	162 612 521 825 896	M
CU AL C MN	11 111 111	2146.1685 2146.230 2146.26 2146.28 2146.285	2145.4929 2145.555 2145.58 2145.60 2145.609	75 15 1 10 2	78. 38.	612 198 34 328 835		CR SE CR N BE	11 111 111	2147.87 2147.87 2147.895 2147.982 2148.02	2147.19 2147.19 2147.219 2147.306 2147.35	30 60 350 90	14. 41. 26.0	340 600 893 521 330	

	Δ
7	▔
C.	u

	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	UM I	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
	CD 2N ZN MN V	II III II II	2148.051 2148.095 2148.095 2148.11 2148.20	2147.375 2147.419 2147.419 2147.43 2147.52	2 75 20 10 20	11.	825 154 162 328 478		P FE SI MN V	I IX II II	2149.82 2149.849 2150.00 2150.029 2150.065	2149.14 2149.170 2149.33 2149.350 2149.386	200 1 46 8 8	4. 80.	496 605 940 328 478	FH
	AL V AS CR AR	1 111 111 11		2147.560 2147.58 2147.59 2147.617 2147.6823	5 30 350 20	48.	1006 1000 404 893 867		CU FE MN N CR	1 1!1	2150.08 2150.095 2150.12 2150.139 2150.196	2149.40 2149.416 2149.45 2149.465 2149.522	10 1 15 4 300	81. 26.0 52.	672 605 301 521 893	
	FE CO ZN NI CR	11 111 1 1	2148.45 2148.457 2148.48	2147.702 2147.77 2147.781 2147.80 2147.847	2 5 10 200 300	213.	896 603 162 488 893	н .	CA FE FE O CR		2150.199 2150.237 2150.296 2150.40 2150.43	2149.523 2149.558 2149.620 2149.73 2149.76	2 10 1 1	16.	85 188 378 168 490	
43	FE SI N V CR	III III II I	2148.587 2148.598 2148.68	2147.904 2147.911 2147.922 2148.00 2148.02	120 50 40 8	59. 94. 26.0	188 608 521 478 341		V NE N GR CO	IV III III II	2150.528 2150.59 2150.715 2150.78 2150.79	2149.852 2149.92 2150.040 2150.10 2150.11	20 120 10 15 5	26.0 22.	829 1031 521 340 603	
	MN N O FE AR	III III III	2148.91 2148.933	2148.055 2148.108 2148.23 2148.254 2148.38	150 60 1 60 50	26.0	301 521 169 188 79	М	MN FE V CR MN		2150.81 2150.8610 2150.908 2150.93 2150.935	2150.13 2150.1844 2150.231 2150.25 2150.260	1 5 40 1 30	25.	328 896 829 341 328	
	FE CR V N CO	III		2148.394 2148.42 2148.42 2148.495 2148.53	1 2 40 60	29. 6. 26.0	605 490 478 521 825		CR SI AR ZN FE	1 11	2151.046 2151.14 2151.2132 2151.214 2151.298	2150.372 2150.46 2150.5365 2150.539 2150.621	10 2 20 10 5	95. 135.	893 608 867 154 896	н
	MN NA HE CR CO	1	2149.246 2149.250 2149.274 2149.375 2149.387	2148.570 2148.574 2148.598 2148.699 2148.708	100 360 300 6	48. 27.	301 516 309 893 603		CR NE MN AL KR	111 111	2151.33 2151.37 2151.370 2151.376 2151.385	2150.65 2150.70 2150.695 2150.699 2150.710	20 160 30 40 10	37.	340 1031 301 198 509	
	MN CR CU N	II III III III	2149.52 2149.573 2149.6602 2149.686 2149.686	2148.84 2148.897 2148.9839 2149.010 2149.010	30 250 400 25 25	41. 14. 26.0 26.0	328 893 612 521 521		CR FE ZN CA V	11 11 111 1	2151.42 2151.437 2151.448 2151.473 2151.514	2150.74 2150.762 2150.773 2150.796 2150.835	30 100 5 3 60	37. 248.	340 488 162 - 1018 478	н

\sim

	ŞPECT	RUM	VACUUM WAVELENGT I	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V CO AR MN V	11 11 11 11 11	2151.72 2151.7286 2151.747	2151.023 2151.04 2151.0518 2151.072 2151.087	50 1 60 10 20		478 825 867 301 829		CO GE CU P ZN	1 11 11 1 111	2153.62	2152.83 2152.905 2152.91 2152.94 2152.950	2 1 0 100 15	9,	603 676 670 496 162	
	FE FE NE CO	11 111 1 11	2151.778 2151.93 2151.94	2151.095 2151.099 2151.26 2151.26 2151.49	250 3 100 2 0	106. 25.	489 605 1031 603 825	н	MN FE AR NE CR	111 11 111 111	2153.63 2153.6839 2153.745 2153.83 2153.854	2152.95 2153.0065 2153.068 2153.15 2153.178	5 15 30 40 150	27.	301 896 506 1031 893	
	CR AS N CR NA	111 111 11 111 111	2152.18 2152.26 2152.29 2152.33 2152.330	2151.50 2151.58 2151.61 2151.65 2151.655	2 20 1 2 300		490 404 246 490 516	Q	FE FE CO FE FE	11 111 1 11 11		2153.281 2153.320 2153.50 2153.614 2153.874	50 25 12 4 10	225. 98. 6.	488 188 603 645 488	
44	FE FE NE MN	1 1 111 111 111		2151.69 2151.695 2151.776 2151.78 2151.810	3 10 570 60 3	112.	603 896 188 1031 301	М	CR AR MN CR CO	111 111 111 111	2154.599 2154.657 2154.663 2154.697 2154.754	2153.923 2153.980 2153.987 2154.021 2154.074	250 30 200 200 10	24.	893 506 301 893 603	
	CU V CR NI AR	11 11 11 1	2152.61	2151.8092 2151.812 2151.91 2151.93 2151.94	150 50 2 15 0	95.	612 478 490 488 506		P FE MN CO CU	1 1 1 1 1	2154.76 2154.805 2154.89 2154.92 2154.99	2154.08 2154.127 2154.21 2154.24 2154.31	150 3 1 3 2	9,	496 378 301 603 672	
	CD AS NI CR AL	I I I I I I I	2152.828 2152.86 2152.91 2152.95 2152.97	2152.148 2152.18 2152.23 2152.27 2152.29	10 20 15 10 30	78. 38. 44.	603 575 488 341 888		CR V FE CU CR	111 111 111 111	2155.01 2155.10 2155.100 2155.112 2155.12	2154.33 2154.42 2154.420 2154.435 2154.44	2 0 10 3 25	44.	490 478 188 724 341	
	FE NI MN CA NI		2153.048 2153.058 2153.103 2153.112 2153.126	2152.373 2152.381 2152.427 2152.435 2152.449	120 4 60 650 16	106.	488 835 328 85 835	н	FE BR AL CR C	1 11 111 111	2155.138 2155.216 2155.312 2155.336 2155.38	2154.458 2154.540 2154.629 2154.660 2154.70	2 10 5 300 1	77. 48. 39.	605 606 826 893 287	
·	FE CR FE O CR	11 111 111 111	2153.157 2153.25 2153.385 2153.39 2153.460	2152.480 2152.57 2152.706 2152.71 2152.785	2 15 90 4 400	151. 44. 141. 52.	896 341 188 168 893	Н	TI MN CR FE CR	11 111 111 1	2155.38 2155.453 2155.62 2155.6972 2155.77	2154.70 2154.777 2154.94 2155.0197 2155.09	40 10 4 4 15	19. 25. 44.	488 301 490 896 341	

	N
	٠.
	•

ŞPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU	M	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE FE CO ZN V	1 1 111 1V	2156.000	2155.114 2155.238 2155.29 2155.324 2155.336	0 2 12 .15	27.	378 605 603 162 829			11 111 111 111	2157.789 2157.868	2156.977 2157.05 2157.109 2157.191 2157.20	5 8 10 350 5	.65.	328 478 188 893 603	
MN C FE CU MN	11 11 11 11 11	2156.07 2156.19 2156.25	2155.349 2155.39 2155.51 2155.57 2155.57	5 1 0 10	39.	328 287 645 713 301		SI FE NI	111 111 111 11 11	2157.955 2157.958 2157.967 2158.168 2158.22	2157.277 2157.280 2157.287 2157.490 2157.53	140 7 25 1 30	95. 65.	724 768 188 835 79	
TI AR V NI NA	11 11 11 11	2156.266 2156.25 2156.313	2155.58 2155.588 2155.61 2155.635 2155.764	40 10 15 35 450	19. 113.	488 506 478 835 459		F FE NI CR FE	II III II I	2158.305 2158.390 2158.414 2158.42 2158.4727	2157.627 2157.710 2157.736 2157.74 2157.7943	1 350 18- 30 50	70. 44. 24.	538 188 835 341 896	
FE MN FE MN	1 11 111 111	2156.494 2156.515 2156.55 2156.550 2156.61	2155.816 2155.839 2155.87 2155.870 2155.94	3 120 2 60 10	213.	378 488 328 188 328		MN V NI NI CR	111 -1 1 11 1	2158.48 2158.48 2158.51 2158.560 2158.68	2157.80 2157.80 2157.83 2157.882 2158.00	3 5 50 20 15	36. 44.	301 489 488 835 341	
FE CR C ZN CO	111 11 11 111 111	2156.863 2156.90 2156.95 2156.998 2157.01	2156.183 2156.22 2156.28 2156.321 2156.33	60 20 4 4 5	133. 39.	188 340 287 162 603		V	1 I I 1 I I 1 I I 1 I	2158.687 2158.80 2158.82 2158.83 2158.855	2158.006 2158.12 2158.14 2158.16 2158.177	25 15 2 1 2	42.	188 489 490 328 825	
FE NI ZN CO CU	11 111 111 111	2157.182 2157.190 2157.307 2157.330 2157.355	2156.504 2156.512 2156.630 2156.652 2156.677	3 8 8 3 2	11.	378 835 162 825 724		TI CO NI MN AL	111 1 1 1 1 11	2158.97 2158.98 2158.99 2158.993 2159.00	2158.29 2158.30 2158.31 2158.316 2158.32	20 8 150 100	19. 36.	488 603 488 301 888	
CO CU CD FE TI	11 1V 11 111 11	2157.357 2157.36 2157.42 2157.430 2157.48	2156.679 2156.68 2156.750 2156.750	3 12 7 10 10	11.	825 713 825 188 488		V CU NI FE I	11 11 11 11 11	2159.04 2159.0900 2159.145 2159.153 2159.195	2158.36 2158.4117 2158.467 2158.472 2158.518	0 2 5 350 250	145. 89.	478 612 835 188 468	
ZN FE CO NI CO	111 V II II 11	2157.489 2157.60 2157.614 2157.619 2157.632	2156.812 2156.92 2156.941 2156.941 2156.955	12 10 25	11.	162 229 825 835 488	F	CL SI FE CO FE	IV I I I	2159.2 2159.204 2159.2123 2159.223 2159.3079	2158.5 2158.526 2158.5341 2158.542 2158.6296	5 15 10 -5	27. 24. 23.	92 608 896 603 .896	

_		`	١		
	•			ī	
r		۹	١		
٠		ø		1	

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECT	RUM	VACUUM WAVELENGTH		INTENSITY	MULTIPLET	REFERENCE	NOTES	
MN FE FE NI CO	11 111 1 11 11	2159.371 2159.4128 2159.419	2158.69 2158.690 2158.7345 2158.741 2158.74	1 25 2 50 15	25. 13.	328 188 896 835 825	н	AL FE CR V FE	1 11 11 11	2161.062 2161.149 2161.18 2161.23 2161.336	2160.383 2160.471 2160.50 2160.55 2160.655	15 20 4 5	185. 44. 140.	198 469 341 478 188		
AR CO AR FE FE	11 11 11 1	2159.55 2159.5616 2159.5985	2158.755 2158.87 2158.8832 2158.9202 2158.993	20 4 20 5	24.	506 603 867 896 378		CR FE NE CR NE	111 111 111 111	2161.40 2161.453 2161.56 2161.685 2161.72	2160.72 2160.775 2160.88 2161.007 2161.04	3 120 40 150 120		490 292 1031 893 1031		
NI AR V ZN F	11 11 11 11	2159.724 2159.734 2159.737	2159.043 2159.046 2159.055 2159.060 2159.076	100 20 10 2		835 506 829 154 538		NI ZN GE AL FE	I IV .II IV 11	2161.72 2161.738 2161.74; 2161.80 2161.838	2161.04 2161.028 2161.063 2161.12 2161.159	30 2 15 5 3	213.	488 154 676 888 896	. H	
NA TI CR V FE	111 -11 111 11	2159.789 2159.81	2159.083 2159.09 2159.112 2159.13 2159.152	270 50 300 0 100	19. 48. 6.	516 488 893 478 488		FE NI NE FE FE	11 11 111 111 11	2161.839 2161.896 2161.90 2161.951 2161.991	2161.161 2161.217 2161.22 2161.270 2161.313	150 80 200 250 200	227. 14. 70. 227.	488 835 1031 188 488	н	
FE FE NE LI TI	1 !!! !!!	2160.12	2159.20 2159.4313 2159.44 2159.451 2159.50	0 3 100 30	27. 19.	645 896 1031 309 468		FE CU MN FE V	11 11 11 111	2161.9993 2162.013 2162.159	2161.313 2161.3205 2161.333 2161.478 2161.48	200 150 5 25 20	370. 132. 124.	488 612 328 188 479		
 V NE FE FE	11 111 1 1	2160.28 2160.317 2160.3360	2159.53 2159.60 2159.638 2159.6575 2159.665	0 80 3 5 0	24.	478 1031 896 893 645	M	FE CD FE CR MN	1 1 11 11	2162.26 2162.260 2162.32	2161.5792 2161.58 2161.582 2161.66 2161.662	15 3 200 10 50	27. 119. 133.	896 603 488 340 301		
NI NA CR FE FE	Ī	2160.39 2160.431	2159.698 2159.71 2159.753 2159.8357 2159.881	25 30 90 5 3	78.	835 516 893 896 896	M	GE GE NI CU AR	1 11 11 11	2162.471 2162.4796	2161.71 2161.72 2161.792 2161.8007 2161.895	50 15 18 2 30		7 676 835 612 506		
FE N V FE CA	1		2159.9239 2159.927 2160.222 2160.236 2160.347	6 40 20 1 200	24. 82.	896 200 829 605 83		CR NI FE CO ZN	111 11 11 11	2162.701 2162.71	2161.956 2161.984 2162.021 2162.03 2162.091	60 11 15 2 12	90.	893 835 896 825 162	н	

M	AN.	111	2162.782	2162.104	. 1		301		Ų		2164.64	2103.90	ə		603	
C	0	1	2162.878	2162.196	· 6	82.	603		FE	111	2164.741	2164.059	40		188	
	ÀL.	- 10	2162.92	2162.24	15		888		NI	11	2164.781	2164.102	.10		835	
								. М					150		588	
F	FE '	I	2162,927	2162.248	8		896	M	SE	I	2164.83	2164.15	150	1.		
c	CR	1	2162.93	2162.25	10	44.	341		CL	VΙ	2165.0	2164.3			92	
•	• • •											_				
					•							•				
											0405 040 :	0464 000	222		400	
- F	FE	111	2162.964	2162.283	60	140.	188		FE	11	2165.018	2164.339	200	79.	488	н
A	٩R	11	2162,9695	2162,2904	20 •		867		FE	11	2165.018	2164.339	200	372.	488	
	ŠI	- ;	2163.119	2162.440	1		608		AR	11	2165.030	2164.351	20		506	
					2		A90		CO	i	2165.04	2164.36	-6	· ·	60.3	
	CR ·	111	2163.12	2162.44												
С	CR	. 1	2163.15	2162.47	30	44.	341		V	11	2165.06	2164.38	15		478	
•		•														
			2163,160	2162.481	. 18		835		sc	1 V	2165.112	2164.433	360		720	
	ΛI,					•									490	
	V :	IV	2163.177	2162.498	30		829		CR	111	2165.16	2164.48	1			
Ż	ZN	- 111	2163.212	2162.533	12.		162		V	1	2165.22	2164.54	3		489	
	ΪÏ	11	2163.36	2162.68	40	19.	463		FE,	1	2165.2283	2164.5486	30	24.	896	
					11	,	713		FE	11	2165.237	2164.558	250	370.	488	
	CU	١٧	2163.42	2162.74	. 11		/13		76	11	7105.237	2104.336	. 430	370.	400	
				•	•						•					
_	С	111	2163.623	2162.944	360	15.	34		FΕ	11	2165.237	2164.558	250	213.	488	
				2163.01	555		228	F	AL	i	2165.257	2164.577	G	-,	198	
	FE	IV	2163.69					F		_			-			
C	00	I	2163.716	2163.034	15	26.	603		ZN	111	2165.302	2164.623	3		162	
M	MN	11	2163.77	2163.09	. 20		328		· CR	11	2165.32	2164.67	7	333.	340	
	NA.	111	2163.857	2163.178	150	1	516		CR	111	2165.350	2164.671	90		893	
	٠.		2100.007	2100.170	150		• • • •									
•			•		-											
							0.04			_	546F F6	2454 55	4.5	40	400	
. N	NI -	ΙI	2163.887	2163.208	50		835		V	I	2165.56	2164.88	15	42.	489	
	เบ	- 17	2164.03	2163.35	11		713		AL	1	2165.595	2164.915	7		198	
	FΕ	i	2164.047	2163.368	. 10		605	N	AR	11	2165.719	2165.039	10	•	506	
					200	372.	458	••	FE	111	2165.753	2165.071	40		188	
	FE	. 11	2164.049	2163.370		3/2.										
G	GE'	1	2164.06	2163.38	100		7		CU	1	2165.775	2165.093	360	4.	672	
												•				
	CR	ÌΙ	2164.08	2163.40	, з		340		ZN	111	2165.788	2165.109	3		162	
				2163.416	250	*	85		KR	11	2165.791	2165,112	4		509	
	CA.	111	2164.095										7		309	
S	SI	I	2164.137	2163.458	M		608		HE	11	2165.928	2165.248				
7	ZN -	11	2164.154	2163.475	. 6		15-1		NI	11	2165.958	2165.278	30		835	
	FE	111	2164.157	2163.475	. 10		188		CR	111	2165.98	2165.30	2		490	
,	r C.	111	2104.137	2103.473/			100		• • • • • • • • • • • • • • • • • • • •		2.00100	2.55.65	_			
					_		0.01				0466 000	0165 307	40		400	
	ΝI	11	. 2164.200	2163.521	1		835		FE	111	2166.009	2165.327	40		188	_
	ÇO	Ī	2164.256	2163.574	12	23.	603		٥	111	2166.08	2165.40	25		168	P
	v	11	2164.36	2163.68	20		478		N	11	2166.110	2165.431		15.0	521	P
							1031		ZN	111	2166.111	2165.432	4		162	
	NE	111	2164.45	2163.77	300											
5	SI	1	2164.453	2163.773	7	93.	608		S	1 I I	2166.15	2165.47	100		28:	
						•						•				

AS

CO NI

FE

MN

SPECTRUM

1

CO

VACUUM

WAVELENGTH

2164.64

2166.20

2166.22 2166.233

11 2166.234

11 2166.27

ΙI

11

2165.52

2165.54

2165.553

2165.555

2165.58

150

10

320

100

50

20.

13.

185.

480

825

835

488

328

н

WAVELENGTH

2163.96

AIR INTENSITY MULTIPLET REFERENCE NOTES

603

VACUUM

111 - 2162.782

I 2164.46
III 2164.47
II 2164.48
I 2164.542

111 2164.554

2163.78

2163.79

2163.80

2163.860

2163.875

3

. 12

1

6

400

CO CR CO FE CR

·AIR

2162.104

. 1

WAVELENGT I WAVELENGTH

INTENSITY MULTIPLET REFERENCE NOTES

301

603

490

825

605

893

24.

SPECTRUM

MN

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGT I	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN 111 FE I AR 11 FE 1 FE 1	2166.432	2165.66 2165.752 2165.821 2165.861 2165.982	80 30 60 20 3		301 896 506 605 378	M N	NI CR F.E MN ZN	111	2168.495 2168.50 2168.558 2168.573 2168.705	2167.815 2167.82 2167.880 2167.895 2168.027	50 5 120 1	213.	835 490 488 301 162	
CO II AR 111 NI I V 11 FE 11	2166.82	2166.00 2166.14 2166.15 2166.15 2166.198	3 70 25 20 200	37. 212.	825 337 488 478 488		V FE NI CR ZN	111		2168.08 2168.106 2168.212 2168.258 2168.279	10 25 50 200 0	29.	478 188 835 893 162	
NI II CR III AS III FE II	2166.885 2166.922 2166.947 2166.96 2187.02	2166.205 2166.242 2166.267 2166.28 2166.34	50 70 350 5	52 .	563 835 893 404 645		NI V GE CO FE	1 I I I		2168.486 2168.56 2168.65 2168.711 2168.730	80 0 30 18 4	23.	835 478 7 603 645	
MN 11 FE 1 SI 1 N 11 FE 111	2167.279 2167.285	2166.412 2166.587 2166.599 2166.605 2166.604	50 15 3 60	15.0	328 896 608 521 188	M	N AL AS FE FE	Ī		2168.778 2168.826 2168.83 2168.87 2168.925	3° 10 80	15.0 9. 247.	521 198 575 228 489	F
MN II	2167.368 2167.373 2167.393 2167.43	2166.688 2166.693 2166.713 2166.75 2166.77	25 [°] 50 80 10 50	22.	835 328 645 340 152		FE FE KR NI FE	XI XII II 1I	2169.71 2169.742 2169.776	2169.03 2169.03 2169.064 2169.096 2169.169	43 74 4 440 20	13.	914 940 509 835 645	FH FH H
FE I CU 11 FE III V IV NI 11	2167.53 2167.634	2166.7727 2166.85 2166.952 2167.200 2167.256	40 0 350 20 30	21. 70.	896 670 188 829 835		CA FE ZN CR CU	111	2170.094 2170.110 2170.172 2170.19 2170.245	2169.414 2169.431 2169.493 2169.51 2169.562	10 100 00 4 170	370. 26.	85 488 162 490 672	
FE I NI II CU IV AL III FE II	2167.979 2168.01 2168.069	2167.271 2167.299 2167.33 2167.373 2167.401	1 120 11 D	78. 119.	378 835 713 826 488		NI GE MN CR NA	11 11 111 111	2170.336	2169.569 2169.650 2169.657 2169.66 2169.704	40 1 1000 5 120		835 676 488 490 516	
CR I V II SI I CO I CR II	2168.37 2168.3799 2168.43	2167.68 2167.69 2167.6996 2167.75 2167.81	4 8 5 3 3	44. 202. 92. 271.	341 478 608 603 340		FE S Mn Al V	111	2170.392 2170.45 2170.457 2170.524 2170.53	2169.709 2169.76 2169.778 2169.843 2169.85	60 100 1000 G 8	140.	188 265 301 198 489	

	SPE	CTRUM		VACUUM AVELENGTH	AIR WAVELENGTH	INTE	NSITY	MULTIPLET	REFERENCE	NOTES	\$	PECTRL	N MC	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCI	E NOTES	
	MN	· · ·	II II II	2170.548 2170.629 2170.63 2170.634 2170.636	2169.869 2169.950 2169.95 2169.955 2169.955		0 120 60 50 180	370.	G45 488 328 301 835		9	A 0	111	2172.23 2172.240 2172.247 2172.36 2172.50	2171.55 2171.559 2171.566 2171.68 2171.82	20 3 350 0 4	36. 82.	340 768 85 603 490		
	V FE AR ZN CO	I I	11 11 11 11		2170.05 2170.193 2170.20 2170.360 2170.36		10 50 90 15	202. 372.	478 488 337 162 825			E	111	2172.500 2172.524 2172.735 2172.81 2172.8236	2171.817 2171.840 2172.056 2172.13 2172.1443	140 25 10 1	26. 209. 372. 23.	672 478 488 490 896		
-	V V SI NE FE	I		2171.06 2171.062 2171.10 2171.193 2171.235	2170.38 2170.384 2170.42 2170.513 2170.554		15 40 1 30 3	77.	478 829 768 563 378		. F	E O E R	1	2172.858 2172.902 2172.94 2173.013 2173.022	2172.175 2172.221 2172.26 2172.332 2172.341	1 5 0	77. 70. 82.	603 378 673 378 506		
	CO FE NE CR CR	·	V II II	2171.34	2170.565 2170.66 2170.671 2170.698 2170.71	•	10 70 400 50	23. 68 36.	603 229 563 893 340	F .	. N	IA :U .	111 1111 1	2173.17 2173.21 2173.25 2173.2662 2173.318	2172.49 2172.53 2172.57 2172.5851 2172.637	0 1 4 15 20	48. 23.	152 670 490 896 506		
	V GL MN AR CR		I I I I I I I	2171.43 2171.522 2171.57 2171.595 2171.65	2170.74 2170.841 2170.89 2170.914 2170.97		60 4 30 10	46. 36.	489 613 328 506 340		C	.s	111 1 11	2173.359 2173.391 2173.44 2173.455 2173.556	2172.679 2172.710 2172.75 2172.773 2172.875	80 25 7 0 3	372. 16.	488 85 489 425 825		
	AR FE CR V SC	I	II II II II	2171.728 2171.74 2171.82	2171.038 2171.045 2171.06 2171.12 2171.172		10 350 40 2 160	70. 36.	506 168 340 478 720		F N V	IN IN	III	2173.59 2173.669 2173.828 2173.83 2173.832	2172.91 2172.989 2173.145 2173.15 2173.195	10 150 30 80 3	134. 46.	490 488 802 1000 148	Ĥ	
	CR ZN FE FE AR	. I	1 I 1 I 1 I 1 I	2171.86 2171.911 2171.976 2171.9779 2171.993	2171.18 2171.232 2171.293 2171.2968 2171.312		30 12 10 30 30	36. 24.	340 162 188 896 506		A F F	E R	I II II I	2173.857 2173.889 2173.890 2173.8951 2173.900	2173.173 2173.204 2173.209 2173.2136 2173.220	10 10 10 25 200	74. 24. 248.	603 676 506 896 488		
	CA AR CR F		II . I IV .	2172.003 2172.099 2172.12 2172.12 2172.229	2171.322 2171.418 2171.44 2171.44 2171.550		250 50 4 40 10	16.	85 506 341 173 488		0 N G	O II E	II I II II	2174.215 2174.36	2173.330 2173.535 2173.68 2173.720	18 20 30 150	10. 59.	825 488 7 488 506	(

\$PEC1	RUM .	VACUUM WAVELENGT!	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLÉT	REFERENCE	NOTES
ZN FE CO C	111 1 11	2174.485 2174.513 2174.529 2174.529 2174.575	2173.805 2173.829 2173.845 2173.848 2173.893	12 120 10 60 10	75. 23. 14.06	162 188 603 287 829		MN AR NI V AR	1 I 1 I	2176.24 2176.318 2176.514 2176.517 2176.6463	2175.55 2175.636 2175.832 2175.833 2175.9644	80 100 30 5 20		328 506 835 478 867	
CO AL AL MN NI	I	2174.71 2174.752 2174.794 2174.80 2174.800	2174.03 2174.071 2174.113 2174.12 2174.119	10 3 G 0 6	9. 9.	825 198 198 148 835		FE MN FE CO NI	I 1 I	2176.656 2176.698 2176.708 2176.71 2176.783	2175.972 2176.014 2176.027 2176.03 2176.101	10 2 10 3 7		188 148 292 603 835	
FE MN C ZN AR	111 11 111	2174.824 2174.832 2174.850 2174.869 2174.872	2174.142 2174.152 2174.168 2174.189 2174.190	0 700 25 8 20	14.06	378 301 287 162 506		CR AS FE AR FE	I I I I I I	2176.87 2176.95 2177.048 2177.069 2177.080	2176.19 2176.26 2176.367 2176.387 2176.396	3 5 50 10	19.	341 480 292 506 605	
CR NI NI NI NA	11 11 1	2174.94 2175.012 2175.078 2175.160 2175.21	2174.26 2174.331 2174.396 2174.480 2174.53	5 10 30 50 300	36.	490 835 835 488 516		CD FE NE CR NI	11 111 111	2177.178 2177.200 2177.35 2177.364 2177.478	2176.494 2176.519 2176.67 2176.683 2176.796	4 40 100 150 2	120.	603 645 1031 893 835	
CO AR CO FE NI	111	2175.230 2175.2654 2175.273 2175.342 2175.348	2174.548 2174.5839 2174.589 2174.658 2174.666	25 50 30 570 440	1. 19. 70. 14.	825 867 603 188 835		FE MN SI	VI I I I I	2177.507 2177.52 2177.5226 2177.552 2177.556	2176.826 2176.84 2176.8404 2176.871 2176.894	200 5 20 900 40	370. 23. 77.	488 888 896 301 768	
FE CO CO CR CU	I II III	2175.529 2175.58 2175.598 2175.63 2175.6636	2174.849 2174.90 2174.916 2174.95 2174.9820	80 8 2 1 250	135. 11. 155.	488 603 825 490 612		C CO V FE NI	I I II -	2177.645 2177.653 2177.68 2177.706 2177.768	2176.963 2176.968 2177.00 2177.025 2177.086	70 2 100 100 220	14. 46. 106. 40.	34 603 1000 488 835	н н
BE CR BE FE NI	111	2175.788	2174.986 2175.06 2175.103 2175.108 2175.147	60 5 80 6 390	13.	333 490 333 645 835	H .	CO AR V S NI	111 - 1 111	2177.77 2177.90 2177.92 2177.98 2178.043	2177.09 2177.22 2177.24 2177.30 2177.361	5 100 10 200 200	46. 40.	825 337 1000 285 835	
CO CR CO ZN	11 111 11	2176.10 2176.13	2175.31 2175.42 2175.45 2175.453	10 1 1 12		825 490 825 162		CO AL SI CR	I I	2178.05 2178.078 2178.118 2178.14	2177.37 2177.396 2177.432 2177.46	5 25 10 0	10. 91.	825 198 608 490	

SPECT		VACUUM WAVELENGTH		INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
GE FE MG NE KR	1 111 111	2178.337 2178.3768 2178.38 2178.41 2178.454	2177.655 2177.6946 2177.69 2177.73 2177.773	15 5 640 160 60	80.	676 896 2 1031 509		AR F.E P	1 I I I V	2180.92 2180.930 2180.937 2180.969 2181.095	2180.23 2180.247 2180.255 2180.286 2180.410	7 10 120 200 350	370. 70.	603 506 488 524 188	
ZN NI CO FE KR	I I I I I I	2178.508 2178.529 2178.74 2178.757 2178.766	2177.827 2177.847 2178.06 2178.073 2178.085	1 25 8 35 1	21.	162 835 603 605 509		NI CO CR I	1 I 1 I 1 I	2181.15 2181.156 2181.287 2181.35 2181.4344	2180.47 2180.473 2180.604 2180.67 2180.7516	3 280 6	40. 23. 104.	825 835 825 490 612	°Н
S FE CR CR CO	111 1 111	2178.80 2178.8007 2179.14 2179.16 2179.26	2178.12 2178.1182 2178.46 2178.48 2178.58	100 170 3 3	22. 271.	285 896 340 490 825		ZN I SI I FE	11 11 I	2181.472 2181.515 2181.519 2181.5514 2181.552	2180.789 2180.833 2180.836 2180.8686 2180.870	10 25 25 15 120	77. 23. 370.	506 162 768 896 488	
CA CO SC CR FE	I VI III	2179.266 2179.28 2179.3 2179.321 2179.362	2178.584 2178.59 2178.6 2178.640 2178.677	300 25 150 60		85 603 108 893 188	F	AR AL FE	II I VI	2181.57 2181.639 2181.679 2181.78 2181.802	2180.89 2180.956 2180.996 2181.10 2181.119	200 5 40 2	10. 23.	1031 506 198 228 825	· p .
NE FE CU FE NI	I	2179.37 2179.479 2179.629 2179.756 2179.792	2178.69 2178.797 2178.944 2179.071 2179.110	80 [°] 2 400 25 12		1031 378 672 168 835		FE NI FE	1 11 11	2181.806 2181.818 2181.818 2181.819 2181.894	2181.121 2181.133 2181.135 2181.137 2181.211	12 1 1 80 70	120. 20. 370.	603 605 835 488 506	
FE NI CR CU NI	11 11 11	2180.135	2179.258 2179.352 2179.39 2179.4103 2179.453	1 700 20	14.	188 835 340 612 835	Н Н	AR . FE	11	2181.895 2182.049 2182.063 2182.089 2182.092	2181.210 2181.367 2181.378 2181.407 2181.407	10 2 10 50 40	123. 370. 122.	188 645 506 488 188	
CR BR FE FE NI	VI 11 11	2180.40 2180.46 2180.522 2180.62 2180.673	2179.72 2179.77	2		340 574 645 645 835		CR I CR CR	1 I I I I	2182.1080 2182.123 2182.21 2182.23 2182.34	2181.4251 2181.441 2181.53 2181.54 2181.66	20 120 4 4	51. 221.	612 893 341 340 168	
P CO MN AR CO .	1 111 11	2180.725 2180.745 2180.750 2180.772 2180.80	2180.042 2180.060 2180.068 2180.089 2180.12		20.	524 603 301 506 825		CU NE CR I	I II III	2182.399 2182.405 2182.458 2182.489 2182.535	2181.716 2181.720 2181.775 2181.807 2181.853	8 410 20 300 800		825 672 563 893 301	

SPECTI	ะ RบM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTI	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V CO CA FE CR	111 111 111	2182.697 2182.725	2181.97 2182.00 2182.014 2182.040 2182.05	20 10 250 40 15	46. 23.	1000 825 85 188 490		V И I И I	11 V1X 11 11	2184.86 2184.88 2184.952 2185.000 2185.10	2184.17 2184.20 2184.268 2184.314 2184.41	5 31 7 8 2	145.	478 940 835 603 478	fн
SI KR V MN NE	111 11 111 111	2182.732 2182.828 2182.91 2182.93 2182.96	2182.049 2182.145 2182.22 2182.25 2182.28	15 4 120 3 60	77. 46.	768 509 1000 301 1031		ZN FE V NI ZN	111 1 11 111	2185.123 2185.14 2185.22 2185.289 2185.397	2184.440 2184.46 2184.53 2184.605 2184.714	6 1 2 280 8	13.	162 378 1000 835 162	н
NI CO O CR MN	. I II III I	2183.06 2183.273 2183.32 2183.366 2183.459	2182.38 2182.587 2182.64 2182.683 2182.773	35 15 400 250 15	16. 23.	488 603 36 893 148	P	NI MN V MN CO	11 111 11. 1 1	2185.559 2185.563 2185.56 2185.598 2185.636	2184.875 2184.880 2184.89 2184.912 2184.950	35 800 2 10	118.	835 301 478 148 603	
CR NA AR CU FE	111 111 11 11 111	2183.483 2183.529 2183.530 2183.5426 2183.574	2182.800 2182.846 2182.849 2182.8593 2182.889	350 270 5 45 40	75.	893 516 506 612 188		CR FE N MN FE		2185.716 2185.766 2185.785 2185.816 2185.900	2185.033 2185.080 2185.101 2185.132 2185.216	500 25 25 600 0	68. 32.	893 188 521 301 378	
AS CR V NI NE	111 111 111	2183.62 2183.749 2183.77 2183.901 2183.92	2182.94 2183.066 2133.08 2183.217 2183.24	20 90 2 80 40	18.	480 893 478 835 1031		FE NA V SC AR	111 111 11 1V 11	2185.950 2185.984 2186.076 2186.114 2186.173	2185.264 2185.300 2185.399 2185.430 2185.489	60 240 50 550 50	209.	188 516 478 720 506	
CO FE CO FE FE	11 11 1 1	2183.984 2184.02	2183.28 2183.301 2183.33 2183.465 2183.468	2 120 3 1 80	89. 23. 119.	825 488 603 605 488		NA NI FE FE FE	III III III III	2186.182 2186.188 2186.23 2186.306 2186.340	2185.498 2185.504 2185.54 2165.622 2185.654	240 500 25 80 60	40. 271. 65.	516 835 188 488 188	Ĥ .
FE MN CR FE FE	11 111 111 1	2184.216 2184.229 2184.427 2184.4797 2184.498	2183.533 2183.546 2183.744 2183.7963 2183.815	20 3 350 8 100	60. 247.	645 301 893 896 645		CR CR V CR CO	111 111 11 1 1	2186.43 2186.64 2186.65 2186.68 2186.716	2185.75 2185.96 2185.96 2185.99 2186.030	1 1 40 4 3	21Q. 81.	490 490 478 341 603	
MN NI FE AL F.E	111 1V	2184.521 2184.59 2184.666 2184.73 2184.800	2183.838 2183.91 2183.980 2184.05 2184.114	50 10 90 10 40	62. 65.	301 488 198 888 169		AS NI CR FE FE	11 11 111 111	2186.733 2186.804 2186.89 2186.893 2186.901	2186.050 2186.120 2186.21 2186.207 2186.217	10 20 0 10 4	75.	425 835 490 188 645	

SPECT	RUM	VAĆUUM WAVELENGTY	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECI	rrum	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
KR FE CA CR V	11 111 111 111	2186.947 2187.07	2186.226 2186.2500 2186.263 2186.39 2186.394	1 6 60 3 0	20.	509 896 85 490 829		BR NI FE FE NI	11 111 11 11	2188.28 2188.353 2188.360	2187.596 2187.60 2187.667 2187.678 2187.696	50 5 .60 100 2	16. 89.	606 488 188 468 835	н
P CU GE CO FE	I I	2187.103 2187.132 2187.1348 2187.14 2187.1702	2186.419 2186.448 2186.4508 2186.45 2186.4862	150 2 50 8 155	12. 24. 21.	524 724 7 603 896		CR CR AS MN V	II III III III	2188.40 2188.44 2188.442	2187.70 2187.72 2187.75 2187.756 2187.78	2 3 5 75 15		340 490 480 802 325	
MN HE NE KR CO	111 1N 11 11	2187.288 2187.30 2187.375	2186.554 2186.604 2186.62 2186.691 2186.777	60 25 12	73.	301 309 1031 509 603	. М	CD FE CR V	11 111 1 11	2188.630 2188.64	2187.78 2187.868 2187.948 2187.95 2188.02	7 150 250 15 2	135. 46.	825 488 693 1000 825	
FE CR CR FE FE	11 111 111 111	2187.55 2187.56 2187.562	2186.862 2186.87 2186.87 2186.876 2186.8922	30 1 5 90 60	43. 22.	645 490 341 188 896		NI V CR CR N	II I III III	2188.75 2188.78 2188.79	2188.045 2188.06 2188.09 2188.11 2188.205	25 3 6 3 200	12. 43. 43.	835 1000 341 490 521	н
NI KR NI V	11 11 11 11	2187.606 2187.62 2187.63	2186.893 2186.922 2186.94 2186.94 2187.032	18 4 . 10 . 20 7	37. 104. 11.	835 509 488 478 825		F AR N C	111 11 111 11	2189.034 2189.051 2189.07	2188.280 2188.350 2198.379 2188.39 2168.492	200 0 150 10 30	32. 29.	537 506 521 287 506	
O BR S FE FE	I	2187.751 2187.82	2187.07 2187.067 2187.14 2187.1946 2187.21	4 1 200 110	21.	168 606 285 896 228	P F	N CO NI S CR	111 11 111 111	2189.22 2189.226 2189.27	2188.52 2188.54 2188.541 2188.58 2188.59	25 3 25 200 1		168 825 835 285 490	Q
CR CO FE NI AR	11		2187.22 2187.284 2187.309 2187.315 2187.3153	3 5 30 25 60	75.	490 603 645 835 867		MN N C FE FE	111 11 111 111	2189.40 2189.40 2189.419	2188.671 2188.62 2188.72 2188.732 2188.829	5 40 4 40 10	29.	301 168 287 188 - 292	· Q
FE C. TI V	11 11	2188.126 2188.16	2187.39 2187.444 2187.48 2187.50 2187.562	10 120 4 10 5	45. 271. 29.	1000 483 287 601 829		V NI AR CO FE		2189.602 2189.64 2189.674	2188.86 2188.918 2188.95 2188.990 2189.154	2 2 0 10	11.	478 835 506 825 138	н

	л
•	,

SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET :	REFERENCE	NOTES	\$PECTA	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI FE O CR CR	111	2189.859 2189.870 2189.88 2189.91 2189.93	2189.174 2189.183 2189.20 2189.23 2189.24	3	114. 221.	835 605 168 490 340	·	MN .	I I I I I I		2190.52 2190.557 2190.57 2190.64 2190.672	2 80 200 5 18		340 835 36 328 825	P
AS CO CO CU FE	I I I I . I	2189.97 2190.036 2190.05 2190.0547 2190.080	2189.29 2189.350 2189.37	· 1		584 603 825 612 605		S CR SC	111 111 XVII I		2190.67 2190.768 2190.8 2190.83 2190.879	200 350 2 3	51. 43.		F P
CR NA NI AR C	111 .II 11	2190.09 2190.10 2190.163 2190.193 2190.30	2189.41 2189.42 2189.498 2189.508 2189.62	3 30 45 10 4	29.	490 516 835 506 287		MN N CR CO	1 I 1 I 1 I	2191.571 2191.583 2191.61 2191.65 2191.652	2190.884 2190.900 2190.92 2190.96 2190.967	2 5. 2 30		148 521 340 825 835	P
CR CU N V MN	11 11 11 111	2190.31 2190.3152 2190.326 2190.37 2190.37	2189.643 2189.68 2189.69	7 700 2 5	53.	340 612 521 1000 301	P	CR V CO NE CO	1 11	2191.77 2191.79 2191.83 2191.84 2191.85	2191.08 2191.10 2191.15 2191.16 2191.16	2 30 2 80 3	221. 45.	340 1000 825 1031 603	. М
FE N AR CR MN	1 11 11 111	2190.405 2190.47 2190.470 2190.489 2190.535	2189.720 2189.78 2189.784 2189.806 2189.852	20 10 200 80		378 200 506 893 301	N	FE NI CA FE CR	1 111 111	2191.8893 2191.89 2191.894 2191.902 2191.950	2191.2043 2191.21 2191.209 2191.215 2191.267	25 15 .200 150 200	22. 61. 65. 47.	896 488 85 188 893	
	111 111 11	2190.64 2190.762 2190.781 2190.81 2190.82	2189.95 2190.075 2190.098 2190.13 2190.13	6 25 250 10 4	43. 122. 60.	1000 188 893 601 340		N NE	IIII	2191.972 2192.100 2192.119 2192.13 2192.25	2191.287 2191.413	50 100 60 20 00	31.	506 148 521 1031 602	м
NA F NI V AR	111 111 11 11 11	2190.870 2190.903 2190.906 2190.91 2190.9194	2190.187 2190.218 2190.223 2190.22 2190.2346	330 80 75 30 20	36. 104.	516 537 458 478 867		BE AR CR CR V	III III III	2192.25 2192.264 2192.281 2192.33 2192.34	2191.57 2191.579 2191.598 2191.64 2191.65	300	51. 43. 45.	217 506 893 341 1000	
NE NE V CU AR	111 11 11	2190.97 2191.111	2190.29 2190.426 2190.48 2190.50 2190.511	140 40 8 1	145.	1031 563 478 670 506		O FE FE NI	11 1 11 11	2192.34 2192.5242 2192.619 2192.721 2192.775	2191.66 2191.8391 2191.935 2192.036 2192.090			168 896 488 835 835	P

SPECTRI	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
KR NI AR CU NI	11 1 11 11	2192.79 2192.9115 2192.9534	2192.099 2192.10 2192.2262 2192.2681 2192.341	60 00 20 900 120	14.	509 602 867 612 835	Н	FE V V CR 1I MN 11 V 1	1 2195.34 1 2195.343 1 2195.529	2194.54 2194.65 2194.659 2194.843 2194.84	10 200 55 8	43. 209.	228 1000 893 802 478	F
KR TI KR CO S	11 111 11 11	2193.07 2193.111 2193.175	2192.342 2192.39 2192.427 2192.490 2192.50	25 15 1 25 200	22.	509 227 509 825 285		AR I NE II KR I	1 2195.60	2194.90 7 2194.9069 2194.92 2194.917 2194.93	18 20 100 1 3	43.	341 867 1031 509 825	
N FE NE FE	111 111 111 111	2193.358 2193.42 2193.504	2192.593 2192.674 2192.74 2192.819 2192.875	10 50 140 3 40	31. 226.	521 488 1031 378 188	M		I 2195.79	2195.081 2195.10 2195.13 2195.17 2195.22	60 2 5 2	123.	188 478 490 603 825	
MN V NI CR CD	111 11 11 11	2193.60 2193.694 2193.80	2192.891 2192.91 2193.009 2193.11 2193.26	4 2 1 10 8	70.	301 478 835 340 673		ZN 11 CL 1 V 1 AR 1 CO 1	1 2195,994 V 2196.074		1 93 10 50		162 613 829 867 825	•
FÉ CR V FE	111 11 11 11 11	2193.99 2194.03 2194.099	2193.294 2193.30 2193.34 2193.411 2193.47	60 20 2 2 2	151. 76.	188 340 478 605 1000		U U	1 2196.26	2195.532 2195.57 2195.59 2195.6826 2195.69	90 10 200 400 15	123. 134. 201.	188 496 36 612 478	
CR NI MN FE CO	111 11 111 1	2194.220 2194.251 2194.252	2193.51 2193.534 2193.567 2193.564 2193.595	1 50 150 2 30	114. 22.	490 835 301 605 825		FE II	I 2196.52 I 2196.554 I 2196.614	2195.78 2195.83 2195.866 2195.928 2196.00	4 8 60 0 2	132. 23. 74.	340 825 188 425 490	
TI ZN MN V ZN	111 111 1 1 1	2194.412 2194.450 2194.51	2193.60 2193.728 2193.762 2193.82 2193.838	7 12 20 5	43.	227 162 148 1000		, co		2195.995 2196.02 1 2196.0429 2196.12 2196.169	80 3 125 90 40	21.	645 603 896 516 85	
CO CR BE CO CR	111 111 111	2194.89 2194.935 2194.94	2194.09 2194.21 2194.249 2194.25 2194.43	2 2 1 1 2		825 490 330 825 490		٧		2196.20 2196.240 2196.287 2196.29 2196.34	10 10 10 5	12.	791 188 506 1000 602	

•	٦
(h

SPECTRUM	VACUUM WAVELENGT.I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	M	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE NOTES
AR 11 V 1 CO 1 CO 11 NI 1	2197.09 2197.146	2196.389 2196.40 2196.458 2196.46 2196.47	10 40 15 10 0	45. 19.	506 1000 603 825 602		NI V CU	11 11 11 1 1	2199.110 2199.213 2199.249	2198.363 2198.423 2198.524 2198.560 2198.631	66 110 20 1 570	145. 68.	613 835 478 672 893
MN 11 V 12 CL 11 MN 11 CR 11	2197,25 2197,470 2197,512	2196.503 2196.56 2196.784 2196.826 2196.84	3 2 87 5 15	151.	148 489 613 329 340		GE CO ZN 1	11 1 111 111	2199.4010 2199.453 2199.475	2198.660 2198.7144 2198.764 2198.789 2198.91	40 200 2 00 3	367. 11. 23.	488 7 603 162 488
CO. 11 CR 11 AR 11 NE 111 FE 1	2197.75 2197.759 2197.79	2196.904 2197.06 2197.072 2197.10 2197.230	3 2 0- 60 1	20.	603 340 506 1031 605		MN I CR	111 111 11 11 11	2199.722 2199.78 2199.87	2198.94 2199.033 2199.09 2199.18 2199.183	1000 75 2 1 3	13. 8.	402 802 340 825 198
CO 111 FE 111 CO 111 CR 111	2197.958 2198.03 2198.032	2197.23 2197.273 2197.34 2197.347 2197.35	20 50 8 100	226. 36.	825 488 603 488 490		TI I CR MN	11 11 11 11	2199.875 2199.910 2199.92 2200.10 2200.132	2199.188 2199.223 2199.23 2199.41 2199.443	20 160 5 1	132. 201.	835 227 340 148 478
F IV FE VI KR II N 11 GE II	2198.16 2198.180 2198.192	2197.36 2197.47 2197.495 2197.506 2197.621	90 70 100	18.0 13.	173 228 509 200 676	F	ΛL	I I I I I I	2200.272 2200.29 2200.33 2200.349 2200.441	2199.583 2199.60 2199.64 2199.660 2199.752	410 10 7 360	23. 8. 201. 23.	672 328 488 478 672
CO I MN III AR II CA II NI II	2198.340 2198.472 2198.473	2197.633 2197.655 2197.786 2197.787 2197.854	5 5 10 10 25	8.	603 301 506 186 835		ZN 1 CR 1	1 I 1 I 1 I 1 I	2200.47 2200.533 2200.83 2200.855 2200.863	2199.78 2199.847 2200.14 2200.169 2200.174	80 3 4 10 15	43.	328 162 490 509
NE 111 CU 11 CR 111 NI 11 CO 1	2198.5560 2198.583 2198.622	2197.86 2197.8696 2197.898 2197.936 2197.98	140 5 500 140 3	51.	1031 612 893 835 603		S I FE CU	1 I 1 I 1 I 1 I	2200.93 2200.95 2200.964 2200.99 2201.0769	2200.24 2200.26 2200.278 2200.30 2200.3900	5 100 20 1 80	21.	825 285 645 670 896
S III MN I CO II CR I AS I	2198.820 2198.976 2199.01	2198.10 2198.131 2198.289 2198.32 2198.34	100 10 10 22 5	10. 43. 19.	285 148 825 341 480		CO CR	1 I I I I I I I	2201.095 2201.101 2201.19 2201.1957 2201.40	2200.409 2200.414 2200.50 2200.5088 2200.71	1 15 8 100 20	11. 135. 37.	509 825 340 612 488

	,	
•		١

	ŞPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE N	OTES
	FE II CA II NE 111 CU II CR 111	2201.4113 2201.415 2201.51 2201.69 2201.692	2200.7243 2200.728 2200.82 2201.00 2201.006	80 10 100 1 250	21. 7. 51.	896 1018 1031 670 893	A M	MN II	2203.39	2202.54 2202.59 2202.70 2202.724 2202.831	5 3 40 60 450	27. 45.	34 603 328 1000 516	
	NI 11 KR II FE I CR III FE VI	2201.806	2201.028 2201.067 2201.117 2201.197 2201.21	25 25 4 350	20. 47.	835 509 605 893 228	F		2203.794	2202.93 2202.979 2203.068 2203.104 2203.222	7 3 40 45 400	1.	340 825 835 802 893	
	CO I		2201.23 2201.235 2201.242 2201.31 2201.408	80 4 20 10 0	76 . ·	1031 603 506 601 1026	·	NI II CO II FE II NI II ZN II	2204.061 2204.087 2204.107 2204.155 2204.198	2203.373 2203.400 2203.420 2203.468 2203.511	25 3 10 60 15	406.	835 825 488 835 154	
57	NI 11 CD 1 CR 111 CR 111 SE 111	2202.15	2201.409 2201.41 2201.455 2201.46 2201.54	240 6 250 15	13. 60. 68.	835 603 893 490 587	н	MN II		2203.53 2203.547 2203.633 2203.658 2203.71	4 2 40 4 0	18.0 43.	603 328 200 1000 645	
	AR II FE II NI I	2202.24 2202.260 2202.277 2202.23 2202.40	2201.55 2201.573 2201.590 2201.59 2201.71	6 10 5 40 1	367. 60.	603 506 896 488 32 8			2204.57 2204.58 2204.65	2203.744 2203.88 2203.89 2203.96 2203.991	200 50 10 3 10	13.	893 1022 340 603 606	
	CO !! AS !! MN !! CR !!!		2201.79 2201.841 2201.91 2201.949 2201.960	4 10 1 350 7	58.	603 425 328 893 148		FE II NE III V III CA III CR III	2204.85 2205.00 2205.003	2204.087 2204.16 2204.31 2204.315 2204.580	2 40 100 300 - 250	12. 16. 51.	645 1031 791 85 893	М
	CR 11 FE 11 AR 11 NE 111 CR 11		2202.04 2202.117 2202.135 2202.22 2202.30	3 10 10 140 3		340 645 506 1031 340		NA VI AL I AR II CO I	2205.307 2205.354 2205.386	2204.593 2204.619 2204.668 2204.698 2204.796	5 7 7 10 18	8. 7. 74.	284 198 198 506 603	
	CR 111 KR 11 CA 111 FE 111 MN 1	2203.050 2203.077 2203.091 2203.148 2203.178	2702.363 2202.390 2202.404 2202.458 2202.489	40 25 250 150 2	7.4.	893 509 85 188 148		NI 11 MN 111 V 1 NE 111 MN 1	2205.515 2205.620 2205.67	2204.799 2204.827 2204.930 2204.98 2205.057	10 5 12 140 10	43.	835 301 1000 1031 .148	

SPECT	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTI	INTENSITY	MULTIPLET :	REFERENCE	NOTES
CO AS CR CR SC	II II IV	2205.85 2205.89 2206.03	2205.065 2205.16 2205.20 2205.34 2205.464	15 10 15 4 550	22. 18. 43. 247.	825 480 341 340 720	·	ZN 11	2208.388 2208.43	2207.48 2207.656 2207.697 2207.74 2207.780	00 3 10 00	22. 9. 225.	602 162 603 602 488	
CO NI CU V AR	11 11 11 11	2206.213 2206.236 2206.34 2206.39	2205.525 2205.548 2205.65 2205.70 2205.738	15 700 5 2 40	22.	825 835 672 478 506		FE 11 CO MN 1 CO 1	2208.544 2208.544	2207.847 2207.853 2207.854 2207.92 2207.9783	10 9 5 30 110	22. 23. 3.	188 603 328 825 608	
NI GE N NI CO	11 11 11 11	2206.539 2206.543 2206.554	2205.783 2205.851 2205.855 2205.866 2205.868	20 100 80 8	13. 18.0 10.	835 676 521 835 825	Р.	V NE II NA LI CR I AR I	1 2208.75J 1 2208.77	2207.976 2208.04 2208.072 2208.08 2208.141	3 80 240 3 10	:	000 031 516 340 506	
NE AS V FE N	111 111 11 11	2206.66 2206.77 2206.771	2205.95 2205.97 2206.08 2206.083 2206.088	100 15 3 5 160	18.	1031 480 325 896 200	M	CR	2209,092 2209.096 2209.199	2208.27 2209.405 2208.407 2208.508 2208.611	2 10 15 12 25	367. 20. 8.	340 509 896 603 186	
FE CO V NI MN	11 11 111 11	2206.864 2206.93 2207.009	2206.150 2206.176 2206.27 2206.321 2206.343	8 4 10 5 2	367. 22. 12.	896 825 791 835 148		CR		2208.69 2208.703 2208.714 2208.76 2208.806	00 400 1 5 140	58. 20. 42.	602 893 378 341 148	
KR P FE MN NI	11 11 11	2207.190 2207.270 2207.325	2206.362 2206.502 2206.582 2206.637 2206.715	10 40 20 10 620	134. 13.	509 937 488 328 835	H	FE I NI I	1 2209.57 1 2209.68 1 2209.723 1 2209.729	2208.85 2208.88 2208.99 2209.034 2209.040	250 3 00 8 1	366.	188 825 602 896 835	
F MN NI NI FE	111 11 11 11	2207.669	2206.785 2206.85 2206.961 2206.981 2207.0684	300 10 20 30 4	19.	537 328 835 835 896		CO I NI I AL I V II NI I	1 2209.74 1 2209.800 2209.83 1 2209.88 1 2203.949	2209.05 2209.111 2209.14 2209.19 2209.260	2 25 15 40 50	12.	825 835 888 791 835	
NI KR NI NE CR	11 11 11 111	2207.98	2207.148 2207.150 2207.262 2207.29 2207.448	1 1 20 160 150	47.	835 509 835 1031 893		NE II CR 1 CR 1 MN 1I CO I	1 2210.06 1 2210.12 1 2210.130	2209.35 2209.37 2209.43 2209.442 2209.51	200 8 10 0	:	1031 340 340 802 825	

		,	١
١		c	
Ì	d		

SPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
AL FE CU NI MN	111	2210.238 2210.430 2210.4945 2210.690 2210.72	2209.508 2209.739 2209.8056 2210.001 2210.03	5 60 200 20 3	123. 134.	826 188 612 835 328	•	CR FE FE NI V	111 1 11 1	2211.911 2211.925 2211.930 2211.979 2212.041	2211.224 2211.234 2211.243 2211.292 2211.350	300 7 120 10 3	20. 305. 16. 43.	893 605 488 488 1000	
V AL FE AL ZN	11 111 1 1	2210.819	2210.029 2210.060 2210.073 2210.130 2210.176	10 7 90 G	208. 7. 110. 7.	478 198 188 198 154		TI V CO CR CL	11 11 111 111 V11	2212.05 2212.07 2212.109 2212.136 2212.2	2211.36 2211.38 2211.421 2211.448 2211.5	10 2 18 200	18. 208. 10. 47.	488 478 825 893 92	
NI CU V AR P	11 11 11 11	2210.927 2210.9571 2210.996 2211.0061 2211.03	2210.238 2210.2681 2210.305 2210.3171 2210.34	6 750 8. 20 25	52. 28.	835 612 478 867 496	•	NI CL KR MN SI	1 I 1 I 1 I 1	2212.319 2212.335 2212.407 2212.411 2212.4334	2211.630 2211.645 2211.719 2211.720 2211.7441	25 22 60 8 110	3.	835 613 509 148 608	
CR NI ZN MN MN	1 111 111 11	2211.273	2210.38 2210.382 2210.441 2210.582 2210.59	7 180 3 8 2	42. 13.	341 835 162 148 328	н	CR NE MN MN AR	11 111 111 1	2212.54 2212.54 2212.638 2212.747 2212.783	2211.85 2211.85 2211.949 2212.055 2212.094	20 200 400 15 5	20.	340 1031 301 148 506	
NE FE V AR CO	II I II I	2211.3778 2211.569 2211.572	2210.602 2210.6887 2210.878 2210.883 2210.89	5 8 5 30 2	18.	563 896 1000 506 603		NI NI FE AL CR	11 11 11 11	2212.799 2212.837 2212.84 2212.90 2212.90	2212.109 2212.149 2212.15 2212.21 2212.21	120 10 0 2 15	15.	835 488 645 888 340	
SI CR FE FE MN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2211.639	2210.8940 2210.92 2210.952 2210.952 2210.95	115 1 50 50 2	3. 118. 134.	608 490 488 488 301		CO CL CR NA CO	1 11 11 111 1	2212.92 2212.948 2212.99 2213.041 2213.045	2212.23 2212.259 2212.30 2212.353 2212.354	15 51 3 270 9	18.	603 613 340 516 603	
NI CO F NI FE	1 11 1V 11 11	2211.72 2211.76 2211.76 2211.786 2211.799	2211.03 2211.07 2211.07 2211.097 2211.112	15 5 4 80 50	34. 52. 289.	488 825 173 835 488	H H	FE ZN MN MN NE	11 11 111 111	2213.073 2213.090 2213.115 2213.310 2213.32	2212.385 2212.402 2212.425 2212.620 2212.63	4 3 600 10 100	16.	645 457 301 301 1031	
FE FE V MŇ AL	11 11 11 1V	2211.799 2211.80 2211.85 2211.87 2211.90	2211.112 2211.11 2211.16 2211.18 2211.21	50 2 15 3	168.	488 228 478 328 888	H F	NI CU NI NI KR	!! !! !! !!	2213.362 2213.4371 2213.562 2213.606 2213.651	2212.673 2212.7476 2212.872 2212.917 2212.963	P 75 20 40 60	166.	835 612 835 835 509	

	SPECTR	UM .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	TRUM	VACUUM WAVELENGT'H	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NI NI CO NI AL	11 11 11 11	2213.756 2213.845 2213.87 2213.886 2214.153	2213.066 2213.155 2213.18 2213.196 2213.428	12 50 10 120 2	30.	835 835 825 835 826	н	CR ZN CU FE V	111 111 1 11	2215.99 2216.234 2216.346 2216.393 2216.478	2215.30 2215.545 2215.654 2215.702 2215.786	5 1 320 4 9	12. 22. 371. 208.	340 162 672 896 478	
	AL NI CR FE CR	111 11 11 11	2214.153 2214.179 2214.25 2214.345 2214.37	2213.460 2213.489 2213.56 2213.655 2213.68	20 1. 10 20 30	21. 168. 247.	826 835 340 896 340	н	CR V KR V NE	111 111 11 11 11	2216.566 2216.746	2215.849 2215.86 2215.877 2216.054 2216.07	300 200 4 3	58. 12. 28.	893 791 509 1000 1031	
	V FE NE CO MN	I II III I I	2214.384 2214.41 2214.45 2214.511 2214.547	. 2213.692 2213.72 2213.76 2213.819 2213.855	10 D 240 7 170	40. 168.	1000 488 1031 603 148		FE AR CR V CR	11 111 111 111	2216.938	2216.102 2216.190 2216.233 2216.245 2216.32	M 40 120- 4 4	39.	645 506 893 1000 340	
60	CO NI FE KR MN	I I I I I I I I	2214.55 2214.56 2214.729 2214.775 2214.798	2213.86 2213.87 2214.036 2214.087 2214.108	4 00 8 1 10	19. 368.	603 602 896 509 301		CO NI NA V SI	1 I 1 I 1 I 1	2217.25 2217.358	2216.48 2216.482 2216.56 2216.666 2216.6688	25 800 7 10 120	12.	825 835 152 1000 608	н
	O AR MN NA CR	VIII II III III	2214.8 2214.812 2214.82 2214.898 2215.00	2214.1 2214.147 2214.10 2214.210 2214.31	10 10 300 8	42.	309 506 148 516 341		CR FE FE MN	111 11 111 111	2217.569 2217.737 2217.863	2216.858 2216.880 2217.048 2217.172 2217.19	120 2 1 450	168.	893 645 488 537 328	
	CA CU FE HE TI	V1 I III II V	2215.2 2215.273 2215.308 2215.361 2215.430	2214.5 2214.581 2214.616 2214.671 2214.741	400 40 60	22. 69.	726 672 188 309 727	F	CO V NA MN V	11 111 11 11	2218.01 2218.03 2218.05 2218.06	2217.274 2217.32 2217.34 2217.36 2217.37	10 8 180 2 150	9. 28.	825 478 516 328 791	
	NE CO NI FE CR	111 11 11 11 11	2215.46 2215.472 2215.585 2215.767 2215.77	2214.77 2214.782 2214.895 2215.077 2215.08	80 12 20 8 20	11. 369. 247.	1031 -825 -835 -896 -340		CO FE CR FE NI	II 111 111 I 11	2218.208 2218.270	2217.41 2217.485 2217.519 2217.578 2217.695	2 60 570 1 40	114.	825 188 893 605 835	
	MN CU MN CR NI	1 111 111 111	2215.777 2215.7960 2215.902 2215.918 2215.965	2215.086 2215.1060 2215.212 2215.229 2215.275	3 250 800 150 6	168. 16.	148 612 301 893 835	•	ŽN FE CR CÜ NI	111 111 111 1	2218.437 2218.443 2218.459	2217.733 2217.744 2217.754 2217.768 2217.77	2 1 300 3 - 15	20. 47. 33.	162 605 893 724 488	

ŧ	•	٦	١
ì		_	

	SPECTI	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTI	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
	CO V CR NI	11 111 11 11	2218.49 2218.58	2217.80 2217.80 2217.89 2218.045	3 125 7 5	12. 51.	825 791 340 635		FE CO NI AR	1 I 1 I 1 I	2220,587 2220.62 2220.627 2220.6534	2219.896 2219.93 2219.936 2219.9624	10 3 2 . 60	168.	- 896 825 835 867	,H	
	SI ·	Ĩ		2218.0569	120	3.	608		CR	11	2220.70	2220.01	2	21.	340 !		
	ZN CU	I V I I		2218.039 2218.1081	10 750	13.	154 612		CO FE	II VI	2220.786 2220.79	2220.095 2220.10	- 10	22.	825 228	F	
	NI CO	11	2218.802	2218.111 2218.13	120 3		835 825		V B	11	2220.907 2220.989	2220.214 2220.298	100 150	28	478 532		
	CR	111	2218.836	2218.146	90	60.	893		CR	ΙI	2221.00	2220.31	1		340		
•	NI	11		2218.207	1		835 1000		AR GE	I 1 I	2221.038 2221.0658	2220.347 2220.3747	20 40		506 7		
	V FE	1		2218.238 2218.262	25 12	39. 367.	896		FΕ	. 1 1	2221.072	2220.381	20	118.	896	н	
	V CR	111		2218.35 2218.36	150 6	12. 209.	791 340		NI CR	11	2221.093 2221.11	2220.402 2220.42	10	28. 42.	835 341	н	
	AR	11	2219.066	2218.375	10		506		V	I	2221.143	2220.450	_3	40.	1000		
	TI N	. I	2219.07	2218.38 2218.41	· 50	18. 14.1	488 200		FE MN	111	2221.143 2221.237	2220.453 2220.546	60 900	371. 16.	488 301		
	N CU	11	2219.164	2218.474 2218.5130	150	18.0 137.	521 612		FE MN	111	2221.304 2221.435	2220.611 2220.744	25 20	69. 16.	188 301		
	NI.	11	2219.264	2218.573	2		835		NE	IV	2221.50	2220.81	10		1022		
	CR AS	111	2219.380	2218.690 2213.783	350 5	•	893 425		N FE	11	2221.540 2221.605	2220.850 2220.912	2	18.0 19.	521 605	P	
	AR CO	II II I	2219.496	2218.805 2218.813	40 10	73.	506 603		AS NI	11.		2221.048 2221.062	220		425 835		
	MN	I	2219.595	2218.903	. 3		148		FE	11	2221.858	2221.167	8	168.	896	н	
	SI CR	I I I	2219.6056	2218.9148 2219.05	50 2	3.	608 340		.v .co	111	2221.93 2221.97	2221.24 2221.28	5 3		791 825		
	CO	11	2219.76	2219.07 2219.116	10		825 835		FE '	111	2222.030	2221.337 2221.352	10	•	188 506		
	co	Ī	2219.847	2219.154	9	16.	603		co	ıi		2221.54	3		825		
	CR NI	11	2219.86	2219.17 2219,246	1	•	340 835		N.I.	II		2221.650 2221.759	5 25	-	612 835		
	NI NI	11	2220.101	2219.408 2219.472	140	208.	478 · 835		CO FE	. 111	2222.50	2221.81 2221.830	6 250	69.	825 188		
	CR	111	2220.276	2219.586	300	47.	. 893		KR	11	2222.525	2221.834	. 4		509		
	V	1	2220.345	2219.652	3	41.	1000 488		MN CR	1	2222.530	2221.837 2221.86	220 12	270.	148 340		
	ŤI	1 1 1 1	2220.44 2220.493	2219.75 2219.802	50 20	18.	301		NI	1	2222.630	2221.939	25	15.	468		
	CA	iii		2219.851	300		85		CR	111	2222.665	2221.974	60		893		

1		r
1	ĸ.	1
•		-

•	ŞPECT		VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	SI FE AR SC NI	111 11 11 11 11	2222.71 2222.751 2222.758 2222.907 2222.928	2222.01 2222.059 2222.066 2222,216 2222.236	7 2 30 870 110	85. 114.	768 378 506 720 835		CR V TI KR SI	11 1 1 11	2225.56 2225.713 2225.80 2225.879 2225.957	2224.87 2225.029 2225.11 2225.187 2225.267	1 8 80 25 1	209. 39. 15.02	340 1000 468 509 678	N
	CO N AR FE P	11 11 11 11	2222.94 2223.03 2223.100 2223.137 2223.26	2222.25 2222.34 2222.408 2222.446 2222.57	4 5 0 10	18.0 168. 3.	825 521 506 468 496	P	NA NI CO MN V	1 I I I I I I I I	2225.972 2226.04 2226.04 2226.063 2226.116	2225.280 2225.35 2225.350 2225.371 2225.422	150 5 12 10 30	16. 19. 38.	516 488 603 301 1000	
	MN FE GE FE V	II II I I	2223.265 2223.370 2223.43 2223.45 2223.528	2222.573 2222.679 2222.74 2222.75 2222.834	10 10 20 7 15	369. 113. 38.	328 488 7 605 1000		CR F CA CO TI	11 11 11 11	2226.13 2226.2 2226.251 2226.28 2226.28	2225.44 2225.5 2225.559 2225.59 2225.59	3 25 5 25	270.	340 108 85 825 227	F
62	NI CO V TI P	II II I I	2223.649 2223.65 2223.708 2223.88 2224.04	2222.957 2222.96 2223.014 2223.19 2223.35	300 9 20 70 25	12. 39. 18. 3.	835 825 1000 488 496	н	AR CU NI V CO	II II I	2226.354 2226.391 2226.460 2226.481 2226.542	2225.662 2225.697 2225.768 2225.787 2225.848	60 460 50 10 5	2. 39. 120.	506 672 835 1000 603	
	NI FE NI FE CO	II II II II	2224.147 2224.179 2224.311 2224.557 2224.67	2223.455 2223.487 2223.619 2223.866 2223.97	180 8 15 20 0	168. 368.	835 896 835 488 603	Н	FE CR NA KR CA	11 11 11 11 V11	2226.555 2226.62 2226.620 2226.667 2226.8	2225.859 2225.93 2225.928 2225.975 2226.1	2 1 450 1	50.	645 340 516 509 726	F
	CO NE NI CO NI	11 11 11	2224.78 2224.81 2225.019 2225.04 2225.047	2224.09 2224.12 2224.327 2224.35 2224.355	10 10 5 2 10	21.	825 1024 835 825 835	н	CR NI NE CR CR	11 11 11	2226.96 2227.021 2227.022 2227.04 2227.16	2226.27 2226.329 2226.330 2226.35 2226.47	15 100 10 15 7	35. 12. 35.	340 835 563 340 340	н
	NI CO NI AR MN	11 11 11 11	2225.106 2225.18 2225.196 2225.242 2225.377	2224.414 2224.49 2224.504 2224.550 2224.684	15 1 5 10 2	29.	835 825 835 506 802	н	MN CR TI CU NI	111 111 11 11	2227.32 2227.368 2227.46 2227.4730 2227.558	2226.61 2226.676 2226.77 2226.7805 2226.866	3 1000 60 150 5	39. 18. 134.	301 893 488 612 835	
	CU CR V NI CO	II III II	2225.3834 2225.446 2225.539 2225.556 2225.56	2224.6913 2224.754 2224.845 2224.864 2224.87	100 -200 1 140 5	178. 58. 12.	612 893 478 835 825	н	MN CR TI NI AR	111 111 11 11	2227.621 2227.706 2227.83 2227.879 2227.991	2226.928 2227.014 2227.14 2227.186 2227.298	10 150 20 40 50	58.	301 893 601 835 506	

	SPECT		VACUUM NAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V FE NE MN FE	I II V III II	2228.093 2228.099 2228.11 2228.12 2228.162	2227.398 2227.407 2227.42 2227.42 2227.469	3 1 120 1000 40	168. 16. 369.	1000 488 1024 301 488		F V TI II FE III ZN III KR II	2229.94 2229.962 2230.036	2229.18 2229.25 2229.267 2229.345 2229.353	4 10 250 40 1	128.	176 601 188 162 509	
	CO FE CO NI CU	11 11 11 11	2228.28 2228.290 2228.361 2228.365 2228.469	2227.59 2227.597 2227.666 2227.672 2227.775	6 1 12 15 400	168. 22. 21.	825 488 603 835 672		S 111 V 111 CR 111 AR 11	2230.24 2230.321. 2230.341	2229.37 2229.55 2229.630 2229.648 2229.66	400 75 200 80	•	285 791 893 506 168	
	CD FE CO CR MN	11 111 . 1 11	2228.53 2228.543 2228.543 2228.57 2228.60	2227.84 2227.848 2227.853 2227.88 2227.90	1 120 10 10	69. 16. 20.	825 188 603 340 301		CO V	2230.38 2230.429 2230.429	2229.67 2229.734 2229.734 2229.776 2229.814	70 10 25 50 10	68. 39. 51.	488 603 1000 835 563	N H
3	TI KR O FE CR	11 111 1 1	2228.8643	2227.91 2227.925 2228.15 2228.1715 2228.18	10 120 25 12 8	17. 18. 20.	488 509 168 896 340		CU 1 MN 1 MN 1 V 1 N 1	I 2230.63 I 2230.68 I 2230.680	2229.8536 2229.94 2229.99 2229.985 2230.034	150 10' 10 80	135. 28. 30.	612 328 328 478 521	P
	CR CR CD CR MN	11 11 11 111	2228.91 2228.95 2229.029 2229.03 2229.137	2228.22 2228.26 2228.334 2228.34 2228.444	18 12 4 15 20	42. 20. 283. 16.	341 340 603 340 301		CU MN I CU I	1 2230.76 1 2230.779 V 2230.823 1 2230.8378 I 2230.87	2230.07 2230.084 2230.128 2230.1446 2230.18	8 500 20 50 70	21. 134. 17.	603 672 799 612- 488	L
	FE NA AS CR FE	1 11 1 111 111	2229.184 2229.22 2229.36 2229.445 2229.452	2228.489 2228.53 2228.66 2228.754 2228.761	1 80 20 350 300	19. 18. 386.	605 152 480 893 488			I 2231.001 I 2231.0130 I 2231.021 I 2231.057	2230.18 2230.308 2230.3197 2230.330 2230.362	1 2 30 900 20	38.	340 835 867 516 1000	
	CO CR V TI CU	I II II II	2229.501 2229.53 2229.530 2229.54 2229.5609	2228.806 2228.82 2228.835 2228.85 2228.8680	15 10	19. 270. 41.	603 340 1000 601 612		FE II CU I TI	I . 2231.061	2230.368 2230.373 2230.3986 2230.48 2230.52	2 20 25 70	18.	835 288 612 488 825	
	FE AR FE KR AL	111 11 1 11 11	2229.576 2229.719 2229.7658 2229.791 2229.82	2228.881 2229.024 2229.0728 2229.082 2229.13	1	122.	188 506 896 509 888		CR II CR III MN II FE I	I 2231.277 I 2231.32	2230.57 2230.586 2230.62 2230.67 2230.729	2 .150 1 0		340 893 301 645 521	P

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES .	ŞPECTRU	JM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
TI GU NI AR CR	II II II II	2231.6453 2231.646 2231.717	2230.95 2230.9519 2230.955 2231.024 2231.02	10 100 15 10 12	167. 36. 78.	601 612 488 506 340			111 11 111 111 111	2234.008 2234.172 2234.244 2234.274 2234.308	2233.312 2233.478 2233.548 2233.582 2233.614	2 40 150 . 40 60		802 506 188 893 85	
TI FE NE CL FE	11 11 111 111	2231.783 2231.810 2231.85	2231.04 2231.090 2231.117 2231.16 2231.2128	20 2 10 300 15	112. 15. 18.	601 378 563 38 896		FE N CO CR TI	111 11 111 111	2234.350 2234.450 2234.455 2234.478 2234.48	2233.654 2233.758 2233.759 2233.786 2233.79	90 10 700 80	128. 16.0 21. 45. 17.	188 521 603 893 488	Р
SE MN V AR CA	111 111 11 11 111	2232.10 2232.107 2232.116	2231.39 2231.41 2231.412 2231.423 2231.436	1 2 30 50 200	42.	587 301 489 506 85			11 11 11 111 111	2234.503 2234.609 2234.61 2234.73 2234.782	2233.809 2233.917 2233.93 2234.03 2234.088	20 5 .2 2 65	118. 16.	835 488 825 301 531	н
CR FE CL CL N	III IV III	2232.204 2232.2759 2232.28	2231.45 2231.512 2231.5824 2231.59 2231.65	15 100 75 41	283. 368. 133. 24.0	340 488 612 713 521		MN CR KR FE	III II III	2234.89 2234.92 2235.087 2235.128 2235.17	2234.19 2234.22 2234.394 2234.432 2234.47	2 5 40 2 20	20. 114.	301 340 509 605 288	
M1 F1 C1 C3 NE	11 111 111 111	2232.365 2232.444 2232.480	2231.66 2231.670 2231.749 2231.788 2231.791	10 40 6 500 40	139.	328 188 603 893 563		CR B	II III III III	2235.287	2234.50 2234.58 2234.593 2234.594 2234.6724	7 12 110 120 60	20. 20.	340 340 531 893 867	
CC NA V GE NI	11 111 1 1 V	2232.881 2232.948 2232.98	2232.064 2232.189 2232.252 2232.28 2232.41	18 480 8 0 150	10. 39.	825 516 · 1000 7 1022	н	V CO NE CO P	I I I I I I	2235.376 2235.406 2235.409 2235.50 2235.65	2234.680 2234.710 2234.715 2234.80 2234.95	10 12 5 50 20	38. 67. 3.	1000 603 563 825 496	
FL CO CO FE V	111 111 111	2233.156 2233.156 2233.386 2233.46	2232.430 2232.460 2232.462 2232.690 2232.77	250 8 15 250 350	64. 20. 139. 12.	188 603 825 188 - 791		CO N' AS N	111 11 11 11 11	2235.681 2235.81 2235.902 2236.069 2236.089	2234.988 2235.11 2235.208 2235.375 2235.396	10 5 70 0	18.0 18.0	893 825 200 425 521	P
CO CO FE S	1 11 1 111	2233.59 2233.795	2232.88 2232.89 2233.099 2233.172 2233.	4 1 9 40	122.	603 168 603 188 107	F	FE P NI AR NE	III II II II	2236.395 2236.43 2236.453 2236.4535 2236.562	2235.699 2235.73 2235.758 2235.7591 2235.868	90 50 8 30 5	69. 3.	188 496 835 867 563	

SPECTRUM	VACUUM WAVELENGT:I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
AR I FE II CR II NI I CO I	1 2236.604 I 2236.605	2235.904 2235.908 2235.912 2236.063 2236.17	20 250 800 3 2	139. 39. 53.	506 188 893 835 825		FE 1 TI FE	II III I I	2238.728 2238.852 2238.89 2238.956 2239.027	2238.033 2238.155 2238.20 2238.259 2238.333	2 250 60 2 3	139. 18.	835 188 488 605 162	N
	I 2236.974 V 2236.99 V 2237.076	2236.251 2236.278 2236.29 2236.382 2236.429	30 300 50 40 40	24.	563 672 1024 799 893		TI NI CU NI TI	11 11 11 11 11	2239.08 2239.147 2239.151 2239.267 2239.42	2238.39 2238.452 2238.454 2238.572 2238.73	10 20 330 15 80	25. 17.	601 835 672 835 488	
MN II AR I NI I		2236.47 2236.48 2236.527 2236.566 2236.680	3 1 30 8 0	4.	340 301 506 835 488	н	CR N FE CR MN	11 11 11 11	2239.57 2239.669 2239.741 2239.94 2239.968	2238.87 2238.974 2239.047 2239.24 2239.272	1 70 250 8 20	12. 18.0 365. 20.	340 200 488 340 799	
S I	1 2237.493 1 2237.57	2236.73 2236.796 2236.87 2236.90 2236.984	15 15' 500 15 2	19.	325 603 285 227 835		CO MN CU	111 111 111 1	2239.985 2239.99 2240.026 2240.03 2240.154	2239.290 2239.30 2239.331 2239.33 2239.460	4 1 5 2 250		936 603 301 672 893	
CO NI I N 11	1 2237.75 1 2237.822 1 2237.856 1 2237.90 1 2237.924	2237.05 2237.125 2237.161 2237.21 2237.228	5 10 1 1 50	70. 24.0 39.	825 603 835		CR AR	111 11 11 111 111	2240.179 2240.21 2240.309 2240.31 2240.332	2239.485 2239.51 2239.615 2239.62 2239.638	390 4 5 3	20. 334.	516 340 505 227 488	
AR I CO I CR II	I 2238.04 I 2238.080 I 2238.13 I 2238.265 I 2238.271	2237.34 2237.385 2237.44 2237.571 2237.577	5 10 2 650 200	45. 365.	672 506 825 893 488		CO AR KR NI CO	1 I 1 I 1 I 1 I 1 I	2240.49 2240.601 2240.630 2240.695 2240.83	2239.80 2239.906 2239.936 2239.999 2240.13	4 10 1 20 2		825 506 509 835 825	
TI II NI I	2238.4144 1 2238.468 1 2238.498 1 2238.511 1 2238.535	2237.7195 2237.773 2237.803 2237.814 2237.841	20 230 5 2	114.	867 227 835 605 606		NI V CU V BR	11 1 111 111	2240.880 2240.999 2241.10 2241.13 2241.147	2240.185 2240.302 2240.40 2240.44 2240.453	15 2 2 30 50		835 1000 672 791 606	
FE FE MN 1	2238.571 2238.588 2238.591 2238.591 2238.72 2238.723	2237.876 2237.894 2237.894 2238.03 2238.028	20 1 0 10	334. 16.	835 488 645 301 506		AL AL FE CD AR	1V 1V I I II		2240.47 2240.563 2240.627 2240.74 2241.028	50 300 4 6 60	112.	888 888 605 603 506	

ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTI	RUM	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
C V CD FE CR	11 11 VI 11	2241.911 2241.97 2241.99	2241.05 2241.213 2241.27 2241.30 2241.30	4 7 4 15	44. 39.	287 1000 825 228 340	F	CU FE NI CO V	11 111 1 1	2243.7905 2243.911 2243.92 2243.951 2243.956	2243.0945 2243.215 2243.22 2243.254 2243.258	25 40 00 10 6	10. 19.	612 258 488 603 1000	
CR V FE CR FE	111	2242.121 2242.17	2241.315 2241.39 2241.426 2241.47 2241.54	120 125 200 3 350	365. 78. 109.	893 791 488 340 188		CR FE V CR FE	11 11 11 11	2243.98 2244.103 2244.166 2244.20 2244.273	2243.28 2243.405 2243.468 2243.50 2243.578	40 150 4 8 0	77. 64.	340 188 478 340 488	н
NI CO CO CR CR	11 11 11 11	2242.267 2242.30 2242.35 2242.39 2242.50	2241.571 2241.60 2241.65 2241.69 2241.80	140 5 9 15 30	50. 78.	835 825 603 340 340		CR AR NI V FE	11 11 11 11 111	2244.32 2244.3558 2244.411 2244.440 2244.543	2243.62 2243.6597 2243.715 2243.742 2243.845	50 50 10 8 40	77. 37.	340 867 835 1000 188	
V FE AR NI C	11 11 11 11	2242.544 2242.55 2242.554 2242.727 2242.80	2241.846 2241.85 2241.858 2242.031 2242.10	40 1 20 100 4	38. 75.	1000 605 506 835 287		CO FE AR CR CO	11 1 !1 !1 !1	2244.59 2244.609 2244.776 2244.805 2244.82	2243.90 2243.911 2244.080 2244.109 2244.12	4 1 10 700	16. 39.	825 605 506 893 603	
NI CU CA NE AR	11 VI 11 11	2242.837 2242.8389 2242.9 2242.927 2242.98	2242.141 2242.1431 2242.2 2242.232 2242.232	2 25 5 60	28.	835 612 726 553 488	F	MN FE FE CU CO	III II I	2244.832 2244.912 2244.940 2244.963 2245.09	2244.136 2244.216 2244.244 2244.265 2244.39	2 80 60 480 2	365. 2.	301 488 896 672 825	M
P GE P FE F	IV I I II	2243.138 2243.17 2243.23 2243.2677 2243.3	2242.442 2242.47 2242.53 2242.5718 2242.6	25 20 25 15	3. 18.	937 7 496 389 108	F	LI CA NI NI CO	11 1 1 111 1	2245.15 2245.160 2245.25 2245.377 2245.39	2244.45 2244.464 2244.55 2244.680 2244.69	2 5 15 1 70	34. 17.	825 488 488 724 488	N
OU WN CU V	i 11 111 11 11	2243.312 2243.3143 2243.355 2243.376 2243.4115	2242.614 2242.6184 2242.655 2242.680 2242.7156	900 0 220 2	52.	1000 612 802 835 612		CR CR NI NI MN	111 11 11 11 111	2245.463 2245.53 2245.555 2245.574 2245.585	2244.767 2244.83 2244.858 2244.878 2244.889	200 10 60 30 3	35.	893 340 835 835 301	
V CR CO NI BR	III III II II	2243.52 2243.587 2243.60 2243.60 2243.710	2242.82 2242.892 2242.90 2242.90 2243.015	5 60 4 00 150		325 893 825 602 606		CR AR CO FE CR	11 11 11 1	2245.60 2245.8121 2245.823 2245.84 2246.03	2244.90 2245.1157 2245.118 2245.14 2245.33	20 20 35 1 7	35. 10. 75. 150.	340 867 825 605 340	н

•	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	AR N CD NE FE	II II V II	2246.122 2246.160 2246.18	2245.410 2245.426 2245.463 2245.48 2245.505	20 5 100 450	16.0 19. 365.	506 521 603 1024 488	Р	MN CO MN CR NI	111 11 1V 11	2248.734 2248.88 2248.904 2249.00 2249.066	2248.037 2248.18 2248.205 2248.30 2248.369	2 3 0 50 15	49.	301 825 799 340 835	
	FE CL NI CD FE	I II II I	2246.292 2246.299	2245.578 2245.587 2245.596 2245.600 2245.6527	25 6 20 10	18.	896 613 835 603 896	М	V . CU CR CO	11 111 11 11	2249.15 2249.188 2249.26 2249.355 2249.50	2248.45 2248.491 2248.56 2248.658 2248.80	1 6 40 5 1	49. 9.	478 724 340 825 603	
	V FE CO BR AR	111 111 111 111	2246.474 2246.50 2246.635	2245.756 2245.776 2245.81 2245.939 2245.975	30 40 2 150 30	37. 128.	1000 188 825 606 506		FE V V N CR	I 111 111 111	2249.5574 2249.60 2249.612 2249.63 2249.647	2248.8602 2248.90 2248.913 2248.93 2248.950	20 40 .4 60 250	70. 16. 23. 45.	896 791 478 521 893	
· 67	MN TI CO V	111 1 11 1 1	2246.84 2246.85 2246.903	2246.05 2246.14 2246.15 2246.204 2246.332	1 40 3 1 3	16.	301 488 825 1000 478	N	CU CD NI FE FE	1 I 1 I 1 I 1 I	2249.6645 2249.679 2249.724 2249.760 2249.760	2248.9673 2248.981 2249.027 2249.063 2249.063	150 5 0 300 300	154. 19. 365. 365.	612 603 835 488 488	
	CO NI MN V NA	1 11 111 111	2247.308 2247.342 2247.35	2246.599 2246.611 2245.645 2246.65 2246.707	25 2 1 1 600	18. , 16.	603 835 301 478 516		FE FE LI CR AR	11 11 11 11	2249.878 2249.878 2249.908 2250.02 2250.044	2249.181 2249.181 2249.211 2249.32 2249.347	250 250 I 2 30	365. 5. 49.	488 488 307 340 506	H
	NE CU GE NI P	VI II I! IV	2247.6991 2247.74 2247.925	2246.9 2247.0023 2247.04 2247.228 2247.264	155 1000 20 100 10	13. 30.	885 612 7 835 937	м н	NI FE NI FE AR	111 111 V	2250.069 2250.14 2250.141 2250.33 2250.355	2249.371 2249.45 2249.444 2249.63 2249.658	15 1 30 10		835 288 835 229 506	F
·	FE CU V N CR	1 1 1 1 1 1 1 1 1	2248.196 2248.219 2248.35	2247.461 2247.503 2247.520 2247.65 2247.683	1 2 9 10 500	72. 37. 23.	605 672 1000 521 893		CR CR MN FE CR	11 11 111 111	2250.48 2250.61 2250.610 2250.67 2250.68	2249.78 2249.91 2249.911 2249.97 2249.98	30 8 5 70 20	49. 35.	340 340 148 288 340	
	FE NE CO CR N	11 VI 1 11 111	2248.46 2248.57 2248.61	2247.692 2247.76 2247.86 2247.91 2247.95	350 10 4 18 90	365. 49. 23.	488 71 603 340 521		CO MN TI FE N	11 11 11 11	2250.69 2250.758 2250.79 2250.868 2250.980	2249.99 2250.060 2250.09 2250.171 2250.283	20 5 20 1	4. 16.0	825 301 601 488 521	H P

ŞPEC.	TRUM	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
S CR V. CO FE	111 - 11 - 11 - 11	2251.081 2251.09	2250. 2250.345 2250.382 2250.39 2250.437	10 3 3 50	16.	107 893 478 825 896	M ·	FE I CR	11 11 11 11	2252.9443 2252.968 2253.07 2253.08 2253.13	2252.2463 2252.268 2252.37 2252.38 2252.43	60 60 4 3	64. 150.	867 188 340 825 7	
FE NI V CO NI	111 11 11 11	2251-185 2251-190 2251-196	2250.456 2250.488 2250.490 2250.496 2250.508	70 10 5 10 20	16. 117.	288 835 478 603 835		FE I AR V	I I 1 I 1 I 1 I 1 I	2253.144 2253.163 2253.22 2253.381 2253.387	2252.446 2252.463 2252.52 2252.681 2252.689	120 40 5 5	64. 37.	85 188 506 1000 309	
V CO NI FE V	1 1 1 1 1 1 1	2251.45 2251.453 2251.4880	2250.670 2250.75 2250.755 2250.7904 2250.800	30 10 10- 50 5	37. 16. 16.	1000 825 835 896 478		CO F BR	1 I V I I I I	2253.399 2253.412 2253.42 2253.420 2253.503	2252.701 2252.712 2252.72 2252.723 2252.805	5 10 10 0 50	20.	563 603 176 606 563	
ZN NI FE CL NI	111 11 11 11	2251.618 2251.633 2251.644	2250.902 2250.920 2250.937 2250.946 2250.998	0 3 5 105 3	4. 9.	162 835 488 613 835		NI AR ZN I	11 11 11 11	2253.52 2253.528 2253.536 2253.553 2253.569	2252.82 2252.830 2252.837 2252.857 2252.873	2 140 J 50 1	1.	825 835 506 162 509	
CR FE V CO CR	111 111 11 11.	2251.802 2251.814 2251.82	2251.050 2251.104 2251.114 2251.12 2251.152	200 5 6 8 250	171.	893 288 478 825 893		ZN V CO	11 17 11 11	2253.569 2253.570 2253.653 2253.70 2253.710	2252.873 2252.857 2252.953 2253.00 2253.014	1 80 7 M	16.	1032 154 478 825 893	
CO AR CR NA CL	11 111 111 111	2252.101 2252.161 2252.172	2251.34 2251.403 2251.465 2251.476 2251.477	4 20 570 420 100	39. 9.	825 506 893 516 613		CL I S I AS	II II II IV -	2253.731 2253.77 2253.78 2253.81 2253.815	2253.033 2253.07 2253.08 2253.11 2253.119	2 700 200 600 5	15. 4.	612 38 285 584 488	н
NI NI V FE FE	1 11 11 11	2252.218 2252.250 2252.252	2251.484 2251.520 2251.500 2251.556 2251.831	15 30 7 1 800	33. 5. 365.	488 835 478 488 488	н	NE II CR I	11 11 11 11	2253.830 2253.92 2253.96 2253.989 2253.99	2253.132 2253.22 2253.26 2253.293 2253.29	105 90 20 40 1	9.	613 71 601 893 340	
CO CU FE CR V	1 11 111 111	2252.5549 2252.5717 2252.671	2251.83 2251.8571 2251.8739 2251.975 2251.99	8 5 60 400 15	14. 18. 39.	603 612 896 893 325		NI CO NI	I I I I I I I I	2254.20 2254.261 2254.287 2254.377 2254.412	2253.50 2253.565 2253.587 2253.679 2253.712	12 5 3 50 25	34. 29.	825 488 603 835 188	

•	٠	h
•		ı.
١	. 1	•

ŞPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI CO NI FE CO	11 11 11 11	2254.433 2254.476 2254.546 2254.762 2254.83	2253.734 2253.776 2253.848 2254.066 2254.13	25 10 220 80 1	64. 12. 365.	835 603 835 488 825		FE I I MN III NI 11 C II NI 11	2256.762 2256.827 2256.836 2256.88 2256.978	2256.063 2256.128 2256.137 2256.19 2256.279	3 2 75 10 3	75. 51. 43.	378 301 835 287 835	
AR FE	11 111 11 11 11	2254.956 2254.958 2254.981 2255.098 2255.17	2254.258 2254.261 2254.283 2254.401 2254.47	8 4 50 1	5.	835 893 506 488 537	н	B IV FE V CL II CR II NE II	2257.0 2257.02 2257.045 2257.08 2257.097	2256.2 2256.32 2256.346 2256.38 2256.398	10 11 12 5	49.	221 229 613 340 563	F
BR NI CO CO	II II II II	2255.348 2255.507 2255.52 2255.53 2255.67	2254.651 2254.810 2254.82 2254.83 2254.97	10 40 10 10	14.	606 488 603 825 825		AR III CR III CR III NI II	2257.244 2257.26 2257.266 2257.351 2257.407	2256.545 2256.56 2256.565 2256.654 2256.708	30 2 10 570 5	49. 67.	506 340 603 893 835	
CU AR CA C	11 111 111 11	2255.6871 2255.877 2255.904 2255.93 2255.987	2254.9886 2255.178 2255.205 2255.23 2255.286	75 10 150 1	43.	612 506 85 287 672		CO 11 FE I C 11 NE 11 FE 11	2257.44 2257.450 2257.48 2257.511 2257.594	2256.74 2256.750 2256.79 2256.812 2256.897	35 1 1 20 100	112. 43. 365.	825 605 287 563 488	
CR NI NI	11 111 11 11 11	2256.311	2255.4067 2255.478 2255.612 2255.632 2255.64	30 300 15 30 200	45. 15.	867 893 835 835 38		NE 11 V 1 V 11 AL 1V CR 111	2257.601 2257.669 2257.684 2257.884 2258.086	2256.902 2256.968 2256.984 2257.187 2257.388	20 50 20 100 500	37. 16. 39.	563 1000 478 883 893	
CO C FE FE MN	11 11 11 11	2256.35 2256.38 2256.388 2256.465 2256.48	2255.65 2255.68 2255.691 2255.766 2255.77	4 4 500 25 2	43. 365. 133.	825 287 488 896 301	н	FE	2258.107 2258.253 2258.283 2258.32 2258.46	2257.406 2257.555 2257.582 2257.62 2257.76	150 650 10 35 - 45	73. 50. 16. 76.	188 893 603 340 340	
FE NI FE NI V	I III III II	2256.5634 2256.570 2256.6 2256.607 2256.65	2255.8647 2255.873 2255.9 2255.908 2255.95	20 10 D 50	73. 9.	896 483 283 835 478		FE II NI II CO II BR II CR II	2258.486 2258.525 2258.56 2258.611 2258.66	2257.788 2257.826 2257.86 2257.913 2257.96	250 -140 3 0 50	365. 76.	488 835 825 606 340	
FE GE CR CO NE	11 11 11 11 V	2256.676 2256.6994 2256.71 2256.72 2256.75	2255.979 2256.0007 2256.01 2256.02 2256.05	1 50 50 20 10	4. 77.	463 7 340 825 1024	/ н	AR !! CR !!! AL ! NÉ !V CR !!	2258.664 2258.679 2258.707 2258.72 2258.79	2257.965 2257.981 2258.008 2258.02 2258.09	350 7 360 40	39. 6. 76.	506 893 198 71 340	

•	_
4	-
	_

	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN CR	111 VI VI 111 I	2258.843 2258.856 2258.883	2258.13 2258.145 2258.155 2258.185 2258.328	1 30 0 150 9	32.	537 488 799 893 603		SC NI NA CU MN	1V 11 11 1 11	2261.20 2261.229	2260.284 2260.383 2260.50 2260.528 2260.53	220 50 10 360 2	20.	720 835 152 672 301	
	AR NI CO CR V	11 11 11 111 111	2259.29 2259.314	2258.342 2258.504 2258.59 2258.616 2258.64	10 5 2 500 2	•	506 835 825 893 478		FE FE NI V KR	111 1 11 111 111	2261.295 2261.344 2261.37	2260.547 2260.594 2260.644 2260.67 2260.751	120 2 30 10	64. 112.	188 605 835 791 509	
	NI MN V V FE		2259.415	2258.704 2258.714 2258.805 2258.814 2258.936	3 2 9 50 20	16.	835 148 1000 478 288	٠.	SI V AL FE FE	V III IV II	2261.53 2261.53/ 2261.552	2260.817 2260.83 2260.838 2260.853 2260.860	100 40 60 5 12	4. 73.	941 325 888 468 605	Н
•	N CR CR FE MN	11 111 111 111	2259.702 2259.78	2258.945 2259.004 2259.08 2259.140 2259.143	150 12 10 3	16.0	521 893 341 188 301	P	FE V CR V AR	VI 111 111 111	2261.786 2261.844 2261.86	2260.89 2261.084 2261.145 2261.16 2261.211	90 3 5	16.	228 478 893 325 506	F
	FE SE FE NI FE	111 111 11 111	2259.98 2259.980 2259.993	2259.24 2259.28 2259.279 2259.294 2259.406	5 30 1 140 10	16.	288 587 605 835 188		MN TI CO S NI	111 11 11	2261.93 2261.96 2262.	2261.23 2261.23 2261.26 2261. 2261.	2 30 1 50	22.	301 483 825 107 488	N
	FE MN NI NE SI	II I V I	2260.260 2260.27	2259.5106 2259.56 2259.562 2259.57 2259.587	170 1 35 100 10	15. 32. 90.	896 328 488 1022 608		CO FE CR TI NI	11 111 11 11	2262.294 2262.32 2262.34	2261.549 2261.592 2261.68 2261.64 2261.685	5 350 18 10 5	111. 41. 22.	825 188 341 488 835	
	FE NI NI ZN CO	11 11 111 111	2260.617 2260.678	2259.589 2259.726 2259.917 2259.980 2260.01	0 10 10 0 25		645 835 835 162 825		CR SI V NI CO	111 I 11 11	2262.55 2262.766	2261.686 2261.693 2261.85 2262.066 2262.07	400 5 10 10	39. 47.	893 608 478 835 603	
	FE TI CR N FE	1 111 11	2260.776 2260.78 2260.88 2260.921 2260.926	2260.078 2260.08 2260.18 2260.223 2260.228	5 10 3 5	4. 15. 16.0	488 488 490 521 488	H P H	CO FE NE CR NE	11 111 1V 1	2262.77 2262.78 2262.85	2262.07 2262.07 2262.08 2262.15 2262.16	0 1 250 7 40	41.	825 288 71 - 341 1031	

-	_1
. "	7
-	-

SPEC	TRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN MG CR F	VII . II . II	2263. 2263.02	2262.294 2262. 2262.32 2262.336 2262.404	5 15 1 9	41.	148 108 341 538 478		AL CU ZN CR TI	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2264.543 2264.70	2263.738 2263.7864 2263.843 2264.00 2264.07	7 150 1 5 50	6. 153.	198 612 162 341 488	- N
NI CR N CD AR	1 I 1 I 1	2263.159 2263.28 2263.284 2263.294 2263.332	2262.459 2262.58 2262.585 2262.592 2262.632	2 2 10 20	314. 16.0 14.	835 340 521 603 506		CD NE AR FE FE		2264.81 2264.829 2264.889	2264.11 2264.11 2264.128 2264.188 2264.3893	2 60 5 40 60	71.	825 1031 506 288 896	
CR FE V GE MN	111 11 11 1 111	2263.40 2263.41	2262.653 2262.686 2262.70 2262.71 2262.81	350 5 2 0 2	.45. 5.	893 488 478 7 301		V CO FE NI NE	1 111 11 1V	2265.162	2264.39 2264.41 2264.459 2264.461 2264.54	30 10 5 320 160	37. 12.	1000 603 288 835 71	н
AR FE NI CR AR	111 11 11	2263.577 2263.588 2263.598 2263.63 2263.7690	2262.877 2262.888 2262.898 2262.93 2263.0687	5 40 30 1 20	111. 39.	506 288 835 340 867		CU FE V NI CO	11 11 11 11	2265.289 2265.34 2265.440	2264.568 2264.589 2264.64 2264.739 2264.880	3 5 1 50 15	246. 70.	612 488 325 835 603	
CU CO SE AS V	1 11 111 1v 1	2263.81 2263.82 2263.87	2263.079 2263.11 2263.12 2263.17 2263.17	460 3 1 800	24.	672 825 587 584 1000		NE CR FE TI AR	111	2265.7550 2265.83	2264.91 2264.919 2265.0543 2265.13 2265.215	200 350 40 10 40	39. 16.	1031 893 896 601 506	
NE CU FE C N	111 11 11 VI 11	2263.9140 2263.923 2264.01	2263.21 2263.2137 2263.224 2263.31 2263.332	240 75 5	133. 246. 16.0	1031 612 488 309 521		CO NI CU FE FE	11 11 11 111	2266.046 2266.0658 2266.24	2265.24 2265.345 2265.3650 2265.54 2265.61	5 30 40 40	39. 73.	825 835 612 186 605	
NI NE NI V	11 V II I11 I	2264.09 2264.144 2264.16	2263.375 2263.39 2263.443 2263.46 2263.463	3 100 5 2 25	5.	835 1024 835 325 198		NE N CO N FE	V II III III	2266.57	2265.71 2265.701 2265.737 2265.87 2265.991	350 5 1	16.0 9. 26.0	1022 521 825 521 489	Р Н
FE FE CO V KR	111 1 11 11	2264.314	2263.477 2263.476 2263.60 2263.612 2263.677	40 6 5 3	15.	288 605 825 478 509		AL CA CL AS NE		2266.77	2266.014 2266.07 2266.08 2266.13 2266.16	15 7 200 250 160		198 891 43 584 1031	

. 1
•
3
٠

SPECI	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
B P NI AR CR	11 11 11 11	2267.02 2267.02 2267.048 2267.141 2267.213	2266.32 2266.32 2266.348 2266.441 2266.513	4 20 15 20 60	33. 67.	168 496 488 506 893	•	MN 11 CR 1 V 1		2268.298 2268.33 2268.34 2268.361 2268.55	500 6 4 4	8. 314.	829 301 340 478 478	
CO MN NI CR FE	111	2267.348 2267.36	2266.524 2266.610 2266.647 2266.66 2266.699	10 7 30 18 1	41. 315.	825 301 835 341 488		AR I NI I CO	I 2269.263 I 2269.326 I 2269.433 I 2269.445 I 2269.48	2268.562 2268.625 2268.732 2268.742 2268.78	1 10 1 12 40	5. 69. 15.	488 506 835 603 488	н
AS CO NI FE B	: 11 : 11 : 11		2266.70 2266.797 2266.903 2266.9063 2266.93	25 8 10 15 4	18. 70.	480 825 835 896 168		C I AR I CL II		2268.844 2268.91 2268.940 2268.95 2269.008	1 4 5 500 100	5. 34. 15.	488 287 506 38 835	Н
AR NE NI CR FE	11 11 1 1 1	2267.647 2267.68 2267.739 2267.77 2267.7859	2266.946 2266.98 2267.038 2267.07 2267.0847	5 100 5 6 80	17.	506 1031 835 341 896		FE TI I	1 2269.798 I 2269.8016 I 2269.84 I 2269.913 I 2269.980	2269.096 2269.1000 2269.14 2269.222 2269.278	25 15 30 7 2	5. 16. 22. 5.	198 896 488 198 835	
AR CO NI N FE	11 11 111 111	2267.812 2267.816 2267.937 2268.03 2268.12	2267.111 2267.113 2267.236 2267.33 2267.42	20 12 100 25 250	18. 26.0 133.	506 603 835 521 188		N 11 C 1 MN 11	1 2270.06	2269.293 2269.30 2269.36 2269.540 2269.598	3 1 1 0 5	15. 26.0 34.	478 521 287 802 506	
FE NI FE V CR	1 11 11 1	2268.1707 2268.255 2268.285 2268.315 2268.34	2267.4695 2267.554 2267.584 2267.612 2267.64	80 10 5 5 15	70. 10. 4. 15. 41.	896 488 488 478 341	н	CA 11 MN 1 CO 1	I 2270.40 I 2270.544 I 2270.550 I 2270.60 I 2270.68	2269.70 2269.842 2269.847 2269.90 2269.98	10 250 30 5 M	34.	267 85 328 825 825	
V CC CR CO	11 111 111 111	2268.415 2268.47 2268.613 2268.617 2268.63	2267.712 2267.77 2267.910 2267.916 2267.93	3 1 5 120 2	34.	478 287 673 893 825		NI 1 MN 11 S 11		2270.20 2270.214 2270.26 2270.26 2270.	10 - 440 1 300	34. 12.	287 835 301 285 107	н
CD TI AS CR CD	II IV I I	2268.67 2268.68 2268.76 2268.83 2268.866	2267.97 2267.98 2268.06 2268.13 2268.163	10 40 150 18 15	15. 41. 67.	825 488 584 341 603		ZN 11	I 2271.070 I 2271.076	2270. 2270.357 2270.368 2270.374 2270.43	. 0 1 250 10	72. 26.0	90 162 378 606 521	

	3
i	1
	•

.

SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
N FE NI FE C	II II IV	2271.353 2271.377 2271.436 2271.5638 2271.61	2270.651 2270.675 2270.734 2270.8619 2270.91	3 100 50 40	16.0 15. 12.	521 378 835 896 164	P	KR FE GE NE AR	11 1 11 11	2273.316 2273.328	2272.592 2272.610 2272.614 2272.626 2272.640	10 3 1 5 20	:	509 378 676 563 506	
CR S NI MN CO	11 111 11 111 111	2271.71 2271.73 2271.788 2271.826 2271.83	2271.01 2271.02 2271.086 2271.124 2271.13	3 200 2 5 9		340 285 835 301 825		TI AL V FE AR	1 1V 1:1 1:1	2273.36 2273.38 2273.453	2272.65 2272.66 2272.68 2272.751 2272.765	80 50 1 110 5	16.	488 888 325 288 506	
V CO CO CR SC	11 14 1 1 1	2271.889 2271.91 2271.98 2271.99 2272.033	2271.185 2271.21 2271.28 2271.29 2271.331	8 M 15 3 550		478 825 825 341 720	· *.	CR CL FE CO NI	111 111 1 1 1	2273.5 2273.52.2 2273.53	2272.791 2272.8 2272.8188 2272.83 2272.865	120 100 30 7 100	71.	893 43 896 825 835	
AS FE MN ZN CU	111 111 111 111	2272.07 2272.260 2272.34 2272.418 2272.430	2271.36 2271.558 2271.64 2271.716 2271.728	50 20 1 1 25	6.	480 288 301 162 724		CO V V SC ZN	11 111 11 11	2273.66 2273.728 2273.80	2272.91 2272.96 2273.024 2273.10 2273.150	2 10 40 3 50	15. 2.	825 325 478 488 154	
FE N NI V KR	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2272.4848 2272.49 2272.545 2272.552 2272.594	2271.7827 2271.79 2271.843 2271.848 2271.892	30 1 30 10 4	70. 26.0 15.	896 521 835 478 509		KR TI CR MG BE	1 I I 1 I I I I	2274.03 2274.043 2274.12	2273.228 2273.33 2273.341 2273.41 2273.5	90 80 570 7	15.	509 488 893 2 862	
NI F V FE NI	1 1V 1 1		2271.951 2271.97 2272.048 2272.0696 2272.251	30 25 4 125 3	35. 35. 16.	488 173 1000 896 835	;	N CO CR V	111 1 1 1 1 1	2274.28 2274.29 2274.32 2274.320	2273.51 2273.58 2273.59 2273.62 2273.616	4 2 10 18 9	26.0 41. 170.	521 603 825 341 478	
CO FE AL CR N	11 11 1V 111	2272.961 2273.01 2273.050 2273.063 2273.12	2272.259 2272.31 2272.348 2272.361 2272.42	12 1 20 60	9. 67. 26.0	825 645 880 893 521		NE F CD CR V	111 1V 11 111 11	2274.34 2274.35 2274.37 2274.477	2273.64 2273.65 2273.67 2273.777 2273.89	400 10 № 120 2	39. 27.	1031 173 825 893 478	
AR V TI FE CO	11 11 111 111	2273.15 . 2273.251	2272.424 2272.437 2272.45 2272.549 2272.59	10 1 10 20 4	16.	506 478 488 288 825		FE NI FE N	1 111 11 1	2274.70 2274.761 2274.7919		1 150 5 30	73. 153. 16. 26.0	378 188 835 896 521	

•

.

SPEC	CTRUM	VAC WAVEL		A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	
CO	1	. 227	5.199	2274.495	9	14.	603									
ZN	111		5.221	2274.520	ő		162		CN CF	1 I 1 I		2276.25 2276.2583	8 200	4.0	345	
NE			5.25	2274.54	1		1024		CR	ī		2276.2563	18	13. 41.	612 341	
NI	11		5.298	2274.595	3		835		FE	11		2276.378	0	315.	488	
CO	: 1	227	5.322	2274.617	8	. 72.	603		CR	111		2276.415	500	50.	893	
v ·	11		5.363	2274.658	. 1		478		NI	11	2277.140	2276.437	140	51.	835	
NI		227	5.363	2274.662	5	9.	. 488		CA	111		2276.512	350	J.,	. 85	
KR			5.407	2274.706	.1		509		CO	1		2276.523	20		603	
N1	11		5.427	2274.724	140	38.	835	н	CO	11		2276.53			825	
CU	11	227	5.4442	2274.7414	10	77.	612		AS	11	2277.316	2276.613	0		425	
KR.	11	227	5.593	2274.852	25		509		ZN	111		2276,623	6		162	
AR:	11	227	5.6291	2274.9262	30	•	867		٧	1	2277.366	2276.661	3	36.	1000	
AR NI	. 11	227	5.757 5.766	2275.054 2275.063	10-	•	506 835		NI	1.1		2276.672	180		835	
v ·	111		5.77	2275.07	20		791		AR	11		2276.73	0	•	506	
•							, , ,		TI	1	2277.45	2276.75	100	15.	488	
FE V			8946	2275, 1917	12	16.	896		ZN	111	2277.484	2276.783	4		162	
ČR	111	227	5.92 5.927	2275.22 2275.226	. 20° 250	39.	325 893		FE	1·1 I		2276.870	150	73.	188	
MN	111	227	5.95	2275.25	230	35.	301		٧	I	2277.594	2276.889	6	35.	1000	
F	III		5.965	2275.262	. 4		537		AS CO	1 V 1 I		2276.90 2276.90	100 3		584 825	
NI	11	227	5.987	2275.284	1		835		46		0000 000		•			
CR			5.01	2275.31	25	41.	341		AS MN	11		2276.970 2277.065	30 0		425 148	
AR	11		5.0648	2275.3618	30		867		ZN	111		2277.103	0		162	
CO:			3.107	2275.404	8		825		FE	i		2277.1054	15	71.	896	
CA	1		3.165	2275.462	15	6.	1018	A	FE	111		2277.159	40	• • • • • • • • • • • • • • • • • • • •	188	
CR	111		5.179	2275.478	350	67.	893		 C	v	2277.96	2277.25	5	12.	164	
٧			3.180	2275.475	3	93.	1000		N1	11		2277.282	280		835	
٧.			5.291	2275.586	7	15.	47B		CD	11	2277.99	2277.29	2		825	
FE FE	1		3.3002 3.379	2275.5972 2275.676	10	111.	896 378		CU	III	2278.098	2277.395	40	20.	724	
- L	. •	. 221	,,,,,	22/3.070	2 1	111.	378		KR	11	2278.126	2277.424	40		509	
NI		. 227		2275.684	180	39.	835	н	CR	111	2278.167	2277.465	400	67.	893	
CO FE		2270		2275.72 2275.758	1 3		825 378		FE	I	2278.3707	2277.6673	20	70.	896	
v			5.588	2275.883	7	27.	378 478		KR	11	2278.430	2277.728	4		509	
ĊО		227		2275.884	9	68.	603		IN V	1		2277.76	10	•	602	
			. = - =		-				٧	11	2278.497	2277.792	1		478	
CR CA	111		5.71 5.72	2276.01 2276.01	15 25		341		FE	111	2278.525	2277.820	150	127.	168	
NI	111		5.726	2276.01	120		891 835	н	ÇO	11	2278.57	2277.87	1		825	
FÉ	- 1	227	5.7289	2276.0258	125	14.	896	п	Ç	, v	2278.63	2277.92	20	12.	164	
co	11			2276 16	, 1	17.	. 825		P MN	1 I 1 I		2277.95	ō		431	
	-				· ·				IATLA	11	2278.74	2278.04	5		328	

•	_
	_
Ç	,

	SPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECT	RUM	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V SI CO NI CL	11 1 11 11	2278.803 2278.985 2279.003 2279.022 2279.04	2278.098 2278.281 2278.298 2278.318 2278.34	4 10 9 200 500	89. 16.	478 608 603 835 38	н	CO CO CA KR V	11 V 11 11	2281.2 2281.251	2280.36 2280.46 2280.5 2280.549 2280.581	15 M 40 4		825 825 726 509 478	F
	CU NA FE CD FE	1 I I I I I I I I I	2279.0420 2279.117 2279.137 2279.176 2279.319	2278.3384 2278.415 2278.432 2278.472 2278.614	40 450 90 15 2	127. ·	612 516 188 825 605		CR BR NI F ZN	111 11 11 1V	2281.384 2281.42	2280.607 2280.627 2280.680 2280.72 2280.812	150 250 3 1	67.	893 606 835 173 162	
	CO NI V NE CO	11 11 11 111 111	2279.47 2279.473 2279.67; 2279.68 2279.719	2278.77 2278.770 2278.972 2278.98 2279.015	5 280 40 200 10	22. 161.	825 835 478 1031 825	н	CU CO NI P V	!! !! !!	2281.660 2281.688 2281.70	2280.9430 2280.956 2280.984 2281.00 2281.235	30 10 75 25 60	9. 6. 123.	612 825 835 496 478	
75	CU FE V F HE	111	2279.806 2279,856 2279.858 2279.960 2280.	2279.102 2279.152 2279.152 2279.256 2279.	10 2 4 60 0	35.	724 378 1000 538 126		CO CA AR NI V	I III II II	2282.17 2282.216 2282.268	2281.34 2281.47 2281.512 2281.564 2281.601	5 40 10 30 60	123.	603 891 506 835 478	
	CO CR CU CO	11 111 11 111	2280.01 2280.022 2280.082 2280.120 2280.186	2279.31 2279.320 2279.376 2279.416 2279.480	2 90 15 15	27. 20. 67.	825 893 478 724 603		NA FE FE CR CR	111 1 1 1 111	2282.333 2282.37 2282.42	2281.621 2281.629 2281.66 2281.71 2281.866	300 2 1 20 60	112.	516 378 605 341 893	
	NA NI CR NI	111 11 11 11	2280.186 2280.238 2280.35 2280.364 2280.467	2279.484 2279.534 2279.64 2279.660 2279.762	360 1 1 15 20	161.	516 835 340 835 478		CO MN FE CU ZN	11 11 1 1	2282.68 2282.692 2282.78	2281.891 2281.98 2281.986 2282.07 2282.132	15 1 1 0 2	. 17.	825 328 605 672 162	
	FE V CD FE V	11 1 1 1 111	2280.633 2280.6407	2279.918 2279.92 2279.927 2279.9368 2279.96	20 4 10 80 10	4. 11. 16.	488 1000 603 896 325	н	BR AR N1 CO CR	11 111 11 11	2282.91 2283.065 2283.07	2282.190 2282.21 2282.361 2282.37 2282.371	50 70 8 1 150	10. 67.	606 488 835 825 893	
·	TI N FE FE V	I III III II	2280.9198 2281.002	2280.00 2280.14 2280.2158 2280.298 2280.338	120 F 12 70 60	15. 7.4 70. 123.	488 521 896 288 478	F	NE SE AR B KR	V III II V II	2283.32 2283.3250 2283.36	2282.61 2282.62 2282.6205 2282.66 2282.682	10 85 80		1022 587 667 309 509	

			•												
	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V 11 FE 1 AL 1V AR 11 FE 1	2283.5693 2283.730 2283.75	2282.863 2282.8647 2283.027 2283.05 2283.0743	6 5 40 0 8	123. 70. 71.	478 896 808 506 896		CO CO O V FE	1 11 11 111		2284.81 2284.86 2284.89 2284.920 2284.92	3 30 25 . 15 110	14.	603 603 168 478 288	
	MN 111 AR 111 N 111 SI 111 S 11	2283.948 2283.95 2283.970	2283.19 2283.243 2283.25 2283.266 2283.	70 F 3	7.4 18.03	301 506 521 678 107	F	FE V NI FE P		2285.685 2285.689 2285 -	20 4.979 .84.982 2284.995 2285.04 2285 11	60 3 2 40 40	73. 93.	188 1000 835 288 496	
	FE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2284.05 2284.089 2284.175	2283.3053 2283.34 2283.382 2283.469 2283.48	20 40 10 7 25	16. 35. 123.	896 325 1000 478 168	, . P	O NI BR F N	111 11 11 1V 11	2285.82 2285.883 2285.91 2285.92 2286.009	2285.12 2285.178 2285.215 2285.22 2285.305	0 50 500 10	16.0	175 835 606 173 521	P
76	CO II N 1-11 N 1-1 FE I CA III	2284.29 2284.357 2284.3599	2283.520 2283.59 2283.652 2283.6551 2283.68	5 70 30 15	9. 7.4 20.0 16.	825 521 200 896 891	F	CO NI FE AR O	I II II III	2286.115 2286.120 2286.229 2286.317 2286.36	2285.408 2285.415 2285.525 2285.612 2285.66	12 5 0 10	63. 184.	603 835 488 506 168	
	AR III V III CL 111 V III FE II	2284.472 2284.63 2284.64	2283.753 2283.766 2293.93 2283.93 2283.991	10 40 700 8 5	15. 132.	506 478 38 325 488	н	NA NI CR NE AR	111 11 111 1V 11	2286.365 2286.392 2286.466 2286.49 2286.5050	2285.661 2285.687 2285.762 2285.79 2285.7998	390 25 25 800 40		516 835 893 1024 867	
	AR II FE I CR II CU II FE II	2284.7905 2284.84 2284.907	2283.994 2284.0857 2284.13 2284.203 2284.224	70 125 10	14. 105.	506 896 340 612 488		CO CR CR ZN CL	11 111 111 111 111	2286.51 2286.58 2286.59 2286.655 2286.7	2285.81 2285.88 2285.88 2285.951 2286.0	2 25 2 300		825 893 341 162 43	F P
	S V CO I MN III CR III V I	2285.074 2285.11 2285.170	2284.375 2284.41 2284.466 2284.494	8 2 700 20	71. 93.	90 603 301 893 1000		ZN CO TI CR O	111 11 11 11 11	2286.790 2286.852 2286.93 2286.98 2287.05	2286.086 2286.147 2286.23 2286.27 2286.35	12 25 10 8 1	9. 48.	162 825 601 - 340 175	H
	CR	2285.247 2285.34 2285.38	2284.50 2284.542 2284.64 2284.67 2284.748	7 1 40 25 10	18.03 41. 45.	341 678 288 341 478		CR FE P CR V	1 11 111 111	2287.08 2287.147 2287.19 2287.287 2287.288	2286.37 2286.442 2286.48 2286.583 2286.581	20 3 30 400 8	41. 6. 50. 35.	341 378 496 993 1000	

•

	SPECTRUM		VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE N
	CU F. N	II IV II II	2287.322 2287.3507 2287.39 2287.394 2287.527	2286.618 2286.6454 2286.69 2286.689 2286.822	100 4 160	16.0 152.	521 612 173 200 307	P .	CU FE CO AR FE	I I II III	2289.54 2289.7425 2289.770 2289.80 2289.845	2288.83 2289.0366 2289.065 2289.09 2289.139	0 20 2 5 40	70.	672 896 825 506 288
	AR Al Si	11 11 1V IV	2287.558 2287.6302 2287.71 2287.747 2287.794	2286.853 2286.9247 2287.01 2287.041 2287.089	2 40 2 250 180	22. 22.	835 867 888 767 835	н	NI V CR AR NE	11 11 111 111 V1	2289.915 2289.926 2289.953 2290.02 2290.07	2289.209 2289.219 2289.248 2289.31 2289.36	6 70 500 40 10	27.	835 478 893 79 1024
	FE)	III I I I	2287.880 2287.9553 2287.98 2288.020 2288.168	2287.175 2287.2498 2287.28 2287.315 2287.462	300 125 4. 5 3	14. 34.	893 896 168 438 378	: P	AR CU P CO SI	1 I 1 I I I	2290.1226 2290.20	2289.3803 2289.4166 2289.49 2289.495 2289.6074	20 75 5 9 20	76. 6. 15. 88.	867 612 496 603 608
77	BR FE NI	11 11 11 11 11	2288.327 2288.3365 2288.354	2287.48 2287.623 2287.6309 2287.648 2287.655	F 500 40 220 20	7.4 71. 38.	521 606 896 835 613	F H	V AR AR N	111 -11 11 11 11	2290.36 2290.419 2290.477 2290.54 2290.65	2289.66 2289.713 2289.771 2289.84 2289.94	. 30 50 1	16.0	325 506 506 200 825
	N I V I CR	I II I II	2288.82	2287.804 2287.83 2287.93 2288.11 2288.12	12 F 30 3 0	64. 7.4	603 521 325 341 175	F	NI AR FF FE CU	I I I I I I I I I I I I I I I I I I I	2290.687 2290.727 2290.7724 2290.832 2290.8674	2289.982 2290.021 2290.0663 2290.126 2290.1613	100 5 10 110 3	5. 70. 153.	488 506 896 288 612
·	CL ZN I AL O I	II IV II	2288.99 2289.06	2288.12 2288.159 2288.178 2288.29 2288.36	500 56 5 2	6.	480 613 162 888 175		N V CL CO AR	11 11 11 11	2290.965 2290.97; 2291.024 2291.029 2291.1311	2290.259 2290.263 2290.318 2290.323 2290.4249	40 2 10 8 30	20.0	200 1000 613 825 867
	N MN V I	I I I I I	2289.156	2288.396 2288.444 2288.449 2288.51 2288.546	20 110 20 30 5	34.	488 200 148 791 825		KR CO KR FE AR	11 1 1 1 1 1 1 1 1 1	2291.161 2291.249 2291.256 2291.2595 2291.32	2290.455 2290.541 2290.550 2290.5533 2290.61	25 10 1 25 60	66. 71.	509 603 509 896 79
	AR CO AS	I II II II	2289.314 2289.471 2289.482 2289.489 2289.53	2288.608 2288.765 2288.774 2288.784 2288.82	1 40 15 5	72. 69.	378 506 603 425 79		CR FE FE CU SI	111 1 1 11 1		2290.662 2290.7748 2290.907 2291.0024 2291.034	570 10 3 50 35	50. 70. 179. 46.	893 896 378 612 608

ŞPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	·INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	łum	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR CR FE GE S	111 11 1 11 V	2291.82 2291.8256 2291.899	2291.088 2291.11 2291.1193 2291.193 2291.	10 10 40 3	131. 70.	893 340 896 676 90		NE V N D MN	11 11 11 111	2293.952 2294.025 2294.03	2293.14 2293.243 2293.318 2293.32 2393.334	50 2 70 90 5	20.0 19.	1024 1000 200 488 301	
CD CT CC CO	11 11 11 111	2292.080 2292.089 2292.09	2291.29 2291.374 2291.381 2291.38 2291.450	5 10 3 400 12	15. 68.	825 613 478 38 603		CO NE N NE NI	11 1V 11 VI 11	2294.240 2294.3	2293.383 2293.49 2293.534 2293.6 2293.626	25 350 350 4	9.	825 1024 521 1022 835	P Q
V FE N FE CR	1 11 111 1	2292.35J 2292.416	2291.527 2291.6267 2291.652 2291.710 2291.74	10 8 70 20 10	35. 17. 16.0	1000 896 200 268 341		CA FE TI CU FE	111 11 1 1	2294.49 2294.551	2293.639 2293.765 2293.78 2293.842 2293.8478	25 5 30 500 25	184. 14. 19. 15.	85 488 488 672 896	н
CL FE CR TI CO	111 111 11 11	2292.558 2292.56 2292.56	2291.81 2291.850 2291.85 2291.85 2291.982	400 90 4 10 30	15. 156.	38 188 340 601 825		CR CO AR FE CR	1 111 1 111	2294.76 2294.807	2293.86 2294.003 2294.05 2294.100 2294.131	1 10 30 3 150	14.	341 603 79 378 893	
FE MN AR MN AR	111 11 11 111	2292.79 2292.837 2292.897	2291.999 2292.09 2292.130 2292.189 2292.25	20 7 40 30 40		896 301 506 148 79	М	F TI CU FE CR	IV I II 1	2295.0750 2295.1149	2294.17 2294.24 2294.3680 2294.4078 2294.46	10 30 175 80 8	14. 13. 14. 191.	173 488 612 896 340	
CR FE V ZN N	111 11 111 111	2293.2306 2293.296 2293.297	2292.524 2292.5240 2292.588 2292.591 2292.652	150 170 30 10 40	15. 26. 20.0	893 896 478 162 200		FE NI FE FE MN	111 111 ^11 11	2295.310 2295.335 2295.44 2295.54 2295.565	2294.603 2294.628 2294.73 2294.83 2294.858	5 1 1 3	184.	488 835 228 289 301	H F
CU CO FE FE FE	11 11 11 1	2293.40 2293.476 2293.50	2292.6902 2292.690 2292.770 2292.79 2292.828	3 2 1 1 30	315. 74.	612 825 468 (605 896	м	AR CL ZN V CR	111 11 1V 11	2295.62 2295.667 2295.680 2295.701 2295.91	2294.91 2294.959 2294.940 2294.992 2295.20	50 43 5 40 4	26. 319.	79 613 154 478 340	
CU GE FE NI MN	11 VI 111 1	2293.7 2293.764 2293.820	2292.9705 2293.0 2293.056 2293.114 2293.122	3 2 250 25 2	156. 32.	612 406 186 488 148		CL CD CR FE AR	11 111 111 1	2296.017	2295.205 2295.223 2295.309 2295.310 2295.349	15 15 90 1 30	12.	613 603 893 378 506	

SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SI V CO SI	I I II III	2296.123 2296.15 2296.183	2295.401 2295.414 2295.44 2295.476 2295.504	10 4 2 60 20	46. 33. 76. 26#	608 1000 825 768 478		AR MN	1 I I I I I I I	2298.30 2298.353 2298.37 2298.40 2298.443	2297.59 2297.645 2297.67 2297.69 2297.735	5 5 3 5 3		328 506 301 328 835	
FE AL O CR FE	1 11 111 111	2296.25 2296.259 2296.267	2295.535 2295.54 2295.552 2295.560 2295.859	1 15 0 570 570	109. 14. 62.	605 1015 - 1032 893 188		FE F AR CR SC	1 1V 11 111 1V	2298.4948 2298.53 2298.587 2298.622 2298.676	2297.7870 2297.82 2297.879 2297.916 2297.970	140 10 20 350 5	14.	896 173 506 893 720	
CO CO MN NI FE	11 111 111 11	2296.747 2296.754 2296.797	2295.90 2296.038 2296.043 2296.089 2296.108	3 18 1 100	68.	825 603 802 835 1026		SC FE FE NI F	I V I I I I I I I I I I I I I I I I I I	2298.816 2298.8772 2298.923 2298.978 2299.00	2298.110 2298.1693 2298.221 2298.270 2298.29	160 240 10 180 60	14. 133. 21.	720 896 896 835 173	Н Н
V MN FE AR CR	111 111 11 11	2296.89 2296.895 2296.907	2296.18 2296.19 2296.188 2296.202 2296.22	15 2 2 5 2	111.	791 301 378 506 340			11 1 1 1 1 1		2298.32 2298.335 2298.34 2298.356 2298.417	10 3 1 15 2	6. 67.	496 64 341 603 835	
AR NI FE CO FE	111 11 11 11	2297.259 2297.369 2297.413	2296.24 2296.552 2296.662 2296.704 2296.769	40 200 1 18 1	21. 167. 67. 133.	79 835 488 603 488	н	FE	11 111 111 1	2299.163 2299.199 2299.22 2299.3682 2299.384	2298.455 2298.491 2298.51 2298.6602 2298.676	10 100 500 20 3	39. 10. 15.	563 835 43 896 301	
MN C SI MN FE	11 111 111 1	2297.578 2297.581 2297.589	2296.77 2296.870 2296.873 2296.880 2296.890	20 1000 160 5 15	8. 93.	328 34 768 148 896	м	AR CO CR MN MN	11 11 11 1 1	2299.414 2299.433 2299.57 2299.585 2299.667	2298.706 2298.725 2298.87 2298.876 2298.959	5 15 1 20 60	21.	506 825 490 148 328	н
FE MN S NI CR	1 11 11 111	2297.64 2297.67 2297.849	2296.9269 2296.93 2296.96 2297.141 2297.16	25 3 600 200 1	14.	896 328 285 835 490	н _. ^Q		111 111 11 1	2299.9283	2298.96 2298.963 2299.058 2299.2201 2299.337	20 0 30 80 5	14.	1031 802 835 896 1000	M .
CR CR CO FE NI	11 111 11 11	2298.012 2298.05	2297.17 2297.304 2297.34 2297.463 2297.489	50 40 8 8 180	19.	340 893 825 896 835	м Н	CO CR FE	111 11 1 1 1 111	2300.13 2300.13 2300.162	2299.360 2299.42 2299.42 2299.453 2299.428	. 20 25 1 1	71.	826 825 341 605 826	

S P E C	TRUM .	VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU CU CR MN CR	111 11 111 11	2300.1973 2300.209 2300.22	2299.473 2299.4892 2299.503 2299.51 2299.52	100 10 200 5 5		724 612 893 328 340		P I CO I FE I	I 2302.10	2301.260 2301.38 2301.39 2301.424 2301.567	1 00 60 1 4	9. 184.	148 431 825 488 896	н м
V NI AR FE CO	11 11 11	2300.359 2300.380 2300.459	2299.544 2299.651 2299.672 2299.751 2299.756	3 140 10 4 40	34. 27. 21.	1000 835 506 896 825	н М _.	FE		2301.57 2301.601 2301.6839 2301.737 2301.748	10 4 50 90 4	14.	602 896 896 509 148	М
TI CR NI FE AR	I I I I I I I I I I I I I I I I I I I	2300.79 2300.805 2300.8499	2299.86 2300.08 2300.097 2300.1416 2300.179	100 8 180 170 50	14. 319. 27. 15.	488 340 835 896 506	н	AR I FE CU AR II AR I	I 2302.674 I 2302.747 I 2302.78	2301.825 2301.965 2302.036 2302.07 2302.077	30 4 0 100 40	-	506 896 672 337 506	M .
MN NE MN O KR	11 11 11 11	2300.953 2301.010 2301.06	2300.20 2300.245 2300.300 2300.35 2300.380	5 50 8 150 90	19.	328 563 148 488 509		NI I V I FE V NI I V	1 2302.966 1 2303.03	2302.141 2302.256 2302.32 2302.479 2302.531	1 5 140 4	44. 59. 32.	835 478 228 835 1000	F H
NE AS CO CR FE	111 11 11 111 1	2301.210	2300.38 2300.456 2300.465 2300.504 2300.524	40 0 3 650 4	55.	1031 425 825 893 896	M M	LI I P 1' CO I TI CR II	V 2303.33 I 2303.43 I 2303.46	2302.568 2302.62 2302.72 2302.75 2302.783	I 1 3 100 120	14.	307 937 825 488 893	
CR FE NE MN AR	11 11 11 111	2301.438	2300.58 2300.599 2300.693 2300.728 2300.75	30 1 5 3 80	149. 108.	340 605 563 148 337			V 2303.52	2302.808 2302.81 2302.84 2302.87 2302.973	150 1 20 1 50	152. 32.	188 937 337 1000 488	
NI CO CL SI NI	I 1I 1I 1II 11	2301.481 2301.496 2301.518 2301.638 2301.723	2300.774 2300.788 2300.809 2300.930 2301.014	100 25 15 100 20	29. 76. 39.	489 825 613 768 835		NI 1: FE 1: SI CU FE 1:	1 2303.722 I 2303.7675 I 2303.826	2302.996 2303.012 2303.0585 2303.116 2303.203	320 120 55 320 25	11. 138. 87. 23. 138.	835 188 608 672 188	н
AL AS FE AS FE	IV IV IV	2301.75 2301.75 2301.8 2301.86 2301.884	2301.04 2301.04 2301.1 2301.15 2301.175	3 .900 50 100		888 584 726 584 896	F M			2303.21 2303.238 2303. 2303.31 2303.330	5 10 M I	16.0 26.	200 478 107 603 307	N

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	S PECTRU		VACUUM WAVELENGT'I	·AIR Wavelength	INTENSITY	MULTIPLE	REFERENCE	NOTES
FE CO FE NI	11 1 1 1	2304.062 2304.1334 2304.214 2304.2900 2304.397	2303.353 2303.4244 2303.504 2303.5810 2303.688	8 100 9 125 50	167. 15. 10. 15.	896 896 603 896 835		CR GE CR TI MN	11 1 1 1	2306.23 2306.30 2306.31 2306.40 2306.414	2305.52 2305.59 2305.60 2305.69 2305.703	2 10 2 120 15	149.	340 7 341 488 148	
FE NI CR FE NI	111 111 111 11	2304.434 2304.463 2304.500 2304.547 2304.557	2303.725 2303.754 2303.793 2303.840 2303.848	20 0 1 1 50		288 835 893 488 835		N AR AS CR NE	IIV IV II II	2306.5 2306.5689 2306.59 2306.65 2306.672	2305.8 2305.8593 2305.88 2305.94 2305.962	20 · 250 1 60		309 867 584 340 563	
NE CO CR BR CO	111 14. 11 1	2304.65 2304.676 2304.74 2304.784 2304.893	2303.94 2303.966 2304.02 2304.076 2304.182	60 12 .4 250 10	62. 130. 11.	1031 603 340 606 603	М		11 111 111 VII II	2306.71 2306.737 2306.752 2306.8 2306.81	2306.00 2306.028 2306.044 2306.1 2306.10	15 30 0.		825 835 1032 111 825	
CO FE V CL CO	11 1 1 11 11	2304.91 2304.916 2305.059 2305.30 2305.39	2304.20 2304.207 2304.349 2304.59 2304.68	4 4 4 2 5		825 896 1000 345 825	М	FE HE NE FE SI	I II V I III	2306.8812 2306.905 2307.02 2307.0920 2307.14	2306.1716 2306.195 2306.31 2306.3823 2306.42	50 15 7	71. 111. 79.	896 309 1024 896 768	
FE FE V NE AS	1 11 11 11	2305.4429 2305.444 2305.496 2305.543 2305.554	2304.7336 2304.736 2304.785 2304.834 2304.845	12 5 7 20 0	71. 184.	896 488 478 563 425	. н	N SC FE NE NE	II IV 111 III II	2307.159 2307.214 2307.282 2307.32 2307.336	2306.451 2306.506 2306.571 2306.61 2306.626	160 60 120 5	16.0	521 720 188 1031 563	P M
NE FE N KR GA	111 11 11 11 111	2305.58 2305.615 2305.63 2305.648 2305.66	2304.87 2304.906 2304.92 2304.940 2304.95	80 4 10 7	36.	1031 896 521 509 891	M P	FE FE ZN CD CR	1 11 111 11 11	2307.377 2307.388 2307.408 2307.481 2307.52	2306.667 2306.677 2306.700 2306.771 2306.81	6 M 0 4 10	19.	896 645 162 825 340	M
MN CO CR NI NE	11 1 1 11 11	2305.718 2305.880 2305.94 2305.949 2306.059	2305.009 2305.169 2305.23 2305.239 2305.350	100 15 2 140 30	2. 14. 38.	328 603 341 835 563	н	N FE SI CO ZN	11 111 11 111	. 2307.522 2307.566 2307.604 2307.709 2307.734	2306.814 2306.856 2306.889 2306.999 2307.026	5 3 20 10	36. 79.	521 896 768 825 162	P M
CA AR ZN NE MN	111 11 111 111 1	2306.12 2306.148 2306.190 2306.21 2306.229	2305.42 2305.439 2305.482 2305.50 2305.513	25 10 1		891 506 162 1031 148	M	FE SI CR AR NE	. I III II III	2307.787 2307.870 2307.90 2307.976 2307.98	2307.077 2307.107 2307.19 2307.266 2307.27	6 35 20 40		896 768 340 506 1031	· M ·

٥	c
	ā

SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRI	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE NI AR CO CR	11 11 11	2308.024 2308.060 2308.166 2308.189 2308.27	2307.314 2307.351 2307.456 2307.479 2307.56	6 15 20 15 10	35. • 319.	896 488 506 825 340		FE MN CU N FE	111 111 111	2310.153 2310.224 2310.2299 2310.24 2310.290	2309.442 2309.514 2309.5195 2309.53 2309.578	8 3 50 5 40	36. 144.	896 301 612 200 188	М
ZN SE V CR	111	2308.308 2308.33 2308.37 2308.42 2308.47	2307.599 2307.62 2307.66 2307.71 2307.76	20 1 1 1 4		162 587 1000 341 168	P	AR NA CR FE NI	11 111 111 11	2310.5703 2310.698 2310.744 2310.801 2310.857	2309.859E 2309.989 2310.035 2310.090 2310.147	20 450 500 4 2		867 516 893 896 835	
NI SC CO SI MN	11 111 11 11 111	2308.491 2308.532 2308.561 2308.573 2308.883	2307.781 2307.823 2307.851 2307.863 2308.173	50 10 40 2 10	38. 9. 18.02	835 855 825 678 301	н	FE V CO SC FE	I I I I I I I	2310.877 2310.892 2310.95 2310.950 2310.971	2310.166 2310.180 2310.24 2310.241 2310.260	6 20 1 14 6	32.	896 1000 825 855 896	. м
AS SI NI V FE	IV III II I	2308.90 2308.901 2308.988 2308.998 2309.087	2308.19 2308.191 2308.278 2308.287 2308.377	100 160 2 15	76. 32.	584 768 835 1000 896	M	CA P CO NE NI	111 11 11 11	2311.01 2311.05 2311.07 2311.089 2311.321	2310.30 2310.34 2310.36 2310.378 2310.610	25 0 1 30 1		891 431 603 563 835	
NI O ZN FE MN	11 111 111 11 11	2309.228 2309.41 2309.469 2309.477 2309.50	2308.518 2308.70 2308.760 2308.767 2308.79	120 4 10 5 5	50.	835 168 162 896 328		NE CR CA FE CO	11 111 111 111	2311.434 2311.47 2311.507 2311.518 2311.531	2310.723 2310.75 2310.796 2310.806 2310.820	60 1 250 25 4		563 340 85 188 825	
V MN TI CL MN	II II II II	2309.542 2309.582 2309.59 2309.65 2309.68	2308.831 2308.872 2308.88 2308.94 2308.97	5 2 20 4 10	44. 14.	478 301 488 345 328		NI CR V CO AL	1 1 1 1	2311.662 2311.67 2311.670 2311.674 2311.746	2310.952 2310.96 2310.958 2310.962 2311.035	500 2 5 12 25	10.	488 340 1000 603 198	
CO AS FE CO CO	I IV I II	2309.69 2309.69 2309.7093 2309.731 2309.75	2308.98 2308.99 2308.9990 2309.020 2309.04	M 10 110 10 M	14. 11.	603 584 896 603 825		NI N FE FE NI	11 11 11 11	2311.772 2311.871 2311.935 2312.002 2312.052	2311.061 2311.161 2311.224 2311.291 2311.341	6 4 5 5	36. 245.	835 521 896 896 835	Н
MN V AR N MN	I II II II	2309.769 2309.784 2309.858 2309.97 2310.085	2309.057 2309.072 2309.148 2309.26 2309.374	2 10 60 10	26. 36.	148 478 506 521 148	P.	CO CR V FE N	I I III III	2312.06 2312.17 2312.177 2312.292 2312.292	2311.35 2311.46 2311.465 2311.580 2311.582	10 4 30 40	62. 32. 16.0	603 341 1000 188 521	P

ş	PECTRU		VACUUM NAVELENGTA	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
2000	o U	11 111 11 1V 11	2312, 296 2312, 299 2312, 310 2312, 32 2312, 342	2311.585 2311.589 2311.599 2311.61 2311.631	75 10 40 13 20	9.	835 1032 825 713 563	Н	AR 1 FE 1 AL MN II NE I	2314.010 2314.237 2314.245	2313.263 2313.300 2313.526 2313.534 2313.547	5 5 60 5 5	288. 12.	506 488 198 301 563	
S N • F V K	E	II IV II	2312.430 2312.431 2312.54 2312.62 2312.728	2311.719 2311.720 2311.83 2311.91 2312.018	1 30 25 1	22.	678 . 563 173 478 509	·	FE ZN II CO I NI AR I	2314.317 2314.318 2314.37	2313.564 2313.607 2313.607 2313.66 2313.7194	6 20 30 10 70	21.	896 162 825 602 867	M
C M S	I	11	2312.736 2312.765 2312.787 2312.81 2312.830	2312.024 2312.054 2312.076 2312.10 2312.120	6 2 570 3 5	105.	896 835 85 328 720	н	AR I NI I CR I MN II V I	2314.500 2314.53 2314.629	2313.720 2313.789 2313.82 2313.918 2313.939	70 2 3 7 9	44.	506 835 340 301 478	
V M	I	II II II I	2312.84 2312.951 2313.012 2313.016 2313.026	2312.13 2312.240 2312.299 2312.304 2312.315	1 50 2 20 5	35. 27.	200 835 478 148 896	M	FE I NI CO I FE I V I	2314.687 2314.752 2314.757	2313.941 2313.976 2314.041 2314.046 2314.055	500 50 0 3	184. 10. 9. 44.	896 488 825 1026 478	• H .
C S			2313.045 2313.064 2313.093 2313.122 2313.202	2312.335 2312.353 2312.383 2312.410 2312.491	250 12 12 8 40	10. 32. 12.	488 724 855 1000 198		V 11 GE 11 KR 1 TI	1 2314.9128 I 2314.941	2314.10 2314.2014 2314.230 2314.243 2314.27	250 100 10 120 20	11. 10. 14.	791 7 162 509 488	
F M Z	O E IN	I	2313.39 2313.43	2312.531 2312.551 2312.611 2312.68 2312.72	10 30 6 30 6	95. 21.	1000 825 896 328 314	M	N 11 CR 11 CO 1 NA 11 KR 1	I 2315.343 I 2315.355 I 2315.36	2314.56 2314.632 2314.644 2314.65 2314.652	800 8 0 25	28.0 44.	521 893 825 516 509	•
F	O E		2313.50 2313.57 2313.627 2313.76 2313.811	2312.79 2312.86 2312.916 2313.05 2313.100	140 25 0	58. 37.	825 228 835 168 678	F H		1 2315,42	2314.691 2314.701 2314.70 2314.71 2314.797	20 10 10 40 10	90.	1000 896 496 340 1032	, м
F	E E			2313.1041 2313.190 2313.208 2313.236	125 10 3 1	14.	896 896 835 829	M	AR I	I 2315.52 I 2315.676 I 2315.681 I 2315.694 I 2315.70	2314.81 2314.965 2314.970 2314.983 2314.99	8 40 60 25	19. 9. 12.	340 825 506 198 478	H

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI I NE I CU II N I N I	1 2315.807 1 2315.815 I 2315.96	2315.066 2315.095 2315.103 2315.25 2315.29	2 5 20 1	35. 35.	835 563 724 200 521	P	CO FE P. N	11 11 11 11	2317.602 2317.623 2317.75 2317.758 2317.769	2316.896 2316.911 2317.04 2317.046 2317.057	10 1 285 30	16.	825 896 496 200 825	M
FE II AR I FE I F V KR I	1 2316.018 I 2316.025	2315.30 2315.306 2315.314 2315.37 2315.534	60 30 0 800 150	389.	188 506 488 1022 509			11 11 11 111 111	2317.776 2317.871 2318.032 2318.06 2318.064	2317.064 2317.159 2317.321 2317.35 2317.352	20 250 1000 1 20	8. 28.0 183.	563 488 606 521 896	
O II V V NA I MN I	I 2316.270 I 2316.34' I 2316.36	2315.548 2315.558 2315.634 2315.65 2315.66	40 20 30 1	32.	1032 835 1000 693 328			1 I 1 I I 1 I I I I	2318.092 2318.139 2318.160 2318.194 2318.229	2317.380 2317.427 2317.448 2317.482 2317.516	8 25 90 80 5	183.	896 1032 893 198 603	
CU I FE II FE CO I NE I	1 2316.41 1 2316.441 1 2316.455	2315.682 2315.70 2315.729 2315.743 2315.816	1 250 8 10 10		612 188 896 825 563	м	FE ZN I AR FE N	I III II I	2318.308 2318.376 2318.4582 2318.6105 2318.80	2317.596 2317.664 2317.7460 2317.8983 2318.09	8 15 50 8 160	111. 18.97	896 162 867 896 824	М
NI 1 CO I FE 1 NI 1 V II	1 2316.65 I 2316.748 I 2316.751	2315.842 2315.94 2316.035 2316.039 2316.10	2 ¹ 1 1 320 1	11.	835 825 645 835 325	н .	MG :	111 111 111 1	2318.816 2318.84 2318.857 2318.863 2318.88	2318.102 2318.13 2318.145 2318.151 2318.17	60 7 2 8 1	·	188 2 301 896 148	М
O 1 CR II MN I CO AR 1	1 2316.84 1 2316.87 1 2316.870 1 2317.011	2316.12 2316.13 2316.16 2316.157 2316.299	25 3 5 10 80	14.	168 490 328 603 506	Q	FE MN FE NI CO	1 11 11 11	2318.899 2318.99 2319.030 2319.034 2319.129	2318.187 2318.28 2318.318 2318.321 2318.417	6 5 6 5 30	183.	896 328 896 835 825	М
KR I GE MN II N I FE	I 2317.033 I 2317.15 I 2317.180 I 2317.205	2316.322 2316.44 2316.465 2316.493 2316.512	200 10 6 220 6	16.	509 7 802 200 896	м	NE CR MN NI FE	11 11 11 11	2319.177 2319.20 2319.215 2319.221 2319.246	2318.465 2318.49 2318.501 2318.509 2318.534	20 2 2 140 5	208. 38. 132.	563 340 148 835 488	н
V I	2317.446 2317.464	2316.690 2316.733 2316.751 2316.79 2316.843	160 5 25 25 5	16. 90. 11.	200 603 1000 168 603	·.	AR CR NI FÉ NI	II II II XIV	2319.25 2319.48 2319.482 2319.490 2319.5	2318.54 2318.77 2318.770 2318.778 2318.8	0 10 5 0	149. 58.	506 340 488 1026 726	F

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU III MN I V III V V	2319.63 2319.65	2318.815 2318.91 2318.94 2318.95 2319.00	0 30 200 200 0	11.	724 328 791 929 431		N FE CR CR FE	111 1 1 11 11	2321.04 2321.0707 2321.10 2321.10 2321.118	2320.33 2320.3579 2320.39 2320.39 2320.405	0 140 3 10	28.0 14. 19.	521 896 341 340 896	м
AL CR 11 CO FE 11 NI 1	2319.777 2319.866 2319.935	2319.057 2319.065 2319.152 2319.220 2319.252	40 700 4 250 15	12. 44. 13. 72.	198 893 603 188 835	,	CO MN FE FE KR	11 V1 . 11	2321.13 2321.14 2321.28 2321.425 2321.557	2320.41 2320.42 2320.57 2320.712 2320.844	1 60 0 60		603 328 228 1026 509	F
CO I HE MN Y CO I CR I	2320. 2320.05 2320.07	2319.265 2319. 2319.33 2319.36 2319.38	6 1 8 2 50	34.	825 126 328 825 340		MN CO CR O AS	11 11 111 111	2321.59 2321.620 2321.65 2321.66 2321.718	2320.87 2320.906 2320.94 2320.95 2321.005	1 4 1	15. 129.	328 603 340 108 425	F .
MN I FE II CU O II N I	1 2320.180 1 2320.275 1 2320.289	2319.434 2319.466 2319.561 2319.577 2319.62	1 150 220 10	144. 22. 35.	328 188 672 1032 521	P	NI NI V CO CA	11 1 1 1 1 1 1 1 1 1	2321.724 2321,760 2321.786 2321.93 2321.952	2321.011 2321.047 2321.072 2321.22 2321.239	30 15 5 10 25	,	835 835 1000 825 64	
O I NI I V II AR I CO I	1 2320.463 1 2320.54 1 2320.546	2319.68 2319.750 2319.83 2319.833 2319.84	40 220 20 10 3	37.	168 835 325 506 825	н .	FE AS CL NI CR	1 11 1 1 111	2321.956 2321.962 2321.988 2322.090 2322.116	2321.243 2321.249 2321.275 2321.377 2321.403	10 2 300 10	9.	896 425 613 488 893	М
	1 2320.654	2319.9 2319.941 2319.97 2320.000 2320.026	70 3 0 500	16. 9.	726 200 328 425 488	F	FE MN AL N CO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2322.21 2322.25 2322.275 2322.363 2322.38	2321.50 2321.54 2321.562 2321.650 2321.67	8 1 130 70 2	, 12. 16.	896 328 198 200 673	M
CR I	I 2320.870 I 2320.93	2320.035 2320.08 2320.156 2320.21 2320.222	15 30 25 15 2	19. 32.	896 340 1000 328 613	М	FE FE P FE V	11 111 11 1	2322.403 2322.42 2322.45 2322.468 2322.570	2321.690 2321.71 2321.74 2321.755 2321.855	10 250 10 15	183. 132.	896 188 496 896 478	н
	I 2321.00 I 2321.00 I 2321.019	2320.26 2320.29 2320.29 2320.306 2320.311	20 5 100 1	128. 20.	893 825 340 724 162	F Р	NI CR NI V	II II IV II	2322.574 2322.66 2322.666 2322.675 2322.71	2321.861 2321.95 2321.953 2321.962 2322.00	15 4 5 1 2	, 208. 34.	835 340 488 829 345	

SPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	V	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN CO AR V MN	I I I I I I	2322.713 2322.794 2322.810	2321.995 2322.000 2322.081 2322.096 2322.106	10 2 20 15 3	31.	148 825 506 1000 148		KR NI AL FE NE	11 11 1V 1	2324.772 2324.808 2324.84 2324.841 2324.879	2324.061 2324.094 2324.13 2324.128 2324.165	4 5 20 6 5		509 835 888 896 563	M
O NE NI N	11 11 11 11 11	2322.888 2322.908 2322.94	2322.15 2322.175 2322.195 2322.23 2322.259	25 5 10 1 5	28.0	168 563 835 521 829		V FE CR NI CD	1 1 1 11 11	2324.904 2324.915 2324.93 2324.986 2325.028	2324.189 2324.202 2324.22 2324.272 2324.314	10 8 1 50 50	95. 8.	1000 896 341 835 825	м
CD MN FE AS NI	I I I I I I	2323.04 2323.044 2323.258	2322.260 2322.33 2322.331 2322.545 2322.69	4 8 6 5	15. 183.	603 328 896 425 602	н	V FE 1 FE AR CR	I I I I I I I I		2324.347 2324.359 2324.414 2324.4270 2324.45	6 150 6 30 2	31. 156.	1000 188 696 867 341	M
MN N FE CR CU	111 111 1 1 1	2323.52 2323.654 2323.68	2322.762 2322.81 2322.941 2322.97 2323.0045	5 4 10 2 25	28.0	301 521 896 341 612	М		11 1 1 11 11	2325.187 2325.27 2325.293 2325.3 2325.31	2324.473 2324.56 2324.580 2324.6 2324.60	12 0 8 5		896 516 896 862 506	M
FE CL B ZN CO	I I I I I I I	2323.73 2323.745 2323.835	2323.014 2323.02 2323.031 2323.124 2323.131	8 100 10 15	11.	896 345 532 162 603	М	KR NI MN C	II II II I	2325.333 2325.357 2325.38 2325.401 2325.450	2324.621 2324.645 2324.66 2324.689 2324.738	25 10 10 84	14. 0.0 205.	509 488 328 510 523	H P
FE CU F CA FE	I III III I	2323.982 2324.02 2324.042	2323.187 2323.268 2323.31 2323.329 2323.372	8 2 500 15 6		896 724 1022 64 896	M M		I I II III	2325.463 2325.518 2325.529 2325.53 2325.602	2324.748 2324.803 2324.816 2324.82 2324.890	40 5 8 4 800	32. 44.	1000 148 896 168 893	М
FE P CL C NI	I I I I I I I I	2324.16 2324.21 2324.211	2323.422 2323.45 2323.50 2323.500 2323.541	6 1 600 34 30	10.	896 496 43 510 835	м н н	FE CR V I	1 I I I I I I I	2325.636 2325.748 2325.76 2325.78 2325.87	2324.924 2325.035 2325.04 2325.07 2325.16	10 10 1 200 1	11. 16.	509 896 340 791 200	ta
FE MN FE CÚ CU	1 111 11 111	2324.462 2324.501 2324.6422	2323.627 2323.748 2323.786 2323.9286 2323.972	1 30 40 40 2	12.	378 148 188 612 724		CU I	11 11 11 11	2326.009 2326.084 2326.113 2326.213 2326.245	2325.296 2325.370 2325.401 2325.499 2325.530	10 5 87 3 12	183. 0.0 14.	896 724 510 724 603	н

\$PECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECT		VACUUM WAVELENGT I	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE CO FE FE FE	1 I I I I I	2326.300 2326.330 2326.351 2326.429 2326.477	2325.587 2325.615 2325.638 2325.715 2325.764	8 50 6 10 6	288. 63.	896 603 896 896 896	м м м	MN CR F MN FE	11 VI VI 1	2327.95 2327.98 2328.00 2328.024 2328.1105	2327.23 2327.26 2327.28 2327.308 2327.3962	5 3 250 2 100	3.	328 341 1022 148 896	н
FE NI CO P V	VI I II I	2326.48 2326.506 2326.52 2326.53 2326.588	2325.77 2325.794 2325.80 2325.81 2325.873	250 6 0 30	9.	228 488 603 431 1000	F	SC CO CU MN FE	1V I II II	2328.170 2328.255 2328.2818 2328.35 2328.33	2327.457 2327.539 2327.5675 2327.63 2327.668	70 5 1 12 40	65.	720 603 612 328 188	
CU MN O CO FE	11 11 11 11	2326.625 2326.65 2326.72 2326.834 2326.870	2325.911 2325.93 2326.01 2326.120 2326.157	2 30 10 40 6	8.	612 328 168 825 896	Р Н М	CO CR ZN AR P	11 111 11 11	2328.383 2328.455 2328.483 2328.498 2328.51	2327.669 2327.742 2327.770 2327.784 2327.79	20 250 10 20 00		825 893 162 506 431	
AS CR MN FE NI	11 11 11 11	2326.888 2326.93 2326.93 2326.935 2326.944	2326.174 2326.21 2326.22 2326.221 2326.230	50 2 12 6 2		425 341 328 896 835	M . ·	FE MN GE FE O	11 11 11 11	2328.590 2328.61 2328.6326 2328.675 2328.68	2327.875 2327.90 2327.9181 2327.962 2327.97	15 1 150 . 8 10	10. 183.	896 328 7 896 168	
CR V N FE NI	11 IV II I.	2326.98 2327.005 2327.054 2327.075 2327.165	2326.26 2326.291 2326.340 2326.362 2326.451	3 3 40 6 50	29. 11.	340 829 200 896 835	м н	V ZN F ZN C	1 111 11 111 111	2328.686 2328.753 2328.823 2328.830 2328.835	2327.970 2328.040 2328.108 2328.117 2328.122	10 10 1 5 84	31.	1000 162 538 162 510	н
CO NI CR NI ZN	11 11 11 11	2327.185 2327.241 2327.32 2327.349 2327.358	2326.471 2326.527 2326.61 2326.635 2326.646	40 5 3 5 2	8. 129.	825 835 340 835 162	Ħ	ZN CO BR SI MN	111 11 17 17	2328.987 2329.014 2329.265 2329.27 2329.36	2328.274 2328.298 2328.552 2328.56 2328.64	10 6 10 40 15	35.	162 603 606 767 328	
V FE FE MN C	V 1 1 11 11	2327.463 2327.484 2327.524 2327.60 2327.642	2326.751 2326.770 2326.810 2326.89 2326.930	60 6 6 2 70	0.0	929 896 896 328 510	м М	B MN FE MN CO	1 1 1 1 1 1 1 1	2329.383 2329.45 2329.463 2329.55 2329.577	2328.668 2328.74 2328.749 2328.84 2328.861	100 5 10 30 10		532 328 896 328 603	M
FE TI ZN CL MN		2327.663 2327.733 2327.791 2327.82 2327.87	2326.948 2327.019 2327.079 2327.10 2327.15	250 160 0 4 12	121.	188 227 162 345 328		CO CO P ZN NE	I II III III	2329.805 2329.811 2329.83 2329.916 2330.002	2329.089 2329.096 2329.11 2329.203 2329.288	6 15 0 8 30	21.	603 825 431 162 563	

SPECT	rum	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES .	ŞPECTRU	יאנ	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR AR CA MN V	III III III II	2330.016 2330.072 2330.10 2330.24 2330.245	2329.303 2329.357 2329.39 2329.52 2329.529	150 10 25 15 30	31.	893 506 891 328 1000		O FE TI P CR	11 11 111 11	2331.98 2332.0234 2332.067 2332.07 2332.076	2331.27 2331.3082 2331.352 2331.35 2331.362	1 100 360 0 60	35.	168 896 227 496 893	Р Н
NI BR CR FE FE	11 1 1 1 1 1 1 1	2330.268 2330.349 2330.35 2330.3554 2330.446	2329.553 2329.636 2329.63 2329.6406 2329.730	20 10 10 5	40. 12.	835 606 341 896 188		FE O AR FE TI	111 111 111 111 111	2332.10 2332.10 2332.167 2332.255 2332.37	2331.38 2331.39 2331.452 2331.539 2331.66	F 80 25 360	72.	188 108 506 188 227	F
LI FE SI NI NI	11 111 11 11	2330.551 2330.621 2330.646 2330.652 2330.676	2329.836 2329.905 2329.931 2329.937 2329.963	I 200 7 40 250	72. 87.	307 188 768 835 488		CO V NI F	11 111 . I 111	2332.38 2332.39 2332.412 2332.425 2332.475	2331.67 2331.68 2331.698 2331.710 2331.760	3 375 10 12 10	11. 13.	825 791 488 537 835	
F FE FE CR V	II II II	2330.688 2330.695 2330.707 2330.75 2330.860	2329.973 2329.980 2329.992 2330.03 2330.144	40 5 15 10 12	128.	538 1026 896 340 478	M	V FE CO KR NI	III II II II	2332.67 2332.691 2332.803 2332.814 2332.823	2331.96 2331.975 2332.087 2332.100 2332.108	2 15 10 4 15		325 896 603 509 835	
F MN BE CR CO	11 111 111 11	2330.938 2330.942 2330.95 2330.969 2331.065	2330.223 2330.227 2330.23 2330.256 2330.350	10 2 1 120 40	8.	538 301 330 893 825	н	MN FE AR CR MN	I I I I I 1 1.	2332.856 2332.957 2333.025 2333.11 2333.13	2332.141 2332.241 2332.310 2332.39 2332.42	15 5 10 3 2	172.	328 896 506 340 328	W
V NI P CD CR	111 11 11 111	2331.09 2331.124 2331.27 2331.37 2331.406	2330.38 2330.409 2330.55 2330.65 2330.693	500 30 0 10 90	11.	791 835 431 825 893		FE S CR SC FE	11 111 1 1V 11	2333.217 2333.36 2333.43 2333.447 2333.5149	2332.503 2332.64 2332.71 2332.733 2332.7994	0 500 1 160 170	414.	488 285 341 720 896	н
CR MN N MN FE	1 111 11 11	2331.43 2331.43 2331.570 2331.58 2331.772	2330.71 2330.72 2330.855 2330.86 2331.057	8 7 20 2 5	183.	341 301 200 328 896	N	SE CO AR CL SC	1 1 1 1 1 1 1 1 1 1 1 V .	2333.52 2333.56 2333.608 2333.62 2333.634	2332.81 2332.85 2332.895 2332.90 2332.920	150 15 10 4 110	21.	600 825 506 345 720	
MN FE FE NI FE	III	2331.800 2331.803 2331.827 2331.836 2331.888	2331.085 2331.088 2331.112 2331.121 2331.172	7 1 6 40 8	108.	301 378 896 835 896	M M	NI F CR AR CO	11 11 11 11 11	2333.686 2333.689 2333.70 2333.752 2333.788	2332.970 2332.974 2332.98 2333.036 2333.071	5 25 7 20 6	40. 15.	835 538 - 341 506 603	

u	o
ũ,	ń
•	_

•

ŞPECTR	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NO1
CR FE MN S CR	111 1 11 1	2333.801 2333.948 2333.95 2334. 2334.05	2333.087 2333.232 2333.23 2333. 2333.33	350 15 10 8	44.	893 896 328 107 341	M N	CR F CO FE MN	1 I 1 I 1 I 1 I 1 I	2335.55 2335.555 2335.598 2335.612 2335.640	2334.83 2334.839 2334.882 2334.896 2334.924	10 10 9 6 20	47.	340 538 825 896 328	
V CR ZN FE CU	I III II II	2334.05 2334.18 2334.350 2334.424 2334.459	2333.33 2333.46 2333.636 2333.708 2333.743	20 25 5 10 2	31. 47.	1000 340 162 896 612		F V FE NI CO	11 11 11 11	2335.660 2335.67 2335.741 2335.816 2335.819	2334.944 2334.96 2335.024 2335.100 2335.102	25 10 6 15	6.	538 325 896 835 603	
F CR CR NI P	11 11 11 11	2334.56	2333.797 2333.84 2333.87 2333.883 2333.95	90 12 7 1 4	47. 47.	538 340 340 835 496		CA V SC V CR	111 1V 11 111	2335.842 2335.921 2336.003 2336.044 2336.051	2335.126 2335.204 2335.288 2335.326 2335.336	3 2 220 10 250	44.	64 478 720 478 893	
CO CO F V	III	2334.83 2334.842	2333.980 2334.06 2334.12 2334.126 2334.16	3 15 5 60 375	11.	603 825 603 538 791		V P FE ZN FE	11 11 11 11	2336.198 2336.40 2336.418 2336.428 2336.474	2335.480 2335.68 2335.702 2335.713 2335.757	40 00 8 1 0	55.	478 431 896 162 645	
CR CR ZN FE TI	11 111 111	2334.89 2334.96 2334.965 2335.037 2335.056	2334.17 2334.24 2334.250 2334.321 2334.340	8 7 0 8 360	47. 47.	340 340 162 896 227	М	BE C CO V CU	IV IV II II	2336.613 2336.7 2336.72 2336.816 2336.8875	2335.897 2335.9 2336.00 2336.098 2336.1713	25 10 30 40	21. 11. 57. 177.	309 35 603 478 612	
CR SI CR V CR	11 11 11 11	2335.09 2335.120 2335.13 2335.151 2335.17	2334.37 2334.404 2334.41 2334.434 2334.45	8 30 2 40 5	47. 0.01 47. 31. 47.	340 678 340 1000 340		CO AR S CR CL	11 111 11 111	2336.94? 2336.985 2337.10 2337.14 2337.17	2336.226 2336.269 2336.38 2336.42 2336.45	40 10 600 3 500	8. 129. 10.	825 506 285 340 43	•
BR F TI CR NI	11 11 11 11	2335.190 2335.196 2335.25 2335.30 2335.300	2334.475 2334.480 2334.54 2334.58 2334.584	100 40 30 10 220	47. 20.	606 538 601 340 835	н	ZN CR BE NI	11 11 11 11	2337.208 2337.212 2337.22 2337.341 2337.428	2336.493 2336.497 2336.50 2336.625 2336.712	2 90 3 30 100	27. 50.	154 893 330 635 835	
SI CR P. FE MN	11 11 1V I	2335.322 2335.34 2335.349 2335.442 2335.49	2334.606 2334.62 2334.633 2334.726 2334.77	30 5 25 12	0.01	678 340 937 896 328	M	SI FE FE LI LI	II III II II	2337.446 2337.485 2337.540 2337.591 2337.626	2336.730 2336.768 2336.824 2336.875 2336.910	2 250 6 60 100	37. 121.	678 188 896 307 307	

_	
=	
	١

	SPECTRUM		VACUUM NAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	Ş . PECTRU	N¹ ,	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE
	BR CO LI	II II II II	2337.650 2337.705 2337.713 2337.80 2337.802	2336.934 2336.989 2336.997 2337.08 2337.087	600 25 40 375 5	11. 29.	606 825 307 791 488		CO AR ZN NI CR	I II II II	2339.766 2339.78 2339.875 2339.957	2339.048 2339.06 2339.159 2339.240 2339.27	4 0 0 1 15	12.	603 506 162 835 341
		II II II I	2337.972 2337.985 2338.05 2338.195 2338.200	2337.255 2337.268 2337.33 2337.477 2337.484	3 1 7 4 250	8.	64 835 825 603 488		ZN O FE FE V	III II II IV	2340.011 2340.10 2340.125 2340.226 2340.265	2339.295 2339.38 2339.408 2339.508 2339.548	2 25 8 4 20	105.	162 168 896 896 829
	ZN CR FE	II IV .11. I	2338.343 2338.359 2338.46 2338.479 2338.497	2337.627 2337.627 2337.74 2337.762 2337.780	1 6 20 4 60	128.	162 154 340 896 506	М	CD FE V CR CU	I . I I II	2340.268 2340.362 2340.391 2340.43 2340.4452	2339.550 2339.645 2339.673 2339.71 2339.7281	5 40 20 4 10	62. 31. 40.	603 896 1000 341 612
	NI CR CD CO MN	I II II II	2338.530 2338.54 2338.63 2338.67 2338.674	2337.814 2337.82 2337.91 2337.95 2337.956	5 4 50 3 30	32.	488 341 825 603 328		NE MN AR FE CR	11 11 11 11	2340.462 2340.47 2340.512 2340.600 2340.62	2339.745 2339.75 2339.795 2339.882 2339.90	40 2 40 10 1		563 328 506 896 340
:	FE V FE	11 11 1V 1 11	2338.674 2338.7237 2338.749 2338.864 2338.943	2337.956 2338.0070 2338.032 2338.147 2338.225	4 140 10 6 10	55. 3.	478 896 829 896 328	H	CO	111 111 111 11	2340.622 2340.63 2340.631 2340.661 2340.71	2339.905 2339.92 2339.913 2339.945 2340.00	5 M 60 25 2	15.	301 603 188 509 328
	NI CR CR	111 11 11 1 1	2338.95 2338.950 2338.99 2339.06 2339.209	2338.23 2338.233 2338.27 2338.34 2338.493	2 30 1 2 10	30.	325 835 340 341 488		NE V FE FE V	II IV II II	2340.777 2340.857 2341.068 2341.180 2341.197	2340.060 2340.140 2340.352 2340.462 2340.479	10 10 5 10 50	344. 166. 31.	563 829 488 896 1000
•	GE	111 111 111 11	2339.374	2338.59 2338.6060 2338.654 2338.656 2338.716	40 40 7 10 15	11.	188 7 64 603 825		NI MN CL	111 11 11	2341.202 2341.30 2341.304 2341.32 2341.34	2340.486 2340.57 2340.586 2340.60 2340.62	500 1 30 4	23.	893 661 323 345 893
	ZN FE V TI	111 111 111	2339.435 2339.679 2339.68 2339.717 2339.75	2338.719 2338.961 2338.96 2339.000 2339.03	0 , 250 2 460 15	72.	162 188 325 227 825		CL V FE CO CO	111 V1 11	2341.36 2341.421 2341.656 2341.71 2341.835	2340.64 2340.704 2340.939 2340.99 2341.118	600 5 5 5 5	19.	43 829 488 603 825

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM:		VACUUM AVELENGTH	AIR WAVELENGTH	·INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN I		2341.17 2341.17 2341.174 2341.202 2341.226	20 20 12 220 10	40. 50. 15.	341 328 896 835 301	н	NI BR NI	IV II II II	2344.09 2344.099 2344.166 2344.209 2344.2121	2343.37 2343.381 2343.449 2343.491 2343.4941	2 3 250 140 240	37. 3.	406 835 606 835 896	н
	TI 1 V 1 CU 1 MN X FE 1	I 2342.077 I 2342.0893 I 2342.1	2341.23 2341.358 2341.3719 2341.4 2341.444	30 4 2	56.	601 478 612 726 1026	F	MN CR AS CA I NI	I 11	2344.37 2344.40 2344.415 2344.514 2344.665	2343.65 2343.68 2343.697 2343.796 2343.947	1 4 3 1 20	58.	328 341 425 64 835	
	CA II FE FE.	I 2342.170 I 2342.263 I 2342.293 I 2342.366 I 2342.503	2341.452 2341.546 2341.575 2341.648 2341.784	25 1 1 15 4	13.	896 64 605 896 603	м	AS CR	1	2344.6780 2344.75 2344.7C 2344.84 2344.872	2343.9600 2344.03 2344.04 2344.13 2344.154	80 50 1 3 25	35. 17.	896 480 341 301 896	H M
. 9	FE I MN CR	I 2342.579 I 2342.670 I 2342.806 I 2342.83 I 2342.84	2341.862 2341.953 2342.088 2342.11 2342.12	0 5 3 5 20	314.	425 488 148 341 325		AR CO FE	11 11 11	2344.922 2344.980	2344.203 2344.204 2344.262 2344.2809 2344.338	10 60 20 125 20	0.01 8. 3.	678 506 825 896 328	н
	K I	I 2342.890	2342.142 2342.173 2342.238 2342.25 2342.30	60 5 20 6 40	55. 104.	478 612 488 825 468	H	KR	1 I 1 I	2345.06 2345.10 2345.102 2345.26 2345.320	2344.34 2344.38 2344.384 2344.54 2344.602	1 5 150 20 30	203.	341 328 509 340 896	M
	CO I	I 2343.025 I 2343.03 I 2343.11 I 2343.174 I 2343.190	2342.309 2342.31 2342.39 2342.457 2342.471	5 30 2 300	44.	896 601 825 893 148	М	AR BR FE	ΙI	2345.345 2345.463 2345.64 2345.702 2345.719	2344.627 2344.745 2344.92 2344.984 2345.000	25 5 1 25 0	•	825 506 606 896 425	
	AS I CO MN I FE	I 2343.26 I 2343.474 I 2343.512 I 2343.52 I 2343.606	2342.54 2342.757 2342.793 2342.80 2342.888	3 1 2 1		341 425 603 328 896	м	FE	ΙI	2345.736 2345.763 2345.89 2345.895 2345.935	2345.018 2345.045 2345.17 2345.177 2345.217	1 1 90 1 0	10. 287.	378 1032 488 488 162	
		1 2343.94	2343.136 2343.22 2343.28 2343.307 2343.33	40 1 10 25 10		720 825 301 896 825	M	CU . I NI FE	11	2345.97 2345.971 2345.985 2346.057 2346.07	2345.25 2345.253 2345.267 2345.339 2345.35	15 3 140 50 25	34. 58. 165. 34.	340 724 835 896 340	н
	MN II	I 2343.99 I 2344.025	2343.28 2343.307	10 25	•	301 896	М	NI FE	11	2345.985 2346.057		2345.267 2345.339	2345.267 140 2345.339 50	2345.267 140 58. 2345.339 50 165.	2345.267 140 58. 835 2345.339 50 165. 896

• 1

SPECT	rum	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
BR NI CO ZN AR	11 11 11 111	2346.160 2346.212 2346.218	2345.378 2345.442 2345.494 2345.500 2345.50	1 50 20 2 10	11.	606 835 825 162 506		FE		2346.65 2346.681 2346.685 2346.774 2346.786	0 12 20 10 520		670 896 154 724 227	м
CR NI FE F MN	11 1 111 111.	2346, 257 2346, 287 2346, 344	2345.53 2345.539 2345.568 2345.626 2345.628	2 150 15 12 5	6.	340 488 896 537 301	М	BR :	2347.576 1 2347.582 1 2347.588	2346.85 2346.857 2346.863 2346.868 2346.919	2 25 150 25 5	54. 15.	325 538 606 478 301	
CR F MN P AR	111 111 - 11 11	2346.467 2346.55 2346.57	2345.708 2345.749 2345.83 2345.85 2345.86	90 1 0 00 0		893 537 328 431 506	:	FE I	2347.644 2347.662 2347.681 2347.746 2347.78	2346.926 2346.943 2346.961 2347.026 2347.06	0 1 25 10 150	379. 72. 31. 11.	488 538 188 1000 791	
CR MN F MN CU	1 11 111 1 1	2346.70 2346.74 2346.846	2345.91 2345.98 2346.02 2346.126 2346.159	1 0 1 1 170	20.	341 328 537 148 724		F CD AS	2347.80 11 2347.832 11 2347.833 11 2347.925 11 2348.064	2347.08 2347.113 2347.114 2347.206 2347.345	2 4 15 0	10.	340 538 825 425 537	
CO CU SI SC FE	1 11 11 VI 11	2346.917 2346.952 2346.956	2346.16† 2346.198 2346.234 2346.238 2346.271	7 170 0 70 5	12. 15.01 379.	603 724 678 720 468		FE :		2347.395 2347.411 2347.46 2347.465 2347.470	50 0 20 3 3	8.	825 645 489 301 724	Н
FE V FE TI FE	1 I 1 I I I 1 I I	2347.00 2347.022 2347.07	2346.271 2346.28 2346.304 2346.35 2346.354	5 150 1 10 25	314. 11. 12. 18.	488 791 378 488 896	м	NI V CO	2348.21 1 2348.226 1 2348.228 1 2348.377 1 2348.393	2347.49 2347.507 2347.507 2347.657 2347.674	5 75 8 4 20	5. 55. 10.	325 488 478 603 162	
MN MN FE SC CR	I I I I I I I I I	2347.217 2347.226 2347.238	2346.383 2346.497 2346.508 2346.520 2346.53	2 5 1 12 3	35. 379.	148 148 488 855 341		FE CO MN	2348.4 1 2348.497 1 2348.53 1 2348.57 1 2348.61	2347.7 2347.778 2347.81 2347.85 2347.89	200 10 20 1 0		43 896 825 328 670	М
MN AR CO FE NI	11 11 11 1	2347.289 2347.29 2347.334	2346.53 2346.570 2346.57 2346.615 2346.628	2 20 30 30 20	12.	328 506 825 896 488	M	CR II	2348.63 1 2348.729 1 2348.73 1 2348.82 1 2348.82	2347.91 2348.010 2348.01 2348.10 2348.113	12 150 3 1	36.	825 893 825 328 896	н

١	
i	

	ŞPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	'INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTRU		VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V 11 CR 1 ZN 11	2348.87 1 2348.94 1 2348.97 1 2349.007 1 2349.019	2348.14 2348.22 2348.25 2348.288 2348.299	0 150 3 . 20 155	11.	328 791 340 162 896	н .	FE CU FE F	II II III III	2350.897 2350.9102 2350.967 2350.969 2350.988	2350.178 2350.1908 2350.247 2350.250 2350.269	12 3 15 30 3	379.	896 612 896 537 835	н
	CO 1 CO 1 CR	I 2349.072 II 2349.09 II 2349.18 I 2349.18 I 2349.329	2348.352 2348.37 2348.46 2348.46 2348.610	2 9 M 1 650	1.	672 825 825 341 333		CL CO V MN CR	XI III I	2351.0 2351.005 2351.06 2351.072 2351.12	2350.3 2350.284 2350.34 2350.352 2350.40	12 1 10 12	63. 35. 40.	111 603 325 	
	NI CO MN CO I	2349.4527 1 2349.453 11 2349.52 11 2349.55 11 2349.56	2348.7336 2348.734 2348.80 2348.83 2348.80	15 10 , 1 30	133. 32.	612 488 825 328 673		FE AR MN FE CO	I	2351.1302 2351.205 2351.242 2351.243 2351.317	2350.4107 2350.486 2350.523 2350.523 2350.596	8 50 15- 8 6	11. 15.	896 506 301 896 603	
93	CR ZN II CR	11 2349.629 1 2349.64 11 2349.717 1 2349.78 11 2349.874	2348.910 2348.92 2348.998 2349.06 2349.155	10 25 0 1 5	40.	506 341 162 341 825		FE BE TI BE CR	I I I I	2351.346 2351.381 2351.39 2351.423 2351.54	2350.626 2350.661 2350.67 2350.703 2350.82	1 15 20 40 1	18.	378 333 488 333 341	
	MN MN FE	11 2349.895 11 2349.949 1 2349.983 1 2349.988 11 2350.023	2349.176 2349.231 2349.263 2349.268 2349.304	50 15 3 30 4		835 328 148 896 537	М	BE NE NI ZN CO	1 VI 11 111 111	2351.549 2351.56 2351.565 2351.622 2351.879	2350.829 2350.84 2350.845 2350.905 2351.159	80 350 10 5 20	19.	333 1024 835 .162 825	
	AR SI NI	2350.050 11 2350.23 11 2350.26 11 2350.29 11 2350.52	2349.331 2349.51 2349.54 2349.580 2349.80	3 5 10 1 50	36.	835 506 678 835 597		FE NI V SC CA	11 11 1V 111	2351.920 2351.923 2351.96 2352.062 2352.073	2351.201 2351.204 2351.24 2351.344 2351.353	50 1 6 160 250	165.	896 835 478 720 85	н
	NI TI NI	1 2350.55 1 2350.56 11 2350.641 11 2350.69 11 2350.710	2349.83 2349.84 2349.922 2349.97 2349.991	4 500 30 30 60	6. 18.	341 480 835 488 835		CO ZN FE CR FE	1 111 1 111 111		2351.385 2351.430 2351.607 2351.666 2351.666	10 3 6 60 15	13. 379.	603 162 896 893 896	М
	ZN *CR •NI	11 2350.72 11 2350.767 11 2350.86 11 2350.866 11 2350.893	2350.00 2350.050 2350.14 2350.147 2350.174	2 3 1 3 20	220. 10. 0.01	340 154 340 835 678		CO CO FE V FE	11 11 1 1 1 1 1		2351.7 2351.839 2351.884 2351.934 2351.958	M 30 1 5	12.	825 325 378 829 645	

١		r	٦
	7	•	•
	1	c	
۰	١		

	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
							. ,						\	•		
	CR GE CO NI V	11 11 11 11 11	2352.68 2352.693 2352.70 2352.768 2352.898	2351.96 2351.973 2351.98 2352.048 2352.177	4 5 4 75 100	293. 55.	340 676 603 835 478	н	CU MN CR TI AR	11 11 11 11	2354.741 2354.77 2354.84	2353.9443 2354.020 2354.05 2354.12 2354.1317	3 4 3 30 60	10.	612 148 340 601 867	
	CO NI CU FE AS	11 11 11 11	2352.928 2352.946 2353.0115 2353.029 2353.126	2352.208 2352.226 2352.2916 2352.309 2352.406	20 1 3 25 3	379.	825 835 612 896 425	3	CO CR CO FE P	I I II II	2355.02 2355.13	2354.18 2354.30 2354.41 2354.477 2354.48	2 15 5 50 0	40. 165.	603 341 603 896 431	н
	CO NE FE CR AR	II IV III III	2353.2 2353.24 2353.337 2353.416 2353.451	2352.5 2352.52 2352.616 2352.698 2352.731	M 600 25 200 20		825 1024 188 893 506	. • .	CR TI CR V MN	11 11 11 11	2355.377	2354.59 2354.61 2354.64 2354.656 2354.661	3 10 .3 20 15	203. 18. 10. 43. 15.	340 488 340 478 301	
. 94	CO KR CR MN N	II I VII	2353.585 2353.592 2353.65 2353.658 2353.7	2352.864 2352.874 2352.93 2352.937 2353.0	15 120 5 20	60. 35.	603 509 341 148 309		AR NI CU GU NI	111 111 111 111	2355.53 2355.546 2355.568	2354.793 2354.81 2354.825 2354.848 2354.88	10 0 2 10 3	23.	506 661 672 724 661	
	NI SI V S CR	11 11 11	2353.727 2353.81 2353.88 2354. 2354.01	2353.007 2353.09 2353.16 2353. 2353.29	10 20 1	35.	835 678 478 107 340	·. N	FE MN NI CR CU	11 11 11 1	2355.63 2355.643 2355.65	2354.889 2354.91 2354.922 2354.93 2355.0149	40 2 5 1 35	35. 38. 77.	896 328 835 341 612	н
	CO NI AR CO CR	1 11 11 11	2354.08 2354.111 2354.146 2354.146 2354.16	2353.36 2353.391 2353.426 2353.426 2353.44	10 2 30 40 3	11. 8. 10.	603 835 506 825 340	н .	NI CR NI TI FE	1 11 11 11	2355.82 2355.867 2355.89	2355.050 2355.10 2355.147 2355.17 2355.216	50 3 10 20 12	31. 203. 18. 165.	468 340 835 488 896	
	FE NI CR FE V	11 11 11 1	2354.190 2354.248 2354.26 2354.328 2354.359	2353.469 2353.528 2353.54 2353.607 2353.639	30 1 1 40 3		896 835 340 896 829	M	V CR N FE CA	111 111 11 1 111	2356.0545	2355.232 2355.325 2355.328 2355.3340 2355.344	4 250 40 3	25. 18.0 11.	478 893 521 896 64	F
	CU FE KR SE FE	111 11 111 111	2354.372 2354.399 2354.418 2354.47 2354.541	2353.652 2353.678 2353.700 2353.75 2353.820	10 15 250 30 40	379.	724 896 509 587		FE V CO ZN CO	11 1 1 111 11	2356.163 2356.202 2356.204	2355.351 2355.441 2355.480 2355.485 2355.49	40 1 30 2 2	379. 11.	483 1000 603 162 825	

١	۲	
t	7	

SPECT		VACUUM WAVELENGT		WAVELENGTH		MULTIPLE	T REFERENCE	NOTES	•	SPECTRUM	l W	VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
F CO CR MN TI	111 1 11	2356.26 2356.33 2356.34 2356.37 2356.58	33 4 7	2355.542 2355.611 2355.62 2355.66 2355.86	4 7 3 3 10	63. 293. 38. 18.	537 603 340 328 488			MN I V TI MN S I	1 I 1	2358.529 2358.532 2358.54 2358.566 2358.64	2357.808 2357.810 2357.82 2357.899 2357.92	5 60 20 2 300	187. 18.	301 478 488 148 285		
FE SC CR NI FE	- 1V I II	2356.63 2356.68 2356.70 2356.73 2356.91	83 0 34 17	2355.915 2355.964 2355.98 2356.013 2356.196	1 160 1 75 1	12.	720 341 835 378			SI NI CO	11	2358.68 2358.69 2358.775 2358.899 2358.91	2357.96 2357.97 2358.054 2358.177 2358.19	1000 50 2 20 5	35.	1024 678 835 603 506		
V AS CO MN SI	11 1 111	2356.93 2356.93 2356.98 2356.98 2357.01	31 747 89 93	2356.209 2356.2539 2356.267 2356.272 2356.295	3 5 10 10 10	10. 15.	. 301	•	٠	NI FE ZN)	11 11 111	2358.916 2358.929 2358.958 2359.078 2359.095	2358.195 2358.208 2358.236 2358.358 2358.373	40 1 0 10		825 835 645 162 425		
ZN V NI CR V	1V 11 11	2357.00 2357.00 2357.11 2357.30 2357.30	90 24 0	2356.349 2356.369 2356.403 2356.58 2356.624	1 10 100 4 5	22. 208.		, H		MN CO V	1 I I I I I I I I I I I I I I I I I I I	2359.129 2359.169 2359.398 2359.42 2359.488	2358.408 2358.448 2358.676 2358.70 2358.767	. 20 50 10 900 . 6	38. 6. 15.	506 328 603 791 896	M	
CA CU CO AR CO	11 11 11	2357.3 2357.3 2357.4 2357.4 2357.5	616 0 32	2356.632 2356.6408 2356.68 2356.711 2356.78	15 20 7 10 M	13.	825 506 825			CU CR	111 11 1	2359.496 2359.54 2359.573 2359.605 2359.673	2358.775 2358.82 2353.853 2358.884 2358.951	3 5 40 20 50	148.	724 340 463 896 896	M M	
MN NI N CR FE	1 I I I I I	2357.5 2357.5 2357.6 2357.6 2357.6	62 6B	2356.790 2356.864 2356.90 2356.96 2357.005	20 50 1 5 - 40	38 30 49 46	. 328 . 488 . 200 . 340	н		CO FE FE	11 11 11	2359.77 2359.78 2359.831 2359.840 2359.840	2359.05 2359.06 2359.111 2359.118 2359.118	3 8 285 140 140	15. 165. 165. 3.	301 825 483 896 896	Н Н	
FE FE CU SI MN	11 1 111 11	2357.7 2357.7 2357.8 2357.8 2357.9	169 381 90	2357.005 2357.048 2357.160 2357.18 2357.23	40 10 1 30 1	333. 3 3 35.	. 488 896 724 678 328	H	М	S GE	11 111 111		2359.118 2359.142 2359.160 2359.21 2359.2326		379.	896 721 606 285 7	н .	
SE CO V AR MN	I I I I I	1 2358.2 1 2358.2 1 2358.2 1 2358.3 1 2358.4	229 254 310	2357.48 2357.507 2357.532 2357.589 2357.686	10) 114.	468 603 478 506	•		MN CO MN TI FE	1 I 1 I 1 V	2360.108 2360.19 2360.19 2360.220 2360.317	2359.386 2359.47 2359.47 2359.499 2359.595	20 25	* 38.	328 825 328 721 896		

		٠	-	ı
1	è	٠	h	
٩	٠	•		١

ŞPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	₹им	VACUUM WAVELENGT'	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CL CA ZN MN NI	111 111 111 11	2360.40 2360.469 2360.534	2359.67 2359.68 2359.749 2359.815 2359.816	600 1 5 15	24.	43 891 162 328 835		ZN AR B CR FE	111 11 V 11		2361.206 2361.248 2361.27 2361.31 2361.371	12 5 1	46. 270.	162 506 309 340 488	
CA CO NI F FE	111 11 111 111	2360.57 2360.583	2359.83 2359.85 2359.862 2359.949 2359.997	1 10 100 50 125	35.	891 825 835 537 896	н	CO CU CR ZN ZN	11 111 1 11 111	2362.308 2362.31 2362.409	2361.513 2361.586 2361.59 2361.688 2361.688	30 170 2 6 6	8.	825 724 341 154 162	•
AR MN CR ZN CU	11 11 111 111	2360.822 2360.86 2360.873	2360.0592 2360.099 2360.14 2360.153 2360.162	40 30 10 3 20	38. 208.	867 328 340 162 724		AS FE FE MN AS	11 11 11 11	2362.449 2362.449 2362.491	2361.719 2361.728 2361.728 2361.768 2361.78	125 40 40. 80 50	165. 379. 38.	425 488 488 328 584	
SI MN FE FE V	11 111 11 11	2360,957 2361.01	2360.20 2360.234 2360.28 2360.293 2360.334	10 30 F 110 50	36. 38 121. 36. 43	678 328 168 896 478	н	CR AR FE V CR	11 11 111 111	2362.68	2361.79 2361.820 2361.936 2361.96 2362.00	3 10 1 15 1	111.	340 506 378 325 340	
NI FE CO FE SI	11 11 11 11	I 2361.133 I 2361.231 I 2361.233	2360.396 2360.411 2360.509 2360.511 2360.59	1 30 50 30 5	35.	835 896 825 896 678	M	FE F NI AR AS	11 11:1 1 11 11	2362.791 2362.805	2362.020 2362.043 2362.070 2362.083 2362.083	40 12 50 10	35. 5.	896 537 488 506 425	н
NI CU CR NI AR	1 11 11 11	I 2361.3612 I 2361.47 I 2361.488 I 2361.499		50 1 8 2 5	46.	488 612 340 835 506		NI CR CR MN CD	11 1 11 11 1	2362.91 2362.98 2363.029	2362.111 2362.19 2362.26 2362.307 2362.327	5 15 2 5 8	40. 111. 62.	835 341 340 328 603	
CO CR AS FE	1	1 2361.512 1 2361.512 1 2361.61 1 2361.624	2360.789 2360.790 2360.89 2360.902 2361.009	9 20 6 0 12	116. 46.	603 825 340 425 896	М	NI MN FE SC NI	11 111 111 1V 11	2363.073 2363.08 2363.124 2363.151 2363.249	2362.351 2362.36 2362.401 2362.430 2362.527	1 10 25 70 1	15.	835 301 188 720 835	
MN CR CD S CU	111 11 111 111	2361.81 2361.852 2361.89	2361.038 2361.09 2361.130 2361.17 2361.1907	3 1 15 200 3	46.	301 340 825 265 612		FE V NE CU MN	I I I I I I I I I I I I I I I I I I I	2363.346 2363.355 2363.40 2363.4037 2363.442	2362.624 2362.632 2362.68 2362.6815 2362.719	1 20 350 3 1	185.	378 478 1024 612 148	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	1 2363.588	2362.752 2362.866 2362.98 2363.05 2363.220	150 10 . 2 10 5	5.	509 506 661 480 672		TI SI CO CR CR	II I I I I	2365.77 2365.78 2365.781 2365.85 2365.87	2365.05 2365.06 2365.057 2365.13 2365.15	10 2 18 5 4	13. 36. 6. 39. 111.	488 678 603 341 340	
CR I	V 2364.00 I 2364.04	2363.234 2363.28 2363.32 2363.51 2363.641	100 350 1 120 5	165.	724 1024 340 188 488		NE- NI CL CR ZN	11 111 11 11 11	2365.876 2365.90 2365.965 2365.98 2366.009	2365.153 2365.17 2365.242 2365.26 2365.287	70 10 1 20 5	23. 203.	563 661 613 340 162	
NI I CO I AR I	I 2364.37 I 2364.371 I 2364.518 I 2364.522 I 2364.532	2363.65 2363.649 2363.796 2363.800 2363.811	3 1 6 5 40	111. 8. 270.	340 835 825 506 488	н	FE NE NI MN NE	1 111 111 111 1V	2366.017 2366.10 2366.16 2366.136 2366.21	2365.294 2365.38 2365.383 2365.413 2365.49	10 200 2 20 150	15.	896 1031 835 301 1024	M M
MN I FE I HE	I 2364.546 I 2364.55 I 2364.582 I 2364.6 I 2364.679	2363.823 2363.83 2363.860 2363.9 2363.956	4 1 60 6	379.	148 328 896 126 148		FE NI NI KR N	. 11 I II II		2365.509 2365.576 2365.657 2365.677 2365.70	1 100 5 200	107. 8. 18.	605 835 488 509 521	P
N I AR CU	2364.74 1 2364.76 1 2364.835 1 2364.876 1 2364.908	2364.02 2364.04 2364.112 2364.1544 2364.187	10 1 50 10 2	10. 48.	340 200 506 612 162		NE NI FE AS CR	111 11 11 11 11		2365.74 2365.739 2365.764 2365.845 2365.91	120 15 80 5 125	1.	1031 835 896 425 341	M
NI SI V	I 2364.974 II 2365.02/ II 2365.05 II 2365.113 IV 2365.235	2364.251 2364.305 2364.33 2364.390 2364.512	3 50 3 2 1	35.	603 835 678 478 829		NI FE CO SI CR	111 11 1 1	2366.770 2366.776	2365.97 2366.040 2366.046 2366.053 2366.14	8 1 5 5 25	23. 287. 18.01 40.	661 488 603 678 341	
CR I	2365.362 11 2365.410 1 2365.433 1 2365.45 11 2365.506	2364.640 2364.688 2364.710 2364.73 2364.783	1 150 12 150 0	1.	509 893 896 341 425	M	KR ZN CR V CR	111 111 111 111	2366.97 2366.99	2366.150 2366.157 2366.28 2366.27 2366.31	40 3 1 900 50	15. 39.	509 162 340 791 341	
FE GO FE NE	2365.549 11 2365.55 1 2365.631 11 2365.699 11 2365.70	2364.826 2364.83 2364.908 2364.976 2364.98	140 3 10 50 2	3.	896 825 896 563 340	H M	V NI MN FE MN	11 11 11 11	2367.265 2367.299 2367.315	2366.490 2366.542 2366.575 2366.591 2366.744	25 100 1 25 5	25. 36. 35.	478 835 148 896 148	н

FE 11 2367,586 2366,864 5 236,864 5 165, 488 H FE 1 2369,685 2368,929 10 895 M V 11 2367,609 2366,889 20 43, A70 H RI 11 2367,609 2366,889 20 43, A70 H RI 11 2369,689 2368,973 90 509 M M 11 2367,63 2368,910 30 509 M RI 11 2367,703 2366,980 1 6612 AR 11 2369,891 2369,100 120 54. 893 CU 11 2367,703 2366,980 1 6612 AR 11 2369,891 2369,187 20 5.50 M RI 111 2367,703 2366,980 1 6612 AR 11 2369,912 2369,187 20 5.50 M RI 111 2367,74 2367,02 140 1031 M RI 11 2369,912 2369,187 20 5.50 3.6 835 M RI 111 2367,74 2367,02 250 1024 M FE 11 2369,912 2369,187 20 13.8 488 H RI 11 2367,74 2367,02 150 488 H RI 11 2367,74 2367,02 150 488 H RI 11 2367,74 2367,02 150 488 H RI 11 2367,713 2367,915 2367,192 15 825 FE 11 2370,010 2369,32 20 13. 488 H RI 12367,915 2367,192 3 3 162 AL 1 2367,915 2367,192 3 5 M RI 111 2367,915 2367,192 3 3 3 4 M RI 11 2367,915 2367,192 3 5 M RI 11 2367,915 2367,192 3 3 3 4 M RI 11 2367,915 2367,192 3 5 M RI 11 2367,917 2367,248 10 5 M RI 11 2367,917 2367,248 10 5 M RI 11 2367,917 2367,248 10 5 M RI 11 2367,917 2367,254 30 5 M RI 11 2367,917 2367,458 80 M RI 11 2368,101 2369,137 M RI 11 2368,130 M R	SPECTI		VACUUM WAVELENGT'I	·AIR WAVELENGTH	1111213111	MOLITICE!	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NUTES	
FE 11 2367.586 2366.864 5 2.4	SI AR CR F	IV II III	2367.478 2367.501 2367.53	2366.755 2366.778 2366.81	40 20 100	31.	767 506 341		TI TI FE	I I I I	2369.29 2369.29 2369.319	2368.57 2368.57 2368.595	20 20 80	13. 12.	488 488 896	н	
SI 11 2367.965 2366.972 5 18.01 678 CR 111 2367.98 239.100 120 54. 893 CU 11 2367.973 2366.990 1 1 612 AR 11 2369.915 2369.167 20 . 55b NE 111 2367.74 2367.02 256 1024 M NI 11 2369.915 2369.167 20 . 55b NE 111 2367.74 2367.02 256 1024 M NI 11 2369.915 2369.232 5 112. 488 H NI 12369.915 2369.2369.232 5 112. 488 H NI 12369.915 2369.232 5 112. 488 H NI 12369.915 2369.435 80 H SP NI 12369.915 2369.335 80 H SP NI 12369.915 2369.915	FE FE V Mn	11 11	2367.586 2367.586 2367.608	2366.864 2366.864 2366.883	· 5 · 5 · 20	2. 165. 43.	488 488 478 328	н	MN FE NI	1 I 1 1 I	2369.62 2369.653 2369.659	2368.90 2368.929 2368.935	10 10 2		328 896 835	W	•
ZN 111 2367,914 2367,192 3 162 AL I 2370.028 2369.304 160 11, 198 CC 11 2367.915 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,195 2367,296 11 2367,197 2367,248 10 50 500 FE 11 2370.1795 2369,455 80 895 FE 11 2370.1795 2369,455 80 895 FE 11 2370.1795 2369,455 80 11, 895 FE 11 2370.2795 2369,455 80 11, 895 FE 12 2370.1795 2369,455 80 11, 895 FE 12 2370.3795 2369,455 80 11, 895 FE 12 2370.3795 2369,455 80 11, 895 FE 12 2370.399 2369,674 80 11, 895 FE 12 2370.399 2369,674 80 17, 480 FE 12 2368,110 2368,180 2367,385 100 11, 835 H CD J 2370.398 2369,674 15 60, 603 FE 12 2368,117 2368,180 2367,434 40 246 KR 11 2370.4510 2369,7272 60 896 M 11 2368,181 2367,485 10 825 MN 11 2370.499 2369,777 8 3289 FE 12 2370.4510 2369,777 8 3289 FE 12 2370.499 2369,777 8 8328 FE 12 2370.699 150 51, 612 AL 12 2368,254 2367,551 1 162 CU 11 2370.619 2369,863 15 839 FE 12 2370.699 150 51, 612 AL 12 2368,334 2367,611 100 11, 198 FE 12 2370.699 2369,915 10 896 M 11 2368,559 2367,658 10 10, 341 FE 11 2370.699 2369,915 10 896 M II 2368,559 2367,551 1 1 148 CU 11 2370.699 2369,915 10 896 M II 2368,559 2367,551 1 1 148 CU 11 2370.699 2369,915 10 896 M II 2368,559 2367,551 1 1 148 CU 11 2370.699 2369,915 10 1000 AL 11 12 2368,859 2367,915 1 1 12 2370.699 2370.00 1 1 1000 AL 11 12 2368,859 2368,775 1 1 12 2368,859 2368,775 1 1 12 2368,859 2368,775 1 1 12 2370.499 2370.225 130 111 198 AL 11 2368,859 2368,877 340 111 198 AL 11 2370.999 2370.225 130 111 198 AL 11 2368,859 2368,877 340 111 198 AL 11 2370.999 2370.225 130 111 198 AL 11 2368,859 2368,877 340 111 198 AL 11 2370.999 2370.225 130 111 198 AL 11 2370.999 2370.225 130 111 198 AL 11 2370.999 2370.225 130 111 1198 AL 11 2370.999 2370.225 130 111 1198 AL 11 2370.999 2370.261 2370.999 2370.225 130 111 1198 AL 11 2370.999 2370.261 2370.999 23	CU NE NE AL	11 111 111 1	2367.703 2367.74 2367.74 2367.776	2366.980 2367.02 2367.02	1 140- 250	:	678 612 1031 1024		AR NI FE	11 11 11	2369.911 2369.942 2369.955	2369.187 2369.218 2369.232	20 50 5	36. 182. 13.	50ს 835 488	н	
NA 111 2368.018 2367.296 270 11. 835 H AS 1 2370.39 2369.67 80 17. 480 NI 11 2368.108 2367.385 100 11. 835 H CD 1 2370.398 2369.674 15 60. 603 FE 1 2368.117 2367.394 0 240 KR 11 2370.463 2369.740 40 509 M CD 11 2368.18 2367.45 10 825 MN 11 2370.49 2369.777 8 328	ZN CD AR F CR	111 11 11 111	2367.914 2367.915 2367.971 2367.977	2367.192 2367.248 2367.254	15 10 30 3	•	825 50ს 537		FE FE FE NI	-11 11 1	2370.061 2370.179 2370.1795	2369.347 2369.455 2369.4558	M 80 88	1,1 .	645 896 896		
N III 2368.25 2367.53 25 28.0 521 NI II 2370.587 2369.863 15 835 ZN III 2368.254 2367.531 1 162 CU II 2370.6137 2369.8899 150 51. 612 AL I 2368.334 2367.611 100 11. 198 FE I 2370.639 2369.915 10 89G M NI II 2368.391 2367.668 2 835 AR II 2370.640 2369.916 20 506 MN I 2368.575 2367.851 1 148 CO I 2370.649 2369.924 9 62. 603 CR I 2368.58 2367.86 10 10. 341 FE II 2370.6774 2369.9536 80 379. 896 CU III 2368.638 2367.915 1 724 V 1 2370.72 2370.00 1 1 1000 AL I 2368.835 2368.112 100 11. 198 MN II 2370.81 2370.09 12 328 CU III 2368.898 2368.174 340 20. 724 AL 1 2370.949 2370.225 130 11. 198 AL IV 2368.995 2368.272 40 888 V V V 2370.984 2370.261 30 929	NI FE N	II I III	2368.108 2368.117 2368.15	2367.385 2367.394 2367.43 2367.45	270 100 0 40 10	÷	835 378 240		CD FE KR]]]]	2370.398 2370.4510 2370.463	2369.674 2369.7272 2369.740	15 60 40		603 896 509	M	
MN I 2368.575 2367.851 1 148 CD I 2370.649 2369.924 9 62. 603 CR I 2366.58 2367.866 10 10. 341 FE II 2370.6774 2369.9536 80 379. 896 CU III 2368.638 2367.915 1 724 V I 2370.72 2370.00 1 1000 AL I 2368.835 2368.112 100 11. 198 MN II 2370.81 2370.09 12 328 CU III 2368.898 2368.174 340 20. 724 AL I 2370.949 2370.225 130 11. 198 AL IV 2368.995 2368.272 40 888 V V V 2370.984 2370.261 30 929	N ZN AL NI	111	2368.25 2368.254 2368.334	2367.53 2367.531 2367.611 2367.668	1 100 - 2	11.	521 162 198 835	F	NI CU FE	11 11 1.	2370.58/ 2370.6137 2370.639	2369.863 2369.8899 2369.915	15 150 10	51.	835 612 896		
AL IV 2368.995 2368.272 40 888 V V 2370.984 2370.261 30 929	MN CR CU AL	I I III I	2368.58 2368.638 2368.835	2367.86 2367.915 2368.112	1 10 1 100 340	10. 11. 20.	148 341 724 198		FE V MN	1 I 1 1 I	2370.6774 2370.72 2370.81	2369.9536 2370.00 2370.09	80 1 12	379.	896 1000 328		
MN II 2369.12 2368.40 0 328 CO II 2371.02 2370.30 1 825 SC IV 2369.13B 2368.415 20 720 CL III 2371.09 2370.37 600 24. 43 CR III 2369.163 2368.440 10 893 CR I 2371.09 2370.37 35 39. 341 CR I 2369.18 2368.46 3 341 CR III 2371.112 2370.389 90 893	MN SC CR	11 VI 111	2369.12 2369.138 2369.163	2368.40 2368.415 2368.440	40 20	. <i>'</i>	328 720 893		CO CL CR	11 111 1	2371.02 2371.09 2371.09	2370.30 2370.37 2370.37	1 600 35		825 43 341		

ŞPEC	CTRUM	VACUUM	AlR	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTE		VACUUM	AIR	INTENSITY	MULTIPLET	REFERENCE	NOTES
٠.		WAVELENGTH	WAVELENGTH							WAVELENGT'I	WAVELENGTH				
FE CO N AR CR	11 1 111 11	2371.239 2371.25 2371.355	2370.4993 2370.514 2370.53 2370.631 2370.66	25 10 10 5 3	35. 8. 28.0	896 603 521 506 341	н	NE V O TI CU	IV 11 111 1		2372.16 2372.168 2372.201 2372.23 2372.28	500 15 25 10	12.	1024 478 1032 488 672	
MN AL CO CU NI	11 1 11 11 11	2371.450 2371.450	2370.70 2370.726 2370.726 2370.7470 2370.765	20 60 25 25 50	11. 76.	328 198 825 612 835		NI CO V CR CO	11 11 11 111	2373.12 2373.16 2373.200	2372.361 2372.39 2372.43 2372.476 2372.51	15 5 1 90 2		835 825 1000 893 825	
AS FE ZN FE SI	1 1 1 1 VI	2371.498 2371.55J	2370.77 2370.774 2370.806 2370.909 2370.985	100 12 3 4 90	17. 31.	480 896 162 896 767	M	ZN N V FE CR	111 111 11 11	2373,24 2373,309 2373,357	2372.510 2372.52 2372.584 2372.633 2372.63	5 4 20 10 2	28.0 25. 333. 127.	162 521 478 896 340	н
AL V NI SE CR	IV 111 111 111	2371,76 2371,762 2371,78	2371.027 2371.04 2371.038 2371.06 2371.18	50 1000 40 150 2	10. 70.	888 791 835 587 341		CL FE O CO CR	111 111 111 1	2373.501 2373.546	2372.7 2372.777 2372.822 2372.832 2372.88	0 1 10 15 20	148. 9. 39.	43 488 1032 603 341	
CR GA ZN FE CO	11 1 111 1	2372.01 2372.126 2372.1547	2371.23 2371.29 2371.402 2371.4305 2371.458	40 15 110 15	5. 11. 133.	340 488 162 896 603		CO KR AL NE AL	11 11 1 1 1	2373.821 2373.847 2373.93	2373.085 2373.097 2373.122 2373.21 2373.351	5 10 100 800 7	4.	825 509 198 1024 198	
CO AR AR MN GE	11 11 11	2372.386 2372.4633 2372.481	2371.601 2371.662 3 2371.7390 2371.758 2371.793	7 10 40 10	•	825 506 867 328 676		MN CO MN CO	1 I V 1 I	2374.096 2374.183 2374.21	2373.357 2373.370 2373.459 2373.49 2373.56	140 20 10 15	38.	328 603 929 328 603	
ZN CO CO TI AS	1 I 1 1 I	2372.570 2372.570 2372.67 2372.718	2371.825 2371.845 2371.846 2371.95 2371.994	0 6 15 20 10	12. 12.	162 603 825 488 425		AL FE ZN MN KR	I III III	2374.3492 2374.351 2374.36	2373.571 2373.6245 2373.627 2373.64 2373.695	100 170 0 2 120	11. 11.	198 896 162 301 509	
GE		2372.767 2372.78 2372.794	2372.043 2372.05 2372.070 2372.070	1 0 160 160	3. 11.	676 606 198 198		CR CR FE AR	I 1 I 1 I 1 I	2374.43 2374.4598	2373.69 2373.70 2373.7351 2373.737 2373.75	50 2 125 5	39. 2.	341 340 896 506 825	н

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN CO FE	I 2374.531 I 2374.570 I 2374.587 I 2374.629 I 2374.75	2373.806 2373.845 2373.862 2373.904 2374.02	8 10 9 60 50	14. 13. 115.	896 301 603 188 325	M	NI II MN III CR I NI II NI I	2376.7 2376.71 2376.735	2375.901 2375.9 2375.98 2376.010 2376.016	3 7 75 35	70. 30.	835 909 341 835 488	F _.
AS I CR 11 FE		2374.085 2374.144 2374.176 2374.247 2374.255	6 3 40 8 5	18.01	896 425 893 896 678	M	CU 11 V 11 MN 111 CR 11 AR 11	2377.06 2377.1 2377.13	2376.3036 2376.33 2376.4 2376.40 2376.430	50 1 5 10	176. 147.	612 478 909 340 506	F
FE I	I 2375.037 I 2375.04 I 2375.114 I 2375.181 I 2375.182	2374.312 2374.31 2374.389 2374.456 2374.456	20 2 10 6 4	15.	301 478 896 825 603		FE II FE II MN II FE CO	2377.451 2377.455	2376.4297 2376.725 2376.730 2376.971 2376.975	110 60 20 0 6	379. 115.	896 188 328 378 603	٠.
FE CR I NI I	1 2375.221 1 2375.2430 1 2375.30 1 2375.30 1 2375.31	2374.496 2374.5182 2374.57 2374.582 2374.59	25 110 1 20 30	11. 11.	198 896 340 835 488		V CR II MN CO CR I	2377.909 2377.941	2377.083 2377.159 2377.183 2377.215 2377.32	3 60 30 12 2	89. . 2. 63.	1000 893 148 603 340	
V I ZN 11 N1 I NE I ZN 11	1 2375.420 1 2375.527 1 2375.541	2374.649 2374.695 2374.802 2374.816 2374.935	6 8 5 40 0		478 162 835 563 162		AR I BR 1 MN 1 NI 1 ZN 11	I 2378.065 I 2378.07 I 2378.075	2377.332 2377.341 2377.34 2377.350 2377.414	10 0 8 5 6	28.	506 606 328 835 162	
FE CR C I	1 2375.711 1 2375.720 1 2375.79 1 2375.81 1 2375.861	2374.986 2374.995 2375.06 2375.08 2375.136	520 20 5 40 2	39. 26.	227 896 341 287 676	· M	MN 11 GA 1 V 11 ZN 11 CU 11	1 2378.25 1 2378.32 1 2378.492	2377.5 2377.53 2377.62 2377.769 2377.788	30 10 3 5		909 652 325 162 724	F
FE I CR · NI I	1 2375.909 1 2375.9185 1 2376.14 1 2376.143 1 2376.214	2375.184 2375.1935 2375.41 2375.418 2375.489	40 60 40 320 40	8. 36. 21.	825 896 341 835 563	<u>.</u> н	CR	1 2378.5181	2377.7925 2377.9 2377.891 2377.94 2377.991	3 6 10 2	107. 107.	612 909 896 341 605	F
F I FE CR I	I 2376.254 I 2376.40 I 2376.403 I 2376.42 I 2376.440	2375.529 2375.68 2375.678 2375.69 2375.714	250 10 0 4 0	146.	509 538 378 340 645		FE I TI SC I	1 2378.87	2378.07 2378.125 2378.15 2378.200 2378.262	20 20 30 1 4	70. 12.	341 896 488 720 1000	

SPECTR	RUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR	11	2379,01	2378.28	3	45.	340		CR	I	2380.58	2379.85	10	39.	341	
V	1 V	2379.015	2378.290	• 1		829		AR I	11	2380.5882	2379.8621	30	. •	867	
CR CU	111		2378.306 2378.4053	90 2	•	893 612		CR II	11	2380.639 2380.68	2379.915 2379.95	120 10	10.	893 341	
FE		2379,250	2378.526	20	270.	488		ŽN II		2380.843	2380.119	5		162	
FE	11	2379.250	2378.526	20	377.	488 .			ļ	2380.905	2380.178	5	28.	1000	
MN NI	11	2379.276 2379.306	2378.610 2378.580	8 10	•	328 835		MN II	1 I I I	2380.905 2380.931	2380.179 2380.205	20 40		301 896	
FE		2379.330	2378.604	1	•	378			ì	2380.993	2380.266	8	28.	1000	
CO	11	2379.349	2378.623	. 40	7.	825	H	MN 1	11	2381.001	2380.275	10		328	
CR		2379.41	2378.68	5	45.	340			I 1	2381.079	2380.353	.10		. 835	
FE FE	II.	2379.415 2379.546	2378.691 2378.820	. 10	388.	488 896	м		1 I 1 I	2381.093 2381.161	2380.367 2360.435	10 1	•	563 613	
CU	11	2379.5705	2378.8447	40		612			ï	2381.19	2380.46	7	10.	341	
AS		2379.574	2378.849	. 3		425		co ·	I	2381.210	2380.483	-:20	6.	603	
MN	11	2379.58	2378.86	10		328			11.	2381.217	2380.493	. 5		162	
O CR	III	2379.590 2379.63	2378.867 2378.90	. 40° 3	45.	1032 340			I I I	2381.22 2381.423	2380.50 2380.696	M 4	10.	825 603	
co	ï		2378.905	5	125.	603			11	2381.441	2380.715	4		537	
.FE	11	2379.727	2379.003	20	182.	488		NI I	11	2381.449	2380.723	5		835	
MN	11	2379.73	2379.01	5	•	328			٧	2381.46	2380.73			309	
MN GE	II I	2379.82	2379.10 2379.1443	. i 20	9.	328 7		FE 1	H	2381.4877 2381.52	2380.7615 2380.80	110 40	3. 13.	896 489	н
v		2379.876	2379.149	100	43.	.478			i	2381.536	2380.812	10	13.	488	
FE	11	2379.879	2379.155	20	211.	- 488		CU I	11	2381.581	2380.855	3.		724	
CO.	٠ ١	2379.887	2379.160	4	12.	603			1	2381.601	2380.875	15		896	м
CR F	I I I I		2379.17 2379.266	1 12		341 537			1 I 1 I	2381.63 <i>1</i> 2381.71	2380.910 - 2380.98 -	120 15	25.	478 825	
FE	11		2379.273	80	36.	896	н		11 -		2381.019	10		328	
CO	I		2379.357	4		603		CR 1	11	2381.794	2381.070	250		893	
CU	I	2380.09	2379.36	2		672			11	2381.825	2381.098	. 1		835	
MN CU	11		2379.40 2379.4053	0		328 612			1 I 1 I	2381.837 2381.864	2381.113 2381.138	3 30		162 50ຄ	
FE	11		2379.407	20		896			Ī	2381.91	2381.18	150	5.	480	
AR -	11		2379.429	10		506		NI		2381.936	2381.210	30		835	
CL	111	2380.19	2379.47	500	17.	38			I	2381.98	2381.26	. 4		603	
CR '	1		2379.56	.∴ 8 100	38.	341				2382.027	2381.303	4	70.	162 341	
CU N-I	111	2380.300	2379.574 2379.591	100		835 724			I 1 I	2382.09 . 2382.18	2381.36 2381.46	7 M	70.	341 825	
NI	i	2380.444	2379.720	. Š	55.	488				2382.183	2381.456	10		506	

	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	TRUM	VACUUM WAVELENGT'H	·AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES
CR MN NI LI V	11 11 11 11	2382.23 2382.242 2382.264	2381.48 2381.51 2381.516 2381.538 2381.712	50 1 10 1	34.	340 328 835 307 829	•	LI FE NI ZN CR	II III III III	2383.926 2383.9720 2383.99 2384.00 2384.031	2383.199 2383.2452 2383.26 2383.27 2383.303	1 60 2 2 40	36.	307 896 661 162 341	н
CO ZN MN FE NI	11 111 11 11	2382.508 2382.53	2381.80 1 2381.8346	50 0 2 125 8	11.	825 162 328 896 835		AL V CD AR NI	! V ! ! ! ! ! !	2384.080 2384.160 2384.182 2384.213 2384.267	2383.355 2383.432 2383.455 2383.486 2383.540	5 6 50 60 5	7.	888 478 825 506 835	
MN GE CR F NI	11 11 11 111	2382.76 2382.715	2381.97 2381.989	1 3 2 80 8	44.	328 676 340 537 835		O MN ZN AR V	111 11 11 11	2384.638 2384.648 2384.648 2384.6645	2383.913 2383.921 2383.923 2383.9375 2383.995	90 30 30 20 80	25.	1032 328 154 867 478	
V CU FE ZN MN	11 111 111 111	2382.762 2382.783 2382.84	2382.033	60 10 320 1 2	2.	478 724 896 162 328	Н	MN AS CO MN NE	1 11 11 11	2384.777 2384.782 2384.82 2384.858 2384.93	2384.049 2384.054 2384.10 2384.131 2384.20	40 30 2 0 100	2.	148 425 825 328 1024	
MN CR ZN O CO	11 111 111 111	2382.93 2382.973 2382.992	2382.20 2382.248 2382.267	2 5 0 120 40	44.	148 340 162 1032 825		V MN CR NI FE	I II I I 11	2385.014 2385.06 2385.11 2385.115 2385.1154	2384.286 2384.33 2384.38 2384.390 2384.3883	20 10 1 30 50	10. 36.	1000 328 341 488 896	Н
FE CR NI V AR	1.1	2383.09 2383.16 2383.18 2383.29	2382.36 2382.439 2382.46	40 7 40 750 10	35. 39.	488 341 835 791 506	н	FE TI FE O TI	I I I V	2385.1496 2385.25 2385.275 2385.34 2385.361	2384.4225 2384.52 2384.548 2384.61 2384.636	100 40 20 120 10	12.	896 488 896 86 727	M M
CR NI MN FE CU	11 11 11 111	2383.402 2383.61 2383.624	2382.88 2382.897	1 8 12 20 5	117.	341 835 328 896 724		V V NI NI MN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2385.37 2385.456 2385.472 2385.5 2385.552	2384.64 2384.729 2384.745 2384.8 2384.825	5 10 100 20		1000 829 835 922 301	FΡ
AR MN V FE CU	. 11 . 11 . 11	2383.719 2383.766 2383.787	2382.991 2383.038 2383.060	10 20 3 20 2	29. 2.	506 328 1000 896 724	н	CU CO MN CU CO	II II II	2385.58 2385.586 2385.640 2385.6716 2385.68	2384.80 2384.858 2384.912 2384.9444 2384.95		5. 76.	670 603 328 612 825	

0			7
	1	-	٦
		-	•

	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NO 1
	NE AR V FE NI	IV 11 11 11		2384.95 2384.965 2384.996 2385.005 2385.011	500 40 6 10 15	35.	1024 506 478 896 488	H N	CO CR N MN	I 11 11	2387.458 2387.50 2387.51 2387.535 2387.668	2386.730 2386.77 2386.78 2386.807 2386.940	30 7 5 12 20	18.0	825 341 200 328 328	
	CU MN V HE CU	11 1 11	2385.823 2385.823 2385.87 2386.131 2386.135	2385.096 2385.096 2385.14 2385.404 2385.408	1 10 2 0		612 328 1000 309 724		V . NA MN CR NE	1 I []	2387.685 2387.720 2387.732 2387.76 2387.767	2386.956 2386.994 2387.004 2387.03 2387.039	40 540 40 4 5	89. 48. 127.	1000 516 328 340 563	
	CU MN FE MN V	1 I I I I	2386.249 2386.259 2386.307 2386.344 2386.35	2385.522 2385.532 2385.580 2385.618 2385.62	1 10 1 10 :50	15.	724 328 378 328 791		NE NI FE ZN MN	111 . I 111	2387.832 2387.92 2387.944 2387.95 2387.996	2387.104 2387.28 2387.216 2387.22 2387.268	5 10 5 10 8	26.	563 661 896 162 328	
103	CR CD KR FE AR	1 11 1	2386.45 2386.541 2386.572 2386.6 2386.663	2385.72 2385.813 2385.846 2385.9 2385.936	7 9 10 1	39. 69.	341 603 509 605 506		CL MN FE FE CO	11 11 11		2387.3 2387.335 2387.380 2387.424 2387.464	300 12 20 20 M	286.	43 328 1026 488 825	
	ZN CR NI CR MN		2386.81	2386.1 2386.08 2396.115 2386.18 2386.206	2 3 15 10	38.	162 340 835 341 328		CO CR V FE NI			2387.549	10 2 5 8 20	27. 54.	603 341 1000 896 488	
	S BR CO FE V	IV II II II	2387.032 2387.091 2387.113	2386. 2386.306 2386.363 2386.387 2386.409	150 20 20 20	7. 396. 60.	107 606 825 488 1000	H	V CU NI MN V	1 V 1 I I 1 I 1 I 1 I	2388.492 2388.507	2387.663 2387.693 2387.764 2387.779 2387.780	3 5 100 8 8	19.	829 724 935 328 1000	
	NI V BR CO MN	• -	2387.18 2387.202 2387.238 2387.243	2386.438 2386.45 2386.476 2386.509 2386.515	5 2 500 3 0		835 478 606 603 328		FE .AR V CA V	11	2388.6598 2388.66 2388.678	2387.93 2387.950 2388.084	1 30 3 200 35		378 867 478 85 1000	
	NI MN KR BR MN	1 11 11	2387.311 2387.333 2387.393 2387.432 2387.443	2386.585 2386.605 2386.667 2386.706 2386.715	50 10 1 1000 8	32.	488 328 509 606 328		CO O N FE V	1 111 11 11	2388.93 2388.958 2388.963	2388.175 2388.20 2388.230 2388.235 2388.260	1 40	18.0 148.	200 896	

	SPECTRUM		VACUŪM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
	FE CC BR	1 I I 1 I	2388.996 2389.1004 2389.103 2389.254 2389.3563	2388.268 2388.3725 2388.374 2388.527 2388.6283	10 40 3 150 170	117. 110. 2.	506 896 603 606 896	н	FE CO O V KR	1 I 1 I I 1 I I 1 I	2391.155 2391.17 2391.199	2390.311 2390.426 2390.44 2390.470 2390.528	1 4 150 15 90	304.	488 603 168 478 509		
	BR MN MN	11 11 11	2389.41 2389,428 2389.43 2389.45 2389.639	2388.69 2388.701 2388.70 2388.72 2388.910	15 350 20 5 40	89.	301 606 328 328 1000		FE CU FE V N	11 111 11 11 1	2391.273 2391.438 2391.494 2391.503 2391.594	2390.546 2390.709 2390.766 2390.774 2390.866	1 10 20 30 70	304. 402. 28. 18.0	488 724 896 1000 200		
	MN BR AR	I I I I I I	2389.654 2389.702 2389.712 2389.728 2389.763	2388.926 2388.973 2388.985 2389.000 2389.035	40 20 800. 10 5	7.	825 328 606 506 301		V ZN AR V NI	111 11 111	2391.597 2391.60 2391.606 2391.68 2391.84	2390.868 2390.87 2390.878 2390.95 2391.11	4 30 20 30 15	29. 23.	1000 162 506 325 661		
104	MN 1 V CR	111 11 1	2389.803 2389.87 2389.873 2389.94 2390.153	2389.075 2389.15 2389.144 2389.21 2389.426	5 5 2 3 25	43. 37.	328 301 478 341 509		V V V MN CO	I I I I	2391.91 2391.955 2391.997 2392.011 2392.098	2391.18 2391.226 2391.268 2391.281 2391.369	10 10 30 20 9	73. 60.	325 478 1000 328 603		
	MN	-I 11 111	2390.16 2390.2007 2390.218 2390.262 2390.269	2389.43 2389.4725 2389.490 2389.533 2389.540	10	36. 9. 131. 10.	341 . 7 328 188 603	- Н	FE CU NI FE SE	111 11 1	2392.534	2391.478 2391.739 2391.805 2391.826 2391.93	15 290 20 1	35. 20.	896 724 835 378 587	H	
	AS V BR	11 11 11	2390.269 2390.4030 2390.425 2390.453 2390.48	2389.541 2389.6747 2389.696 2389.726 2389.75	40 25 100 1000	7. 25. 146.	825 425 478 606 340	H	CR V CD CO CR	1 1	2392.68 2392.73 2392.759 2392.76 2392.795	2391.95 2392.00 2392.029 2392.03 2392.067	3 1 1 4 300	39. 6.	341 1000 603 825 893		
	FE FE CO	II I I	2390.520 2390.597 2390.7012 2390.713 2390.776	2389.792 2389.870 2389.9728 2389.984 2390.048		244. 11. 60.	328 488 896 603 537		FE NI FE V BR	. '	2392.818 2392.835 2392.8787 2392.90 2392.971	2392.089 2392.106 2392.1499 2392.17 2392.243	10 30 25 2 500	36.	896 835 896 478 605	M	
	SE I ZN CR	1 I I 1 I 1	2390.78 2390.79 2390.805 2390.82 2390.8259	2390.05 2390.06 2390.078 2390.09 2390.0975	1 85 20 4		496 587 154 341 896		NI CU CR BR MN	111 1 11		2392.289 2392.324 2392.34 2392.470 2392.52	5 2 10 600 10	36.	835 724 341 606 328		

SPECTRUM	VACUUM WAVELENGTH		INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE NI	II 2393.28 II 2393.308 II 2393.317 II 2393.32 I 2393.357	2392.588 2392.59	5 20 100 40 500	° 36. 19.	340 896 835 825 672		LI I MN II CU III NI II AL IV	2395.124 2395.192 2395.249	2394.386 2394.395 2394.463 2394.519 2394.524	3 10 1 320 50	5. 20.	488 • 328 724 835 888	н.
V KR CR	11 2393.415 11 2393.428 11 2393.518 11 2393.53 11 2393.537		1 8 200 4 10	299.	612 478 509 340 506		MN 11 CL 111 FE 1 NI 11 FE 11	2395.46 2395.562 2395.572	2394.54 2394.73 2394.832 2394.843 2394.892	25 500 8 100 40	14. 36. 116.	328 43 696 835 488	м н н
	I 2393.59 I 2393.628 I 2393.669 II 2393.76 I 2393.823	2392.961 2393.03	25 40 75 80	36. 60. 31. 66.	341 1000 468 162 378		V 11 B 11 V 1 MG 111 MN 11	2395.777 2395.835 2395.88	2394.92 2395.048 2395.104 2395.15 2395.383	2 500 30 640 40	4. 60. 5. 48.	478 532 1000 2 328	:
ZN , I	1 2393.837 11 2393.893 11 2393.93 11 2393.97 11 2393.989	2393.164 2393.204 2393.24	5 300 100 3 4	31.	488 85 532 162 612		V		2395.390 2395.395 2395.4196 2395.429 2395.43	6 250 40 10 30	2. 60. 48.	603 606 896 1000 328	. H
CR V I NA I	11 2394.05 11 2394.08 11 2394.27 11 2394.318 11 2394.32	2393.32 2393.35 2393.54 2393.590 2393.59	50 4 625 270 0	10.	606 340 791 516 496		V IV NI 11 CO 11 FE 11 CR 1	2396.236 2396.246 2396.354	2395.450 2395.507 2395.516 2395.624 2395.77	10 1 20 320 8	2. 38.	829 835 825 896 341	н
MN V	I 2394.365 II 2394.416 II 2394.43 II 2394.544 II 2394.634	2393.687 2393.70 2393.814	1 1 3 8 40	, 73. 8.	603 425 328 478 825			2396.57 2396.60	2395.80 2395.84 2395.89 2396.00 2396.04	1 2 2 5 7	35. 37. 37.	328 341 341 506 341	
CU	11 2394.72 11 2394.759 11 2394.761 1 2394.787 1 2394.809	2394.033 2394.058	50 3 510 0 40	146. 9.	340 612 516 378 7	:		2397.09	2396.089 2396.1014 2396.232 2396.36 2396.378	1 - 20 10 30 15	132. 36. 12.	1000 896 603 341 488	М
, co	I 2394.882 II 2394.900 I 2394.957 I 2395.00	2394.172 2394.227	2 1 4 10 60	303. ° 62.	1000 488 603 1000 168		CU 11. CR 11. MN 1. CR 1.	2397.142 2397.197 2397.21	2396.405 2396.461 2396.467 2396.48 2396.492	10 200 8 10	147. 60.	724 893 328 340 1000	÷

	SPECTRU		VACUUM WAVELENGTH			MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	ZN CU CO	111 111 111 1	2397.28 2397.305	2396.52 2396.55 2396.575 2396.588 2396.630	30 25 0 5 15	124.	325 162 724 603 488		AR MN CR CO	11 11 11 1	2399.160 2399.24 2399.285	2398.372 2398.429 2398.51 2398.554 2398.559	50 0 15 4 25	43. 5.	506 328 340 603 1018	A
	CU V FE CO V	III I II I I	2397.436 2397.449 2397.509	2396.698 2396.706 2396.719 2396.779 2396.927	10 8 15 90 4	27. 211.		н	MN NI FE V MN	III II II II	2399.355 2399.394 2399.428	2398.57 2398.625 2398.664 2398.697 2398.792	3 2 20 10 30	49. 402. 61.	301 835 488 1000 328	
	co	III III III	2397.76 2397.86 2397.92	2396.95 2397.03 2397.13 2397.19 2397.25	1 6 20 1 4		162 603 325 341 603		O :	111 I .!! !!! !!!	2399.608 2399.61	2398.82 2398.877 2398.88 2398.913 2399.016	50 4 1 1	•	162 1000 168 613 1032	
106	MN CO P V NI	11 11 11 1	2398.12 2398.17 2398.226	2397.286 2397.39 2397.44 2397.496 2397.509	25 30 1 4	16. 29.	328 825 496 1000 835	н	CR AL MN CR O	111	2399.75 2399.750 2399.791 2399.94 2399.94	2399.02 2398.995 2399.061 2399.21 2399.21	20 110 12 3	170.	341 826 328 340 168	
	AR V F MN CR	11 111 111 1	2398.353 2398.390 2398.463	2397.548 2397.622 2397.650 2397.732 2397.75	20 6 80 2 40	73.	506 478 537 148 340		FE	111	2399.9717		170 170 3 20 25	36.	896 896 341 506 328	H
	V MN GE V AS	I I	2398.599 2398.6149 2398.73	2397.775 2397.868 2397.8848 2398.00 2398.04	25	,	1000 328 7 325 584		FE	II III III I	2400.229 2400.253 2400.29	2399.48 2399.499 2399.523 2399.56 2399.59	3 5 60 20 3	396. 36.	825 488 893 341 328	
	MN V FE MN S	11 1 11 11 1V	2398.865 2398.946 2398.97	2398.082 2398.134 2398.215 2398.24 2398.	5 20 1 10	27. 106.	328 1000 605 328 . 107		FE CR V MN CL	111	2400.40 2400.40 2400.416	2399.636 2399.67 2399.67 2399.685 2399.830	1 30 375 3 3	10.	488 340 791 328 613	
	V CR NI MN CO	11 11 11 11	2399.018 2399.05	2398.277 2398.28 2398.288 2398.32 2398.370	20 1 75 5 30	43.	1000 340 835 301 825		AR V FE CU SE	1 I 1 I 1 I 1 I 1 I I	2400.685 2400.780 2400.8451		30 50 20 60 50	26. 50.	506 1000 896 612 587	

SPEC		VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENC
CR MN V. MN CR	11 11 ·	2400.898	2400.136 2400.150 2400.166 2400.221 2400.24	120 25 4 10	72. 170.	893 328 478 328 340		ZN V NI MN N	111 1 11 11 11 V1	2402.688	2401.87 2401.901 2401.929 2401.957 2402.05	2 60 100 15 110	26. 18.89	162 1000 835 328 824
FE FE NI MN AS	- 11		2400.247 2400.338 2400.374 2400.43 2400.431	20 70 1 15 0	181. 244.	468 488 835 328 425	н	CO CR MN CO FE	1 11 11 1 1	2402.812 2402.895	2402.058 2402.07 2402.080 2402.164 2402.255	10 5 25 30 20	5. 299. 12. 181.	603 340 328 603 488
CO CU KR CO			2400.558 2400.62 2400.803 2400.823 2400.833	30 2 15 25 30	115.	603 34! 724 509 603		HE CR LI CL CU	I II II III	2403.04 2403.062 2403.081	2402. 2402.31 2402.331 2402.350 2402.401	2 2 1 1	44.	126 340 307 613 724
AR V NI MN AR	11 11 11	2401.656	2400.85 2400.892 2400.925 2400.94 2401.02	5 40 3 0 5		506 478 835 328 506		C ZN FE GE MN	1-1 1	2403.181 2403.235	2402.402 2402.45 2402.450 2402.504 2402.530	120 20 80 5	16. 377.	287 162 488 676 328
MN CO MN FE FE	II II II II	2401.833 2401.85 2401.867	2401.09 2401.102 2401.12 2401.136 2401.2917	15 30 0 1 15	48. 48. 402.	328 603 328 378 896	•	CO FE CR CO	1 11 11 11	2403.324 2403.328 2403.46	2402.559 2402.593 2402.597 2402.73 2402.79	15 15 40 3 6	61. 36. 44.	603 825 488 340 825
MN CR CO V ZN	11 11 111	2402.030 2402.06 2402.17 2402.181 2402.22	2401.298 2401.41 2401.44 2401.450 2401.49	3 2 3 3 50		328 340 825 1000 162		V NI AR CR V	1V 111 11 11 11	2403.61 . 2403.631 2403.71	2402.855 2402.88 2402.900 2402.98 2403.029	5 20 10 4 10	26. 71. 60.	829 661 506 340 1000
C V CO MN C	111 1 1 11	2402.282 2402.287 2402.327 2402.447 2402.492	2401.552 2401.555 2401.595 2401.715 2401.761	1 1 30 30 60	10. 48. 16.	1032 1000 603 328 287		CU AS AR V CL	111 1V 11 11	2403.88 2403.968 2403.972	2403.046 2403.15 2403.237 2403.240 2403.32	10 100 50 9 500	73. 17.	724 584 506 478 38
CR MN MN NI CL	, I II I II	2402.56 2402.562 2402.570	2401.81 2401.83 2401.830 2401.839 2401.87	1 1 2 100 4	6.	341 328 148 486 345		CU CO V MN MN	I		2403.3373 2403.337 2403.362 2403.409 2403.477	120 15 5 15	76. · 60.	612 603 1000 328 328

SPECTI	RUM ,	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR FE CR CO CO	11 111 11 11 11	2404.27 2404.283 2404.35 2404.368 2404.369	2403.54 2403.551 2403.62 2403.637 2403.637	2 90 3 15 15		340 188 340 825 603		FE II CR II F III C IV NI II	2405.65 2405.679 2405.84	2404.885 2404.92 2404.947 2405.10 2405.163	280 8 150 250 100	2. 170. 12.01 49.	896 340 537 35 835	н
MN NI MN CO FE	11 1 1 11 11		2403.64 2403.708 2403.748 2403.78 2403.799	1 1 2 20 1	378.	328 835 148 825 488		NE IV AS II CL II ZN III AR II	2405.938 2405.94 2405.94	2405.19 2405.206 2405.21 2405.21 2405.228	10 2 2 15 50		1024 425 345 162 506	
CL CR CO NI FE	11 11 11 11	2404.60 2404.60 2404.61 2404.688 2404.698	2403.87 2403.87 2403.88 2403.956 2403.967	6 10 M 30 0	170. 413.	345 340 825 835 488		MN I	2406.01	2405.245 2405.274 2405.28 2405.494 2405.505	10 3 10 8 500	61. 235. 23.	1000 148 340 1000 724	
CR CL V GO CR	111 111 111 11		2404.042 2404.136 2404.16 2404.165 2404.22	650 1 500 60 3	10. 7. 169.	893 613 791 825 340		S 111 MN 1 FE 11 CR 1 FE X11	2406.361 2406.4145 2406.43	2405.63 2405.628 2405.6826 2405.70 2405.71	3 2 10 2 216	402. 37.	598 148 896 341 940	FH
NE AR TI NE FE	IV II II II	2405.01 2405.084 2405.11 2405.123 2405.1623	2404.28 2404.352 2404.38 2404.391 2404.4307	1 90 3 20 50	· 2.	1024 506 227 563 896	н	CR II AS IV V I AR 11 V II	2406.46 2406.465 2406.5124	2405.72 2405.73 2405.733 2405.7805 2405.817	1 350 6 30 2	282. 60.	340 584 1000 867 478	
C FE CO V NI	11 11 11		2404.44 2404.515 2404.52 2404.544 2404.548	170 15 25 5	12.01	35 896 825 489 835	М	MN 11 CL 11 AS 11 MN 11 NI 111	2406.59 2406.6021 2406.63	2405.90 2405.94	1 4 150 10 -50	23.	328 345 425 328 661	
CL CU CR C ZN	III VI III	2405.49	2404.590 2404.606 2404.72 2404.76 2404.83	8 10 2 12	335.	613 724 340 309 162	et.e		2406.749 2406.750 2406.76 2406.77	2406.017 2406.018 2406.03 2406.04 2406.086	2 0 5 50 5	378. 35.	148 488 341 584 488	
CO LI CU NI MN	1 111 1 11 1	2405.58 2405.597 2405.598 2405.613 2405.615	2404.84 2404.865 2404.864 2404.881 2404.882	10 2 10 5	60.	603 309 672 835 148		MN II CO I NI II FE III AR II	2406.998 2407.121 2407.142	2406.101 2406.266 2406.389 2406.409 2406.44	5	58. 36.	328 603 835 188 506	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENÇE	NOTES	ŞPECTRI	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
AS IN	2407.310 2407.320 2407.379	2406.54 2406.578 2406.590 2406.647 2406.660	50 20 450 50 155	2.	584 563 516 506 896	Н	CU MN CO V ZN	111 111 111	2409.114 2409.134 2409.137 2409.163 2409.18	2408.381 2408.401 2408.404 2408.430 2408.45	10 15 30 15 100	42.	724 328 825 478 162	
CU V NI I FE I V 4	2407.481 2407.607 2407.7072	2406.665 2406.748 2406.875 2406.9750 2406.989	380 50 50 80 5	19. 26. 36. 302. 72.	672 1000 835 896 478		MN CR CO FE CR	IV II II .I	2409.250 2409.33 2409.352 2409.383 2409.45	2408.515 2408.60 2408.620 2408.653 2408.72	30 50 M 20 35	36. 402. 36.	799 341 825 488 341	
CL II V III FE \ MN I	2407.90 2407.920 2407.962	2407.079 2407.17 2407.188 2407.230 2407.249	8 400 8 12 100	10. 6.	613 791 896 328 603	· M	CO MN AR MN KR	11 11 11 11	2409.480 2409.590 2409.673 2409.787 2409.800	2408.747 2408.857 2408.943 2409.053 2409.069	40 60 10 12 150	7. 37.	825 328 506 328 509	н
CQ II	2408.122 2408.14 2408.250	2407.26 2407.389 2407.41 2407.517 2407.527	10 2 8 5 150	37.	825 1000 341 489 85		CD MN MN NI MN	1 11 11 111	2409.856 2409.90 2409.931 2409.942 2410.042	2409.123 2409.17 2409.198 2409.209 2409.309	20 12 2 2 10	14.	603 328 148 835 301	
FE 11 V 11 KR 11 MN 11 CO 11	2408.325 2408.325 2408.340	2407.527 2407.592 2407.595 2407.608 2407.658	4 5 60 10 40	53. 16.	896 478 509 328 825	М	FE CU CR AR FE	II III II 11 11	2410.108 2410.147 2410.18 2410.236 2410.266	2409.377 2409.414 2409.45 2409.503 2409.535	5 0 1 20 0	150. 282. 377.	488 724 340 506 488	н .
FE II AR II MN II ZN III NI II	2408.594 2408.61 2408.61	2407.765 2407.862 2407.88 2407.88 2407.890	1 20 2 3 40	396.	488 506 328 162 835		CU CO AR FE V	I I I I I I I I I	2410.305 2410.387 2410.435 2410.439 2410.455	2409.572 2409.654 2409.702 2409.708 2409.721	3 8 10 5 7	224.	724 603 506 488 1000	н
V 1 FE 11 CR 11 FE 1 FE 1	2408.670 2408.75 2408.7780	2407.900 2407.940 2408.02 2408.0456 2408.0623	40 20 3 4 4	26. 116. 335. 67. 68.	1000 488 340 896	н	CR NI CR	111 11 11 11 111	2410.680 2410.69 2410.760 2410.91 2410.957	2409.947 2409.96 2410.027 2410.18 2410.220	1 5 5 2 40	170. 34.	724 340 835 341 802	
MN III NI II MN II AR II	2408.843	2408.078 2408.111 2408.157 2408.2072 2408.	10 3 2 40	14.	301 835 328 867 107	N	FE FE CR CO FE	11 11 11 11	2411.017 2411.017 2411.16 2411.238 2411.251	2410.286 2410.286 2410.43 2410.504 2410.518	5 5 3 40 170	376. 181. 170. 124. 2.	488 488 340 603 896	н

	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	KR II MN II CU III NI II CR II	2411.320 2411.378 2411.477	2410.564 2410.586 2410.645 2410.744 2410.75	10 100 3 10 2	37. 18. 235.	509 328 724 835 340		CD FE V CA CO	I I V I	2413.496 2413.500 2413.54 2413.6 2413.630	2412.762 2412.766 2412.81 2412.9 2412.896	12 1 1	10. 64.	603 378 489 726 603	F
	V I MN II LI II AR II AR III	2411.545 2411.575 2411.67	2410.768 2410.811 2410.842 2410.94 2410.98	2 12 1 60 10	<i>.</i> ' .	1000 328 307 506 337		AR NE V NI CR	11 111 11 11	2413.643 2413.67 2413.730 2413.773 2413.79	2412.910 2412.94 2413.031 2413.040 2413.06	10 240 60 50 8	23. 19. 170.	506 1031 1000 835 340	,
:	CR II FE V FE II AR III AS II	2411.82	2411.01 2411.04 2411.0678 2411.09 2411.105	15 140 20 15	170. 2.	340 229	F H	NE CO CU V FE	111 I III IV 11	2413.91 2413.921 2413.921 2413.990 2414.0438	2413.18 2413.187 2413.188 2413.256 2413.3102	160 15 2 20 125	60. 2.	1031 603 724 829 896	н
110	AR	2411.91	2411.17 2411.17 2411.37 2411.415 2411.558	0 30 20 2 1	11.	337 325 488 148 378		BE BE AR SE V	11 11 11 1 1	2414.074 2414.189 2414.220 2414.25 2414.258	2413.340 2413.455 2413.486 2413.52 2413.524	1 7 10 600 5	12.	332 332 506 600 829	
	TI I V I O II CO i	2412.324 2412.33 2412.352	2411.58 2411.590 2411.60 2411.618 2411.692	30 5 90 250	11.	488 1000 168 603 606		NE CO CR CR MN	III III II	2414.27 2414.314 2414.369 2414.37 2414.37	2413.54 2413.580 2413.637 2413.64 2413.64	120 15 200 15 15	125. 59. 170.	1031 603 893 340 328	
	FE 11 FE 11 FE 11 CU 111 AR 11	2412.701 2412.752 2412.840	2411.8082 2411.968 2412.021 2412.107 2412.124	50 1 5 290 5	67. 388.	896 378 488 724 506		F MN NE V TI	111 111 111 111	2414.415 2414.51 2414.51 2414.62 2414.723	2413.681 2413.78 2413.78 2413.89 2413.989	110 0 200 200 775	10.	537 328 1031 791 227	·
	FE 1 N1 11 CR 1 CU 111 AR 11	2412.906 2412.999 2413.06	2412.172 2412.265 2412.33 2412.338 2412.461	0 10 1 450 40	11. 23.	378 835 341 724 506		CO FE MN CU AR	11 11 11 11	2414.79 2414.812 2414.82 2414.9225 2414.9557	2414.06 2414.080 2414.08 2414.1886 2414.2218	30 5 5 5	7. 164.	825 488 328 612 867	H H
	CL II NI I V I NE III	2413.208 2413.372 2413.420 2413.46 2413.475	2412.475 2412.640 2412.686 2412.73 2412.740	19 50 80 300	8. 26.	613 488 1000 1031 328		B FE MN NI CO	1 11 11	2415.0 2415.052 2415.06 2415.063 2415.193	2414.3 2414.318 2414.33 2414.329 2414.458	20 0 8 10 40	63.	221 378 328 835 603	

SPECTRU		VACUUM /AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I		INTENSITY	MULTIPLET	REFERENCE	NOTES
MN SE CU FE KR	111 11 11		2414.65 2414.77 2414.8573 2414.912 2414.940	5 30 4 40 250	206.	328 587 612 468 509		FE I	I 2417.339 I 2417.438 I 2417.447 I 2417.483 I 2417.525	2416.605 2416.705 2416.712 2416.748 2416.791	5 30 150 10	33. 286. 26.	672 488 329 1000 896	н м
FE NI CR CU CR	1 I 1 I 1 I 1 I I I I I I I I I I I I I	2415.801 2415.82	2415.068 2415.067 2415.09 2415.197 2415.23	40 5 2 5 5	181. 335.	488 835 341 672 340	н	CO 1	I 2417.531 I 2417.625 I 2417.780 I 2417.94 I 2417.9446	2417.20	120 40 10 2 40	16. 34.	509 825 603 678 867	
NE CO CO V		2416.03	2415.263 2415.299 2415.29 2415.32 2415.326	50 M 4 2 110	6. 23.	563 825 603 603 1000		CU II CR I CO NE I V	1 2417.977 1 2418.05 1 2418.064 1 2418.069 1 2418.086	2417.243 2417.31 2417.329 2417.334 2417.351	5 2 25 60 100	282.	724 340 603 563 1000	
 CR NI CO AR FE	1 1 1 111 111	2416.251 2416.48	2415.41 2415.502 2415.516 2415.75 2415.776	2 15 3 60	130.	341 835 603 337 488		GE GA II FE MN	I 2418.1017 I 2418.21 I 2418.225 I 2418.237 V 2418.26	2417.3672 2417.48 2417.490 2417.502 2417.53	200 250 5 2	8. 105.	7 402 896 148 584	
AR FE CO · F . AR	111 11 11 111 111	2416.706 2416.723	2415.95 2415.973 2415.989 2416.042 2416.05	30 1 40 150 0	376.	337 488 825 537 337		MN NE N	1 2418.387 V 2418.432 I 2418.477 1 2418.517 I 2418.556	2417.652 2417.698 2417.743 2417.784 2417.821	50 Q 40	7. 3 18.0		P M
FE NI CO N	I I I I I I I	2416.868 2416.946 2416.986	2416.080 2416.134 2416.212 2416.253 2416.306	5 440 30 30	20. 18.0	896 835 825 521 835	M H P	MN MN CO FE	2418.6054 I 2418.644 II 2418.676 II 2418.70 I 2418.763	2417.909	80 2 50 10	244. 37.	896 148 328 825 896	н .
CO MN CR CL FE	11 11 11 111 111	2417.081 2417.14 2417.15 2417.1799	2416.33 2416.347 2416.40 2416.42 2416.4456	15 70 40 700 20	37. 235. 17. 396.	825 328 340 38 896		MN KR MN SI	1 2418.777 11 2418.959 11 2419.014 11 2419.02 11 2419.023	2418.042 2418.226 2418.279 2418.29 2418.281	4 - 60 15 2 G	34. 75.	148 509 328 678 768	·
CO NE GE V SI	11 11 1V 11	2417.18 2417.232 2417.239 2417.286 2417.33	2416.44 2416.498 2416.505 2416.552 2416.60	5 10 10 30 1	34.	825 563 7 829 678		KR FE CL	I 2419.10 II 2419.132 II 2419.171 II 2419.185 II 2419.208	7 2418.4369 2418.451	100 ,150	11. 396.	488 509 896 613 825	

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	SPECT	RUM .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE :	NOTES
CO CR FE CO MN	1 111 1 11	2419.303	2418.476 2418.56 2418.568 2418.580 2418.60	1 1 120 1	47.	603 341 188 603 328		NE CR FE CU MN	11 11 111 111		2419.901 2419.98 2419.989 2420.033 2420.06	40 8 8 15	34. 396.	563 341 896 724 328	
GA CD FE AR ZN	1 11 11 11 11	2419.436 2419.439	2418.69 2418.70 2418.702 2418.704 2418.73	70 7 5 10 1000	5. 364.	488 825 488 506 162		V CỦ MN CR V	11 111 11 11	2420.85	2420.07 2420.088 2420.110 2420.11 2420.115	3 30 25 100	41. 34. 43. 26.	488 724 148 340 1000	P
V NI MN FE FE	I II I I I	2419.659 2419.739	2418.738 2418.889 2418.924 2419.004 2419.0629	15 1 15 4 5	26.	1000 835 301 896 896	М	FE SI V SI MN	II I I II	2420.913 2420.93 2420.95/ 2420.97 2420.997	2420.178 2420.19 2420.221 2420.24 2420.262	5 3 8 5 10	34. 86.0	896 678 1000 608 328	M
CO MN AR CR NI	I II I I I	2419.873 2419.899	2419.122 2419.138 2419.164 2419.30 2419.310	20 20 10 1	7.	603 328 506 341 488		S SE CL NI KR	111 11 11 11	2421. 2421.00 2421.033 2421.053 2421.068	2420. 2420.27 2420.298 2420.317 2420.334	120 5 40 4		107 587 613 835 509	N
CO MN ZN CR AR	11 111 111 11	2420.059 2420.09 2420.11 2420.12 2420.148	2419.324 2419.35 2419.38 2419.38 2419.413	10 2 2 15 10	43.	603 328 162 340 506	•	F FE MN FE AR	111 1 111 111	2421.126 2421.1313 2421.139 2421.141 2421.1914	2420.391 2420.3961 2420.403 2420.405 2420.4561	110 60 30 25	64. 33. 103.	537 896 148 188 867	
MN CL FE MN TI	11 11 11 11	2420.18 2420.2 2420.219 2420.36 2420.42	2419.44 2419.5 2419.485 2419.63 2419.69	1 500 1 8 3	14. 364.	328 43 488 329 227		CU CO CR CU V	11 11 111 1	2421.21 2421.27 2421.274 2421.343 2421.350	2420.48 2420.54 2420.540 2420.606 2420.614	1 15 150 1 3	24.	670 825 893 672 1000	
FE P MN CR CO	111 111 11 1	2420.477 2420.533 2420.547 2420.56 2420.564	2419.742 2419.798 2419.911 2419.82 2419.828	10 150 20 2 6	37. 37. 59.	188 936 328 341 603		MN CO ZN CR CO	11 11 11 11	2421.454 2421.458 2421.46 2421.47 2421.68	2420.719 2420.723 2420.73 2420.73 2420.94	15 40 100 2 15		328 825 162 340 825	Н
CL CU CR FE FE	II	2420.571 2420.593 2420.61 2420.6135 2420.626	2419.836 2419.858 2419.87 2419.8784 2419.892	7 30 15 5 5	23. 43. 68.	613 724 340 896 488		CO V MN O CR	II II III III	2421.75 2421.794 2421.84 2421.9 2421.90	2421.02 2421.058 2421.10 2421.2 2421.16	12 120 12 0	23.	825 1000 328 168 341	

SPECTRUM	VACUUM WAVELENGT:	AIR WAVELENGTH	INTENSITY	MULTIPLET F	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI I MN I TI I CR I V IV	2421.989 2422.04	2421.223 2421.254 2421.31 2421.31 2421.317	35 20 100 1 50	6. 34. 11.	488 148 488 341 829		0 1 S 1	II 2423.554 II 2423.57 II 2423.65 II 2423.652 II 2423.667	2422.818 2422.84 2422.91 2422.916 2422.932	13 60 7 110 5	115.	613 168 598 537 488	
FE 111 MN 11 ZN 11 AR 11 FE .111	1 2422.12 1 2422.18 1 2422.237	2421.376 2421.38 2421.45 2421.502 2421.514	10 10 0 30 60	103.	188 328 154 506 188		NE V	11 2423.67 11 2423.7 11 2423.701 11 2423.766 11 2423.79	2422.93 2423.0 2422.965 2423.030 2423.05	2 30 60 6 1	169.	340 885 563 478 661	M
N IV	1 2422.424	2421.644 2421.65 2421.688 2421.689 2421.71	1 40 8 1 1	18.98 60.	672 824 603 425 341		FE	11 2423.806 1 2423.8251 11 2423.831 1 2423.835 1 2423.8420	2423.049 2423.099	2 60 G 6 8	67. 75. 34. 68.	724 896 768 148 896	
SI I AR I CU II FE 1 CR I	I 2422.557 I 2422.572	2421.72 2421.822 2421.836 2421.898 2421.90	3 5 140 1 3	34. 116. 169.	678 506 724 488 340	Н	V FE CR MN NI	111 2423.93 11 2423.946 1 2423.98 11 2424.00 1 2424.057	2423.19 2423.210 2423.24 2423.26 2423.322	30 40 10 5 20	301. 5.	325 896 341 328 488	н
	I 2422.6785 I 2422.712 I 2422.77	2421.940 2421.9429 2421.976 2422.03 2422.089	1 2 •140 5 20	23	425 612 1000 825 506		ZN V SI NE FE	111 2424.06 1 2424.107 11 2424.15 11 2424.181 11 2424.235	2423.33 2423.370 2423.42 2423.445 2423.499	500 40 3 70 10	23. 34. 388.	162 1000 678 563 896	
NE I AR I CU III AL II CL II	I 2422.991 I 2423.002 I 2423.185	2422.406 2422.47	10 10 0 3 -400	17.	563 506 724 826 38			111 2424.238 111 2424.244 11 2424.264 11 2424.27 11 2424.38	2423.502 2423.508 2423.528 2423.53 2423.64	1 10 50 4 40	• .	724 301 506 340 825	
CO CR FE I AR I	I 2423.304 I 2423.31 I 2423.424 I 2423.431 I 2423.45	2422.568 2422.57 2422.688 2422.695 2422.71	30 12 60 40 3	123. 34. 301.	603 341 896 506 328	н .		1 2424.388 111 2424.467 111 2424.47 11 2424.536 11 2424.60	2423.653 2423.731 2423.73 2423.803 2423.86	20 15 350 M 15		488 301 402 825 825	
F 11		2422.717 2422.74 2422.749 2422.760 2422.785		\$	509 162 328 537 896	i M	MN FE CL NI AR	II 2424.617 II 2424.654 II 2424.734 I 2424.762 III 2424.81	2423.881 2423.919 2423.998 2424.027 2424.07	15 5 19 25 120	313.	328 488 613 488 337	

NE II 2425.290 FE II 2425.329 FE II 2425.34 NI II 2425.34 NI II 2425.37 CR I 2425.39 AR III 2425.39 AR II 2425.39 N IV 2425.47 MN II 2425.47 MN II 2425.46 V III 2425.66 KR II 2425.66 KR II 2425.66 CR II 2425.95 B II 2426.007 FE III 2426.100 LI I 2426.100 LI I 2426.26 CR I 2426.26 CR I 2426.26	UM VACUUM WAVELENGTH W	AIR INTENSITY WAVELENGTH	MULTIPLET REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN II 2425.122 FE II 2425.126 P V 2425.139 AR III 2425.14 CU II 2425.14 CU II 2425.14 CU II 2425.290 FE II 2425.320 FE II 2425.320 CR III 2425.34 NI II 2425.34 NI II 2425.37 CR I 2425.39 AR III 2425.37 CR I 2425.39 N IV 2425.47 MN II 2425.47 MN II 2425.48 V III 2425.46 CO I 2425.669 KR II 2425.95 B II 2426.007 FE II 2426.100 LI I 2426.162 CR I 2426.26 CO I 2426.26	II 2424.880 II 2424.98 I 2424.997	2424.16 1 2424.144 125 2424.24 5 2424.260 30 2424.26 100	180. 825 328 34. 148 11. 488	Ĥ.	MN II CU III FE I V I CO II	2426.795 2426.814 2426.863	2426.04 2426.058 2426.077 2426.126 2426.13	1 0 12 15 25	26.	328 724 896 1000 825	М
NE II 2425.290 FE II 2425.329 FE II 2425.34 NI II 2425.34 NI II 2425.37 CR I 2425.39 AR III 2425.39 AR II 2425.39 N IV 2425.47 MN II 2425.47 MN II 2425.46 V III 2425.66 KR II 2425.66 KR II 2425.66 CR II 2425.95 B II 2426.007 FE III 2426.100 LI I 2426.100 LI I 2426.26 CR I 2426.26 CR I 2426.26	I 2425.122 11 2425.126 V 2425.139	2424.34 7 2424.385 1 2424.390 15 2424.403 375 2424.40 20	597 34. 148 149. 896 524 337	H	CO 11 F 111 FE 1 NI 11 O 111	2427.050 2427.053	2426.24 2426.264 2426.313 2426.316 2426.35	5 150 1 3		825 537 378 835 168	
AR III 2425.37 CR I 2425.39 AR II 2425.395 N IV 2425.47 MN II 2425.48 V III 2425.51 CO I 2425.669 KR II 2425.800 CR II 2426.007 FE II 2426.100 LI I 2426.162 CR I 2426.26 CR I 2426.26	II 2425.290 II 2425.320 II 2425.329	2424.4341 75 2424.554 30 2424.585 40 2424.592 30 2424.60 1	76. 612 . 563 301. 488 180. 896 490	н н н	KR 11 N 1V CU 11 MN 11 CR 1	2427.28 2427.295 2427.30	2426.364 2426.54 2426.559 2426.56 2426.66	250 5 2 0 7	18.98	509 824 612 328 341	
V III 2425.51 CO I 2425.669 KR II 2425.800 CR II 2425.95 B II 2426.007 FE II 2426.100 LI I 2426.162 CR I 2426.26 CR I 2426.26	III 2425.37 I 2425.39 II 2425.395	2424.623 2 2424.63 0 2424.65 3 2424.659 40 2424.73 20	835 337 341 506 18.98 824		C 1I ZN 1II O 1II ZN 1II CO 1	2427.53 2427.68 2427.68	2426.70 2426.79 2426.94 2426.94 2426.997	10 10 10 500 12	25.	287 162 168 162 603	7
FE II 2426.100 LI 1 2426.162 CR I 2426.20 CR I 2426.26	III 2425.51 I 2425.669 II 2425.800	2424.74 1 2424.77 10 2424.932 250 2425.065 90 2425.21 18	328 10. 791 5. 603 509 43. 340		CU II CO 11 FE 11 CR 11 MN II	2427.787 2427.814 2427.86	2426.997 2427.056 2427.077 2427.12 2427.127	M 1 1 1 5 5		612 825 1026 340 328	
CO I 2426.330	11 2426.100 1 2426.162	2425.271 50 2425.363 5 2425.426 15 2425.46 1 2425.52 2	532 210. 896 4. 488 341 341	H	ZN 111 FE 11 NI 111 FE 11 V 11	2427.936 2427.95 2428.018	2427.13 2427.199 2427.21 2427.281 2427.316	10 12 20 12 20	114. 32. 41.	162 896 661 896 478	н
0 11 2426.36	11 2426.343 11 2426.36 1 2426.374	2425.593 8 2425.606 10 2425.62 60 2425.638 20 2425.66 15	59. 603 328 168 896 43. 340	Р М	MN II AS II CR II V III MN II	2428.150 2428.42 2428.43	2427.379 2427.414 2427.68 2427.69 2427.719	140 1 4 10 220	74. 202. 10. 74.	328 425 340 791 328	
MN II 2426.419 FE II 2426.422 FE II 2426.640 MN II 2426.65 O III 2426.67	11 2426.422 11 2426.640 11 2426.65	2425.683 1 2425.685 10 2425.904 20 2425.92 5 2425.93 10	224. 896 130. 488 328 168	H	V I I I I I I I I I I I I I I I I I I I	2428.574 2428.66	2427.735 2427.786 2427.837 2427.92 2427.939	20 130 120	25. 11. 84. 74.	1000 613 936 341 328	

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CL FE CU TI V	11 11 11 1	2428.815 2428.888	2428.008 2428.079 2428.151 2428.24 2428.269		114. 10. 23.	613 488 724 488 1000		MN FE AR ZN FE	II II III III	2430.16 2430.169 2430.183 2430.20 2430.234	2429.41 2429.431 2429.446 2429.46 2429.497	0 1 20 10 20	68.	328 378 506 162 468	н
MN CO FE CR MN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2429.025 2429.029 2429.03	2428.286 2428.288 2428.292 2428.29 2428.321	8 40 30 2 2	34. 7. 301. 246.	148 825 896 340 802		KR O CR NE LI	11 111 11 11	2430.256 2430.33 2430.497 2430.510 2430.551	2429.519 2429.59 2429.760 2429.773 2429.814	1 200 30 I		509 175 893 563 307	P
KR TI FE MN SI	11	2429.101	2428.334 2428.36 2428.364 2428.423 2428.45	250 20 110 25 10	11. 300. 34. 34.	509 488 896 148 678	н	CR CO	II II II	2430.598 2430.63	2429.8150 2429.860 2429.89 2429.922 2430.018	10 30 6 20 60	84.	896 896 341 825 563	
NE AR MN CO FE	1 I -1 I I I	2429.260 2429.324 2429.334	2428.451 2428.523 2428.586 2428.596 2428.641	. 60 10 2 10 5		563 506 148 603 896	м	KR AR MN FE CL	11 111 11 11		2430.031 2430.032 2430.061 2430.078 2430.133	10 50 10 110 140	180.	509 506 301 896 613	н
MN NE FE FE MN	11 11 11 111	2429.444 2429.538 2429.54	2428.70 2428.707 2429.800 2428.80 2428.86	1 60 25 F	301. 114.	328 563 896 188 328	•	NI CL NE CO FE	111 11 11 11 11		2430.14 2430.157 2430.164 2430.176 2430.184	1 140 60 10 20	11.	661 613 563 603 488	
CR ZN CU FE FE	11 11		2428.89 2428.90 2428.9279 2428.970 2429.035	4 0 15 60 25	52. 375. 301.	341 154 612 488 896		FE MN AL CU FE	11 V1 111 V	•		2 5 170	•	378 328 108 724 229	F .
NI FE MN CO MN		2429.889 2429.909	2429.092 2429.152 2429.172 2429.226 2429.233	5 10 5 25 30	55. 385. 7. 33.	488 896 301 603		MN N FE MN CO	I I I I I	2431.15 2431.170	2430.395 2430.41 2430.433 2430.48 2430.49	35 40 6 2	18.93	148 824 896 328 825	М
MN NE O SI FE	111	2430.049 2430.09 2430.09	2429.297 2429.312 2429.35 2429.35 2429.386	20 30 4 80 20	75. 148.	328 563 175 768 896		CU CR CU C FE	111		2430.528 2430.59	1		724 340 612 287 896	М
		·									,				

\$PEC1	rrum _. .	VACUUM WAVELENGT.I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE NE FE FE N	11 1 11	2431.619 2431.704 2431.762 2431.763 2431.81	2430.881 2430.966 2431.025 2431.025 2431.07	6 5 20 25 20	375. 18.93	896 563 605 896 824	N	FE CU MN V CO	11 111 11	2433.140 2433.158 2433.18 2433.256 2433.26	2432.402 2432.420 2432.44 2432.518 2432.52	0 1 7 10 80	34.	378 612 301 829 825	
CÁ ZN CL MN FE	111 11 11	2431.820 2431.83 2431.895. 2431.96 2431.973	2431.082 2431.09 2431.157 2431.22 2431.236	250 10 2 3 30	375.	85 162 613 328 488		NI FE ZN CU CO	. 11	2433.439 2433.48	2432.670 2432.701 2432.74 2432.755 2432.825	20 5 10 0	321.	835 488 154 724 825	
C FE MN MN N	111 1:1 1	2431.99 2432.063 2432.07 2432.258 2432.28	2431.25 2431.325 2431.33 2431.520 2431.55	60 8- 40 1	114. 34. 18.93	309 188 328 148 824		MN FE C MN P	1 I 1 I		2432.87 2432.873 2432.90 2432.898 2432.94	0 60 1 7 1	321. 52. 33.	328 896 287 148 594	
NI V MN V AR	11	2432.299 2432.306 2432.325 2432.33 2432.36	2431.561 2431.568 2431.587 2431.59 2431.62	40 10 4 4 20	49. 24. 190.	835 1000 148 478 506		V CR FE FE CO	I I	2433.714 2433.73 2433.788 2433.794 2433.808	2432.976 2432.99 2433.050 2433.056 2433.079	20 3 10 2 M	41. 384. 68.	478 341 488 378 825	
O CR CU CO V	1	2432.40 2432.41 2432.466 2432.48 2432.622	2431.66 2431.67 2431.728 2431.74 2431.885	1 3 3 1 30	84.	168 341 724 603 829		ZN CR TI S CL		2433.869 2433.94 2433.97 2434.	2433.131 2433.20 2433.23 2433. 2433.276	5 25 60 7	202. 10.	154 340 488 107 613	N
MN AR V V FE	I I I I	2432.653 2432.661 2432.678 2432.752 2432.768	2431.915 2431.923 2431.940 2432.014 2432.030	10 10 20 25 8	34. 25. 23.	148 506 1000 1000 896	м	MN CA KR NE MN	III II	2434.048 2434.063 2434.150 2434.210 2434.222	2433.310 2433.325 2433.412 2433.472 2433.484	30 200 1 40 15	14.	328 85 509 563 301	
NE C MN CO NI	11	- 2432.834 2432.86 2432.89 2432.952 2432.96	2432.096 2432.12 2432.16 2432.213 2432.22	40 1 3 40 10	52. . 5.	563 287 328 603 602		C FE CU FE V	11 111 11	2434.23 2434.233 2434.237 2434.238 2434.269	2433.49 2433.495 2433.500 2433.500	1 70 3 6 50	38. 164. 164.	287 488 724 896 829	н
FE MN FE MN FE	I	2432.9995 2433.02 2433.070 2433.098 2433.12	2432.2616 2432.28 2432.332 2432.360 2432.38	80 2 1 8	180.	896 328 378 148 229	H · F	NI O FE CR CR	ΙI	2434.294 2434.30 2434.309 2434.46 2434.479	2433.556 2433.56 2433.571 2433.72 2433.741	100 200 5 2	19. 18. 359.	835 488 488 340 893	н

.

									•						
	\$PECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENG: 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN CO	II I	2434.48 2434.49	2433.74 2433.75	0		328 603		MN. I		2435.094 2435.137	20 40	33.	603 148	
	F 1	11 111 111	2434.58 2434.680 2434.742	2433.84 2433.942 2434.004	12 .110 2		328 537 724		CO I SI I MN II	2435.8931	2435.151 2435.1545 2435.156	м 300 25	45.	825 608 328	
	FE CL MN	11 11 11	2434.797 2434.807 2434.81	2434.059 2434.069 2434.07	25 190 0	375. 11.	896 613 328		MN II MN II CR III	2436.05	2435.251 2435.32 2435.330	5 0 250	59.	328 328 893	
	MN TI	1	2434.810 2434.83	2434.071 2434.09	30 30	33. 11.	148 488		MN I	2436.115	2435.330 2435.376 2435.491	5 8	33.	148 835	
	CL	111 11 -	2434.843 2434.852 2434.94/	2434.105 2434.114 2434.208	250 130 35	11;. 33.	537 613 148		MN I V I SE III	2436.257	2435.511 2435.518 2435.52	20 100 10	33. 23.	148 1000 587	
	CR	i	2434.96 2434.97	2434.22 2434.23	30	96. 26.	341 661		CR I		2435.59 2435.62	1 10		341 173	
	С	II 11 111	2434.975 2434.98 2435.01	2434.237 2434.24 2434.27	20 10 100	384 51 l	896 287 162		NE II CR I ZN II	2436.43	2435.646 2435.69 2435.76	60 1 15		563 341 154	
117	NI	H	2435.058 2435.0986	2434.319 2434.3602	20		835 867		FE II	2436.555	2435.816 2435.823	5 10	164.	488 603	н
	FE	I III II	2435.136	2434.36 2434.370 2434.398	2 ⁻ 15 1	301.	341 724 488		CU III FE I NI II	2436.609	2435.824 2435.870 2435.958	230 15 8		724 896 835	M
	NI AS	11	2435.150 2435.295	2434.412 2434.557	10 20	53.	488 425		AS II	2436.7001	2435.9614 2435.97	210 M		.425 825	
	MN NE	II II	2435.349 2435.36 2435.374	2434.611 2434.62 2434.636	40 2 20		563 328 563		CL 111 CU 111	2436.80	2436.1 2436.06 2436.107	500 60 3	26.	43 168 724	
	FE MN	11	2435.387 2435.45	2434.648 2434.72	20 25	.301	896 32 8		FE III	2436.958	2436.219 2436.225	4 30	209.	896 537	н
	C FE		2435.468 2435.55 2435.560	2434.729 2434.81 2434.822	50 4 50	321. 51. 375.	896 287 488	н н	CL II MN II N II	2437.00	2436.241 2436.26 2436.291	17	18.0	613 328	P
	FE	11	2435.68 2435.690	2434.94 2434.951	5 50	24. 180.	478 896	.н	CO II		2436.313 2436.33	5 M		835 825	
	CR •PE	111 1 11	2435.698 2435.72 2435.741	2434.959 2434.98 2435.002	10 1 25	84. 383.	1032 341 896		CR 111 FE 1 CU 111	2437.085	2436.345 2436.346 2436.388	25 20 10	43.	893 896 72 4	M
		III III	2435.787 2435.8	.2435.048 2435.1	15 200		724 43		GE I	2437.1509		50 -1	360	7 488	

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PEC1		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO KR NI NE MN	11 11 · V 11	2437.175 2437.197 2437.2 2437.211 2437.277	2436.436 2436.458 2436.5 2436.472 2436.538	. 5 90 10 30		825 509 922 563 328	F P	O CR CU ZN FE	11 1 111 111 111	2438.83 2438.84 2438.869 2438.91 2438.914	2438.09 2438.10 2438.130 2438.17 2438.174	4 3 2 50 150	96. 47.	168 341 724 162 188	
FE CO CO NE	11 11 11 1	2437.309 2437.361 2437.39 2437.397 2437.508	2436.570 2436.622 2436.65 2436.657 2436.769	5 25 M 50 5	384. 5.	478 896 825 603 563		FE MN CO AR CR	I I .	2438.9212 2438.926 2438.941 2438.952 2438.96	2438.1819 2438.187 2438.201 2438.213 2438.22	60 100 1 10 2	62. 74.	896 328 603 506 341	•
CO CU CO MN FE	I III II II	2437.526 2437.582 2437.717 2437.73 2437.735	2436.786 2436.843 2436.978 2436.99 2436.995	3 5 30 15 10	7. 375.	603 724 825 328 896		MG TI CU CO CO	VII III II II	2439. 02 2439. 05 2439. 15 2439. 15	2438. 2438.28 2438.356 2438.41 2438.411	20 10 3 2	10.	108 488 724 825 603	f
FE MN FE CU AR	11 11 11 11	2437.837 2437.85 2437.894 2437.907 2437.939	2437.100 2437.11 2437.157 2437.168 2437.200	50 2 40 10 10	375. 210.	488 328 488 724 506	н	CR MN CO CR S1	11 11 111 1	2439.20 2439.217 2439.50 2439.50 2439.5069	2438.46 2438.478 2438.76 2438.76 2438.7674	35 20 3 2 65	202. 74. 2.	340 328 673 341 608	•
FE AS CO FE FE	I II II II	2437.942 2437.97 2437.99 2437.993 2437.996	2437.203 2437.23 2437.25 2437.256 2437.256	15 50 M 40 3	5. 313.	896 480 825 488 645	М	CR GA O MN NI	11 11 11 11	2439.61 2439.62 2439.64 2439.67 2439.737	2438.87 2438.88 2438.90 2438.93 2438.997	5 120 60 10 2		340 652 168 328 935	P
F MN ZN CU CR	II III III III	2438.059 2438.105 2438.22 2438.221 2438.24	2437.320 2437.366 2437.48 2437.482 2437.50	4 170 80 4	74.	538 328 162 724 340		AS CR CO CO V	1 I I I I I I	2439.751 2439.76 2439.778 2439.78 2439.842	2439.011 2439.02 2439.038 2439.04 2439.102	1 7 20 50 50	96. 5.	425 341 603 825 1000	
AR FE FE P CU	111 11 11 11	2438.256 2438.369 2438.390 2438.50 2438.513	2437.517 2437.632 2437.550 2437.76 2437.774	20 200 5 0 3	375.	506 488 896 496 724	М	NE FE CU CO FE	11 1 111 11	2439.859 2439.910 2440.009 2440.03 2440.0411	2439.119 2439.170 2439.269 2439.29 2439.3015	50 10 20 1	64. 209.	563 896 724 825 896	н
MN MN NI V MN	II III III III	2438.631 2438.779	2437.844 2437.853 2437.892 2438.039 2438.072	140 60 220 10 15	74. 19.	328 802 835 478 328	н	ZN CO FE CL AR	II I III II	2440.370 2440.43	2439.5 2439.495 2439.630 2439.69 2439.72	15 8 15 500 10		154 603 896 43 506	

	WAVELENG	TH WAVELENGTH	•		•				· .					
V I FE I CR I MN I	I 2440.48 I 2440.5 I 2440.6 I 2440.6	14 2439.774 98 2439.860 2 2439.88	125 4 80 4	157. 375.	896 478 469 340 328		CR MN NI V NE	III	2442.04 2442.062 2442.070 2442.092 2442.177	2441.30 2441.319 2441.330 2441.352 2441.437	3 80 10 15 50	. 25.	341 802 835 1000 563	
SI I FE II AR I CU II	I 2440.6 I 2440.7 I 2440.7 I 2440.8 I 2440.8	03 2439.963 68. 2440.028 12 2440.072	0 25 40 170 80	21.	678 188 506 724 896		O MN FE F MN	111 11 11 111 111		2441.439 2441.471 2441.548 2441.605 2441.609	0 10 5 375 5	105. 210.	1032 328 488 537 328	
TI I BE I	I 2440.8 II 2440.8 II 2440.9 IV 2440.9 II 2441.0	5 2440.21 57 2440.217	4 1 50 35	21.	603 325 488 309 613	·	CU NI V O CO	1 11 11	2442.378 2442.403 2442.404 2442.41 2442.44	2441.637 2441.665 2441.664 2441.67 2441.70	320 10 4 10 15	1. 31. 93.	672 488 478 168 825	
FE I MN I CL I	I 2441.1 II 2441.1 II 2441.2 II 2441.2	63 2440.423 93 2440.453 06 2440.466	2 40 30 8 2	300.	148 896 328 613 340	н	O NI V CU ZN	1 1 111	2442.478 2442.555 2442.632 2442.674 2442.70	2441.740 2441.817 2441.892 2441.933 2441.96	10 50 30 15 100		1032 488 1000 724 162	
FE NE I	11 2441.2 1 2441.3 11 2441.3 1 2441.4 V 2441.4	65 2440.525 25 2440.585 75 2440.635 87 2440.748 9 2440.75	5 12 10 15 40		613 896 563 896 597	M M	AR SE FE SC NE	I I IV	2442.766 2442.81 2442.871 2442.885 2442.895	2442.026 2442.07 2442.130 2442.147 2442.155	5 40 20 20 20		506 600 896 720 563	м
V II P SE II	II 2441.6 II 2441.6 V 2441.6 II 2441.6 I 2441.7	24 2440.884 66 2440.92 674 2440.934 68 2440.94 72 2440.98	5 0 450 50 100	10.	•		CR FE CL CL	11 111 11	2443.05 2443.115 2443.21 2443.288 2443.291	2442.31 2442.374 2442.47 2442.548 2442.551	2 30 500 53 200	17.	341 896 38 613 64	
P CO MN 1	II 2441.7 V 2441.7 I 2441.7 II 2441.7 II 2441.6	78 2441.04 780 2441.040 797 2441.056	7 3 20 40	132.	613 597 603 328 168		FE MN CU CO CO	11 111 11	2443.307 2443.31 2443.322 2443.33 2443.36	2442.567 2442.57 2442.582 2442.59 2442.62	100 0 120 30 2		896 328 724 825 603	
FE I MN I MN I	II 2441.8 II 2441.8 II 2441.9 V 2441.9	379 2441.139 97 2441.23 979 2441.239	20 1 200				S CU TI MN	I I I I I I	2443.36 2443.40 2443.4054 2443.41 2443.42	2442.62 2442.66 2442.6651 2442.67 2442.68		² 103. 21.		

ŞPI	ECTRUM	VACUÚM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGT:I	AIR WAVELENGTH	INTENSITY		REFERENCE	NOTES
AR MN CO CL KR	11 1 11 11	2443.56 2443.629 2443.665	2442.794 2442.82 2442.888 2442.925 2442.963	20 20 4 2		506 328 603 613 509		ZN V AR CR FE	1 I I 1 I 1 I 1 I 1 I		2444.93 2444.967 2444.996 2445.09 2445.106	100 60 5 10 50	92. 190. 375.	162 478 506 340 896	
F CO AR CR CU	1	2443.92 2443.960	2443.055 2443.18 2443.219 2443.25 2443.326	12 0 20 2	96.	537 603 506 341 612		V NE CR AS FE	11 11 11 11	2445.878 2445.88 2445.907	2445.107 2445.137 2445.14 2445.166 2445.2125	6 20 7 .2 50	39. 63.	478 563 340 425 896	
CR SI MN AR CD	11 11 11 1	2444.1048 2444.15J	2443.35 2443.364 2443.414 2443.49 2443.548	5 65 15 10 5	189. 2. 57.	340 608 328 506 603		V V CL CD GE	11 11 1 1 1	2446.094	2445.224 2445.336 2445.346 2445.353 2445.38	3 4 70 2 15	, 24 .	1000 478 613 603 406	
CU FE CO MN FE	111 11 11 11	2444,450 2444.515 2444.550	2443.701 2443.709 2443.774 2443.809 2443.842	20 60 30 20 150	16. 375.	724 896 825 328 488		O CO FE MN MN	1 I 1 I I I I V 1 I	2446.29 2446.30 2446.314	2445.55 2445.56 2445.573 2445.592 2445.686	250 1 100 50 30	18. 148.	488 825 896 799 328	н
MN FE MN CO CR	11 1 11 11	2444.6127 2444.688 2444.77	2443.85 2443.872 2443.946 2444.03 2444.08	15 155 1 1 12 7	63. 190.	328 896 328 825 340		GE CO CR FE MN	1 V 1 1 1 I 1 I		2445.71 2445.756 2445.76 2445.79 2445.797	15 3 1 40 0	300.	406 603 341 896 328	
CU CU CL CL	II III III III	2444.974	2444.122 2444.122 2444.20 2444.233 2444.26	26 10 7 200 60	190. 18.	613 724 340 724 488		CU CD AS V CR	111 11 1V 1V	2446.683 2446.753 2446.80 2446.812 2446.85	2445.942 2446.012 2446.06 2446.071 2446.11	2 30 600 30 10	328.	724 825 584 829 340	
FE NE CU FE MN	11	2445.013 2445.045 2445.180 2445.256 2445.26	2444.274 2444.304 2444.439 2444.515 2444.51	100 10 1000 100 40	375. 20. 148.	488 563 724 896 328	н	FE TI V MN CU	II I I III	2446.86 2446.891 2446.900	2446.111 2446.12 2446.150 2446.159 2446.164	50 20 3 1	300. 10.	896 483 489 148 724	
CD AR CU FE CO	11 11 1 1 1	2445.26 2445.569 2445.605 2445.646 2445.65	2444.52 2444.828 2444.864 2444.905 2444.91	2 30 5 1		825 506 724 378 825		MN FE CR FE AR	11		2446.19 2446.203 2446.29 2446.321 2446.355	5 0 2 10 10	209.	328 488 341 896 506	н

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTRUM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	RCFERENCE	NOTES
MN 11 FE 11 FE 11 KR 11 CO 11	2447,148 2447,212	2446.38 2446.407 2446.471 2446.476 2446.56	60 15 30 250 15	105. 375. 164.	328 896 896 509 825	н	AR 1 FE 1 CR 1 MN 1 CO 1	1 2448.497 I 2448.50 I 2448.544	2447.743 2447.755 2447.76 2447.803 2447.825	20 30 3 8 40	320. 306.	506 896 340 328 625	'н
MN 11 MN 11 MN 11 WN 11	2447.330 2447.352	2446.561 2446.590 2446.610 2445.66 2446.697	2 10 2 2 2 30	105.	148 328 148 328 478		CR TI I CO I MN I CO I	1 2448.68 1 2448.697	2447.90 2447.92 2447.94 2447.956 2448.05	1 20 15 20 8	21.	341 488 825 328 825	
CU 111 V 111 V 10 MN 11 NI 111	2447.54 2447.543 2447.544	2446.743 2446.80 2446.802 2446.803 2446.85	200 50 50 5		724 325 829 328 661		NI I AR I ZN LI CL 1 CU I	I 2448.90 I 2448.91 I 2448.944	2448.080 2448.16 2448.17 2448.202 4 2448.2148	1 0 30 10		835 506 162 613 612	
MN II AS II CR II KR 1I O III	2447.629 2447.632 2447.65 2447.655	2446.888 2446.890 2446.91 2446.915 2446.92	20 5 15 25 0	190.	328 425 340 509 168		O 11 NI 11 V 1 CO MN 1	I 2449.090 I 2449.20 I 2449.247	2448.255 2448.347 2448.46 2448.505 2448.535	4 100 5 2 0	23.	1032 661 478 603 328	
NI II CR I CL III MN II FE II	2447.85 2447.88 2447.910	2447.013 2447.11 2447.14 2447.170 2447.204	10 2 600 10 40	17. 300.	835 341 38 328 896	н	FE CL II MN I GE I MN I	1 2449.32 1 2449.34 1 2449.420	2448.570 2448.58 2448.59 2448.678 2448.68	0 600 10 3 10	17.	378 38 328 676 328	
FE V NI II FE II CL II FE III	2447.998 2448.068 2448.081	2447.23 2447.257 2447.327 2447.340 2447.374	3 25 2 120	299. 143.	229 835 896 613 188	F H	FE I MN I MN CO I AR 1	I 2449.508 I 2449.790 I 2449.899	2448.731 2448.766 2449.047 2449.157 2449.1819	5 10 2 40 20	222.	488 328 148 825 867	
NI II CO II CU III ZN III FE II	2448.24 2448.250 2448.27	2447.373 2447.50 2447.508 2447.53 2447.560	30 10 170 20 5	299.	835 825 724 162 488		FE I NI 1 CR FE I NI 1	I 2449.976 I 2449.99 I 2450.012	2449.185 2449.234 2449.25 2449.272 2449.347	5 5 2 1 15	129.	488 835 341 488 835	н
NI II V 11 MN 11 CO 11 FE 1	2448.350 2448.438 2448.44	2447.590 2447.608 2447.697 2447.70 2447.7093	5 20 5 M 60	93. 9.	835 478 328 825 896		O I V I AR I CU II MN 1	V 2450.146 I 2450.149 I 2450.166	2449.37 2449.404 2449.407 2449.424 2449.438	300 . 40 20 10 5		86 829 506 724 328	

	SPECTR		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM NAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	F	111 111 11 11 1	2450.226 2450.280 2450.314 2450.332 2450.344	2449.484 2449.538 2449.573 2449.590 2449.602	200 200 60 8 10	78. 5.	768 537 488 896 328	M	O · FE	11 111 111 111	2451.79 2451.83	2451.037 2451.05 2451.09 2451.106 2451.137	10 7 1 20	34.	506 496 168 488 724	н
	CR V FE MN V	11 1V 11 11	2450, 464 2450, 480 2450, 484	2449.63 2449.723 2449.739 2449.742 2449.78	25 20 5 40 1	190.	340 829 488 328 489	н		11 111 1 11 11	2451.96 2451.980 2452.095	2451.208 2451.22 2451.237 2451.354 2451.354	40 10 1 5 5	209. 300. 114.	488 162 603 488 488	н .
	CR CR O FE CO	VII	2450.55 2450.69 2450.7 2450.707 2450.741	2449.81 2449.95 2450.0 2449.965 2449.999	3 25 25 40	300.	341 340 97 896 825	н н	CR FE CR F CR	I I IV II	2452.127	2451.36 2451.384 2451.51 2451.58 2451.63	3 2 3 40 7	245.	341 378 341 173 340	
122	FE O GA	. I	2450.819	2450.032 2450.04 2450.078 2450.134 2450.205	12 300 40 50 25	4. 375. 300.	896 86 488 488 896		CO MN	III II	2452.418 2452.464 2452.490 2452.543 2452.547	2451.675 2451.722 2451.747 2451.800 2451.805	20 3 3 20 50		896 724 603 328 724	·
	V ZN FE MN V		2451.01	2450.236 2450.27 2450.280 2450.317 2450.329	10 500 5 2 20	QV.	478 162 1026 328 829		CO CR F CR	111		2451.921 2451.99 2452.04 2452.070 2452.11	10 4 4 450 2	310.	1032 825 349 537 341	
	CR TI FE NI CO	II I I	2451.206 2451.21	2450.37 2450.44 2450.444 2450.465 2450.47		21. 57.	340 488 896 488 825		SI FE CO	I I III II -	2452.8605 2452.882 2452.90 2452.900 2452.902	2452.1180 2452.139 2452.16 2452.157 2452.160	70 12 10 8 8	2. 74. 105.	608 896 673 328 835	М
	AR V F CU V	11 V 111 111	2451.362 2451.37 2451.436	2450.541 2450.619 2450.63 2450.694 2450.734	10 9 10 1 20	92.	506 478 172 724		FE CL MN FE	1 11 11 11 1	2452.949 2453.060 2453.072	2452.172 2452.206 2452.318 2452.328 2452.345	2 5 26 60 1	105.	378 1026 613 328 378	
	CR NI CR V NI	11 11 111 1V 1	2451.581 2451.599 2451.611	2450.80 2450.839 2450.858 2450.869 2450.975	-100 1 50	, x *	340 835 893 829 488	N	NI MN CU	11 11 111		2452.430 2452.476 2452.486 2452.513 2452.52	2 170 25 1	20.0 74.	521 835 328 724 587	P

	SPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO FE CU CR AR	11 111 11		2452.56 2452.590 2452.668 2452.71 2452.743	25 6 5 18 20	157. 328.	825 896 724 340 506	·	O I MN MN	II 2454.92 II 2454.95 I 2455.005 II 2455.01	2454.18 2454.21 2454.262 2454.26 2454.270	15 F 6 10 80		825 175 148 328 506	
	V FE CU CU CR	11 11 11 111	2453.516 2453.658 2453.694 2453.723 2453.82	2452.773 2452.916 2452.952 2452.980 2453.08	4 5 1 230	300.	478 488 612 : 724 341		CR P N	2455.055 11 2455.21 11 2455.25 11 2455.296 11 2455.321	2454.312 2454.47 2454.51 2454.554 2351.578	5 30 15	74. 20.0 320.	724 340 496 521 896	P H
	MN CR FE P V	11 1 11 11 11		2453.133 2453.14 2453.153 2453.25 2453.346	100 2 12 3 80	74. 386. 92.	328 341 896 496 478		CO I	2455.389 11 2455.398 1 2455.53 11 2455.562 11 2455.72	2454.646 2454.654 2454.79 2454.819 2454.98	5 2 1- 5 100		328 478 489 724 1031	•
123	MN CO FE FE O	11 1 1 1	2454.114 2454.125 2454.2185 2454.311 2454.345	2453.371 2453.382 2453.4756 2453.568 2453.603	10 4 100 3 10	62. 157.	328 603 896 378 1032	•	CR MN X AR	2455.73 11 2455.74 11 2455.8 11 2455.823 11 2455.826	2454.99 2455.00 2455.1 2455.080 2455.083	150 2 50 10	19. 310.	169 340 726 508 328	F
	MN FE CU FE	11 11 11 111	2454.364 2454.464 2454.489 2454.501 2454.540	2453.620 2453.721 2453.747 2453.758 2453.797	80 8 150 8 10	74. 375. 163.	328 328 488 724 896	н	NE CR 1 AR	2455.89 2455.892 2455.919 2455.978 2456.101	2455.15 2455.149 2455.177 2455.235 2455.358	12 20 .200 10 15	310.	340 563 893 506 328	
	MN CO BE V MN	11 11 11 11	2454.57 2454.58 2454.587 2454.600 2454.613	2453.83 2453.84 2453.844 2453.857 2453.870	8 2 15 3 6	6.	326 825 332 478 148		SC 1 NI FE	I 2456.15 2456.26 II 2456.263 I 2456.311 II 2456.371	2455.41 2455.52 2455.519 2455.567 2455.628	2 2 30 20 10	18.	489 855 835 896 506	. M
	N CR FE NI FE	III II V li	2454.63 2454.67 2454.677 2454.7 2454.719	2453.89 2453.90 2453.935 2454.0 2453.976	40 1 250 20	28. 328. 375. 401.	521 340 488 922 896	F P	CR FE CR	2456.394 I 2456.41 I 2456.435 I 2456.45 I 2456.452	2455.651 2455.67 2455.692 2455.71 2455.708	5 1 15 2 15	395.	835 341 896 341 896	M
	NI AS CR CO FE	1 I V I I I I I I I I I I I I I I I I I	2454.726 2454.77 2454.80 2454.83 2454.900	2453.984 2454.03 2454.06 2454.09 2454.158	20 1000 15 1 20	6. 74. 222.	488 584 340 825 488		NE FE	2456.463 1 2456.531 1 2456.540 2456.641 2456.730	2455.721 2455.788 2455.796 2455.898 2455.987	20 50 5 15 20	395.	488 537 563 896 563	

														•	
SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	RUM V	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERLNCE	NOTES
CU MN FE CR	11 11 11 11	2456.752 2456.85 2456.932 2456.97 2456.981	2456.009 2456.10 2456.189 2456.23 2456.237	2 2 40 3 20	57.	612 328 896 340 603	м	CR NI MN GE AR	I I I I I I I	2458.60 2458.609 2458.624 2458.625 2458.698	2457.86 2457.865 2457.880 2457.881 2457.954	4 30 8 5 20	105.	341 835 328 676 506	
AR CR CU V GE	11 111 11 11	2457.010 2457.02 2457.243 2457.252 2457.255	2456.266 2456.28 2456.499 2456.508 2456.512	20 8 3 3 0	41.	506 341 724 478 676		TI ZN O N MN	I 111 111 11 11	2458.74 2458.74 2458.81 2458.818 2458.909	2458.00 2458.00 2458.07 2458.075 2458.165	20 10 0 5	9.	488 162 1032 521 301	P
AS CR FE AR FE	I I I I I I I	2457.27 2457.28 2457.315 2457.36 2457.384	2456.53 2456.54 2456.571 2456.61 2456.641	200 1 10 10 20	5. 320.	480 341 188 506 488		MN V MN MN NE	11 11 11 11	2458.973 2459.033 2459.053 2459.06 2459.092	2458.229 2458.288 2458.312 2458.32 2458.348	5 50 2 15 40	39.	328 478 149 328 563	
FE MN FE CR MN	II II III I	2457.447 2457.512 2457.559 2457.560 2457.622	2456.704 2456.768 2456.816 2456.817 2456.878	1 15 20 350 3	106. 209. 43.	378 328 488 893 143	н	CR AS FE FE MN	. II II II	2459.17 2459.181 2459.270 2459.3118 2459.322	2458.43 2458.437 2458.527 2458.5678 2458.577	3 0 10 25 60	59. 105.	341 425 292 896 328	· .
F CR CR FE FE	1 V 1 I 1 I 1 I	2457.66 2457.68 2457.82 2457.839 2458.083	2456.92 2456.94 2157.08 2457.095 2457.340	60 8 4 15	310. 269.	173 340 341 896 896	· M	CU MN CR CO FE	111 11 1 11 11	2459.435 2459.477 2459.48 2459.504 2459.528	2458.691 2458.733 2458.74 2458.761 2458.784	290 30 2 2 125	209.	724 328 341 825 896	; H
MN V AR NE CR	11 11 11 111	2458.190 2458.269		10 30 10 40 2	91. 281.	328 478 506 1031 340		SI CU AS MN CU	V 11 11 11	2459.53 2459.55 2459.581 2459.61 2459.64	2458.79 2458.81 2458.837 2458.86 2458.88	20 2 2 0 5		941 670 425 328 672	·
FE CU CU NI CU	1 1 1 1 1 1 1 1		2457.633 2457.561	380 1 30 3 5	62.	896 612 724 835 672		MN CR FE MN FE	11 111 11 11	2459.680 2459.707 2459.717 2459.786 2459.840	2458.935 2458.964 2458.973 2459.042 2459.097	0 250 40 10 20	43. 299. 312.	328 893 896 328 488	н н
O FE MN II V	111 11 11 1	2458.54	2457.785 2457.785 2457.80	0 1 20 20 5	299. 9.	1032 488 328 488 478		FE MN NI V CD	11 11 11 11	2459.840 2459.879 2459.924 2459.978 2459.99	2459.097 2459.135 2459.180 2459.233 2459.25	20 3 20 5 4	163. 61. 92.	488 328 835 478 825	н

	SPECTRUM		ACUUM ELENG* I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUI	M	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE NA I CR	II 2 II 2 II 2	460.00 460.039 460.050 460.09	2459.26 2459.296 2459.307 2459.35 2459.358	1 0 750 8 15	28. 382. 168. 92.	521 488 516 340 478		CR CO CR CU MN	II I III II I	2461.48 2461.545 2461.57 2461.606 2461.632	2460.77 2460.800 2460.83 2460.861 2460.887	15 20 1 40	31.0. 5. 32.	540 603 893 612 148	FΡ
·	CO MN SE I	II 2 II 2 II 2	460.140 460.198 460.27 460.28	2459.396 2459.454 2459.53 2459.54 2459.56	200 30 8 150 8	*	724 825 328 587 328		ZN CU CR MN FE	111 1 1 1	2461.66 2461.67 2461.70 2461.756 2461.803	2460.92 2460.93 2460.96 2461.011 2461.059	10 5 2 50 25	32.	162 672 341 148 896	М
	AR CO		460.32 460.345 460.42 460.434 460.439	2459.58 2459.601 2459.68 2459.690 2459.694	3 10 4. 100 50	•	340 506 825 532 148		MN AR NE CO N	11 11 11 11	2461.84 2461.948 2461.986 2462.01 2462.015	2461.09 2461.203 2461.241 2461.26 2461.270	5 10 50 10 160	23.	328 506 563 825 200	
125	B AR MN NI	II 2 II 2 II 2	460.606 460.639 460.6968 460.70 460.783	2459.862 2459.895 2459.9525 2459.96 2460.038	47 100 70 2 50		613 532 867 328 835	•	FE MN F AS V	11 11 V 1V 11	2462.028 2462.05 2462.07 2462.17 2462.240	2461.283 2461.31 2461.33 2461.43 2461.495	80 0 4 800 40	209. 52.	896 328 172 584 478	H
	CO CR	11 2 1 2 1 2	460.813 460.898 460.939 460.94 460.979	2460.069 2460.154 2460.195 2460.20 2460.235	1 6 20 3 50	401.	378 896 603 341 425	•	MN CO FE AS CR	11 11 11 11	2462.271 2462.307 2452.413 2462.430 2462.49	2461.525 2461.562 2451.668 2461.685 2461.75	20 2 10 170 2	163.	328 603 896 425 340	Н
	V I FE CU I CR	11 2 1 2 11 2	461.01 461.04 461.043 461.047 461.16	2460.26 2460.29 2460.299 2460.302 2460.42	5 20 10 15 30	168.	328 325 896 724 340		NI N MN FE CR	1 I 1 I 1 I 1 I 1 I	2462.508 2462.58 2462.599 2462.605 2462.68	2461.763 2461.83 2461.853 2461.860 2461.93	10 1 50 100 5	53. 209. 245.	835 200 328 896 340	н
	ZN 1 FE S 1 CR	II . 2 II 2 II 2 II 2	461.16 461.185 461.24 461.29 461.34	2460.42 2460.440 2460.50 2460.55 2460.59	50 60 250 10	395. 17.	162 896 323 340 328			III III IV I	2462.726 2462.75 2462.793 2462.867 2462.870	2461.981 2462.01 2462.048 2462.122 2462.125	170 50 4 20 10		724 162 937 603 328	
	EE SC I MN	II 2 II 2 II 2	461.379 461.388 461.405 461.438 461.47	2460.635 2460.644 2460.661 2460.694 2460.73	20 20 F 40 1	359.	506 488 863 328 478	. · :	AS FE P FE MN	III	2462.904 2462.9257	2462.126 2462.134 2462.159 2462.1808 2462.190	2 10 4 100 7	9. 32.	425 896 937 896 148	M

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
			2462.248 2462.276 2462.325 2462.35 2462.35	2 8 5 120 15	395. 168.	724 328 488 1031 340		F V CU FE MN	111 111	2464.53 2464.541 2464.605 2464.645 2464.668	2463.79 2463.796 2463.860 2463.900 2463.923	10 10 140 50 20	385.	173 829 724 488 328	
	F 111 AR 11 N 111	2463.154 2463.220 2463.298 2463.30 2463.30	2462.409 2462.475 2462.553 2462.56 2462.56	20 50 10 4 40	28.	328 537 506 521 162		AS TI AS CR CO	1 I 1 V	2464.739 2464.74 2464.75 2464.75 2464.75	2463.993 2464.00 2464.00 2464.00 2464.01	150 10 100 1 20		425 601 584 341 825	
	CU : II FE I MN I	2463.341 2463.359 2463.3521 2463.521 2483.57	2462.596 2462.614 2462.6472 2462.776 2462.82	3 3 380 20 1	32. 9. 32. 168.	148 612 896 148 340		FE P V CO CU	1 V 1 I 1 I 1 I	2464.754 2464.78 2464.840 2464.945 2465.052	2464.009 2464.04 2464.094 2464.200 2464.307	40 1 15 50 1	208. 22. 15.	896 597 478 825 612	Н
126	CU III FE III	2463.608 2463.699 2463.712 2463.723 2463.743	2462.863 2462.954 2462.967 2462.978 2462.998	5 100 40 25 20	32.	148 724 896 188 506		CR CO SC CR MN	11	2465.06	2464.31 2464.459 2464.459 2464.48 2464.57	4 2 360 3 10	168.	340 603 720 340 328	
	CU 111	2463.750 2463.78 2463.804 2463.902 2463.904	2453.005 2463.04 2463.059 2463.157 2463.159	40 0 10 3 15	32. 28. 91.	148 521 724 478 896	М	ÇO	III I II	2465.360	2464.569 2464.61 2464.615 2464.62 2464.65	1 1 3 7 1	7. 168. 22.	1026 587 603 340 478	
	ZN' 111		2463.182 2463.277 2463.292 2463.30 2463.37	6 10 50 100 2	32. 208.	148 328 896 162 341	н ' ,	V MN AS KR NI	1 I· 1 I	2465.465 2465.48 2465.4834 2465.52 2465.544	2464.720 2464.74	2 15 170 100 0	9. 22.	829 328 425 488 661	
	.CR II CR I CO II	. 2464.24	2463.38 2463.46 2463.49 2463.59 2463.65	40 8 5 6 80	92. 33.	1031 340 341 825 162			I		2464.850 2464.904 2464.94 2464.953 2464.966	520 40 8 2 20	208. 168. 9.	537 896 340 1000 488	H
·	CU 111 FE 11 FE 11 FE 1 CO 1	2464.471 2464.471 2464.4756	2463.657 2463.726 2463.726 2463.7304	50	162. 129. 65. 7.	724 488 488 896 603		MN CO FE FE MN	1 1 11	2465.824 2465.857 2465.8942 2465.945 2465.97	2465.075 2465.111 2465.1487 2465.199 2465.22	30 . 3 280 10 . 2	62. 148.	328 603 896 896	н
	·				•	•.							·		

			•			
MN II	CU III CR I	AR II F II MN II CR II N III	CR I FE II NI II MN II MN II	FE I CR II CU III FE I	CR I I AS III CR II V I	NI I V II CR I MN II NI II
	2467.043 2467.09	2466.899 2466.960 2466.97	2466.658 2466.686 2466.691	2466.49 2466.53 2466.594	2466.34 2466.348 2466.36	2466.016 2466.05 2466.16
2466.415	2466.297 2466.34 2466.41	2466.12 2466.153 2466.214 2466.22 2466.24	2465.90 2465.912 2465.940 2465.944 2466.02	2465.666 2465.74 2465.78 2465.848 2465.876	2465.50 2465.59 2465.602 2465.61 2465.664	2465.263 2465.270 2465.30 2465.41 2465.493
80	3 1 3	10 60 100 10	2 50 3 10 8	15 4 18 100 15	5 2 125 18 10	10 150 : 3 2 15
64.		64. 74. 28.	208.	281.	281.	. 8. 92.
328	724 341 825	506 538 328 340 521	341 896 835 328 328	896 341 340 724 896	341 328 425 340 1000	488 478 341 328 835
		•	H	M 		
MN .	FE FE MG	MN FE NI MN CO	SC GE NI CL AR	CR GE F V	NI MN MN CO ZN	CL FE FE AR CO
11	11 1 111	11 1 11 11	1V 1 11 11 11	1 11 111 1V 11	I II II III	11 11 11 11
2468.503	2468.478 2468.4782 2468.50	2468.292 2468.313 2468.393 2468.428 2468.432	2468.108 2468.1141 2468.126 2468.270 2468.29	2467.89 2467.937 2468.06 2468.033 2468.06	2467.706 2467.73 2467.790 2467.793 2467.80	2467.474 2467.512 2467.564 2467.594 2467.61
2467.757	2467.732 2467.7321 2467.75	2467.546 2467.567 2467.647 2467.685 2467.685	2467.362 2467.3681 2467.380 2467.524 2467.55	2467.14 2467.191 2467.256 2467.287 2467.31	2466.960 2466.99 2467.044 2467.047 2467.05	2466.729 2466.766 2466.819 2466.848 2466.86
	60 60 360 15	5 30 20 5 20	1 40 5 1	8 0 4 20 10	5 5 15 25 1000	3 20 60 10 7
	387. 62. 5.	5.	•	33.	56.	179.
328	488 896 2	328 896 835 328 603	720 7 835 613 506	341 676 537 829 825	488 328 328 825 162	613 896 896 506 825
						м н

	SPECT	RUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN FE FE CR CU	11 11 11 11	2468.988 2469.038 2469.042 2469.08 2469.0942	2468.241 2468.292 2468.295 2468.33 2468.3479	30 70 15 10	64. 163. 145.	328 488 896 341 612	H	NI CO MN FE CR	II II II I	2470.267 2470.29 2470.35 2470.412 2470.45	2469.520 2469.54 2469.60 2469.666 2469.70	3 7 1 1 4	10.	835 825 328 378 341	
	TI N CL MN CU	111 111 11 111	2469.106 2469.11 2469.12 2469.155 2469.157	2468.360 2468.36 2468.37 2468.409 2468.411	20 1 300 5 340	9. 26. 13.	488 521 38 328 724		FE FE AR CR NE	11 11 11 11	2470.456 2470.567 2470.6239 2470.70 2470.749	2469.712 2469.823 2469.8773 2469.95 2470.002	80 20 30 10 20	382. 358. 309.	488 488 867 340 563	
	CU FE V CR NI	11 11 11 11	2469.2468 2469.307 2469.400 2469.42 2469.457	2468.5005 2468.561 2468.654 2468.67 2468.711	45 5 8 1 1	93. 113. 23. 189.	612 488 478 340 835		MN NI CR CO CR	11 11 1 1 1	2470.76 2470.773 2470.81 2471.017 2471.02	2470.01 2470.026 2470.06 2470.270 2470.27	15 1 1 20	57.	328 835 341 603 341	
	CU CU MN CR NI	111 111 11 111 111	2469.471 2469.524 2469.532 2469.572 2469.594	2468.725 2468.777 2468.786 2468.828 2468.848	230 10 5 4 2		724 724 328 893 835		F CA O MN MN	111 11 11 11	2471.038 2471.039 2471.04 2471.077 2471.08	2470.291 2470.292 2470.30 2470.330 2470.33	520 160 4 5		537 64 108 148 328	F
•	NA ZN FE NI CU	111 111 1 111 111	2469.600 2469.61 2469.6258 2469.67 2469.733	2468.856 2468.87 2468.8795 2468.92 2468.987	540 500 240 1 50	59.	516 162 896 661 724		AS AR FE NI F	11 11 11 11 111	2471.100 2471.1048 2471.154 2471.176 2471.233	2470.353 2470.3581 2470.408 2470.429 2470.486	150 50 25 2	208.	425 867 895 835 537	н
	FE CR' TI NE CL	111 11 11 11 11	2469.872 2469.88 2469.89 2469.938 2469.94	2469.126 2469.13 2469.15 2469.192 2469.20	25 20 10 5	92. 13.	188 340 601 563 43		NI CO FE FE CR	11 11 11 11	2471.250 2471.39 2471.417 2471.511 2471.56	2470.503 2470.64 2470.670 2470.764 2470.81	1 1 80 10 8	179. 223. 92.	835 825 896 896 340	н н
	CL CO MN CR FE	II II II II	2470.009 2470.01 2470.040 2470.10 2470.117	2469.262 2469.26 2469.35 2469.35 2469.373	3 M- 30 2 5	162.	613 825 328 341 488	н	CU MN CR FE CR	I II II I	2471.58 2471.596 2471.62 2471.625 2471.63	2470.83 2470.879 2470.87 2470.879 2470.88	0 10 12 20 12	309. 33.	672 328 340 896 341	M ·
	V CR MN CU FE	II II III III	2470.135 2470.15 2470.154 2470.179 2470.260	2469.388 2469.40 2469.407 2469.433 2469.514	5 20 40 1 60	40. 310. 31. 299.	478 340 148 724 896	н	FE TI AR F CL	I II III III	2471.7123 2471.72 2471.799 2471.806 2471.81	2470.9655 2470.98 2471.052 2471.059 2471.07	80 30 10 30 500	63. 9. 14.	896 488 506 537 43	

			•	129	į			
	AR ZN FE NI CL	ZN NI CA MN FE	FE FE MN FE K	AS MN NI NI CU	MN NI CO FE AS	FE V CU FE AR	V CQ MN N MN	SPECT
•	11 111 1 V	1V 111 111 11	1 11 11 VI	11 11 11 11	11 1 11 11	11 1 111 11	11 11 11 111	
	2473.359 2473.38 2473.390 2473.4	2473.254 2473.288 2473.328 2473.352		2473.029	2472.819	2472.021 2472.190 2472.201 2472.419 2472.49	2471.866 2471.88 2471.91 2471.98 2472.00	VACUUM WAVELENGTH
	2472.612 2472.63 2472.643 2472.7 2472.694	2472.46 2472.507 2472.541 2472.581 2472.605	2472.3359 2472.3515 2472.370 2472.428 2472.5	2472.129 2472.14 2472.224 2472.282 2472.32	2471.979 2472.065 2472.066 2472.072 2472.074	2471.276 2471.443 2471.454 2471.674 2471.74	2471.119 2471.13 2471.16 2471.24 2471.25	AIR WAVELENGTH
	100 100 20	15 15 200 5 40		0 1 5 10	10 30 3 6	5 10 1 1 5	25 2 3 0 5	INTENSITY
) ·	5) 9. 5) 5	7.	7. 162.	20. 162.	28.	MULTIPLET
	506 162 896 922 613	154 835 64 328 896	896 896 328 896 726	425 328 488 835 672	328 488 603 896 425	488 1000 724 488 506	478 825 328 521 328	REFERENCE
	M F P		H F		н			NOTES
	FE CU CR O CO	CU TI AR CR AS	ZN CO AR FE CR	MN MN V FE MN	FE NE NI V CR	FE AR ZN FE CU	CO FE MN NI NI	SPECT
	1 111 1 111 1	11 11 11 1	III II II I	11 11 1 1 1	III II I I	II III III II	I I I I I I I I I	RUM
	2475.30 2475.365	2474.8874 2474.97 2475.000 2475.02 2475.074	2474.649 2474.745 2474.601	2474.304 2474.372 2474.400 2474.419 2474.438	2474.134 2474.15 2474.192 2474.274 2474.28	2473.904 2473.987 2474.03 2474.069 2474.0812	2473.670 2473.782 2473.81 2473.832 2473.895	VACUUM WAVELENGTY
2474.734	2474.442 2474.503 2474.55 2474.619 2474.702	2474.1398 2474.22 2474.252 2474.27 2474.327	2473.82 2473.901 2473.998 2474.054 2474.08	2473.556 2473.625 2473.652 2473.671 2473.691	2473.386 2473.40 2473.444 2473.527 2473.53	2473.156 2473.240 2473.28 2473.321 2473.3337	2472.922 2473.037 2473.06 2473.085 2473.148	AIR WAVELENGTH
600	60 3 8 1 5	5 20 10 4 2	50 8 . 40 30 15	30 5 5 15	30	450 5 100 50 50	7 5 2 50 100	INTENSITY
	32.	2. 33.	5.	59.	33.	148. 76.	57. 400.	MULTIPLET
516	896 724 341 1032 603	612 488 506 341 425	162 603 506 896 341	328 328 1000 896 328	896 1031 835 1000 341	896 506 162 896 612	603 488 328 835 835	REFERENCE
	M			M	М	н		NOTES

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES .	ŞPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN 11 CR 11 CR 111 MN 11 FE 1	1 2475.65	2474.890 2474.90 2474.906 2474.967 2475.019	30 20 150 50		328 340 893 328 896		AR MN FE NI CR	1 I 1 I 1 I 1 I I	2477.46 2477.57 2477.6132 2477.621 2477.65	2476.71 2476.83 2476.8650 2476.875 2476.90	5 -	65. 3. 145.	506 328 896 488 340	·
	1 2475.843	2475.061 2475.095 2475.116 2475.117 2475.147	25 10 170 50 1	395.	488 328 724 896 835	·	V , AR CR MN FE	11	2477.712 2477.7185 2477.75 2477.79 2477.864	2476.963 2476.9702 2477.00 2477.04 2477.117	1 20 12 1	22. 311.	478 867 340 328 488	
AL II F IV CO II F III	I 2475.926 I 2476.006 V 2476.06 I 2476.07 I 2476.157	2475.178 2475.260 2475.31 2475.32 2475.409	10 25 1 1	12.	1000 488 173 825 537		MN NI TI CL		2477.87 2477.933 2477.94, 2477.96 2478.04	2477.12 2477.185 2477.193 2477.21 2477.29	2 15 1 20 200	2. 13.	670 328 835 468 38	
V II AR II MN II	2476.176 2476.199 2476.210 1 2476.247 2476.289	2475.428 2475.451 2475.462 2475.498 2475.541	50 20 40 30 40	71. 395.	724 478 506 328 896		CO FE CO FE NE	11 11 11	2478.046 2478.091 2478.229 2478.247 2478.292	2477.298 2477.342 2477.481 2477.498 2477.544	30 25 25 10 40	162. 113.	825 896 825 896 563	H
MN III CR II G III MN II NI II	1 2476.44 1 2476.48	2475.62 2475.69 2475.73 2475.751 2475.858	1 30 0 8 2	92.	301 340 163 328 835		CO CU N CR P	111 1V	2478.34 2478.341 2478.44 2478.45 2478.572	2477.59 2477.593 2477.69 2477.70 2477.823	12 1 285 15 200	18.99	825 724 824 340 937	
MN II FE I CR I	1 2476.613 1 2476.77 1 2476.79 1 2476.82 1 2477.010	2475.865 2476.02 2476.031 2476.07 2476.262	30 15 0 1 15	71. 163.	478 328 896 341 896	м _.	CL FE MN F	II II IV I	2478.623 2478.655 2478.70 2478.80 2478.80	2477.874 2477.907 2477.95 2478.05 2478.057	20 1 4 10		613 896 328 173 896	M
CO I FE II CU II	1 9 477.043 1 2477.18 2477.183 1 2477.1925 1 2477.21	2476.295 2476.43 2476.437 2476.4444 2476.46	5 1 0 15 15	52. 386.	478 603 488 612 825		P FE V CO FE	IV II IV II II	2478.818 2478.861 2478.868 2478.942 2478.953	2478.070 2478.112 2478.119 2478.193 2478.206	150 10 1 15 20	224. 149.	937 896 829 825 488	H H
V I CR 111 CO I	1 2477.219 1 2477.258 1 2477.287 1 2477.388 1 2477.4047	2476.471 2476.510 2476.541 2476.640 2476.6566	40 8 60 40 60	59. 56. 62.	896 1000 893 603 896		CU NE P MN CO	111 11 11 11 11	2478.984 2478.987 2479.005 2479.034 2479.041	2478.236 2478.239 2478.256 2478.284 2478.292	290 10 250 15 20	•	724 563 937 328 825	

	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO V MN FE MN	11 11 11	. 2479.042 2479.089 2479.16 2479.196 2479.23	2478.293 2478.340 2478.41 2478.449 2478.48	2 1 20 20 18	161.	478	H	FE AL CU F NI	I V I IV I	2480.50 2480.503 2480.52	2479.630 2479.75 2479.754 2479.77 2479.77	25 20 10 1	34.	896 873 672 173 602	М
•		1 I 1 I 1 I	2479.246 2479.30 2479.310 2479.320 2479.370	2478.497 2478.55 2478.561 2478.571 2478.621	800	52.	821	н	FE ZN CR CR NI	111	2480.5250 2480.55 2480.561 2480.69 2480.721	2479.7761 2479.80 2479.814 2479.94 2479.972	340 100 650 1	9. 43.	896 162 893 341 835	
	F	. 11 . 11	2479.39 2479.408 2479.474 2479.481 2479.52	2478.64 2478.659 2478.726 2478.732 2478.77	50 100 5. 450 10	2. 18.	488 676 563 537 601		CR FE CO FE FE	1 11 11 11	2480.862 2480.90 2480.906	2480.10 2480.115 2480.15 2480.157 2480.187	2 285 1 100 25	179.	341 488 825 896 896	н
	CR MN AS V MN	I I I I	2479.53 2479.552 2479.597 2479.72 2479.735	2478.78 2478.803 2478.848 2478.97 2478.985	20 2 5 5 20	59.	340 148 425 1000 328	٠.,	FE AS AR C BE	11 11 111	2481.142 2481.162 2481.216 2481.251 2481.3	2480.393 2480.413 2480.467 2480.502 2480.6	1 1 30 70	29.	37 <i>t</i> 425 506 34 862	Q
	V CO MN AR CR	11 11 11	2479.792 2479.797 2479.80		200 30 18 100 15	71.	478 825 328 867 341		V MN ZN O V	1 11 111 111		2480.606 2480.70 2490.72 2480.73 2480.739	30 10 10 4 30	59.	1000 328 162 168 829	
	MN	11 11	2479.953 2479.972 2480.008 2480.023 2480.034	2479.259 2479.276	2 5 10 1 20	358. 208.	488 328	· .	P AR C FE CU	111 1 111	2481.50 2481.607 2481.610 2481.700 2481.706	2480.75 2480.858 2480.861 2480.951 2480.957	1 60 70 10 5	29.	496 506 34 896 724	М
	CR CO MN FE FE	11 11 11		2479.307 2479.31 2479.354 2479.385 2479.4801	10 4 20 30 110	382.	893 825 328 488 896		MN FE CO CR V	II II	2481.797 2481.84 2481.84	2480.963 2481.048 2481.09 2481.09 2481.11	50 15 0 4 10	243. 145.	328 896 603 340 1000	н .
	NI V CU CR CU	I I I	2480.24 2480.267 2480.313 2480.32 2480.378	2479.49 2479.518 2479.594 2479.57 2479.629	10 180 1 20 2	71.	602 478 672 340 724		CU CR MN V BE	I I I I	2481.945 2481.98 2481.99 2482.03 2482.068	2481.196 2481.23 2481.24 2481.28 2481.319	15 10 8 3	32.	724 341 328 1000 330	

	ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU	JM.	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN AR TI SI CR	I II III III	2482.180 2482.2239 2482.24 2482.257 2482.302	2481.431 2481.4746 2481.49 2481.508 2481.554	1 90 10 15 60	10.	148 867 488 768 893		V FE MN FE V	I II II II		2482.864 2482.866 2482.94 2483.021 2483.064	2 15 50 15 120	400.	1000 896 328 896 478	М
•	FE AL CR CO MN	11 V 111 11		2481.576 2481.60 2481.65 2481.67 2481.708	20 5 2 5 20	112. 32.	. 488 873 341 673 328		CR SI AR O CR	111 111 11 111 111	2483.975.	2-d3.073 2483.196 2483.225 2483.24 2483.25	700 60 20 1 4	43. 89.	893 768 506 168 340	
	CL AS MN CR MN	111 11 11 11	2482.75	2481.77 2481.781 2481.82 2482.03 2482.04	200 1 10 3 8	13.	38 425 328 341 328		FE NI FE MN FE	I I I I I		2483.2713 2483.29 2483.369 2483.381 2483.5332	1000 50 15- 40 170	9.	896 602 896 328 896	· M
132	P V FE AR F	11 11 11 111		2482.041 2482.115 2482.117 2482.1504 2482.160	40 20 80 90 4	5. 59. 161. 18.	496 1000 896 867 537	н	MN CO V FE CR	11 1 1 1	2484.386 2484.413	2483.541 2483.613 2483.636 2483.663 2483.67	0 12 7 10 25	57. 75.	328 603 1000 896 340	. м
	MN CR NI V FE	II II II II	2483.00 2483.003 2483.057	2482.17 2482.25 2482.254 2482.307 2482.325	50 3 20 150 25	39. 358	328 341 835 478 896		FE CR MN NI CU	11 11 11 111	2484.493 2484.52	2483.721 2483.74 2483.743 2483.77 2483.785	15 40 8 5	331. 310.	896 340 148 661 612	H
	CL CU MN CR O	11 111 11 11	2483.107 2483.16 2483.23	2482.327 2482.357 2482.41 2482.48 2482.60	600 2 10 1	23. 92.	613 724 328 340 168		FE CR NI F ZN	1 11 1 VI 111	2484.54 2484.777 2484.81	2483.786 2483.79 2484.028 2484.06 2484.06	20 40 25 4 15	75. 50.	896 340 488 173 162	М
	MN CR CD FE NI	11 11 11 11	2483.353 2483.37 2483.39 2483.406 2483.429	2482.604 2482.62 2482.64 2482.657 2482.680	. 3 1 1 100 15	207.	328 341 825 896 835	н	AR FE P MN NI	111 1 11 11	2484.9352 2484.943 2484.95	2484.11 2484.1853 2484.193 2484.20 2484.204	60 320 100 3 140	8. 9. 5. 61.	488 896 496 328 835	
	V FE CU SI N	1 111 17 111	2483.461 2483.502 2483.532 2483.566 2483.60	2482.711 2482.752 2482.782 2482.816 2482.85	15 20 10 40 1	. 81. 29. 26.1	1000 896 724 767 521	M	FE CL CD ZN F	111 111 111 111	2485.02 2485.06 2485.11	2484.241 2484.27 2484.31 2484.36 2484.365	60 400 10 30 700	243. 13.	896 38 825 162 537	H

٠	_	•
۲	×	
ť		

•	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	CTRUM	VACUUM WAVELENGTH			MULTIPLET	REFERENCE	NOTES
	CO NI FE MN CU	11 11 11 11	2485.131 2485.191 2485.24	2484.37 2484.381 2484.441 2484.49 2484.509	7		825 835 896 328 612		P CU CR SI MN	II 1I I V I	2486.58 2486.58	2485.79 2485.7924 2485.83 2485.83 2485.842	7 100 4 100 5		496 612 341 941 148	
	NI ZN FE N MN	111 1 111 11	2485.276 2485.28 2485.280 2485.29 2485.29	2484.526 2484.53 2484.530 2484.54 2484.545	100 1 40 5	26.1	835 162 378 521 328		NE CO NI FE MN		2486.6 2486.702 2486.710 2486.7402 2486.78	2485.9 2485.952 2485.960 2485.9899 2486.03	65 1 30 50 2	59.	885 603 835 896 301	M
	FE FE MN MN	11 11 11	2485.302 2485.325 2485.457 2485.486 2485.555	2484.553 2484.576 2484.707 2484.745 2484.808	5 20 20 10 15	243. 331.	488 488 896 328 328	М	NI MN ZN CR FE	II	2486.8 2486.908 2486.91 2487.04 2487.092	2486.1 2486.158 2486.16 2486.29 2486.343	100 100 30 220	92. 208.	922 328 162 340 488	F P
133	FE CR CO ZN CR	11 111	2485.570 2485.61 2485.62 2485.78 2485.79	2484.820 2484.86 2484.87 2485.03 2485.04	10 4 7 5		188 341 825 162 341		CO	111	2487.1237 2487.18 2487.183 2487.213 2487.41	2486.3733 2486.43 2486.433 2486.463 2486.66		8. 26.1 15. 219.	896 521 825 724 340	
	CL MN FE MN FE	11	2485.825 2485.864	2485.1 2485.052 2485.076 2485.114 2485.139	300 60 1 10 15	34.	43 328 488 148 896	H M	CO FE CL CU F	1: 11 111	2487.44 2487.4419 2487.491 2487.492 2487.572	2486.69 2486.6914 2486.740 2486.741 2486.822	15 100 4 3 12	62.	825 896 613 724 537	
	FE CU O MN CU	III III II		2485.358			896 724 168 328 724	M	CR MN ZN AR CL	111 11	2487.618	2486.86 2486.868 2486.87 2486.906 2486.91	1 8 200 30 500	234.	340 328 162 506 38	
	CO SI CR MN CR	11 IV II II	2486.128 2486.16 2486.16	2485.360 2485.378 2485.41 2485.41 2485.48	30 10 15 10 2	309.	825 767 340 328 341		CO CR MN CR CR	111	2487.72 2487.741 2487.78	2486.94 2486.97 2486.991 2487.03 2487.046	1 2 60 12 350		825 341 328 340 893	
	V FE SI FE F	II III III	2486.241 2486.244 2486.387 2486.491 2486.54	2485.495 2485.623	3 0 G 25 1		478 488 768 188 173		FE MN CO FE CR	. II.	2487.89 2487.942	2487.089 2487.14 2487.191	, 20 20	,	896 328 825 188 341	

CR V N CR FE	CO CO MN BR V	CR CR FE F MN	V MN CU O GE	N CO FE NI MN	AS CU CO FE MN	FE FE CO V CO	ŞPEC
1	I I I	11 1 11 1	1 11 11	11	11 111 111 111	11 1 11 11	TRUM
2489.37 2489.488 2489.497 2489.56 2489.6961	2489.212 2489.227 2489.292	2489.05 2489.085 2489.111	2488.96 2488.982 2489.0	2488.88 2488.8934 2488.899	2488,472 2488,629 2488,672	2488.1203 2488.158 2488.278	VACUUM WAVELENGT'I
2488.62 2488.737 2488.746 2488.81 2488.9450	2488.432 2488.461 2488.476 2488.542 2488.616	2488.26 2488.30 2488.335 2488.360 2488.42	2488.203 2488.21 2488.231 2488.3 2488.25	2488.120 2488.13 2488.1426 2488.149 2488.16	2487.667 2487.721 2487.878 2487.922 2488.12	2487.356 2487.3696 2487.407 2487.528 2487.65	AIR WAVELENGTH
	M 4 50 350 6	60 12 -20 4 10	5 10 3 0 30	20 10 620 30 40	15 35 M 25 5	50 110 25 10 2	INTENSITY
59. 20.	7. 22.	66. 93.	22.	20. 9.		385. 10. 21.	MULTIPLET
341 1000 200 341 896	825 603 328 606 478	490 340 488 537 328	1000 328 724 163 406	200 825 896 488 328	425 724 825 188 328	488 896 825 1000 825	REFERENCE
		N					NOTES
MN MG · I	MN N CL I	FE CO	· CR	NI CO FE S I	CU I CR CR	V MN CO	SPECTRUM
II :	II II II	I II	II II	I I I II	II II	I II	
2491.246 2491.259 2491.29 2491.3955 2491.440	2490.934 2490.978 2491.032 2491.1 2491.140	2490.580 2490.6644 2490.77 2490.82 2490.875	2490.37 2490.4039 2490.42 2490.42 2490.5015	2490.257 2490.258 2490.268 2490.34 2490.349	2490.155 2490.200 2490.21 2490.23 2490.234	2489.832 2489.88 2489.957 2490.000 2490.03	VACUUM VELENGTH
2490.495 2490.508 2490.54 2490.6441 2490.689	2490.183 2490.227 2490.281 2490.3 2490.389	2489.829 2489.9132 2490.02 2490.07 2490.124	2489.62 2489.6527 2489.67 2489.67 2489.7503	2489.507 2489.507 2489.517 2489.59 2489.598	2489.404 2489.449 2489.46 2489.48 2489.482	2489.081 2489.13 2489.206 2489.249 2489.28	AIR WAVELENGTH
170 20 160 550 20	150 15 70 500 30	50 50 0 20 15	3 20 20 2 320	5 1 20 250 M	6 25 15 8 80	1 4 10 4 50	INTENSITY
9.	18.0	207.	22. 9.	27. 17.	32. 161.	59. 7. 92.	MULTIPLET
425 328 2 896 488	425 328 200 43 825	896 896 603 340 896	603 612 340 661 896	488 603 896 323 825	613 724 340 341 896	835 1000 328 603 340	REFERENCE
		H:		М.	н		NOTES
	•						٠

PECTRUM	VACUUM NAVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES	SPECTRUM	VV IVAW	CUUM ELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
II III II	2491.62 2491.661 2491.724 2491.7861 2491.89	2490.87 2490.910 2490.972 2491.0346 2491.14	90 10	58.	287 328 724 867 328		MN CR FE	11 24 11 24 1 24	493.31 493.34 493.37 493.3824 493.40	2492.57 2492.58 2492.62 2492.6305 2492.65	30 0 40 30 4	31. 234. 63.	341 328 340 896 345		
I I II	2491.90 2491.90 2491.9062 2491.91 2491.91	2491.14 2491.15 2491.1547 2491.16 2491.16	250 1 450 15	9.	574 603 696 825 325		FE MN FE CL	II 2: I 2: II 2:	493.432 493.468 493.574 493.59 493.61	2492.680 2492.716 2492.82 2492.84 2492.86	15 40 1	63. 59. 234.	896 328 378 345 340		
I I II II I	2491.935 2491.945 2491.95 2491.96 2492.	2491.184 2491.193 2491.20 2491.21 2491.	40 3	34.	488 896 162 200 126	M	FE AS CR NA N	I 2	493.641 493.66 493.83 493.903 493.91	2492.890 2492.91 2493.08 2493.152 2493.16	15-	5.	896 480 340 693 200	M	
II II II	2492.074 2492,10 2492.12 2492.148 2492.165	2491.325 2491.35 2491.37 2491.396 2491.414	12 20 10 100 2	31. 58. 207	328 341 287 896 148	н	FE	11 2	493.93 493.936 493.936 493.98 494.014	2493.18 2493.184 2493.184 2493.23 2493.262	1 100 100 1 220		8 25 896 896 8 2 5 896	н н	
I II I.	2492.21 2492.218 2492.397 2492.425 2492.447	2491.46 2491.466 2491.645 2491.673 2491.695	40 40 0 20 1		200 896 328 896 835	M	O SE I	IV 2 II 2 II 2	494.03 494.19 494.20 494.269 494.304	2493.28 2493.44 2493.45 2493.517 2493.552	25	93. 9.	340 86 587 64 724		
	2492.559 2492.567 2492.734 2492.765 2492.80	2491.808 2491.815 2491.982 2492.013 2492.05	1 2 30 30 500	163.	893 1000 896 506 162		CO' CR CR V I	II 2 I 2 II 2	2494.328 2494.33 2494.35 2494.35	2493.576 2493.58 2493.60 2493.60 2493.65	15 4 8 5 20	5.	478 825 341 340 325		
11 111 111 11	2492.872 2492.898 2492.91 2492.980 2493.095	2492.120 2492.146 2492.16 2492.229 2492.344	15 450 F 30 25	1. 164. 243.		Р	NI MN CR	II a	2494.418 2494.469 2494.50 2494.503 2494.52	2493.666 2493.716 2493.75 2493.751 2493.77	300		835 328 341 896 86	M	
I II III III	2493.129 2493.156 2493.28 2493.303 2493.31	2492.377 2492.404 2492.53 2492.551	50	_	896 328 661 537 588	M	CO N	I I II	2494.628 2494.64 2494.682 2494.692 2494.74	2493.89 2493.930 2493.940	20 4 30 40 F	400.	896 341 603 200 86	н	

	SPECTRU		VACUUM WAVELENGTH	AIR Wavelength	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE AR	I II II III	2494.7526 2494.80 2494.863 2494.866 2494.900	2494.0005 2494.04 2494.111 2494.114 2494.148	60 10 20 40 3	62. 161.	896 328 488 506 724	н	CR MN V MN FE	I II II I	2496.540 2496.62	2495.68 2495.73 2495.787 2495.87 2495.871	3 30 20 20 100	22. 57.	341 328 1000 328 896	
	CU K SE FE CR	11I V 11I 1	2494.945 2495.0 2495.00 2495.0037 2495.01	2494.193 2494.2 2494.25 2494.2515 2494.26	150 50 10	57.	724 726 587 896 340	F	NI AR CR CL MN	111 111 11 11	2496.6772 2496.698		50 20 1 140 15	10.	835 867 893 613 301	
	V MN FE MN BE	IV I II I	2495.103 2495.143 2495.2617 2495.291 2495.295	2494.351 2494.391 2494.5094 2494.538 2494.543		16.	829 148 896 328 333		•	I III III III	2496.93	2496.048 2496.067 2496.078 2496.18 2496.240	7 40 260 100	5.	148 496 724 162 425	
136	V BE MN N V	II.	2495.314 2495.335 2495.337 2495.46 2495.473	2494.562 2494.583 2494.585 2494.71 2494.721	3 100 5 40 4	3. 34.	478 333 148 200 478		S CR FE FE MN	111 1 1 1	2497.00 2497.05 2497.089 2497.149 2497.168	2496.24 2496.30 2496.337 2496.396 2496.415	300 35 10 15 3	17. 31.	323 341 896 896 148	M M
	BE CO NI FE FE	1 111 111 11	2495.480 2495.482 2495.49 2495.533 2495.645	2494.728 2494.730 2494.74 2494.781 2494.893	160 9 1 6 20	3. 22. 382.	333 603 661 896 488		CO CR CO F	11 1 11 11 11	2497.19 2497.20	2496.44 2496.44 2496.45 2496.497 2496.52	30 10 1 10	145. 34.	825 340 603 538 521	P
	CU CU N CR CR	1 11 1 1	2495.65 2495.6675 2495.67 2495.83 2495.85	2494.89 2494.9151 2494.92 2495.08 2495.10	10 2 1 20 7	33. 34. 31.	672 612 200 341 340			1 11 111 111	2497.310 2497.35	2496.5333 2496.557 2496.60 2496.696 2496.713	240 2 15 25 12	59. 57.	896 328 340 188 603	
	CR FE BR ZN AS	11 11 11 111	2495.95 2495.985 2496.003 2496.14 2496.160	2495.20 2495.233 2495.251 2495.39 2495.407	7 1 350 20 1	393.	340 488 606 162 425		B FE CR NI N	1 1 11 11 -11	2497.544 2497.56	2496.773 2496.792 2496.81 2496.807 2496.83	1000 40 40 1	1. 336. 20.	274 896 340 835 200	M
	AR AL MN CO CU	II I.	2496.168 2496.22 2496.23 2496.304 2496.315	2495.415 2495.47 2495.48 2495.551 2495.563	5 80 5 10 2	56.	506 888 328 603 724		MN CU N FE V	II III II. I	2497.658 2497.715 2497.73 2497.744 2497.755	2496.905 2496.962 2496.97 2496.991 2497.002	40 2 70 20 4	34. 164. 51.	328 724 200 896 478	

SPI	ECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET		NOTES	SPECTRUM	VACUUN WAVELEN		INTENSITY	MULTIPLET	REFERENCE.	NOTES
NA V NI MN	111	2497.802 2497.81 2497.837	2497.022 2497.049 2497.06 2497.084 2497.08	750 10 20 4 15		516 829 661 148 328		FE CR I	I 2498.9 I 2498.9 I 2498.9 I 2498.9 I 2499.0	957 2498.203 98 2498.23 985 2498.232	25 8 2 20 10	20.	425 896 340 1000 162	М
V ZN AL CR AR		2497.88 7 2497.89 2497.90	2497.099 2497.13 2497.14 2497.15 2497.2223	2 50 200 5 60	•	1000 162 888 341 867		AS I CL I CO I	I 2499.0 I 2499.1 I 2499.1 I 2499.1	226 2498.473 2498.529 38 2498.62 103 2498.650	5 5 185 15 25	10.	896 425 613 825 425	
CO FE P P CO	! !! !	2498.053 2498.08 2498.125	2497.30 2497.300 2497.33 2497.372 2497.484	4 5 100 70 30	208. 5.	825 488 597 496 825	н	CR I FE CO I	I 2499.4 I 2499.5 I 2499.5 I 2499.5 I 2499.6	2498.698 5 2498.80 672 2498.819 676 2498.823	1 40 8 40 450	93.	378 340 896 825 488	H M
MN CU V MN	11	2498.374 2498.391 2498.408	2497.597 2497.621 2497.638 2497.655 2497.685	4 1 290 6 20	23. 58.	148 835 724 1000 328		TI -I	V 2499.7 I 2499.7	2498.94 0 2498.95 54 2499.001		8. 10. 45.	896 488 173 612 328	
FE FE MN B	1	2498.467 2498.478 2498.484	2497.714 2497.714 2497.725 2497.731 2497.736	5 5 - 15 1000 315	242. 128. 1. 9.	896 896 148 274 64	H	MN I		2499.09 148 2499.094 17 2499.21	300 15 15 30 12	17. 21. 17.	323 825 1000 328 1000	
F. CO MN NI ZN	1 1 1 11	2498.50 2498.524 2498.558	2497.744 2497.75 2497.771 2497.805 2497.82	25 10 2 10 - 50	18.	538 825 328 835 162		CL I CD I CR		2499.303 8 2499.33 - 9 2499.34	120 5 1 4 8	•	86 613 825 341 340	
FE FE CR CU	. I	2498.6 2498.62	2497.819 2497.819 2497.8 2497.8 2497.87	50 50 M 10		896 896 940 340 724	H H FH	AR I CR CR I	I 2500.1 I 2500.2 I 2500.3 I 2500.3 I 2500.4	798 2499.5263 11 2499.56 18 2499.63	8 60 4 5 2	42. 69.	148 · 867 341 340 341	
CR GE V · FE CR	. 1	2498.7156 2498.777 2498.835	2497.91 2497.9625 2498.024 2498.082 2498.131	10 150 10 8	30.	341 7 1000 896 893		I NM I	I 2500.4 I 2500.5 I 2500.5 I 2500.5	8 2499.73 31 2499.778 78 2499.825	1 2 2 20 15	104. 34. 31.	378 328 1000 200 341	

	_
•	u
C	×

	ŞPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	IUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CU V MN CR CR	111 11 111	2500.819 2500.82	2499.837 2499.959 2500.064 2500.07 2500.073	1 8 20 5	17. 42. 66.	612 1000 328 340 893		CO FE FE AL CR	11	2502.011 2502.066 2502.105 2502.12 2502.23	2501.257 2501.312 2501.351 2501.37 2501.48	2 40 1 5 25	400. 73.	603 896 488 888 340	
٠.	V AS GA CR CR	11 11 11 11 11	2500.860 2500.940 2500.96	2500.076 2500.107 2500.187 2500.21 2500.27	4 1 220 7 40	5. 4. 336. 66.	478 425 488 340 490		CU CD FE AS V	11 1 111 11	2502.2476 2502.262 2502.280 2502.315 2502.362	2501.4937 2501.508 2501.526 2501.560 2501.608	2 2 40 15 60	19.	612 603 188 425 1000	•
	V AR MN CR MN	II II II	2501.151 2501.172 2501.19	2500.382 2500.397 2500.418 2500.44 2500.487	5 50 20 2 20	18.	1000 506 328 341 328		CU	I I IV I	2502.392 2502.40 2502.406 2502.41 2502.4475	2501.638 2501.65 2501.652 2501.66 2501.6935	10 10 25 1 50	30. 56.	724 341 896 173 896	М
138	CD CR GE CO MN	111 11 11		2500.494 2500.511 2500.536 2500.60 2500.62	10 1 500 2 20	18.	603 893 676 825 328		FE O AR CR SI	1V 11 1	2502.479 2502.56 2502.5902 2502.66 2502.724	2501.725 2501.81 2501.8362 2501.91 2501.970	12 120 80 4 5	18.	893 86 867 341 678	M
	CR N MN CU GA	1 11 111 1	2501.426 2501.446 2501.450	2500.66 2500.672 2500.692 2500.696 2500.714	12 70 4 100 40	30. 33.	341 200 148 724 488		CU ZN ZN CO CR	II IV II	2502.729 2502.744 2502.755 2502.80 2502.91	2501.975 2501.990 2502.001 2502.04 2502.16	1 1000 8 4 12		724 154 314 825 340	
	CR MN CL NI FE	V11 11 -11	2501.6 2501.627	2500.79 2500.840 2500.8 2500.873 2500.924	4 2 2 40	30. 357.	341 148 92 835 896	н	NI CR CO AS FE	I I II	2502.969 2503.02 2503.038 2503.084 2503.1471	2502.215 2502.27 2502.284 2502.329 2502.3930	5 1 5 3 60	207.	835 341 603 425 896	н
	SI N GE P	11 11		2500.928 2500.931 2500.955 2500.960 2501.054	3 5 40	18. 33. 18. 5. 33.	678 521 676 496 521	P P	MN FE MN CO CR	11 11 11 11 1	2503.275 2503.29	2502.41 2502.4907 2502.520 2502.54 2502.55	30 25 30 2 25	32.	328 896 328 825 341	
	F NI NI FE CR	IV II I	2501.85 2501.859 2501.882 2501.8861 2501.927	2501.10 2501.105 2501.128 2501.1323 2501.173	4 1 15 320 200	7. 57.	173 835 488 896 893	N	MN CR MN CL NA	11 111 11		2502.68 2502.72 2502.721 2502.737 2502.84	1 2 3 230	32. 10.	328 341 301 613 693	

SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR V	1 111 11 11	2503.71	2502.89 2502.903 2502.96 2503.018 2503.029	3 25 2 180 75	69. 21.	341 188 340 478 724		NI CO CO	11 11 1 11	2505.148 2505.179 2505.272 2505.273 2505.274	2504.399 2504.424 2504.518 2504.518 2504.522	5 4 50 30	33. 55.	521 835 603 825 488	P
CU CO CO NI ZN	111 11 11 11	2503.99 2503.99 2504.010	2503.180 2503.24 2503.24 2503.256 2503.28	5 1 20 100 50		724 603 825 835 162	-	CR K	II II II II	2505.3 2505.30 2505.35 2505.383 2505.390	2504.5 2504.55 2504.60 2504.629 2504.635	5 3 40 140 1	320. 5.	162 340 488 724 378	.*
V FE CU CR MN	11 111 111 11	2504.0809 2504.082 2504.16	2503.300 2503.3265 2503.327 2503.41 2503.459	50 40 2 2 40	17. 206. 298.	1000 896 724 340 328	H	V I O I AR	11 11 11 11	2505.405 2505.45 2505.45 2505.493 2505.528	2504.653 2504.69 2504.70 2504.738 2504.776	2 .0 30	33.	521 325 1032 506 521	P P
FE NI FE F	I 11 11 1V 11	2504.264 2504.312 2504.32	2503.4921 2503.509 2503.560 2503.57 2503.566	25 5 110 4 20	164. 161. 175.	896 835 488 173 896	н [*]	FE V NE	11 11 11 1V 1	2505.606 2505.640 2505.69 2505.7 2505.75	2504.851 2504.885 2504.94 2504.9 2505.00	10 0 2 50 10	69.	328 645 478 885 341	
CR CU V CO CO	11 111 111 11	2504.380 2504.43 2504.611	2503.62 2503.625 2503.67 2503.857 2503.860	3 75 0 10	201.	340 724 325 825 603		CR I MN	1 11 11 11.	2505.766 2505.819 2505.84 2505.846 2505.862	2505.011 2505.066 2505.08 2505.091 2505.107	12 120 0 2 3	163. 66. 17.03	896 893 328 678 603	
FE CR AS V AR	11 11 1 1	2504.64 2504.665 2504.667	2503.8742 2503.89 2503.911 2503.912 2503.9347	60 4 5 2 70	285.	896 340 425 1000 867	н	V CR	11 11 11 1 1	2505.88 2505.970 2505.991 2506.12 2506.1945	2505.13 2505.217 2505.236 2505.37 2505.4397	. 30	33.	825 488 478 341 896	H
FE ZN NI N CL	1 111 11 111 111	2504.86 2504.930 2504.943	2504.101 2504.11 2504.175 2504.188 2504.23	1 30 1 70 500	33. 13.	378 162 835 200 38		FE I	II II II II	2506.20 2506.23 2506.2398 2506.295 2506.295	2505.45 2505.47 2505.4849 2505.540 2505.540	2 3 40 12 15	22.	340 227 896 537 1000	
V CR SI MN V		2505.06	2504.290 2504.31 2504.331 2504.371 2504.382	7 40 2 20 1	31. 17.03	478 341 678 328 1000		FE CU I	11 1 11 11 11	2506.364 2506.408 2506.517 2506.52 2506.598	2505.609 2505.653 2505.762 2505.77 2505.843	170 25 10 15 120	48.	724 896 724 825 835	м.

	SPECI		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CR CR AS NI FE	II II II	2506.75 2506.778	2505.86 2505.99 2506.023 2506.091 2506.0934	20 1 0 100 80	200.	340 341 425 835 896	Н	BE CU CR AL MN	11 111 11 1V	2508.207 2508.33 2508.35	2507.429 2507.452 2507.57 2507.60 2507.598	7 140 .10 .3 170	298. 45.	332 724 340 888 328	
	CR CO V CU NA		2507.0282	2506.11 2506.12 2506.215 2506.2732 2506.297	8 200 150 10	41. 21. 92.	340 825 478 612 693		FE CO FE MN O	I I I I I I I I I I I I I I I I I I I	2508.443 2508.45	2507.607 2507.678 2507.688 2507.70 2507.73	20 40 15 20 300	363. 56. 363.	488 603 896 328 86	
	CR CR FE CR CO	II	2507.09 2507.167 2507.189 2507.21 2507.215	2506.33 2506.414 2506.434 2506.45 2506.460	4 400 12- 2 60	30. 128. 15.	341 893 896 341 825	Н	FE AL MN V MN	I I I II	2508.51 2508.511 2508.532	2507.739 2507.76 2507.756 2507.777 2507.813	15 300 2 100 50	19.	896 868 148 1000 328	M
140	MN V CU FE 7N	1		2506.469 2506.482 2506.527 2506.574 2506.69	15 6 10 15 10	18. 163.	328 1000 724 896 154		CU FE CO AL S	III II III		2507.832 2507.8999 2507.963 2508.01 2508.01	5 220 60 300 300	59.	724 896 825 888 285	
	CU CR FE CR CO	111 11 11 1		2506.720 2506.76 2506.7963 2506.82 2506.873	120 5 40 25 10	167. 175. 31. 57.	724 340 896 341 603		CU AS ZN MN	11 11 11 11	2508.808 2508.818	2508.04 2508.052 2509.063 2508.09 2508.102	60 120 25 50		825 724 425 162 328	
	MN SI V FE CR		2507.663	2506.90 2506.8973 2506.902 2506.908 2506.93	5 425 150	1. 17. 41.	328 608 1000 896 340	M	CR S CO V F	III II II IV	2508.90 2509.01 2509.02	2508.11 2508.15 2508.25 2508.26 2508.31	18 350 15 2	30. 17.	341 323 825 478 173	
-	AS LI V FE MN		2507.781	2506.927 2506.940 2506.969 2507.026 2507.027	3 1- 10 8 20	207.	425 307 829 896 328		FE CU P AR AS	11 111 11 11	2509.243 2509.28 2509.304	2508.3411 2508.488 2508.53 2508.548 2508.601	30 340 0 10 5		896 724 431 506 425	H N
	MN CO FE CR AR	111	2507.87 2507.924 2507.999 2508.08 2508.088	2507.12 2507.169 2507.244 2507.32 2507.333	3 2 10 12 30	69.	301 603 188 341 500		CU CO FE CU MN	1 111	2509.367 2509.486 2509.5086 2509.531 2509.531	2508.612 2508.730 2508.7530 2508.775 2508.775	75 1 50 5 50	' 63. · 45.	724 603 896 724 328	

`\

SPECTRUM	. VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	Ş PECT!		VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
LI II V I CU III V II AR III	2509.578 2509.604 2509.609	2508.785 2508.822 2508.848 2508.854 2508.91	1 5 50 4 30	16. 51. 8.	307 1000 724 478 488		NI MN CR MN O	11 11 11 11	2511.206 2511.216 2511.25 2511.250 2511.30	2510.450 2510.460 2510.49 2510.494 2510.60	8 30 8 5 25	29.	835 328 341 328 86	
	2509.721	2508.948 2508.965 2508.97 2508.984 2509.03	1 15 15 30 8	59. 30.	378 724 341 328 162		FE AR CR MN CU	11 11 11 11 111	2511.319 2511.3824 2511.39 2511.411 2511.558	2510.565 2510.6263 2510.69 2510.655 2510.802	5 30 6 140 2	112.	488 867 341 328 724	
CR 11 C 11 FE 11 O IV CO I	2509.877 2509.873 2509.95	2509.10 2509.121 2509.123 2509.19 2509.234	12 250 15 350 2	14. 242.	340 287 896 86 603	H	FE NI TI CL BE	1 11 11 111 1V	2511.5909 2511.627 2511.65 2511.67 2511.744	2510.8348 2510.871 2510.90 2510.92 2510.988	320 220 2- 400	7. 18. 4. 13.	896 835 488 33 309	H
	2510.064	2509.239 2509. 2509.310 2509.338 2509.37	5 2	33.	328 843 521 328 328	FH P	CR NI CO CO F	1 11 11 1	2511.77 2511.772 2511.774 2511.775 2511.856	2511.01 2511.016 2511.018 2511.019 2511.100	3 5 20 10 110	56.	341 835 825 603 537	÷
FE I NI 111 CU 111 N 11 V IV	2510.22 2510.271 2510.272	2509.390 2509.47 2509.512 2509.518 2509.606	1 10 15 5	22. 33.	378 661 724 521 829	P	CO V HE CR NI	11 11 11 11		2511.159 2511.182 2511.205 2511.22 2511.235	15 20 20 10	91.	825 1000 309 340 835	
MN II CU III ZN III FE II N II	2510.443 2510.53 2510.621	2509.618 2509.687 2509.78 2509.866 2509.902	60 3 40 12	363. 33.	328 724 162 896 521	P	CU CL MN MN V	111 11 11 1 1 1	2512.053 2512.08 2512.096 2512.108 2512.134	2511.297 2511.33 2511.340 2511.351 2511.377	170 6 15 2		724 345 328 148 829	
N1 V CO II CD I FE II V I	2510.85 · 2510.86 2510.875	2509.9 2510.09 2510.10 2510.121 2510.18	10 0 5 1	400.	922 825 603 488 1000	FP	FE AS FE CO MN	11 111 111 11	2512.138 2512.144 2512.174 2512.20 2512.294	2511.382 2511.388 2511.418 2511.44 2511.538	12 2 90 20 4	93.	896 425 188 825 148	н
V 1 CR 11 NA 111 CR 1 NE IV	2511.00 2511.020 2511.13	2510.242 2510.24 2510.266 2510.37 2510.4	8 20 510 2 45	19. 200. 31.	1000 340 516 341 885	м	V CO S CO SI	1 11 11 11	2512.398 2512.42 2512.47 2512.49 2512.49	2511.642 2511.67 2511.72 2511.74 2511.74	80 1 0 1 20	17.	1000 · 825 265 825 825 941	

SPECTRUM		VACUUM LVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	WAVELENGTH	INTENSITY	MULTIPLE	REFERENCE	NUTES
FE CO MN	I I I	2512.490 2512.5169 2512.61 2512.612 2512.661	2511.734 2511.7606 2511.86 2511.855 2511.905	60 110 1 15 15	14. 161.	287 896 825 328 328	H	CU MN CO CO FE	III I I II II	2513.780 2513.842 2513.875 2513.88 2513.910	2513.023 2513.086 2513.119 2513.12 2513.155	50 1 4 M	363.	724 148 603 825 488	
V CR NI	I I I	2512.665 2512.697 2512.72 2512.721 2512.81	2511.910 2511.940 2511.96 2511.965 2512.05	20 100 15 2 20	175. 17. 69.	488 1000 341 835 825		AL V FE CL FE	1 11 11 11	2514.062 2514.079 2514.083 2514.103 2514.127	2513.305 2513.322 2513.328 2513.346 2513.372	40 1 3 5 5	207.	198 478 605 613 488	N .
NA CU I AS	I I V	2512.821 2512.883 2512.894 2512.94 2512.965	2512.065 2512.128 2512.137 2512.18 2512.210	350 15 350	14. 5. 5.	287 488 724 584 488		SE AS FE GA CR	111 11 11 11 11	2514.13 2514.249 2514.253 2514.31 2514.38	2513.37 2513.492 2513.498 2513.55 2513.62	10 5 15 120 15	30.	587 425 896 652	М
V AR NI I	V I	2512.98 2512.998 2513.0141 2513.02 2513.0319	2512.22 2512.242 2512.2576 2512.26 2512.2754	8 0 60 1 80	167.	340 829 867 661 896		CU EE	11 11 111 1	2514.400 2514.42 2514.505 2514.542 2514.6055	2513.643 2513.66 2513.748 2513.785 2513.8487	60 50 8 20 8	308. 164.	563 340 724 896 896	М
CR CO CL	I	2513.1213 2513.14 2513.17 2513.173 2513.192	2512.3649 2512.38 2512.41 2512.416 2512.437	200 10 M 5	8. 199.	896 340 825 613 1032		CL CD GA MN FE	11 11 11 11 11	2514.77 2514.87 2514.91 2514.957 2515.0363	2514.01 2514.11 2514.15 2514.200 2514.2794	6 1 50 100 30		345 825 652 328 896	М
FE MN CO	II II II -	2513.263 2513.278 2513.429 2513.45 2513.47	2512.508 2512.521 2512.673 2512.69 2512.72	350 15 8 1 0	57. 343.	893 896 328 825 325	н	CU CD AL FE MN	1 I I I I V I		2514.2923 2514.299 2514.30 2514.3059 2514.314	M 200 20 40		612 825 888 896 148	М
CR V CU I	11	2513.482 2513.56 2513.568 2513.571 2513.60	2512.727 2512.80 2512.812 2512.815 2512.85	0 5 2 2 30	129.	488 340 478 724 587		SI V MN FE V	I II II II		2514.3161 2514.322 2514.35 2514.3831 2514.41	375 15 0 50 10	285. 80.	608 1000 328 896 1000	н
CO FE I MN	I. II.	2513.653 2513.657 2513.658 2513.688 2513.74	2512.896 2512.900 2512.902 2512.932 2512.98	35 5 10 10 0	113. 93.	724 603 188 328 326		K MN FE FE MN	V I I I I V I I I V I I I V I I I V I I I V I I I V I I I V I I I V I I I V I I I V I I I I V I I I I V I I I I V I I I I V I I I I V I I I I I V I I I I I V I I I I I V I I I I I V I I I I I V I I I I I I I V I	2515.2 2515.260 2515.277 2515.3 2515.325	2514.4 2514.503 2514.520 2514.5 2514.567	20 8 30		726 328 896 1034 328	F M

	SPECTRUM	VACUUM WAVELENGT I	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTI	RUM V	VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NI 11 V 11	2515.390	2514.569 2514.627 2514.633 2514.6 2514.658	15 140 200	61. 21.	896 835 478 922 724	M F P	CR CL CR CR FE	11 11 111 111	2516.65 2516.653 2516.66 2516.680 2516.681	2515.89 2515.896 2515.90 2515.924 2515.925	4 10 7 250 1	110. 32. 363.	340 613 341 893 488	
	B CU III	2515.42 2515.457 2515.4661 2515.49 2515.510	2514.66 2514.700 2514.7091 2514.73 2514.753	3 20 2 10		309 724 896 341 724	М	ZN MN TI FE SI	111 111 111 1		2515.93 2515.994 2516.053 2516.112 2516.1125	40 1 1000 50 500	7.	162 328 227 896 608	· M
	FE I CO II MN I F I	2515.69 2515.707	2514.906 2514.912 2514.93 2514.950 2515.01	3 40 2 30 10	175. 45.	724 488 673 328 173	н	MN AL O FE F	11 IV 111 I IV	2517.0076	2516.13 2516.20 2516.231 2516.2502 2516.27	40 80 0 15	45. 57.	328 888 1032 896 173	
-	CO		2515.03 2515.06 2515.063 2515.075 2515.0826	50 5 10 1 4	308.	162 340 724 603 612		CU NE MN CR FE	11! VII II I	2517.089 2517.1 2517.10 2517.18	2516.331 2516.3 2516.34 2516.42 2516.5705	200 109 2 1 80	69. 61.	724 885 328 341 896	М
	V AR I MN I	I 2515.876 I 2515.902 I 2516.029 I 2516.066 I 2516.128	2515.119 2515.145 2515.272 2515.309 2515.371	12 30 30 20 5	18.	896 1000 506 328 835		CR MN CU MN AR	II III II II	2517.33 2517.357 2517.493 2517.499 2517.5462	2516.57 2516.599 2516.736 2516.742 2516.7887	40 140 3 170 130	21. 45.	340 328 724 328 867	
	AL I CU II CU II F I		2515.461 2515.48 2515.492 2515.568 2515.57	10 100 3 5 25		693 888 724 724 173		CR MN CU MN NI	X III II	2517.565 2517.6 2517.623 2517.632 2517.633	2516.809 2516.8 2516.866 2516.875 2516.875	200 200 20 15	42.	893 726 724 328 835	F
	AR I V V 1	I 2516.333 I 2516.3508 I 2516.406 I 2516.479 I 2516.53	2515.576 2515.5935 2515.649 2515.722 2515.77	300	21.	537 867 1000 478 162		V CR F FE TI	111 111 11 1		2516.89 2516.92 2517.060 2517.131 2517.14	20 20 250 50 10		325 341 537 896 488	н .
	FÉ		2515.807 2515.829 2515.833 2515.8543 2515.87	5 5	104.	830 724 506 896 888		V FE CU O AL	I III IV IV	2517.967 2517.971 2518.0	2517.142 2517.211 2517.214 2517.2 2517.29	80 20 3 300 200	19. 207.	724 86	Н

	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE NOTES	SPECT.		VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NO.
Ì	CU CO CR MN CO	III II II II	2518.079 2518.11 2518.12 2518.14 2518.169	2517.321 2517.35 2517.36 2517.38 2517.414	100 2 20 60 25	336. 21.	724 825 340 328 825	CR FE MN MG CR	I I I I I I	2519.28 2519.291 2519.34 2519.39 2519.47	2518.52 2518.533 2518.58 2518.64 2518.71	4 8 0 3 12	28. 30.	341 896 328 2 341	
٠	TI NI V SI MN	11 11 1V 11	2518.204 2518.227 2518.257 2518.264 2518.268	2517.448 2517.469 2517.500 2517.506 2517.509	2 20 8 500 20	4. 16. 26.	488 835 1000 767 328	CU MN CO FE CR	111 11 11 1	2519.535 2519.544 2519.577 2519.584 2519.60	2518.777 2518.786 2518.820 2518.826 2518.84	230 30 M 15 30	308.	724 328 825 896 340	
	CR MN FE MN MN	1 1 1 1,	2518.33 2518.337 2518.41±2 2518.434 2518.44	2517.57 2517.580 2517.6615 2517.677 2517.67	10 2 170 1 20	29. 59. 21.	341 148 896 148 328	CU NE CU MN CO	111 11 11 11	2519.604 2519.635 2519.7068 2519.71 2519.746	2518.846 2518.877 2518.9488 2518.95 2518.988	75 5 15 1 3	103. 113.	724 563 612 328 603	
. 144	CU CO CR CO	111 11 11 11	2518.444 2518.53 2518.550 2518.62 2518.627	2517.687 2517.77 2517.792 2517.86 2517.869	. 15 M 6 7 10	56. 57.	724 825 603 340 603	TI FE CR MN FE	I II II II		2519.01 2519.0460 2519.08 2519.17 2519.201	40 60 25 15	8. ?68. 91.	488 896 340 328 896	
	CR MN AS MN	I II II II	2518.63 2518.63 2518.632 2518.717 2518.73	2517.87 2517.87 2517.874 2517.960 2517.97	6 20 20 1 40	29.	341 328 425 148 488	SI AL B Mn TI	1 11 11 11	2519.9603 2519.980 2520.015 2520.02 2520.07	2519.2023 2519.222 2519.257 2519.26 2519.31	350 25 50 10	1,	608 198 532 328 601	
	V CR MN TI FE	11 1 11 11	2518.73 2518.75 2518.79 2518.82 2518.8597	2517.97 2517.99 2518.03 2518.06 2518.1020	2 15 2 280	29. 7.	478 341 328 601 896	MN FE CL CO	11 11 11 11 11	2520.070 2520.161 2520.21 2520.23 2520.246	2519.312 2519.404 2519.45 2519.47 2519.488	30 20 500 5	222. 13.	328 488 38 825 724	
	NE CU CL MN CR	11 11 11 11 11	2518.864 2518.870 2518.896 2518.94 2519.014	2518.106 2518.112 2518.139 2518.18 2518.257	20 15 17 100 300		563 724 613 328 893	CR AL MN AS CR	1 1 1 1 1 1 1 1	2520.27 2520.272 2520.31 2520.320 2520.37	2519.51 2519.514 2519.55 2519.562 2519.61	50 3 30 2 15	31.	341 198 328 425 340	
	CR NE MN CU MN	11 11 11 111	2519.05 2519.074 2519.075 2519.082 2519.261	2518.29 2518.316 2518.317 2518.324 2518.503	100 10 10 230	. 308.	340 563 328 724 328	V FE CR MN NE	I III II II	2520.380 2520.3874 2520.407 2520.44 2520.484	2519.622 2519.6292 2519.650 2519.68 2519.726	100 -125 200 -15 -50	17. 59. 57.	1000 896 893 328 563	

۲	_
ı	◺
ē	л
	•

SPECT	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM '	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	
NE TI V CO CL	11 17 11 11		2519.752 2519.79 2519.803 2519.818 2519.850	70 0 20 50 7	Å. 15.	563 488 829 825 613	н	CU MN FE NI FE	111 11 11 11	2521.753 2521.840 2521.8505 2521.976 2521.977	2520.995 2521.081 2521.0920 2521.217 2521.218	170 25 40 5	• 268.	724 328 896 835 896	
CU CO MN CU	111 111 11 11 11	2520.718 2520.771	2519.863 2519.917 2519.960 2520.011 2520.079	0 5 200 10 13		724 724 825 328 613		S CO CO V FE	II II II	2522.122 2522.129	2521. 2521.357 2521.363 2521.370 2521.485	0 75 4 20		107 825 603 478 488	
MN CD FE N CR	11 11 11 11	2520.87 2520.920 2520.980	2520.102 2520.11 2520.162 2520.222 2520.23	80 20 60 110	93. 19. 31.	328 825 188 200 341		CR V F V MN	11 111 1 11	2522.270 2522.343 2522.373	2521.50 2521.512 2521.584 2521.615 2521.665	1 6 200 3 140	•	340 1000 537 1000 328	••
MN FE CR V NI	11 11 11	2521.020 2521.04 2521.07	2520.252 2520.262 2520.28 2520.31 2520.351	60 8 5 10 5	363. 47.	328 896 34 1000 835		NI BR CR	VII II II II	2522.5 2522.508 2522.52	2521.7 2521.7 2521.750 2521.76 2521.3155	800 5 30	200.	92 922 606 340 896	
CU V ZN MN FE	111 111 111 111	2521.166 2521.17 2521.276	2520.363 2520.408 2520.41 2520.518 2520.535	35 2 10 100 1	343.	724 478 162 328 488		FE MN	11 1 111 11	2522.6770 2522.744 2522.75	2521.853 2521.9183 2521.986 2521.99 2522.01	10 40 7 25 4	58. 30.	835 896 148 162 340	
NE TI ZN MN CR	111	2521.33 2521.38	2520.5 2520.543 2520.57 - 2520.62 2520.65	41 100 15 50 40	8.	885 488 162 328 340	. м		111 111 111 111	2522.82 2522.943 2522.956	2522.024 2522.06 2522.185 2522.197 2522.227	1 100 2 15 220	159.	1000 162 148 896 200	
FE AL FE N CR	1: 1: 1: 1: 1:	2521.44 2521.506 2521.549	2520.669 2520.68 2520.749 2520.791 2520.83	20 10 1 160 20	242. 175. 19. 336.	488 888 488 200 340	н	CR NI MN NI MN	1111 111 111	2523.02 2523.024	2522.23 2522.232 2522.26 2522.266 2522.274	2 2 30 1 4	e de la companya de l	341 661 328 835 148	
FE CO SC MN FE	I,	2521.667	2520.868 2520.908 2520.927 2520.958 8 2520.9713	8 3 285 10 25	•	896 603 720 328 896	M	AL CU V NI N	1 V 1 I I 1 I 1 I	2523.144 2523.151 2523.212	2522.28 2522.385 2522.392 2522.453 2522.458	75	29. 21.	888 724 478 835 200	

	ŞPEC	CTRUM	VACUUM	•••	<u> </u>	MULTIPLET	REFERENCE	NOTES	SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE AR MN FE V	1 11 1 1	2523.2386 2523.2574 2523.258 2523.270 2523.272	2522.4798 2522.4985 2522.499 2522.511 2522.513	50 90 50 30 20	57. 50.	896 867 328 896 478	M	V CU MN FE FE	111 111 11 1	2524.736 2524.74 2524.758	2523.953 2523.977 2523.98 2523.998 2524.108	100 15 30 20	50.	478 724 328 896 896	M M
	N CR N MN	VII II II II	2523.31 2523.38 2523.39	2522.6 2522.55 2522.62 2522.63 2522.73	20 20 25	320. 42.	309 340 521 328 328	P	SI NI NI CU MN	1 1 11 111 11	2524.966 2524.972 2525.003	2524.1079 2524.208 2524.213 2524.243 2524.26	425 25 20 25 2	1. 28.	608 488 835 724 328	
	N F F MN F	111 · 1 11	2523.6083	2522.76 2522.776 2522.8494 2522.85 2522.892	30 620- 1 50	42. 7.	521 537 896 328 896	P . M	FE CO NI C AL	I I I I I I I I I I I I I I I I I I I	2525.089 2525.119 2525.17	2524.2927 2524.330 2524.358 2524.41 2524.401	220 M 15 600 D	7. 32. 14.	896 825 661 35 826	Q
146	CO CO MN CU FE	III II II		2522.949 2523.00 2523.013 2523.022 2523.137	2 4 100 260 40	•	825 603 328 724 896	Mt .	CO MN N AL MN	11 11 111 11	2525.231 2525.247 2525.253	2524.44 2524.472 2524.488 2524.477 2524.51	4 10 70 D	30. 19.	825 148 200 826 328	
	MN F CR CU FE		2523.954 2523.96 2524.00 2524.013 2524.082	2523.194 2523.20 2523.24 2523.254 2523.323	80 4 .150 200 12	308.	328 537 340 724 896	M ·	CR FE CD TI MN	11 11 11	2525.31 2525.361 2525.383 2525.413 2525.473	2524.55 2524.602 2524.624 2524.655 2524.713	15 12 1. 8 30	27. 4.	340 896 825 488 328	
	FE V CR FE NE	1 11	2524.200 2524.226	2523.374 2523.40 2523.44 2523.441 2523.467	15 25 2 15	14. 363.	896 791 341 896 563	М	B MN NE CU CO	IV II III III	2525.629 2525.709	2524.7 2524.788 2524.870 2524.950 2524.971	40 2 30 100 50	15.	221 328 563 724 825	
	V V CR C	III. II II	2524.264 2524.37 2524.38 2524.4	2523.505 2523.61 2523.62 2523.7 2523.654	5	308. 14.01	1000 478 340 35 724	F .	BR FE MN FE CU	11 11 11 111	2525.758 2525.7833 2525.84 2525.868 2525.973	2525.000 2525.0239 2525.08 2525.109 2525.213	150 100 5 15 25	330.	606 896 328 896 724	
	FE F CR CU CR	I IV	3524.4209 2524.43 2524.52 2524.533 2524.69	2523.6618 2523.67 2523.76 2523.774 2523.93	140 - 25 - 15 - 5 - 15	199.	896 173 340 724 340		AL CO NI N CR	11 11	2526.018 2526.03 2526.056 2526.08 2526.11	2525.244 2525.27 2525.296 2525.32 2525.35	D 20 180 20	61. 42.	826 825 835 521 340	P

--

\vdash	-
4	7
	•

	SPECI	RUM	· W	VACUUM AVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	10163	ŞFEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY			
	CO FE N AR TI		11 11	2526.14 2526.1476 2526.23 2526.239 2526.378	2525.38 2525.3881 2525.48 2525.479 2525.619	1 40		825 896 200 506 488		MN FE F. NI CU	111		2527.406 2527.4349 2527.463 2527.471 2527.495	60 450 12 15	7.	328 896 537 835 724	
	CO MN N FE MN	٧	1 11 11	2526.386 2526.428 2526.5 2526.622 2526.63	2525.626 2525.669 2525.8 2525.862 2525.87	12 2	241.	603 148 309 896 328		AL AS CR CR FE	1 I -1	2528.33	2527.50 2527.537 2527.57 2527.57 2527.705	200 320 1 .7 30	9. 329.	888 425 341 340 896	
	FE CO MN FE AR	: ,	11 11 11	2526.679 2526.81 2526.82J 2526.835 2526.836	2525.919 2526.05 2526.063 2526.075 2526.076	8 10 20 25 20	363. 159.	896 825 328 896 506	H	C N CO TI AS	11 11 111	2528.5 2528.522 2528.58 2528.600 2528.618	2527.7 2527.762 2527.82 2527.840 2527.858	7 20 M 920 5	13.01 41. 7.	35 200 825 227 425	F
:	N FE V CO MN	•	I I I I	2526.93 2526.957 2526.973 2527.04 2527.048	2526.17 2526.198 2526.213 2526.28 2526.287	1 25 100 1 20	19. 17.	200 896 1000 825 328	М	MN V CU ZN ZN	11 11 111 11	2528.66 2528.663 2528.673 2528.71 2528.72	2527.90 2527.903 2527.913 2527.96 2527.96	5 230 3 50 15	50.	328 478 724 457 162	
	FE CR F CU ZN	. 1	I I I I I I	2527.0538 2527.06 2527.068 2527.0879 2527.13	2526.30 2526.308	15 4 1 10	145. 320.	896 340 537 612 162	H	TI MN CR NI CL	I II I III	2528.78 2528.807	2527.991 2528.011 2528.02 2528.048 2528.08	50 100 15 5	29. 51. 9.	488 328 341 488 43	
	CU NI	1	1 I 1 I 1 I 1 I	2527.31 2527.3525 2527.430 2527.515 2527.596		2 125 3 10 8	92.	341 612 835 724 896		FE MN CO CO CR	. 1	2528.944 2528.946 2528.979 2529.01	2528.172 2528.184 2528.186 2528.219 2528.25	15 2 3 10	27. 29.	896 1.48 603 825 341	м.
	FE ZN MN FE CR	1	1 I 1 I	2527.668 2527.74 2527.83 2527.865 2527.87	2526.909 2526.98 2527.07 2527.105 2527.11	. 20	159. 30.	896 162 328 896 341	н	MN AR V FE SI		2529.04 2529.078 2529.226 2529.268	2528.28 2528.318 2528.466 2528.508 2528.5086	10 40 200 15 450	50. 1.	328 506 478 896 608	M
	FE CU FE AL CR	. 1	II IV III	2527.92 2527.949	2527.16 2527.189 2527.267 2527.27 2527.40	150		605 724 896 888 340	N	SI CU CR CL CO	111 111 1 1 11	2529.312 2529.32	2528.471 2528.552 2528.56 2528.602 2528.615	G 3 8 21 40	81. 29. 14.	768 724 341 613 825	

•

	_
	4
¢	Ø

	ZN FE AR MN V	111 11 11 1	2529.38 2529.436 2529.439 2529.460 2529.593	2528.62 2528.676 2528.679 2528.700 2528.833	20 0 30 8 215	176. 30. 50.	162 488 506 148 478		FE CU CO CO V	11 111 11 1	2530.869 2530.882 2530.885 2530.895 2530.934	2530.108 2530.122 2530.124 2530.134 2530.174	40 1 30 40 80	178. 27. 56. 19.	896 724 825 603 1000	Н
	FE CO FE CR CO	11 11 1	2529.67 2529.72	2528.877 2528.90 2528.91 2528.96 2528.967	20 M 3 5 50	162. 3.	896 825 605 341 603		CR CR NE CL NA	11 11 11 111 111	2530.94 2530.96 2530.989 2531. 2531.010	2530.18 2530.20 2530.228 2530.250	M 100 M 50 10	108. 308.	340 340 563 111 516	
	FE MN CO AS FE	II II II II	2529.838 2529.839 2529.88 2529.892 2529.8952	2529.077 2529.080 2529.12 2529.132 2529.1348	20 40 12 2 280	357. 7.	896 328 825 425 896		B O O AR CR	11 11. 11. 11.	2531.1 2531.1 2531.12 2531.184 2531.20	2530.3 2530.4 2530.36 2530.423 2530.44	60 60 10 15	21. 30.	221 309 488 506 341	
148	MG CR FE CU FE	111 11 11 11	2529.95 2529.96 2529.989 2530.0644 2530.069	2529.19 2529.20 2529.229 2529.3040 2529.308	160 5 25 150 80	5, 28, 241, 131,	2 341 896 612 896	н .	MN BE V NI C	II IV II IV	2531.209 2531.259 2531.280 2531.292 2531.3	2530.447 2530.498 2530.520 2530.532 2530.6	15 2 5 250	14.03	328 309 829 835 35	F
	MN O MN CR CO	11 111 11 11 11	2530.078 2530.167 2530.21 2530.24 2530.28	2529.317 2529.407 2529.45 2529.48 2529.52	1 4 5 25 2	9.	328 1032 328 340 825		CO CO CU F FE	III III III I	2531.307 2531.33 2531.331 2531.409 2531.4480	1530.546 2530.57 2530.570 2530.648 2530.6872	5 25 5 200 140	8.	603 825 724 537 896	
	FE AL TI CU FE	II IV III III		2529.549 2529.63 2529.74 2529.768 2529.8357	155 6 0 10 125	177. 4. 7.	896 888 488 724 890	н	MN CR CU FE AS	11 11 111 1	2531.487 2531.54 2531.629 2531.730 2531.778	2530.725 2530.78 2530.868 2530.969 2531.017	140 M 20 50 15 2	55. 126.	328 340 724 896 425	
	GE TI AL CR FE	I I I V I I I I	2530.597 2530.626 2530.66 2530.66 2530.689	2529.837 2529.866 2529.90 2529.90 2529.929	20 40 10 75 5	17. 8. 308. 329.	676 488 888 340 488		CR CO FE CU V	111 11 11 111 111	2531.779 2531.79 2531.842 2531.949 2531.96	2531.019 2531.03 2531.082 2531.188 2531.20	500 M 5 10 4	33.	893 825 488 724 1000	н
	C MN CO ZN FE	IV II II II	2530.802	2529.98 2529.999 2530.042 2530.09 2530.108	900 20 M 4 40	15. 8. 363.	35 328 825 488 896	н	TI CU AS CO CO	11 111 11 11	2532.026 2532.075 2532.079 2532.11 2532.115	2531.266 2531.314 2531.318 2531.35 2531.354	20 50 5 M	57.	488 724 425 825 603	•

SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WÆVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
FE FE NA V CL	1	2532.190 2532.26 2532.308 2532.376 2532.52	2531.429 2531.51 2531.548 2531.616 2531.76	8 1 90 3 500	162. 162. 13.	896 605 693 478 43		CR MN AS FE AL	1	2533.75 2533.811 2533.896 2533.902 2533.92	2532.99 2533.050 2533.134 2533.140 2533.16	20 .30 15	110. 30. 15.	340 148 425 896 488	
CR V O MN CR		2532.52 2532.539 2532.54 2532.560 2532.58	2531.76 2531.778 2531.78 2531.799 2531.82	5 3 0 140 3	28. 55.	1000 1032 328 341		GE MN CU ZN CU	111	2533.9918 2533.997 2534.010 2534.05 2534.069	2533.2305 2533.236 2533.249 2533.29 2533.308	150 30 3 50 5		7 328 724 162 724	
CR FE FE MN V	1 11	2532.60 2532.632 2532.650 2532.653 2532.662	2531.84 2531.871 2531.890 2531.892 2531.902	M 25 20 60 100 4	9. 92. 55.	340 896 188 328 478		V MN CR V AL	11 11 11	2534.07 2534.090 2534.11 2534.126 2534.17	2533.30 2533.329 2533.35 2533.365 2533.41	40 220 3 15 2	55. 50. 15.	325 328 341 478 489	
CU NI ZN FE NE	11	2532.799 2532.837 2532.85 2532.85 2532.854 2532.914	2532.038 2532.076 2532.09 2532.093 2532.153	200 5 50 0 60	27. 392.	724 488 162 488 563		CR MN MN FE F	11 11 11	2534.21 2534.223 2534.371 2534.388 2534.409	2533.45 2533.462 2533.610 2533.627 2533.648	M 10 80 25 110 250		340 328 328 896 537	F
CR CO CO NE NI		2532.93 2532.937 2532.937 2532.950 2532.992	2532.17 2532.176 2532.176 2532.189 2532.231	2 10 30 50 5	56.	341 603 825 563 835		CU FE C CO V	I IV	2534.448 2534.498 2534.53 2534.53 2534.561	2533.686 2533.737 2533.77 2533.77 2533.800	170 12 25 M	14.02	724 896 35 825 1000	
V CU MN FE SI		2533.041 2533.102 2533.103 2533.134 2533.1425	2532.373	5 20 12 110	86.	1000 724 328 896 608	М	FE MN CO MN AR	1 1 1 1 1	2534.565 2534.579 2534.59 2534.657 2534.68	2533.804 2533.817 2533.83 2523.896 2533.92	60 8 40 2 30	27.	896 328 825 148 488	
CL D F CU CR	11 11 11	2533.24 2533.25 2533.323 2533.409 2533.41	2532.48 2532.49 2532.562 2532.648 2532.65	500 0 4 25 M 20	•	43 1032 537 724 340		CR CL V P CU	III	2534.7 2534.71 2534.730 2534.748 2534.79	2533.9 2533.95 2533.969 2533.987 2534.03	100 9 500 2	8.	726 38 478 496 672	F
AL MN CU FE V	I 11	2533.416 2533.542 2533.624 2533.636 2533.743	2532.781 2532.863 5 2532.8754	10 220 200 25 20	15. 55.	488 328 724 896 829		O MN V MN V	11 1	2534.854 2534.859 2534.967 2534.983 2535.025	2534.092 2534.098 2534.206 2534.221 2534.263	280	55. 19.	1032 328 1000 328 478	

	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTE	NSITY	MULTIPLET .	REFERENCE	NOTES	ŞPECT		VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO MN FE	II 11 11 11	2535.178 2535.25	2534.33 2534.39 2534.393 2534.416 2534.49		M 40 1 80 100 M 5	9. 159. 244.	340 825 328 896 340	н	V ZN TI CO CR	111	2536.709	2535.835 2535.86 2535.881 2535.947 2535.96	1 100 10 00 6	4.	489 162 488 825 341	
•	CO TI AR	11 11 11 11	2535.280	2534.519 2534.6 2534.640 2534.7088 2534.804	• •	80 M 20 130 15	38. 4. 18.	478 825 488 867 328		CO CU MN MN AR	111		2535.961 2535.965 2535.977 2536.00 2536.0150	10 10 170 100 120	3. 21. 21.	603 724 328 328 867	
	CO CR NI CO I			2534.825 2534.95 2534.96 2534.959 2534.98	•	15 M M 3 120 2	•	1000 825 340 835 673		CR CU	11 1 11 1	2536.78 2536.79 2536.83 2536.97 2537.032	2536.02 2536.03 2536.07 2536.21 2536.270	M 2 2 20. 3 10	320.	340 672 825 341 724	
50	CU . I FE AR	11 1		2535.041 2535.083 2535.1277 2535.250 2535.296		60 25 25 30 M	60.	328 724 896 506 825		CR CR CO CO F	1 I I		2536.35 2536.50 2536.503 2536.52 2536.62	. M 5 2 1 25 4	41.	340 341 603 825 173	
	CU 1 CO CO			2535.302 2535.316 2535.359 2535.359 2535.362		290 290 5 M 10	405.	835 724 603 825 896		V CU FE FE FE	11	2537.41 2537.43 2537.435 2537.459 2537.5547	2536.65 2536.67 2536.673 2536.697 2536.7925	2 2 60 10 140	241. 58.	478 672 896 896 896	н
		11 11 1	2536.203 2536.211	2535.40 2535.42 2535.441 2535.449 2535.47		10 M 3 2 40 10	9.	328 340 489 896 341	м	CO FE FE V CU	II II I	2537.56 2537.565 2537.608 2537.616 2537.62	2536.80 2536.803 2536.845 2536.854 2536.86	2 140 50 2	159. 159.	825 896 896 478 672	н
	NI NI CR	11	2536.368	2535.486 2535.501 2535.580 2535.60 2535.606		110 100 5 M 1 700	177. 30 թ. 8.	896 835 835 340 496	н	MN CR V F FE	1 11 111 111	2537.640 2537.69 2537.694 2537.829 2537.900	2536.878 2536.93 2536.932 2537.067 2537.138	5 M 3 8 50 50	41. 363.	148 340 1000 537 896	
	MN NI AR	I 11 11 11	2536.3693 2536.420 2536.458 2536.520	2535.6074 2535.658 2535.696 2535.758 2535.782		200 320 3 10 30	7. 21.	896 328 835 506 328		NI AR FE CR MN	11 1 11.	2537.919 2537.922 2537.932 2537.95 2538.027	2537.157 2537.160 2537.170 2537.19 2537.265	15 10 50 M 2 3	41.	835 506 898 340 328	. М

		SPECTRUM	VACUUI WAVELEN			MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
		FE MN	I 2538. I 2538. I 2538. I 2538. I 2538.	219 2537.457 2208 2537.4585 242 2537.480		102. 40.	328 825 896 328 200		CR CO C FE SI	1 11 11 V	2539.72 2539.75 2539.756	2538.95 2538.96 2538.98 2538.993 2539.03	12 2 10 125 100	9. 42. 158.	341 825 287 896 941	н
		MN AR CR	11 2538. 11 2538. 11 2538. 1 2538. 11 2538.	335 2537.573 350 2537.588 37 2537.61	40 40 10 1	137. 189.	188 328 506 341 478		MN NI V MN FE	11 11 11 11	2539.863 2539.96 2540.035	2539.046 2539.100 2539.20 2539.272 2539.328	40 75 20 80 25	48. 186.	328 835 478 328 896	·M
		N CR I SI	11 2538. 11 2538. 11 2538. 11 2538. 11 2538.	504 2537.742 513 2537.751 55 2537.79	50 500 90 40	40.	425 521 893 941 200	P .	FE ZN MN AS LI	111 111 11 11	2540.14 2540.21 մ	2539.3566 2539.38 2539.453 2539.4839 2539.487	50 50 15 10	55.	896 162 328 425 307	
	151	FE I- MN FE	11 2538. 11 2538. 11 2538. 11 2538. 11 2539.	696 2537.934 804 2538.041 967 2538.204	320 10 220 50 M 100	55. 92. 55. 319.	328 188 328 896 340	H 	O CR F Mn FE	111 111 111 11	2540.328 2540.33	2539.502 2539.52 2539.565 2539.56 2539.5873	10 M 15 110 15 6	9. 56.	1032 340 537 328 896	
		CO FE CR	XI 2539. I 2539. II 2539. II 2539. II 2539.	101 2538.339 153 2539.393 21 2538.45	6 5 M 20 40	178. 308. 160.	726 603 484 340 896	F Н Н	MN CO MN FE FE	1 1 I I 1 I 1 I	2540.41 2540.555 2540.558	2539.642 2539.65 2539.792 2539.797 2539.854	9 2 5 20 6	29. 29. 176.	148 673 148 488 896	M
		CR CR MN	II 2539. I 2539. II 2539. II 2539. II 2539.	29 2538.53 30 2538.54 308 2538.545	M 2 10	28. 255. 268.	563 341 340 328 488		NI NI CR AR CU	I	2540.79 2540.800	2539.902 2540.019 2540.03 2540.037 2540.045	100 5 2 30 10	53.	835 488 341 506 724	
٠		CU I FE CO	11 2539. 11 2539. 11 2539. 1 2539. 1 2539.	421 2538.659 443 2538.580 46 2538.70 4618 2538.699	340 20 1 2 40	363.	893 724 896 603 896		FE TI O CU MN	11 111 111 111	2540.820 2540.84 2540.916 2540.954	2540.053 2540.057 2540.08 2540.153 2540.191	1 850 0 2 100	267.	488 227 1032 724 328	
		FE CO FE MN	11 2539. 11 2539. 1 2539. 11 2539. 11 2539.	57 2538.81 592 2538.829 649 2538.886	100 1 25 60	158.	896 825 896 328 896	н М	CR MN F CU	111 111 111 1	2540.98 2541.008 2541.025 2541.14	2540.22 2540.245 2540.262 2540.38 2540.384	5	72.	340 301 537 672 612	
	•	•.														
												•				

SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE		SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE 1 CU 111 CR 1	2541.15 2541.204 2541.209 2541.24 2541.24	2540.39 2540.441 2540.446 2540.48 2540.48	25 10 5 2 M 2	42. 255.	287 896 724 341 340	M . ·		I I I	2542.788 2542.865 2543.077 2543.08 2543.117	2542.024 2542.101 2542.316 2542.32 2542.354	40 170 5 12 15	162. 33. 8.	328 896 488 488 835	
NI XIV CO II FE II	2541.286 2541.3 2541.394 2541.425 2541.430	2540.523 2540.5 2540.631 2540.661 2540.669	20 40 140 160	349. 27. 177. 343.	896 726 825 896 488	F Н Н	CR GE TI V MN	11 1V 111 11	2543.20 2543.207 2543.22	2542.38 2542.44 2542.444 2542.46 2542.491	M 3 20 100 20 10	90. 7. 29.	340 406 227 478 148	
MN: TT	2541.493 2541.512 2541.60 2541.63 2541.63	2540.730 2540.749 2540.84 2540.86 2540.87	40 140 300- 15 1	32.	896 328 43 328 1028	M	N CL MN O CR	111 11 111	2543.370 2543.41 2543.415 2543.489 2543.49	2542.609 2542.65 2542.651 2542.727 2542.73	200 100 60 M 10	18.1 13. 47. 318.	521 38 328 1032 340	Р
C 11 FE 1 FE 11	2541.64 2541.7350 2541.865 2541.875 2541.927	2540.88 2540.9719 2541.101 2541.112 2541.163	4 240 80 220 140	42. 7. 177. 22. 22.	287 896 896 328 328	н	FE FE NA CR	11 11 11 11 11	2543.555	2542.736 2542.770 2542.785 2542.794 2542.872	20 450 25 420 3	223.	896 537 896 516 341	н
SI II CA I CA III	2542.122 2542.156 2542.244 2542.261 2542.263	2541.359 2541.393 2541.483 2541.498 2541.502	20 2 350 600	29. 26. 4. 9.	341 678 101 64 606		MN V CU MN FE	1 1 I I I I	2543.687 2543.698 2543.6985 2543.742 2543.843	?542.923 !542.935 2542.9349 2542.979 2543.079	280 15 2 140 15	21. 70. 21.	328 478 612 328 896	
CR II CR II MN II V I	2542.36 2542.44 2542.50 2542.511 2542.528	2541.59 2541.68 2541.74 2541.748 2541.765	5 8 M 2 20 7	29.	506 341 340 328 1000		CR CR CO CO	I I I I	2543.87 2543.90 2543.99 2543.995 2544.12	2543.11 2543.14 2543.22 2543.232 2543.36	M 30 - M 1	108.	341 340 825 603 825	
TI IV SI 111 MN 111 TII ON	2542.549 2542.581 2542.583 2542.586 2542.600	2541.786 2541.818 2541.820 2541.825 2541.836	150 1000 1 0 60	4. 6.09 158.	721 768 301 1032 896	H	F FE FE C MN	1 I 1 I 1 I	2544.121 2544.141 2544.194 2544.21 2544.218	2543.357 2543.377 2543.430 2543.45 2543.454	150 60 60 10 320	159. 177. 42. 21.	537 896 896 287 328	н
CR I F1 I CO II	2542.639 2542.67 2542.678 2542.713 2542.758	2541.876 2541.91 2541.917 2541.950 2541.994	2 3 200 50 3	29. 8.	835 341 488 825 835		NI CU MN V CU	111 111 1	2544.277 2544.321 2544.356 2544.487 2544.502	2543.513 2543.557 2543.593 2543.723 2543.738	30 25 2 20 3	15.	661 724 148 1000 724	

	ŞFL	ECTRUM	VACUUM WAVELENGTH	WAVELENGTH	INTENSITY	MQ2+1P221		NOTES	ŞPEU		VACUUM WAVELENGT'I	AIR WAVELENGTH	INIENSTIA	MOCITPLET	REFERENCE	NUTES
	MN F NA MN NA	111	2544.527 2544.533 2544.604 2544.615 2544.636	2543.769 2543.841 2543.851	4 110 F 40	* 4. 4.	148 537 1019 328 1019		CO FE V. CR FE	. 11	2546.03 2546.208 2546.224 2546.26 2546.275	2545.27 2545.444 2545.460 2545.51 2545.513	4 20 15 M 1 5	267. 4.	825 896 478 340 488	
	FE MN CL SI MN	11 11	2544.687 2544.748 2544.758 2544.810 2544.94	2543.984 2543.994	155 80 77 3 20	13. 26.	896 328 613 678 328		AR CR CO V FE	1 ! I ! I	2546.406 2546.409 2546.45 2546.460 2546.514	2545.642 2545.645 2545.69 2545.696 2545.750	30 12 10 2 25	92.	506 341 825 478 188	
٠.	CO CO CR V MN	1 11	2545.001 2545.016 2545.02 2545.05 2545.069	2544.252 2544.26 2544.29	00 50 M 15 10	3. 9. 78.	825 603 340 478 328		CR NI CO V FE	11 11 1	2546.63 2546.667 2546.67 2546.682 2546.7429	2545.87 2545.903 2545.91 2545.981 2545.9785	M 7 140 5. 30 280	318. 18. 15. 7.	340 835 825 1000 896	н
	CO CR FE CO SE	111 1 111	2545.11 2545,126 2545.226 2545.279 2545.32	2544.462	20 400 1 00 1	42. 58.	825 893 378 825 587		NI MN SI FE CR	11 111 111 1	2546.755 2546.820 2546.857 2546.869 2546.898	2545.990 2546.056 2546.093 2546.104 2546.136	50 40 160 12 200	56.	835 328 768 896 893	. м
	CO CR MN CO F	1 1 1 1 1 1	2545.33 2545.34 2545.37 2545.39 2545.419	2544.56 2544.58 2544.61 2544.63	M 2 0 M 300	90.	825 340 328 825 537		CO F FE MN CO	11:1 1 1:	2546.926 2546.935 2546.9389 2546.96 2546.99	2546.162 2546.171 2546.1745 2546.19 2546.22	25 300 40 5 3	3	825 537 896 328 825	
	FE AR CR FE CU	1 i 1 i 1 i	2545.422 2545.448 2545.466 2545.469	2 2544.6841 2544.702 2544.705 2 2544.8051	20 120 15 125 300	9. 162. 92.	896 867 341 896 612	M	V V MN CR	11 111 1	2546.992 2547.075 2547.078 2547.117 2547.14	2546.228 2546.311 2546.314 2546.353 2546.38	20 5 10 5 30	37.	829 478 301 341 587	
	CL CO FE ZN CO	11 11 11	2545.621 2545.626 2545.737 2545.8 2545.809	2544.856 2544.862 2544.972 2545.0	100 4 40 5 20	147. 17.	613 603 896 457 825	н	N V O FE CR	111 111 11	2547.151 2547.18 2547.187 2547.206 2547.21	2546.388 2546.41 2546.424 2546.442 2546.45		108.	521 325 1032 896 340	Р
	MN CR CR	. 111	2545.919 2545.951 2545.97 2545.985 2546.00	2545.155 2545.189 2545.21	, 400 10 40	. 47. 27. 159.	328 893 341 896 488	н	FE MN CU CD FE	I III . II	2547.272 2547.346 2547.361 2547.377 2547.434	2546.508 2546.582 2546.596 2546.613 2546.670	10 4 50 10 80	·. /	896 148 724 825 896	M

SPECTRUM	VAC WAVEL		AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO CU C	11 254 1 254 11 254	7.464 7.504 7.53 7.57 7.630	2546.700 2546.740 2546.77 2546.81 2546.866	80 40 0 10 20	50 .	328 825 672 287 506		CU MN CO SE TI	111 11 11 1	2548.703 2548.730 2548.74 2548.74 2548.78	2547.938 2547.966 2547.98 2547.98 2548.01	3 20 5 300 25	20.	724 328 825 600 227	
ŤĬ CL	II 254 IV 254 II 254	7.631 7.64 7.644 7.721 7.74	2546.866 2546.88 2546.880 2546.956 2546.98	80 M 250 160	4. 13.	896 601 721 613 173		CR FE F CO	1 I I V I I	2548.80 2548.849 2548.86 2548.929 2548.958	2548.04 2548.084 2548.10 2548.166 2548.194	M 25 15 2 1	108.	340 896 173 488 603	M
CU I CR V	11 254 11 254 1 254	7.76 7.773 7.80 7.837 7.9377	2547.00 2547.008 2547.04 2547.073 2547.1730	10 3 M 1 6 30	14.	825 724 340 1000 867	.•	CD V MN FE CO	11 111 .11 11	2548.958 2548.98 2549.012 2549.090 2549.098	2548.194 2548.22 2548.257 2548.325 2548.333	750 140 15 20	14. 47. 146. 112.	825 791 328 896 603	н
NI MG CR	11 254 1 254 1 254	7.95 7.952 7.97 7.970 8.07	2547.18 2547.188 2547.21 2547.206 2547.31	20 8 5 60	57.	328 835 708 341 328	P	CO MN CR F MG	11 11 11 1V	2549.102 2549.14 2549.18 2549.21 2549.27	2548.337 2548.37 2548.42 2548.45 2548.51	40 50 5 0	308.	825 328 340 173 708	P
FE C NI	11 254 11 254 1 254	8.079 8.102 8.11 8.172 8.225	2547.314 2547.338 2547.35 2547.409 2547.462	10 15 4 5	4. 158. 50. 52.	721 896 287 488 1032	н	CR TI FE CR V	11 111 11 111 11	2549.34 2549.353 2549.353 2549.361 2549.450	2548.58 2548.588 2548.589 2548.598 2548.685	40° 60 20 250 60	109. 158. 38.	340 227 896 893 478	* H
CR	I 254 II 254 II 254	8.233 8.24 8.24 8.26 8.272	2547.468 2547.48 2547.50 2547.50	0 10 25 M 20 7	44.	378 672 328 340 301		TI FE MN TI MN	11 11 11 111	2549.47 2549.508 2549.515 2549.530 2549.56	2548.71 2548.743 2548.750 2548.765 2548.80	M 100 320 40 3	145. 55.	601 896 328 227 148	H .
GE MN FE	1V 254 11 254 11 254	8.36 8.41 8.426 8.503 8.52	2547.60 2547.64 2547.662 2547.740 2547.76	10 2 30 0 M 10	176. 71.	162 406 328 483 . 340		CU CO FE FE CU	III I II III	2549.606 2549.640 2549.677 2549.688 2549.836	2548.841 2548.875 2548.912 2548.922 2549.071	10 3 20 15 2		724 603 896 896 724	М
CL V CR P MN	I . 254 I 254 IV . 254	8.535 8.597 8.632 8.645 8.662	2547.770 2547.832 2547.868 2547.880 2547.898	91 1 8 90 50	13.	613 1000 341 937 328		CL FE CU V CO	11 111 111 11	2549.846 2549.848 2549.950 2550.037 2550.06	2549.080 2549.083 2549.185 2549.272 2549.29	10 80 5 120 M	284. 38.	613 896 724 478 825	

\$PECTRUM	VACUUM WAVELENGTH	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO I V 11 MN 11 FE 11 FE 11	2550.082 2550.160	2549.296 2549.306 2549.317 2549.395 2549.461	4 20 40 80 60	177. 177.	603 782 328 896 896			I 2551.604	2550.683 2550.812 2550.823 2550.840 2550.889	50 1 200 300	240. 55.	896 378 537 893 724	н
CU 111 N1 1 CR I N1 11 MN 11	2550.295 2550.313. 2550.313	2549.519 2549.532 2549.548 2549.548 2549.612	2 10 40 75 40	51. 24. 48.	724 488 341 835 328		NI I FE FE II	V 2551.736 I 2551.800 I 2551.858 I 2551.863 I 2551.92	2550.971 2551.034 2551.092 2551.098 2551.16	2 10 40 90	17.	829 835 896 188 708	P
FE I V II V III	2550.38 2550.418 2550.430	2549.613 2549.6132 2549.62 2549.653 2549.667	250 240 3. 10 10	7. 69.	537 896 489 478 1032		CD CR I GA, I	I 2551.970 I 2551.995 I 2552.02 I 2552.02 I 2552.12	2551.205 2551.230 2551.25 2551.26 2551.35	12 0 2 30 40	328.	896 603 340 652 328	
CR 11 FE 11 AR 11 MN 11 V 1	2550.48 2550.532 2550.5524 2550.583	2549.72 2549.767 2549.7872 2549.818 2549.834	1 40 60 60 5	108. 266.	340 896 867 328 489		SC 1 MN I AR I	1 2552.13 V 2552.202 I 2552.30 I 2552.337 I 2552.35	2551.36 2551.438 2551.53 2551.571 2551.58	2 1 50 10 50	68.	341 720 328 506 340	
CO 11 CL 11 V 1 N 11 K 111	2550.644 2550.730 2550.74	2549.88 2549.878 2549.965 2549.98 2550.02	10 240 12 90	13. 15. 47. 8.	825 613 1000 521 488	Ρ.	F 1 N 1 V I	I 2552.366 V 2552.37 ! 2552.41 I 2552.489 I 2552.617	2551.599 2551.61 2551.64 2551.724 2551.851	60 5 20 15 220	47. 47. 37. 32.	328 173 200 478 328	
CO III FE II FE II CR II	2550.793 2550.914 2551.05 2551.092	2550.02 2550.027 2550.149 2550.28 2550.326	50 60 25 15	240. 363. 90.	825 896 896 340 328	н		I 2552.676 I 2552.82 I 2552.831	2551.88 2551.910 2552.05 2552.065 2552.122	7 100 2 150 5	109.	340 724 341 537 724	
CU III CR I V I FE I MN II	2551.16 2551.271	2550.359 2550.364 2550.40 2550.506 2550.51	170 8 1 12 5	25.	724 341 489 896 328	м	CR I V I MN I SC I	I 2553.030 I 2553.039 I 2553.14	2552.15 2552.264 2552.272 2552.38 2552.383	2 2 15 10 15	1.	340 478 328 488 825	
CO II CR II FE II V II V II	2551.30 2551.339 2551.345	2550.53 2550.54 2550.575 2550.580 2550.587	2 1 20 3	158.	825 340 488 478 782	н	FE NI I	I 2553.30 I 2553.32 I 2553.3717 I 2553.383 I 2553.414	2552.54 2552.56 2552.6059 2552.617 2552.648	20 1 40 100 50	8. 15.	162 672 896 835 1000	

CU CU CR FE GA	111 111 1 1	2553.437 2553.540 2553.56 2553.5965 2553.63	2552.671 2552.774 2552.79 2552.8306 2552.87	170 15 10 15 50	27. 55.	724 724 341 896 652		V SI V. CR V	11 V 11 11	2554.99 2555.00	2554.06 2554.07 2554.22 2554.23 2554.24	10 50 15 4 800	313. 14.	478 941 478 340 791	
FE V MN CO V	11 11 1	2553.702 2553.725 2553.73 2553.770 2553.794	2552.937 2552.960 2552.96 2553.004 2553.028	60 60 40 40 40	150. 69. 56. 69.	198 478 328 603 478	·	ZN CU CU FE F	11 11 111 111 111	2555.186 2555.200	2554.28 2554.295 2554.419 2554.435 2554.47	20 75 120 1 4	298.	162 724 724 488 173	
CR GE CU MN FE	11	2553.830 2553.837 2553.86. 2553.924 2553.958	2553.064 2553.071 2553.115 2553.158 2553.193	15 20 290 80 7	24. 17. 32.	341 676 724 328 605	, N	C FE MN SI MG	1 I 1 I 1 I 1 I	2555.244 2555.284 2555.284 2555.294 2555.330	2554.478 2554.518 2554.518 2554.530 2554.565	25 1 80 10	30. 26.	287 378 328 678 708	P
P MG MN CU CR	I II I	2554.019 2554.021 2554.033 2554.06 2554.10	2553.253 2553.256 2553.267 2553.29 2553.33	600 170 2 3	8. 55. 313.	496 708 328 672 340	P	CA V P MN MN	111 1 1 1	2555.527 2555.622 2555.662 2555.68 2555.701	2554.761 2554.856 2554.904 2554.91 2554.935	2 15 500 3 5	11. 15. 8.	1018 1000 490 328 301	
CO CU CO NI AR	11 11 1	2554.103 2554.1094 2554.13 2554.138 2554.1661	2553.337 2553.3434 2553.36 2553.373 2553.4000	10 25 40 5 20	56.	603 612 825 488 867		FE CU NI FE CR	11 11 11 11	2555.715 2555.751 2555.754 2555.834 2555.84	2554.950 2554.985 2554.988 2555.067 2555.07	5 1 140 15 4	205. 62. 177. 318.	488 724 835 896 340	н
N CU MN N N	11 111 111 111	2554.256 2554.297	2553.422 2553.490 2553.531 2553.55 2553.622	70 10 7 150	47.	200 724 301 516 521	P	CO CO MN MN FE	11 11 11	2555.840 2555.85 2555.88 2555.94 2555.985	2555.074 2555.08 2555.11 2555.18 2555.219	6 30 5 5 15	56.	603 825 328 328 896	
CR V V CU NE	11 11 11 111 VI	2554.403 2554.434 2554.478	2553.62 2553.637 2553.668 2553.712 2553.7	3 3 40 3 87	108.	340 782 478 724 885	м	GA CO CR FE CR	11 1 11		2555.28 2555.33 2555.42 2555.453 2555.47	85 4 6 15 75	26. 177.	652 825 341 896 340	н
FE CR CD MN CU	11 I 11	2554.59 2554.68	2553.738 2553.82 2553.91 2553.976 2554.000	20 1 3 40 8		468 341 825 328 724	н	CR F F C	I V I I I I I I I I I I I I I I I I I I	2556.27 2556.36 2556.4132 2556.43 2556.431	2555.50 2555.59 2555.6466 2555.66 2555.665	. 10 0 0 4 1	25. 58. 30.	341 173 896 287 1032	

	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	AS SC V CR TI	11 11 111	2556.671	2555.702 2555.84 2555.905 2555.957 2555.988	3 6 40 60 10	1. 69. 57. 9.	425 488 478 893 488		FE CU CO CR FE	111 111 11	2558.115 2558.22	2557.2700 2557.315 2557.348 2557.45 2557.505	12 25 30 10	101. 17. 89. 175.	896 724 825 340 896	Н
	V CR F C	111 11 111 111	2556.858 2556.877 2556.89	2556.016 2556.093 2556.110 2556.12 2556.207	9 1 250 1 60	14. 30. 92.	1000 893 538 287 188		MN CR MN CU MN	11 11 111 111	2558.33 2558.361 2558.423	2557.543 2557.56 2557.594 2557.656 2557.710	220 4 100 15 80	20. 68. 20.	328 341 328 724 328	
	CL NI GE FE NI	111 11 11 11	2557.032 2557.0647 2557.0700	2556.23 2556.265 2556.2979 2556.3032 2556.356	100 3 100 15 2	25. 102.	43 835 7 896 835		MN CR CR MG MN	111 1 111 1	2558.63	2557.802 2557.82 2557.862 2557.86 2557.876	2 1 250 60	57.	301 341 893 708 328	· P
157	CU CR V MG TI	11 11 11 111	2557.17 2557.20 2557.32	2556.3702 2556.40 2556.43 2556.55 2556.567	2 2 1 40	6.	612 341 478 708 227	. P	NI V CL E ZN	11 1V 111 1V 11	2558,664 2558.7 2558.70	2557.868 2557.897 2557.9 2557.93 2557.947	15 300 10 1000	47.	835 829 43 173 154	
	MN AR NI CO CO	11 11 11 11	2557.353 2557.405 2557.528	2556.573 2556.586 2556.638 2556.762 2556.762	320 40 15 50 30	20. • 55.	328 506 835 603 825		ZN CO O AS MN	1V 11 111 11	2558.83	2557.958 2557.960 2558.06 2558.082 2558.08	40 00 150 2 20	21.	314 825 168 425 328	
	CO V FE MN V	11 1 11 1V	2557.581 2557.630 2557.661	2556.79 2556.815 2556.863 2556.894 2556.915	1 6 40 170 50	14. 53. 20.	825 1000 896 328 829		FE CA CU CR MN	111 11 11 11		2558.172 2558.174 2558.2133 2558.28 2558.304	10 1 4 3 100	11.	188 1018 612 340 328	
	NE BR CR MN FE	VI 11 11 11	2557.736 2557.74 2557.806	2556.9 2556.970 2556.97 2557.040 2557.079	115 600 7 3 20	232. 158.	885 606 340 148 488	М	CR ZN FE AR CA	11 111 1 11 11	2559.245 2559.367	2558.35 2558.46 2558.478 2558.600 2558.60	4 20 5 5 4	125.	340 162 896 506 488	M
	CU CR CA SI MG	1 11	2557.911	2557.129 2557.144 2557.18 2557.206 2557.226	3 25 4 1	24. 11. 26.	724 341 488 678 1017		MN N CR FE NI	11 11 11	2559.45 2559.589	2558.605 2558.62 2558.68 2558.822 2558.830	450 1 4 5 0	20. 18.0	328 200 340 896 835	н

•

-	-
u	n
ā	

	SPECTRUM		VACUUM WAVELENGTY	AIR WAVELENGTH	INTENSITY		REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V AS	11	2559.630 2559.660 2559.663 2559.70 2559.78	2558.863 2558.893 2558.895 2558.93 2559.01	100 15 2 20 1	15.	328 1000 425 328 341		FE CO CR FE CU	1 I 1 1 I		2560.281 2560.28 2560.28 2560.443 2560.460	40 8 4 0	221. 158.	896 825 341 488 724	н
	V FE CO	11 11	2559.79 2559.855 2559.896 2559.90 2559.902	2559.02 2559.088 2559.129 2559.13 2559.135	2 · M 4 8	18.0	521 478 645 825 835	P	MN . MG NE FE CO	1 11	2561.30 2561.309 2561.3242	2560.47 2560.53 2560.541 2560.5565 2560.66	2 20 20 15	56.	328 708 563 896 825	į
	FE FE AR	11 11 11	2560.038	2559.210 2559.237 2559.270 2559.281 2559.27	315 40 15 30 10	55. 266.	768 488 896 506 328	. :	CR MN AR CR MG	1 I 1 I	2561.621 2561.63	2560.695 2560.76 2560.853 2560.86 2560.941	30 80 10 2	24.	341 328 506 341 1017	
158	MN CU CL 1	11 11 111	2560.176 2560.182 2560.1979 2560.27 2560.315	2559.408 2559.413 2559.4304 2559.50 2559.548	40 170 2 300 15	15. 20.	825 328 612 43 425		MN CR CO AS HE	1 I 1 I 1 I 1 I 1	2561.749 2561.76 2561.79	2560.961 2560.99 2561.02 2561.105 2561.	30 20 M 170 12	233.	328 340 825 425 126	
	CO CO MN CR MN		2560.42 2560.447	2559.595 2559.65 2559.679 2559.71 2559.741	0 10 100 50 80	20. 317. 20.	603 825 328 340 328		CU FE MN CD CO	111 1 11 1	2562.0392 2562.04 2562.048	2561.251 2561.2713 2561.27 2561.280 2561.280	15 8 40 25	58.	724 896 329 603 825	
	CR FE CU V NI	i1 1	2560.53 2560.541 2560.560 2560.58 2560.690	2559.76 2559.774 2559.793 2559.81 2559.922	15 110 1 2 5	126. 205.	340 488 612 489 835	н	CR CR MN NI MN	I 1 I I I I	2562.180 2562.191	2561.33 2561.38 2561.412 2561.424 2561.542	5 4 5 5 40	25. 83. 3.	341 341 328 488 328	
	FE CO CO CO MN	II I II II II	2560.800 2560.86	2559.924 2560.027 2560.031 2560.09 2560.10	12 1 40 M 3	k,	896 603 825 825 328		N CR FE CR V	11 111 11 11	2562.351	2561.545 2561.59 2561.584 2561.59 2561.65	5 10 5 7 2	46. 205. 71.	200 490 488 340 478	
		11 11 11 11	2560.94 2561.011	2560.149 2560.156 2560.17 2560.243 2560.26	4 .120 10 40	68.	478 835 328 200 488		NE CU NE CR N			2561.700 2561.737 2561.801 2561.81 2561.818	10 5 70 15	317. 46.	896 724 563 340 521	!

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	·INTENSITY	MULTIPLET	REFERENCE	·NOTES	SPECTRUM		VACUUM AVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES
N I AR I	I 2562.6231	2561.84 2561.8551 2561.943 2561.954 2562.062	10 12 20 10 70	55. • 46.	328 896 200 506 563		AS 1	1 I 1 I 1 I	2564.321 2564.331 2564.35 2564.411 2564.43	2563.553 2563.563 2563.58 2563.642 2563.67	3 2 50 450 2	89. 20 .	672 425 340 328 341	
FE I CO I NE I	1 2562.8547 1 2562.860 1 2562.88 1 2562.891 1 2562.892	2562.0866 2562.092 2562.11 2562.123 2562.124	140 25 2 80 10	221.	867 896 825 563 603	н	FE N 1	I I	2564.4473 2564.50 2564.5773 2564.580 2564.602	2563.6787 2563.73 2563.8087 2563.812 2563.834	30 10 8 70	55. 46.	608 825 896 521 488	P
O VII CU II FE		2562.125 2562.1 2562.193 2562.2216 2562.225	60 5 20 20	15. 55. 55.	1000 309 724 896 896		N CU i	1 I 1 I 1 I 1 I	2564.612 2564.708 2564.723 2564.807 2564.86	2563.843 2563.940 2563.955 2564.038 2564.09	40 3. 10 6	46. 15. 11.	328 521 672 825 488	; P
MN I	1 2563.027 1 2563.033 1 2563.079 1 2563.124 1 2563.14	2562.259 2562.265 2562.312 2562.356 2562.37	2 80 40 5 25	2. 317.	1017 328 488 835 340		CL I	11 11 11 1	2564.885 2564.895 2564.944 2564.996 2565.015	2564.116 2564.127 2564.176 2564.228 2564.247	80 81 10 20 8	100.	328 613 724 1000 724	
CO I	2563.193 1 2563.251 2563.28 11 2563.29 11 2563.304	2562.425 2562.483 2562.51 2562.52 2562.535	300 140 3 100 200	21. 64.	537 328 825 38 896	Н	CO V MN	11 11 11 11	2565.04 2565.06 2565.116 2565.15 2565.1852	2564.27 2564.29 2564.348 2564.38 2564.4165	3 15 . 4 1 70		340 825 1000 328 867	
N MN CU	2563.528 11 2563.62 11 2563.89 1 2563.935 11 2564.00	2562.760 2562.85 2563.12 2563.167 2563.23	30 20 10 8	102. 18.0 43. 1.	478 521 328 672 488	P	MN ZN CR TI	11 11 11 1	2565.192 2565.22 2565.224 2565.24 2565.26	2564.423 2564.45 2564.456 2564.47 2564.49	10 40 30 7	68.	563 328 154 341 601	•
MN V I N NA I	2564.019 II 2564.05 II 2564.087 II 2564.09 III 2564.12		40 40 40 150 40	13. 46. 232.	328 791 200 516 340		FE CD CD CR	I II II II	2565.3285 2565.334 2565.340 2565.42 2565.4948	2564.5598 2564.566 2564.571 2564.65 2564.7260	12 0 15 6 4		896 603 825 341 612	
TI I FE CO	I 2564.168 II 2564.204 II 2564.245 II 2564.26 II 2564.307	2563.399 2563.436 2563.477 2563.49	15 920 140 1	6. 64. 46.	896 227 896 825 521	м Н Р	CR I V SI	! I I I I I I	2565.53 2565.541 2565.585 2565.5930 2565.612	2564.76 2564.773 2564.817 2564.8242 2564.844	7 500 40 20 220	100. 44.	340 893 1000 608 613	

	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPI	ECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	AS CL MG V CU	II II III II	2565.672 2565.704 2565.706 2565.81 2565.8151	2564.903 2564.935 2564.937 2565.04 2565.0463	50 13 2 20 2		425 613 1017 325 612		NI CU FE CR MG		2567.140 2567.171 2567.18	2566.241 2566.371 2566.401 2566.41 2566.51	5 290 10 1	* 405. 26.	835 724 896 341 708	P
	CA CU MG NI CR	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2565.893 2565.957 2565.96 2565.979 2565.98	2565.124 2565.188 2565.19 2565.210 2565.21	2 3 15 3	11. 64. 53.	1018 724 708 835 341	P	CR N CR O SE	11 V11 111 111	2567.3 2567.32 2567.325	2566.52 2566.6 2566.55 2566.556 2566.60	8 12 0 30	89. 24.	340 309 341 1032 587	
	MN V Se Cl Fe	11 111 11 11	2565.988 2566.01 2566.02 2566.057 2566.074	2565.219 2565.24 2565.25 2565.289 2565.306	170 3 1 160	20. 8. 419.	328 478 587 613 488		V FE MN CR NI	II II II II	2567.392 2567.552 2567.62	2566.602 2566.623 2566.783 2566.85 2566.85	15 70 2 10	193. 174. 305.	478 488 148 340 835	
	CO TI CR SI V	11 111 V 11	2566.140 2566.192 2566.28 2566.30 2566.312	2565.371 2565.423 2565.51 2565.53 2565.543	25 850 5 50 15	17. 6. 103.	825 227 341 941 478		FE AS CU AR NI	·11 111	2567.753 2567.823 2567.864	2566.912 2566.984 2567.054 2567.095 2567.120	60 5 50 10 3	64.	896 425 724 506 835	, н
	CR CD MN V AR	II II II II	2566.36 2566.38 2566.480 2566.512 2566.5540	2565.59 2565.61 2565.711 2565.743 2565.7850	1 4 30 2 30		340 825 328 478 867		NE FE CR CO	11 11 11 11	2568.095 2568.099 2568.11	2567.121 2567.326 2567.330 2567.34 2567.344	90 1 2 10 50	419. 107. 3.	563 488 672 340 603	
ı	NE NI MN CO FE	IIX I I	2566.627 2566.692 2566.721 2566.754 2566.76	2565.858 2565.923 2565.952 2565.985 2565.99	70 220 4 1 78	62.	563 835 148 603 940	FH	CO NE MN V CR	11 11 11 11	2568.152 2568.17 2568.22	2567.34 2567.383 2567.40 2567.45 2567.50	2 70 1 15 5	. 331.	825 563 148 478 340	
. !	CR CL V MN CU	1	2566.77 2566.775 2566.802 2566.804 2566.813	2566.00 2566.006 2566.033 2566.035 2566.044	10 54 7 80 10	83. 8. 37. 20.	341 613 479 328 724		TI CR FE AR CO	III II II II	2568.36 2568.401 2568.496	2567.556 2567.59 2567.631 2567.727 2567.742	775 8 10 10	305.	227 340 896 506 603	
+	NI CU CR FE MN	1 11 11 111 111	2566.866 2566.912 2566.94 2566.989 2566.999	2566.097 2566.143 2566.17 2566.220 2566.230	5 1 8 20 1	317. 404.	835 724 340 896 148		ZN CR ZN MN FE	11 11 11 11	2568.57 2568.57 2568.58	2567.795 2567.80 2567.80 2567.81 2567.8589	50 4 12 10 8	8. 130.	154 340 488 - 328 896	

ș P EC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
ZN AL V MN CR	1 11 111	2568.744 2568.753 2568.834 2568.838 2568.84	2567.975 2567.983 2568.065 2568.068 2568.07	50 160 3 5 3	2. 102. 331.	154 198 478 301 340		O FE	III III III II	2570.36 2570.366	2569.40 2569.530 2569.59 2569.596 2569.723	15 20 1 25 5	331. 52.	340 724 1032 896 724		
CR CL NI MN CL	11	2568.868 2568.892 2568.906 2569.00 2569.025	2568.098 2568.122 2568.136 2568.23 2568.256	12 67 3 20 53	22.	341 613 835 328 613		FE CO FE FE V	11	2570.5137 2570.523 2570.545 2570.549 2570.582	2569.7437 2569.753 2569.775 2569.779 2569.812	15 10 70 8 10	55. 266. 349.	896 825 488 896 829	н	
CR MN V FE	! Ni	2569.079 2569.08 2569.145 2569.178	2568.29 2568.309 2568.31 2568.376 2568.409	3 50 3. 30 12	145.	341 328 478 1000 896	н	CR ZN CU CR CU	I I I	2570.60 2570.641 2570.658 2570.66 2570.678	2569.83 2569.871 2569.888 2569.89 2569.908	5 16 10 2 5	7. 43.			
CR MN CR SI CR	11 11 1	2569.28 1 2569.285 1 2569.29 1 2569.4103 2569.43	2568.51 2568.515 2568.52 2568.6407 2568.66	20 100 8 85 5	317. 67. 25. 85. 23.	340 328 341 608 341		AS AR MN CU CR	11 11 111	2570.685 2570.754 2570.861 2570.909 2570.94	2569.915 2569.984 2570.091 2570.139 2570.17	0 30 50 1	67.	425 506 328 724 341		
NI MN CU NI CR	11	I 2569.495 I 2569.512 I 2569.563	2568.670 2568.725 2568.742 2568.793 2568.86	3 80 8 1 4	317.	835 328 724 835 340		F CU V V AR	111 111 1 111 11	2571.036 2571.038 2571.14	2570.23 2570.266 2570.268 2570.37 2570.4108	80 3 4 5 80		537 724 1000 325 867		
FE FE CR CU NA	I II V	1 2569.634 1 2569.648 1 2569.649 1 2569.676 1 2569.7	2568.865 2568.879 2568.880 2568.906 2568.9	12 40 200 2			F	FE C MN ZN CR	1 I 1 I 1 I	2571.296 2571.34 2571.34 2571.422 2571.47	2570.525 2570.57 2570.57 2570.652 2570.70	25 10 15 30 7	7. 107.	896 287 328 154 340		
TI CU CU MG	11 11 11	I 2569.75 I 2569.835	2568.98 2569.065 2569.11 2569.147 2569.20	1 15 4 10	e	601 724 168 724 708	P	V CO CU FE MG	I I	2571.532 2571.569 2571.618	2570.724 2570.762 2570.800 2570.848 2570.908	80 1 10 30 1	42. 284.	829 603 672 896 1017	н	
AR NE MN CO CU	٧		2569.202 2569.2 2569.325 2569.35 2569.358	40 478 50 2 3		506 885 328 673 724	М	MN F MN GU TI		2571.711	2570.923 2570.941 2570.954 2570.972 2571.036	50 300 80 140 20	9.	328 537 328 724 488		

ŞPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM VELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V CL CR CR MN	11 11 11 11	2571.87 2571.87 2571.89	2571.059 2571.096 2571.10 2571.10 2571.12	50 130 4 3 20	102. 25. 317.	478 613 341 340 328		V FE CR	II 2 II 2	2573.957 2573.97 2573.981 2574.09 2574.100	2573.186 2573.20 2573.211 2573.32 2573.329	170 4 10 4 290	205. 71.	425 478 896 340 724	н
MN ZN SE NE NE	111 111 111 111	2572.038 2572.05 2572.07 2572.212	2571.268 2571.28 2571.30 2571.442 2571.464	2 20 120 40 50		301 162 587 563 563		CR F 1	I 2 II 2	2574.165 2574.308 2574.31 2574.391 2574.45	2573.395 2573.538 2573.54 2573.620 2573.68	40 30 50 300 100	232.	603 603 340 537 574	
O FE FE CR CU	11 11 1 1	2572.34 2572.51	2571.476 2571.542 2571.57 2571.74 2571.7555	40 20 3 30 100	22. 174. 103. 24. 131.	488 488 605 341 612	н	FE GE TI	11 2 11 2 11 2	2574.49 2574.525 2574.556 2574.68 2574.711	2573.72 2573.754 2573.785 2573.91 2573.940	0 5 5 M 5	9. 284.	488 488 676 601 506	
C CR CU MN MN	11 111 111 11	2572,55 2572,591 2572,662	2571.76 2571.78 2571.820 2571.892 2572.023	4 50 2 100 20	57. 89. 67.	287 340 724 328 328	· ,	V CL I NE	· I 2	2574.72 2574.791 2574.90 2574.903 2574.943	2573.95 2574.020 2574.13 2574.132 2574.172	M 50 0 70 40	15.	825 1000 43 563 538	
CR V CR CR NI	1 11 11 1 1	2572.88 2572.92	2572.07 2572.096 2572.11 2572.15 2572.207	5 2 15 12 2	22. 37. 217. 22.	341 478 340 341 835		CR MN II CR	11 2 11 2 11 2	2574.949 2574.95 2575.05 2575.12	2574.178 2574.18 2574.28 2574.35 2574.351	60 7 2 2 6	89.	328 340 301 340 603	
CO MG MN CR MN	I II II II	2573.200	2572.234 2572.248 2572.32 2572.40 2572.430	50 2 10 12 60	317.	603 1017 328 340 328		CU MN V	II 2 II 2 II 2	2575.133 2575.1838 2575.24 2575.291 2575.32	2574.362 2574.4128 2574.47 2574.520 2574.55	125 2 2 60 8	144. 38.	896 612 328 478 723	н .
NI O TI FE V	II III II V II	2573.265 2573.27 2573.418 2573.42	2572.495 2572.50 2572.648 2572.65 2572.71	3 1 5	· • • ·	835 1032 488 229 478	N F	MN 1 CR CO 1	11 2 1 2 11 2	2575.4085 2575.446 2575.45 2575.51 2575.594	2574.6375 2574.675 2574.68 2574.74 2574.823	4 20 10 2 2	67.	612 328 341 825 724	
CU FE MN NE FE	111 1 1 11 11	2573.5240 2573.526 2573.671	2572.747 2572.7533 2572.755 2572.900 2572.967	10 15 50 70 12	102. 12. 190.	724 896 148 563 896		FE II	II 2 II 2 I 2	575.597 575.608 575.633 575.637 575.716	2574.826 2574.838 2574.862 2574.866 2574.945	250 120 40 3	24. 80. 17.	287 188 825 1000 1017	

SPECT		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU NI AL CR CO	111 11 1 1	2575.769 2575.775 2575.866 2575.88 2575.89	2574.998 2575.004 2575.095 2575.11 2575.12	30 10 160 2 3	2.	724 835 198 341 825	:	CU CR CU V CL	11 1 1 V 111	2577.753 2577.76 2577.89 2577.899 2577.90	2576.982 2576.99 2577.12 2577.130 2577.13	2 2 2 200 500	18.	612 341 672 929 43	
CU CU CR O ZN	111 111 11 11 11	2575.890 · 2575.937 2576.01 2576.071 2576.13	2575.119 2575.166 2575.24 2575.300 2575.36	35 1 4 90 200	22.	724 724 340 488 162		SI F O V CR	I I I I I I I I I I I I I I I I I I I	2577.9229 2577.979 2577.980 2578.063 2578.11	2577.1514 2577.207 2577.211 2577.292 2577.34	45 150 1 20 5	84.	608 537 1032 1000 340	
AL CO CR MN CR	1 11 11 1		2575.397 2575.466 2575.47 2575.509 2575.60	15 1 3 20 2	2. 218. 12.	198 825 340 148 341		 MN FE CD MN CR	111 11 1 1 1	2578.11 2578.200 2578.21/ 2578.241 2578.25	2577.34 2577.431 2577.446 2577.470 2577.48	1 5 1 6 4	175. 125.	301 488 603 148 340	
CO FE ZN FE CR	11 111 111 111	2576.503 2576.514 2576.56 2576.569 2578.58	2575.733 2575.742 2575.79 2575.798 2575.81	2 50 500 10 20	231.	603 896 162 188 340		V CU HE CR V	11 111 1 1 1	2578.299 2578.366 2578.4 2578.43 2578.453	2577.528 2577.594 2577.6 2577.66 2577.682	3 1 120 20 40	24. 68.	478 724 126 341 478	
CR CU CU CO MN	1 11 11 11	2576.6734 2576.794 2576.85	2575.89 2575.9021 2576.023 2576.08 2576.105	8 2 15 00 1000	23.	341 612 724 825 328	н	CO CR NI CR CU	II III III 1I 1I	2578.50 2578.506 2578.509 2578.51 2578.537	2577.73 2577.737 2577.742 2577.74 2577.765	M 400 25 10 35	57. 317.	825 893 661 340 724	
O AS MN BR NI	11		2576.148 2576.1579 2576.183 2576.214 2576.247	. 80 100 2		1032 425 328 606 835		MN MG CO FE NE	11 11 11 11	2578.599 2578.660 2578.69 2578.691 2578.715	2577.827 2577.888 2577.92 2577.919 2577.943	50 1 1 60 20	67.	328 1017 825 896 563	н
CR CU TI V MG	11 111 111 11	2577.225 2577.241 2577.249	2576.45 2576.454 2576.470 2576.478 2576.545	2 3 360 20	331. 6. 101.	340 724 227 478 708	P	 MN CR NE CR FE	III III II II	2578.723 2578.73 2578.735 2578.75 2578.774	2577.951 2577.96 2577.963 2577.97 2578.003	20 40 30 5 15	89.	328 490 563 340 896	
CU MN FE CU	111 11 1		2576.581 2576.680 2576.6907 2576.724	5 20 170 30	÷ 52.	724 328 896 724		MN O FE CU	II III III	2578.892 2578.94 2578.981 2578.984	2578.120 2578.18 2578.209 2578.212	5 0 10 140	67.	328 168 896 724	P M

SPECTRUM	WUUDAV WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN I CR I MN	2579.04 2579.050 2579.09 2579.130 2579.223	2578.27 2578.278 2578.31 2578.358 2578.451	10 30 40 2 8	67. 89. 89.	341 328 340 148 478		CR F CR F FE	I I I I I I I I I I I I I I I I I I I	2580.672 2580.81 2580.810	2579.90 2579.900 2580.04 2580.038 2580.0652	4 300 7 450 8	22. 26. 54.	341 537 341 537 896	
GE I MN CR II	2579.235 2579.257 2579.319 2579.340 2579.43	2578.465 2578.485 2578.548 2578.570 2578.66	5 0 2 10 50	28. 65.	488 676 148 . 893 606		CU MN FE FE CO	1111 1 1 1 1	2580.952 2581.053 2581.0665	2580.135 2580.180 2580.281 2580.2941 2580.323	120 3 0 8 100	14.	724 148 378 896 825	
MN		2578.695 2578.70 2578.77 2578.78 2578.805	2 7 216- 10 1		148 340 940 162 835	FH	MN CR AR CL FE	11 11 11 11	2581.12 2581.132 2581.17	2580.335 2580.35 2580.360 2580.40 2580.4530	2 4 10 8 12	54.	328 340 506 345 896	
MN I FE TI CO	2579.583 1 2579.595 1 2579.68 1 2579.696 1 2579.755	2578.811 2578.825 2578.91 2578.924 2578.985	140 3 20 30 5	89. 7. 265.	328 605 488 603 488	N	TI CR GE FE CU	111 1 11 1 1	2581.25 2581.263 2581.333	2580.456 2580.48 2580.491 2580.561 2580.57	360 2 5 1 5	6. 26.	227 341 676 378 672	
CR CU II	2579.887 2579.89 2579.91 2579.947 2579.95	2579.115 2579.12 2579.14 2581.173 2579.18	15 15 12 120 1	262. 22.	896 340 341 724 148		MG NI CL FE CR	1 11 111 11 11	2581.395	2580.587 2580.622 2580.67 2580.717 2580.72	2 5 600 1 10	18. 327.	1017 835 43 488 340	н
FE' CU CR I	2580.0320 2580.038 2580.06 2580.07 2580.176	2579.2599 2579.266 2579.29 2579.30 2579.406	40 4 20 1 40	55. 53. 54. 266.	896 605 672 340 488		O TI CO CR FE	111 1 11 11	2581.579 2581.610 2581.65	2580.737 2580.809 2580.838 2580.88 2580.939	0 50 50 1	107. 55.	1032 488 603 340 378	N
FE I MN I AR I	I 2580.177 I 2580.185	2579.405 2579.413 2579.420 2579.428 2579.497	50 8 100 20	239.	563 896 328 506 537	н	CO SE FE CR MN	11 111 11 11	2581.74 2581.882 2581.90	2580.96 2580.97 2581.110 2581.13 2581.183	4 10 8 1 2	190.	825 587 896 340 148	
MN CR FE	2580.40 2580.440 2580.54 2580.616 2580.65	2579.63 2579.670 2579.77 2579.844 2579.88	7 15 4 12	22. 218.	340 488 341 896 340	N M	BR CO FE MN MN	IV II I II	2581.99 2582.237 2582.250	2581.19 2581.22 2581.464 2581.478 2581.655	500 5 8 3 60		574 825 896 148 328	M

SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGT.1	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NO
TI FE CR V AS	11 11 11	2582.50 2582.569 2582.57 2582.611 2582.703	2581.73 2581.796 2581.80 2581.839 2581.931	1 50 5 4 5	101.	601 896 340 478 425	М	FE AR NI CO GE	11 111 11 11 11	2584.114 2584.16 2584.174 2584.22 2584.283	2583.343 2583.39 2583.401 2583.45 2583.510	1 30 20 2	266.	488 79 835 825 676	
CO P CR ZN MN	11 11 111 111		2581.97 2582.092 2582.10 2582.14 2582.216	3 60 20 30 5	231.	825 937 340 162 328		MN V CR FE MN	11 11 111 111	2584.311 2584.35 2584.38 2584.511 2584.560	2583.538 2583.58 2583.61 2583.739 2583.787	60 2 12 25 2	.89. 137.	328 478 340 168 328	
CO CO CR MN	II II NI II	2583.02 <i>1</i> 2583.04	2582.228 2582.239 2582.264 2582.27 2582.270	500 500 5 15 5	14. 14. 231.	825 825 724 340 148		F CU NI CU FE	111 111 111 111	2584.578 2584.655 2584.771 2584.774 2584.811	2583.805 2583.882 2583.998 2584.001 2584.038	520 1 140 15 90	48. 137.	537 724 835 724 188	
FE NI FE MN FE	11 111 111 11	2583,099 2583,14 2583,165	2582.297 2582.326 2582.37 2582.395 2582.413	6 0 150 20 8	80. 310.	605 835 188 328 896	N	MN CR MG MN NI	1 11 1 1	2584.873 2584.88 2584.989 2585.075 2585.088	2584.100 2584.10 2584.216 2584.302 2584.314	10 50 2 100 50	12. 89. 12.	148 340 1017 148 835	
ZN CU ZN CD FE	1 111 1 11 11	2583.251 2583.259 2583.29	2582.440 2582.478 2582.487 2582.52 2582.580	14 2 2 3 100	7. 7. 64.	830 724 830 825 896	н	MN CR FE MN V	111 111 1 1 1	2585.283 2585.309 2585.3098 2585.313 2585.409	2584.510 2584.538 2584.5363 2584.540 2584.636	100 570 380 2 40	57. 52.	328 893 896 .148 829	
NI CR CL C	11 11 11 1	2583.53 2583.582 2583.674	2582.751 2582.76 2582.809 2582.901 2582.91	10 7 15 E	60. 218.	835 340 613 821 . 340		CR CR CU CR V	1 111 111 111	2585.44 2585.60 2585.662 2585.716 2585.724	2584.67 2584.83 2584.888 2584.944 2584.951	10 10 5 90 80	102.	341 340 724 893 478	
MN V CR CD FE	11 11 1 1	2583.780 2583.79 2583.81 2583.818	2582.972 2583.007 2583.02 2583.03 2583.047	100 20 8 3 20	68. 67. 174.	328 478 341 603 488		MN CO CO	111 11 11 111	2585.785 2585.904 2585.96 2586.108 2586.167	2585.012 2585.130 2585.18 2585.335 2585.393	3 60 2 50 1	89. 113.	724 328 825 603 724	
O MN CU TI MN	111 11 11 11	2583.941 2583.942 2583.995	2583.139 2583.168 2583.169 2583.224 2583.275	20 20 20 20 7	7.	1032 328 825 488 148		MN MG CR FE FE	11 1 11 11	2586.217 2586.332 2586.36 2586.401 2586.53	2585.444 2585.558 2585.60 2585.629 2585.76	100 3 15 110	89. 326. 239.	328 1017 340 488 488	

•

SPECTRU	JM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU CO V FE CR	111 11 11 11 11	2586.584 2586.636 2586.64 2586.648 2586.66	2589.159 2585.862 2585.87 2585.876 2585.89	10 00 10 750 2	1.	724 825 478 488 340	н .	CU CR MN CO MN	111 1 11 11 11	2588.194 2588.27 2588.279 2588.288 2588.372	2587.420 2587.50 2587.505 2587.514 2587.598	140 3 50 3 100	e .	724 341 328 825 328	
MN ZN NI MN V	11 111 11 11 7	2586.664 2586.85 2586.880 2586.91 2587.016	2585.890 2586.08 2586.106 2586.13 2586.242	100 80 1 10 5	89.	328 162 835 328 1000		NI MN MN CR CR	11 11 11 11	2588.372 2588.54 2588.59 2588.65	2587.598 2587.76 2587.81 2587.88 2587.92	10 10 1 2 4	67.	835 328 328 341 340	
TI NI NA CU CO	I II III III	2587.03 2587.059 2587.085 2587.143 2587.24	2586.26 2586.285 2586.313 2586.369 2586.47	30 2 10 75	7.	488 835 693 724 825	•	NE FE NE FE CR	11 11 11 1	2588.660 2588.718 2588.734 2588.783 2588.840	2587.886 2587.945 2587.960 2588.010 2588.067	40 220 50 8 300	326.	563 488 563 605 893	H N
FE MN CU F CR	11 111 111 11	2587.330 2587.335 2587.363 2587.427 2587.46	2586.557 2586.561 2586.589 2586.653 2586.69	1 60 5 12 4	171.	605 328 724 537 340		CU MN V CU FE		2588.843 2588.855 2588.902 2588.933 2588.955	2588.068 2588.080 2588.128 2588.159 2588.182	10 40 3 10 40	200. 145.	724 328 478 724 488	
CO NI CO MN CO	11 11 11 11	2587.472 2587.572 2587.58 2587.65 2587.650	2586.698 2586.798 2536.80 2586.88 2586.876	M 10 3 12		825 835 825 328 825		CR MN O CR MG	1 11 111 11.	2589.00	2588.19 2588.187 2588.23 2588.25 2588.285	12 5 1 12 5	22. 89.	341 328 168 340 1017	
SC CO CR CO MN	IV II II II	2587.705 2587.72 2587.75 2587.850 2587.873	2586.933 2586.95 2586.98 2597.072 2587.100	550 3 3 M		720 825 340 825 148		NI V CU AS FE	11 11 111 11	2589.085 2589.25 2589.368 2589.449 2589.559	2588.310 2588.48 2588.594 2588.675 2588.786	20 3 10 10 40	46. 265.	835 478 724 425 488	
	111 V 11 V VI	2587.927 2587.96 2587.97 2587.991 2588.032	2587.153 2587.19 2587.20 2587.217 2587.258	270 1 80 100 10	9. 14.	64 587 941 825 829	н	V CL FE CO MN	11 111 1 11 11	2589.563 2589.57 2589.673 2589.692 2589.746	2588.789 2588.80 2588.898 2588.917 2588.972	3 300 0 0 170		478 43 378 825 328	
NI MN S V CR	٧I	2588.063 2588.07 2588.12 2588.14 2588.19	2587.289 2587.30 2587.35 2587.37 2587.42	8 80 100 5 35	17.	835 328 52 478 340		CO CR F GE CO	1 I 1 I 1 I I 1 I	2589.81 2589.82 2589.847 2589.9623 2590.07	2589.03 2589.05 2589.072 2589.1878 2589.30	1 15 30 120 00	301 2.	825 340 537 7 603	

									•							
ŞPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	s	PECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN CR NE CU NI	II II III II	2590.21 2590.25 2590.347	2589.42 2589.44 2589.48 2589.573 2589.584	10 1 2 10 18		328 340 723 724 835		. V	<i>l</i>	II II II I	2591.797 2591.87 2591.877 2591.92 2591.93	2591.022 2591.10 2591.105 2591.15 2591.16	4 3 3 3 2		425 478 724 723 341	
CR MN MN TI MN	11 11 111 111	2590.59 2590.73	2589.70 2589.727 2589.82 2589.96 2589.992	30 220 20 20 25 60	124. 54. 89.	340 328 328 227 328		N N	II IN E	III II II II	2591.93 2591.968 2592.018 2592.025 2592.034	2591.16 2591.193 2591.243 2591.252 2591.259	50 1 60 3		162 835 328 605 835	N
NE AS FE CR MN	111 111 111 11	2590.815 2590.817 2590.84	2590.0 2590.040 2590.043 2590.07 2590.150	154 10 25- 5 140	11. 23.	885 425 188 341 328		N		11 11 11 V	2592.185 2592.1934 2592.203 2592.22 2592.316	2591.410 2591.4183 2591.429 2591.44 2591.542	10 2 100 4 450	36. 36. 55. 64.	287 612 328 313 488	н
V GE TI MN CR	11 11 11 11	2590.996 2591.038 2591.074	2590.17 2590.221 2590.265 2590.299 2590.37	4 10 50 50 2	7. 89. 22.	478 676 488 328 341		, , , , , , , , , , , , , , , , , , ,	AR	II II III II	2592.37 2592.460 2592.471 2592.543 2592.608	2591.60 2591.686 2591.696 2591.769 2591.833	1 10 10 300 5	55.	825 603 506 893 328	
CR ZN CU CA AS	11 111 111 111	2591.16 2591.1764 2591.186	2590.37 2590.39 2590.4016 2590.411 2590.432	20 80 1 230		340 162 612 64 425		C C	CU 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2592.61 2592.620 2592.640 2592.666 2592.818	2591.84 2591.845 2591.864 2591.891 2592.043	50 40 .5 1 20	24. 36.	341 287 724 1017 328	
CU V FE SE CO	11 11 11 111	2591.32 2591.321 2591.35	2590.5287 2590.55 2590.548 2590.58 2590.594	150 5 70 30 75	130. 145. 110.	612 478 488 587 603	• н	, ,	AR NI AR V FE	1 I 1 I 1 I 1 I	2592.849 2592.930 2592.953 2592.990 2593.059	2592.074 2592.155 2592.178 2592.215 2592.285	10 0 10 4 3	37.	506 835 506 478 605	N
NE MN CU CR NI	1 11 11 11 11	2591.444 2591.452 2591.49	2590.67 2590.669 2590.677 2590.72 2590.787	10 - 40 15 75 - 2	70.	723 328 724 340 835			MN CR NI MN CR	I I I I I I I	2593.073 2593.09 2593.165 2593.182 2593.19	2592.298 2592.32 2592.390 2592.407 2592.42	6 2 1 15 3	254.	148 340 835 328 340	
N CR TI N CR	111 111	2591.60 2591.61 2591.713	2590.81 2590.83 2590.84 2590.938 2590.95	10 1 25 110	55. 18.	313 341 227 200 341		† †	NI NI	111 11 11 111	2593.22 2593.252 2593.305 2593.307 2593.3093	2592.45 2592.477 2592.530 2592.533 2592.5340	200 15 1 10 150		43 835 835 188 7	

ȘPECTRUM ,	VACUUM WAVELENGTH	AIR WAVELENGTH	·INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO 111 F 111 NI 111 CU 111	1 2593.339 1 2593.361 1 2593.370	2592.527 2592.595	0 5 1 5 3		603 724 537 835 724		S NI V NA CR	111 11 11 11 11	2594.65 2594.689 2594.69 2594.695 2594.70	2593.87 2593.913 2593.91 2593.919 2593.92	3 3 2 F 3	3. 88.	598 835 478 1019 340	
C. !! F !!! V !! FE !! F. !!!	2593.496 2593.522 2593.555	2592.747 2592.781	4 1 0 360 375	36. 318.	287 537 829 488 537	н		111 111 I I I I	2594.711 2594.74 2594.79 2594.820 2594.878	2593.937 2593.97 2594.02 2594.046 2594.102	200 200 8 1	21.	893 43 341 605 676	N
CU 11 CR 1 CO 1 ZN 11 MN	I 2593.63 I 2593.66 I 2593.70	2592.86 2592.88 2592.93	30 3 2 500 60	106. 12.	* 724 340 825 162 148		CR FE CO MN S	11 I I II	2594.88 2594.9271 2594.936 2594.98 2595.	2594.10 2594.1514 2594.161 2594.20 2594.	. 4 0 10 10	52. 3.	340 896 603 328 107	N
V 11 CO CR 1 V 1 F 11	I 2593,845 I 2593.87 I 2593.878	2593.10 2593.102	800 1 1 8 450	13.	791 603 340 782 537		CR N CU MN V	11 1V 111 11	2595.10 2595.12 2595.146 2595.171 2595.21	2594.35 2594.34 2594.370 2594.396 2594.43	7 20 1 20 3	297. 54. 216.	340 824 724 328 478	N
	I 2594.020	2593.244 2593.268	2 2 0 155 3	171.	1017 724 378 328 825		NE CR MN TI NI	1 1 1 1 1 1	2595.28 2595.29 2595.313 2595.40 2595.421	2594.51 2594.51 2594.537 2594.63 2594.645	2 1 30 20 75	54. 7.	723 340 328 488 835	•
CR I	1 2594.285 V 2594.3	2593.41 2593.49 2593.510 2593.5 2593.59	8 60 P	21. 301. 146. 36.	341 340 896 726 328	F			2595.424 2595.45 2595.509 2595.58 2595.739	2594.648 2594.67 2594.733 2594.80 2594.964	0 40 100 1 20	36. 310.	724 188 328 340 488	
T1 CU	1 2594.4 1 2594.42 1 2594.421 1 2594.44 1 2594.489	2593.647 2593.65	107 1 30 2 0	11. 6.	885 478 488 672 825		NA AS C V CU	111 111 111	2595.740 2595.764 2595.865 2595.89 2595.91	2594.965 2594.988 2595.089 2595.12 2595.14	4 170 100 850 0	13. 13.	693 425 35 791 672	
MN I O II CO I	I 2594.496 I 2594.499 I 2594.504 I 2594.52 I 2594.644	2593.724 2593.730 2593.74	220 320 1 2	64. 1.	488 328 1032 - 825 1019	н н	SC NE CO CO FE	IV I II II	2595.942 2595.98 2595.989 2595.990 2596.060	2595.167 2595.21 2595.214 2595.214 2595.285	360 .:30 1 M	172.	720 1029 603 825 438	Q H

	SPECT	FRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	IRUM V	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	C CR CR FE F	IV III III	2596.071 2596.087 2596.12 2596.2011 2596.310	2595.295 2595.312 2595.34 2595.4251 2595.534	60 120 4 0 520	13. 87. 54.	35 893 340 896 537		NI MN O MN V	I II II II	2598.352 2598.352 2598.47 2598.498 2598.51	2597.575 2597.576 2597.69 2597.722 2597.73	3 5 150 2	20.	835 328 488 148 489	
	CR FE MN MN AS	11 111 111 11 11	2596.33 2596.397 2596.425 2596.429 2596.431	2595.55 2595.622 2595.649 2595.653 2595.655	25 150 5 40 0	262. 80.	340 188 301 328 425		FE FE CR MN CR	11 11 11 1	2598.718 2598.804 2598.84 2598.948 2598.959	2597.943 2598.028 2598.06 2598.172 2598.183	20 20 3 6 10	342. 239. 261.	488 488 340 148 893	
	NE CR MN V MG	I VIII	2596.5 2596.53 2596.539 2596.634 2596.749	2595.7 2595.75 2595.763 2595.858 2595.973	69 1 80 20 3	11.	885 341 148 829 1017		MN V CO FE MN	11 IV .II I1	2599.025 2599.063 2599.133 2599.145 2599.196	2598.248 2598.287 2598.359 2598.369 2598.420	30 30 00 870 80	1.	328 829 825 488 328	н :
6	NI CO CR FE CR	II II II	2596.761 2596.81 2596.853	2595.973 2595.986 2596.03 2596.077 2596.17	10 0 25 1	171. 217.	835 603 340 378 340		CR CU V AS CR	111 111 111 111	2599.26 2599.299 2599.43 2599.454 2599.493	2598.48 2598.522 2598.65 2598.678 2598.717	3 50 2 170 1	216.	340 724 478 425 893	
	NI NI F NI TI	II III II II	2597.060 2597.225 2597.323 2597.345 2597.371	2596.284 2596.448 2596.547 2596.569 2596.596	2 1 150 5 100	6.	835 835 537 835 488		CR CU MN FE MN	II II II II	2599.51 2599.589 2599.59 2599.632 2599.682	2598.73 2598.8129 2598.81 2598.855 2598.905	2 175 40 1 220	92. 103. 54.	340 612 328 605 328	
	FE CU NI MN V	III II II IV	2597.395 2597.443 2597.461 2597.521 2597.538	2596.618 2596.667 2596.685 2596.745 2596.761	0 8 5 60 15	51. 36.	378 724 835 328 829		MN CR CD CO CU	11 11 11 11	2599.807 2599.82 2599.976 2599.984 2600.017	2599.030 2599.04 2599.200 2599.207 2599.240	60 2 5 M 3	54.	328 340 603 825 724	
	MN CR D CU ZN	III III III III	2597.615 2597.65 2597.68 2597.772 2597.84	2596.839 2596.87 2596.99 2596.995 2597.06	30 8 0 3 30	144.	328 340 168 724 162	Р	F FE CO MN FE	111 11 11 11	2600.059 2600.171 2600.197 2600.331 2600.341	2599.282 2599.395 2599.420 2599.553 2599.565	600 870 2 40 6	1. 52.	537 488 825 328 605	н
	V CU CD GR MN	II II II II	2598.108 2598.16 2598.22	2597.21 2597.332 2597.38 2597.44 2597.516	6 10 M 2 30	200.	478 724 825 340 328		CR MN TI CU NI	1 1 1 1 1 1 1 1	2600.43 2600.57 2600.686 2600.693 2600.713	2599.65 2599.79 2599.910 2599.916 2599.936	1 10 250 1 10	6.	340 328 488 724 835	

	SPECTRUM	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CU III V IV V I NI II V II	2600.79 2600.799	2599.983 2599.983 2600.01 2600.022 2600.03	3 30 2 10 2		724 829 1000 835 478		C CR NI	1 I 1 I 1 I	2602.773 2602.80 2602.82 2602.890 2602.90	2601.995 2602.02 2602.04 2602.113 2602.12	400 10 . 3 . 3 10	33.	425 287 340 835 79	
	MN I	2601.0472 2601.060	2600.202 2600.220 2600.2701 2600.283 2600.415	3 8 200 60 5	151 54. 204.	605 148 612 328 488	N	V FE I] !! !! !!	2602.97 2602.98 2603.10 2603.13 2603.13	2602.19 2602.20 2602.32 2602.35 2602.35	3 10 6 10 15		341 328 478 188 328	
	F III MN II V II	2601.373	2600.48 2600.565 2600.596 2600.60 2600.61	2 300 0 4 8	21.	328 537 328 478 341		C MN	I I I I I I I I	2603.152 2603.17 2603.220 2603.225 2603.272	2602.374 2602.39 2602.442 2602.448 2602.495	30 10 10 100 3	33.	835 287 328 425 1017	
170	MN I CR II NI II V I	2601.556	2600.650 2600.73 2600.779 2600.798 2600.94	6 5 180 5 100	87. 73.	148 340 835 1000 162		CR	I I II I	2603.28 2603.358 2603.40 2603.488 2603.5	2602.50 2602.581 2602.62 2602.710 2602.7	6 1 1 5 1	22. 102.	341 603 341 724 1000	
•		2601.753 2601.806 2601.82	2600.9599 2600.977 2601.029 2601.04 2601.05	30 10 140 8 4	53. 62. 243. 33.	867 603 835 340 287		CR I	II II II II	2603.503 2603.58 2603.708 2603.72 2603.743	2602.725 2602.81 2602.930 2602.94 2602.965	170 10 80 15		328 490 537 478 825	
	V II MN II CL III CR II CU III	2601.910 2601.94 2602.08	2601.08 2601.132 2601.16 2601.30 2601.335	25 20 - 400 3 10	12.	478 328 43 340 724		CU CR MN FE	II II II II	2603.7478 2603.78 2603.813 2603.819 2603.921	2602.9700 2603.00 2603.035 2603.042 2603.143	3 10 60 0 20	5 4.	612 340 328 378 328	
	MN 11 MN 11 CR 11	2602.298	2601.42 2601.486 2601.520 2601.58 2601.728	10 2 100 6 4	33. 54. 88.	287 148 328 340 537		NI FE I AS ZN I	II II II II	2603.939 2603.958 2603.963 2603.966 2603.97	2603.161 2603.180 2603.186 2603.188 2603.19	25 8 25 10 5	33.	287 835 188 425 162	
	NI II MN 11 CR II CR 1 MN II	2602.623 2602.63 2602.66	2601.835 2601.844 2601.85 2601.88 2601.968	2 50 10 4 50	124. 21.	835 328 340 341 328		V AL CR MN	IV VI II II -	2603.990 2604. 2604.03 2604.047 2604.091	2603.213 2603. 2603.25 2603.269 2603.314	10 2 40 180		829 108 340 328 613	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN NI I FE	II 2604.18 I 2604.264 II 2604.270 I 2604.332 I 2604.34	2603.40 2603.487 2603.492 2603.554 2603.56	15 1 0 10	216.	478 148 835 896 341		CU II CL III C II FE I	2605.626 2605.641 2605.642	2604.84 2604.848 2604.863 2604.864 2604.88	1 1 40 12 30	33. 7.	672 613 287 896 488	
NI I	II 2604.37 II 2604.398 II 2604.442 II 2604.466 II 2604.498	2603.59 2603.620 2603.664 2603.688 2603.720	500 15 4 30 170	12. 4. 36.	43 835 724 496 328		CR III NI II FE II CL III LI II	2605.776 2605.815 2605.82	2604.882 2604.998 2605.037 2605.04 2605.081	200 10 15 200	404.	893 835 896 43 307	
CR : 1 MN .1 MG	II 2604.50 II 2604.51 II 2604.63 I 2604.632 1 2604.709	2603.72 2603.73 2603.86 2603.854 2603.932	10 12 7 1	33. 105.	287 340 328 1017 1000		TI I CU I CR III NI 11	2606.04 2606.08 2606.110	2605.084 2605.163 2605.26 2605.30 2605.331	4 250 3- 10 180	73. 6. 62.	1000 488 672 490 835	
FE II	11 2604.77 1 2604.781 11 2604.79 11 2604.825 1 2604.86	2603.99 2604.003 2604.01 2604.048 2604.08	20 3 5 2	404. 102.	162 896 893 488 341	M F P	AS II FE II CR I		2605.336 2605.339 2605.36 2605.41 2605.424	0 20 7 90 20	342. 22. 20. 204.	425 896 341 488 896	
MN CR CL	11 2604.89 11 2604.902 11 2604.94 11 2604.941 1 2605.072	2604.11 2604.124 2604.16 2604.162 2604.294	2 15 20 130 5	105. 73.	601 328 340 613 1000		CO II V III P IV NI II V V	2606.26 2606.284 2606.294	2605.48 2605.48 2605.506 2605.516 2605.523	1 25 .250 3 40		825 325 937 835 872	
MN	II 2605.165 II 2605.167	2604.315 2604.387 2604.389 2604.406 2604.422	18 0 30 20 2	15.	328 724 328 825 678		C II CR II CL II FE MN II	2606,41 2606,430 2606,4351	2605.62 2605.63 2605.651	4 15 22 60 320	33. 280. 51.	287 340 613 896 328	
CU BE FE	II 2605.29 II 2605.304 IV 2605.400 II 2605.432 II 2605.449	2604.51 2604.526 2604.622 2604.655 2604.671	1 1 5 10	265.	478 612 309 488 835		CO I SE II V I CR FE I	2606.47 2606.48 2606.60	2605.69 2605.69 2605.70 2605.82 2605.902	10 1 7 6 8	26. 102. 356.	825 587 478 341 896	
CO .	I 2605.45 II 2605.48 V 2605.48 I 2605.49 I 2605.532	2604.67 2604.70 2604.71 2604.71 2604.754	3	22.	672 825 873 341 896	• .	NE I		2605.91 2605.97 2605.985 2606.006 2606.010	4 1 10 50 15		825 670 506 563 676	

SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
P F CR SI MN	11 111 11 11	2606.838 2606.840 2606.85 2606.863 2606.894	2606.059 2606.061 2606.07 2606.084 2606.116	150 375 12 1	4. 105. 15. 32.	496 537 340 678 328		CR MN CU CR	11 11 111 11	2608.63 2608.637 2608.663 2608.68 2608.78	2607.85 2607.858 2607.884 2607.90 2608.00	10 15 5 50 20	242. 70. 218.	340 328 724 340 478	
CO MN NI MN	1 11 11 7	2606.898 2606.915 2607.034 2607.039 2607.081	2606.120 2606.137 2606.255 2606.260 2606.303	40 1 220 40 10	55. 65.	603 148 835 328 896	м ·	NE AR FE CR CL	II IV III II	2608.819 2608.84 2608.890 2608.95 2609.020	2608.040 2608.06 2608.112 2608.17 2608.241	60 100 120 20 14	5. 91. 105.	563 488 188 340 613	
FE CR CU MN MG	1 11 11	2607.291 2607.31 2607.3593 2607.384 2607.399	2606.512 2606.53 2606.5807 2606.604 2606.621	170 25 2 40 10	342. 63.	896 340 612 328 1017	н	CR CR MN CU ZN	III	2609.07 2609.163 2609.243 2609.227 2609.336	2608.29 2608.385 2608.446 2608.448 2608.558	3 10 80 10 60	20.	340 341 328 724 830	٠.
FE CR C FE MN	II VI I I		2606.644 2606.65 2606.69 2606.8269 2606.842	4 4 280 40	52.	605 340 309 896 328	N	AS FE CR ZN V	II II II	2609.351 2609.356 2609.38 2609.418 2609.44	2608.572 2608.577 2608.60 2608.640 2608.66	30 20 1 10	143. 7.	425 896 340 830 478	
CU CO CU CR CO	11 11 11 11	2607.77 2607.7764 2607.84	2606.8764 2606.99 2606.9977 2607.06 2607.082	4 2 3 12 00	87.	612 825 612 340 825		FE CL CR MN FE	111 11 11 11 11	2609.460 2609.479 2609.58 2609.593 2609.631	2608.682 2608.700 2608.80 2608.814 2608.852	60 15 8 100 4	136. 87. 171.	188 613 340 328 896	н
FE ZN V MN V	11 111 11 11	2607.88 2607.90 2608.067	2607.086 2607.10 2607.12 2607.288 2607.41	750 10 7 30 3	1.	488 162 1000 328 478	H .	CO FE CR FE MN	1 11 11 11	2609.678 2609.815 2609.89 2609.904 2609.91	2608.900 2609.036 2609.11 2609.125 2609.13	1 6 1 12 2	261. 310.	603 896 340 896 328	н
GA FE CU CO FE	I II II II	2608.368 2608.39	2607.47 2607.529 2607.589 2607.61 2607.628	110 10 0 2 6	3.	488 896 724 825 896		FE CR NI CU CU	1 I I I I I I I I I I I I I I I I I I I	2610.000 2610.02 2610.065 2610.09 2610.099	2609.221 2609.24 2609.286 2609.31 2609.320	10 4 15 0 340	23.	896 340 835 672 724	
CR V CU P V	11 1V 111 11	2608.412 2608.423 2608.53	2607.64 2607.633 2607.644 2607.75 2607.752	10 5 3 0	105.	340 829 724 431 1000	•	FE MN CD SE CL	11 11 11 11	2610.219 2610.22 2610.247 2610.25 2610.28	2609.440 2609.44 2609.468 2609.47 2609.50	4 10 00 10 400	265. 12.	896 328 825 588 43	

ŞPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	·INTENSITY	MULTIPLET	REFERENCE	NOTES
MN I F.E	I 2610.359 I 2610.38	2609.55 2609.558 2609.579 2609.60 2609.636	3 100 8 3 40	105.	340 328 896 478 1032	м	FE V CR FE P	1 1 11 11	2611.782 2611.810 2611.82 2611.853 2611.927	2611.002 2611.031 2611.04 2611.073 2611.147	3 1 30 20 200	124. 64.	896 1000 340 896 936	М
AS I AR I V I C II	I 2610.46 I 2610.58	2609.644 2609.68 2609.80 2609.830 2609.84	0 0 5 5 1	216. 12. 102.	425 506 478 . 34 341		SC V V CU CU	11 11 11 11	2612.01 2612.02 2612.034 2612.0345 2612.06	2611.23 2611.24 2611.255 2611.2547 2611.30	3 10 8 1 0	3. 73.	488 478 1000 612 672	
	1 2610.6886	2609.866 2609.9091 2609.912 2609.945 2610.006	10 15 5- 220 15	204. 62.	896 612 425 835 896	H	TI FE CR NE CL	1 11 1 111 111	2612.066 2612.118 2612.121 2612.20 2612.23	2611.287 2611.339 2611.342 2611.42 2611.45	250 5 3 80 200	6. 173. 82.	488 488 341 1031 43	
C II NE II CR I AS I	I 2610.81 I 2610.82	2610.020 2610.03 2610.04 2610.062 2610.098	160 300 20 5 100	12. 324.	34 1031 340 425 872		TI CU V CR NI	I 11 11 11 11	2612.248 2612.253 2612.29 2612.40 2612.427	2611.468 2611.473 2611.51 2611.62 2611.647	80 10 7 20 75	6. 216. 105. 56.	488 724 478 340 835	
CR		2610.170 2610.200 2610.29 2610.29 2610.310	5 1000 1 8 60	19. 20.	835 328 825 341 563	H	ZN MN CR V NA	111 11 1 1	2612.46 2612.52 2612.53 2612.53 2612.592	2611.68 2611.74 2011.75 2611.75 2611.812	15 1 1 1 120	102. 12.	162 328 341 1000 693	
V I FE NI I MN I V I	I 2611.222 I 2611.258 I 2611.364	2610.323 2610.442 2610.478 2610.562 2610.61	10 4 3 60 30		829 896 835 328 478	M,	CO CO FE NI CR	11 11 11 11	2612.62 2612.653 2612.653 2612.745 2612.788	2611.84 2611.873 2611.873 2611.965 2612.009	4 00 240 2 7	1. 21.	825 825 896 835 341	
co		2610.762	50 40 10 40 2	316. 6. 53.	162 340 896 603 612		CR CR CR MN NI	II III II II	2612.84 2612.981 2612.983 2613.012 2613.015	2612.08 2612.202 2612.203 2612.233 2612.235	8 8 4 5 8	21.	340 341 893 148 835	
CO I CR I MN I V F II	I 2611.59 I 2611.632 I 2611.670	2610.809 2610.81 2610.852 2610.891 2610.917	00 50 60 6 150	316. 73.	825 340 328 1000 537		V CR CR C	11 11 111 11 11	2613.04 2613.12 2613.170 2613.22 2613.253	2612.26 2612.34 2612.390 2612.45 2612.473	15 7 10 10 20	316. 65. 43.02	478 340 893 287 825	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR 11 FE N CR 11 CU 11 MN 11	2613.31 2613.34 2613.3476	2612.490 2612.53 2612.56 2612.5676 2612.63	7 . 1 60	20. 105.	341 229 340 612 328	F	V V MN FE CR	III IV II II	2614.94 2614.940 2614.942 2614.957 2614.96	2614.16 2614.159 2614.161 2614.177 2614.18	1 1 40 20 2	264.	325 829 328 488 341	
CU 11 FE 1 MN 1 ZN 11	2613.4597 2613.5523 2613.639		3 20 20 10 1	6. 28.	612 896 148 154 148		FE NE CO FE MN	II II II II	2615.022 2615.04 2615.147 2615.151 2615.16	2614.242 2614.26 2614.366 2614.370 2614.38	1 5 20 4 5	20.	645 723 825 896 328	M
F 111 CR 11 CL 11 FE 1	2613.92 2614.02/ 2614.045	2613.100 2613.14 2613.247 2613.265 2613.291	375 10 .6 8 2		537 340 613 896 835	м		11 11 111 111 1	2615.175 2615.1935 2615.25 2615.259 2615.2745	2614.395 2614.4130 2614.47 2614.478 2614.4940	10 40 20 110 25	90. 12. 52.	478 612 162 34 896	
CR I MG I AS II NE II FE I	2614.184 2614.19	2613.305 2613.357 2613.404 2613.41 2613.416	10 2 0 240 12	21. 14.	341 1017 425 1031 896		NE MN CR NI CL	111 -I II 11	2615.29 2615.329 2615.35 2615.414 2615.428	2614.51 2614.550 2614.57 2614.633 2614.648	80 3' 50 3 41		1031 148 340 835 613	
MN II F III CO II CO II	2614.238 2614.271 2614.275	2613.43 2613.458 2613.492 2613.495 2613.51	15 110 25 20 12	17. 269.	328 537 603 825 340	·	FE	11 11 11 11	2615.45 2615.507 2615.648 2615.68 2615.68	2614.67 2614.726 2614.867 2614.90 2614.90	4 3 20 10 2	14. 171. 105.	825 1017 488 340 489	
FE 1: NE : CO 1; CR 11: MN 1:	2614.41 2614.43 2614.534 2614.570	2613.576 2613.63 2613.65 2613.754 2613.789	20 30 M 150 40	172.	488 723 825 893 328		NI CL HE CO V	1 I I I I I 1	2615.836 2615.905 2615.964 2616.116 2616.18	2615.056 2615.124 2615.184 2615.336 2615.40	220 100 M 40 40	65. 216.	835 613 497 603 478	
CR I CR I FE I V I	2614.60 2614.60 2614.600 2614.63	2613.82 2613.82 2613.820 2613.85 2613.853	8 3 750 2 3	20. 297. 1.	341 340 488 489 782	н	FE AS MN ZN FE	1 11 11 111 111	2616.202 2616.296 2616.480 2616.50 2616.510	2615.422 2615.515 2615.699 2615.72 2615.729	20 2 30 15 1	297.	896 425 328 162 488	
CO NE MN 1: CO P IV	2614.705 2614.817 2614.903	2613.894 2613.925 2614.036 2614.124 2614.144	4 8 40 30 4	.3.	603 896 328 603 937		CR FE MN	111 11 1 1 1	2616.62 2616.63 2616.630 2616.630 2616.65	2615.84 2615.85 2615.849 2615.850 2615.87	30 1 10 5 200	A. Mariana	162 340 896 148 1031	M

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES .	SPECTRI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR I	I 2616.67 I 2616.96 I 2616.98 I 2617.02 I 2617.040	2615.89 2616.18 2616.20 2616.24 2616.260	2 50 0 40 40	90. 112.	478 340 1032 478 603		FE MN CA CO ZN	1 I 1 I 1 1 I I I	2618.397 2618.416 2618.44 2618.639 2618.7	2617.618 2617.636 2617.66 2617.859 2617.9	650 50 6 50 5	1. 3.	488 ¹ 328 488 603 162	н
CR II CR II MN I	I 2617.080 I 2617.24 I 2617.291 I 2617.302 I 2617.40	2616.300 2616.46 2616.512 2616.521 2616.62	4 3 400 100 25	65. 19.	148 341 893 328 723		FE CL NI BE FE	111 11 11 11	2618.70 2618.709 2618.748 2618.766 2618.7997	2617.92 2617.928 2617.967 2617.985 2618.0183	10 2 2 3 155	52.	188 613 835 332 896	
HE MN I	I 2617.408 I 2617.44 I 2617.492 I 2617.52 I 2617.520	2616.627 2616.66 2616.711 2616.74 2616.739	70 10 M 10	12. 215.	34 478 497 328 896	М	MG BE MN CR S	111 11 .11 1 VI	2618.80 2618.914 2618.953 2619.054 2619.14	2618.01 2618.133 2618.145 2618.273 2618.36	80 15 700 15 0	19. 20.	2 332 328 341 52	
FE I·I	2617.5929 1 2617.668 1 2617.715 1 2617.73 11 2617.73		30 10 20 00 4		867 188 328 825 537		CU V MN HE CR	1 11 1 1 1.1	2619.146 2619.18 2619.251 2619.259 2619.27	2618.366 2618.40 2618.470 2618.478 2618.49	500 3 4 4	18. 27. 87.	672 478 148 497 340	
V 1		2616.97 2617.020 2517.03 2617.10 2617.132	400 4 1 9 8	12. 316. 216.	43 1032 340 478 896	м	CR V ZN FE CR	11 11 111 1 1	2619.41 2619.41 2619.44 2619.4913 2619.55	2618.63 2618.63 2618.66 2618.7098 2618.77	15 1 50 25 12	316.	340 478 162 896 340	
SE II	2617.929 11 2618.04 11 2618.11 11 2618.117 11 2618.166	2617.149 2617.26 2617.33 2617.336 2617.385	150 10 150 10 80	142.	188 79 587 835 537		CL O P CO	111 V 111 1V -11	2619.56 2619.59 2619.647 2619.679 2619.682	2618.78 2618.81 2618.868 2618.897 2618.901	400 3 0 10	12.	43 83 032 937 825	
CR MN 1 CL 1	2618.18 1 2618.22 11 2618.238 11 2618.245 11 2618.28	2617.40 2617.44 2617.456 2617.463 2617.50	10 1 100 29 3	280.	162 341 328 613 340		V MN MN MN NE	1 1 11 11 1	2619.689 2619.692 2619.701 2619.784 2619.80	2618.908 2618.911 2618.920 2619.003 2619.02	5 20 40 40 3	57. 27.	1000 148 328 328 1029	Q
NI CO MN	1 2618.294 11 2618.324 11 2618.33 1 2618.345 11 2618.377	2617.543 2617.55 2617.564	5 5 M 1 20	14. 27.	1017 835 825 148 506		FE CR CU CO MN	11 111 11 11	2619.855 2619.963 2619.9924 2620.057 2620.093	2619.074 2619.184 2619.2107 2619.276 2619.311	20 10 15 50 40	171.	896 893 612 603 328	н .

	SPEC1		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
	V V CR MN CR	1 I 1 1	2620.285	2619.47 2619.48 2619.504 2619.510 2619.59	20 5 8 25 75	58. 26. 324.	325 478 341 148 340		CR NE N CR ZN	1 111 11	2621.84 2621.88 2621.90 2621.96 2621.98	2621.06 2621.10 2621.12 2621.18 2621.20	1 4 25 2 10		341 1029 910 340 162	Q	
	NE CL CO MN CR	1 11 1 1	2620.570 2620.586 2620.600	2619.77 2619.788 2619.804 2619.819 2619.87	_		1029 613 825 .148 341	Q	MN NE CO FE ZN	11 11 1 1 111	2622.338 2622.39	2621.300 2621.556 2621.61 2621.623 2621.65	50 50 1 12 40	•	328 563 825 896	М	
	O TI CR MN CL	V I I I III	2620.722	2619.88 2619.942 2619.978 2619.980 2620.05	7 100 12- 10 400	6. 27. 23.	83 488 341 148 43		FE MN V CR AR	11 11 11	2622.51	2621.669 2621.73 2621.780 2621.80 2621.879	40 1 70 4 10	1.	896 328 782 340 506	н	
	V CU CD CR O	111	2620.84 2620.872 2620.88 2620.88 2620.88	2620.06 2620.090 2620.10 2620.10 2620.108	3 3 2 1	123.	478 724 825 340 1032	·	CL FE FE ZN CR	I I III	2622.665 2622.724 2622.747 2622.75 2622.81	2621.883 2621.942 2621.965 2621.97 2622.03	13 3 3 15 3	123.	613 896 896 162 340	M M	
ı	FE C MN V	1 I 1 I 1 I 1 V		2620.172 2620.20 2620.245 2620.284 2620.320	10 25 30 20 25	173. 27. 73.	896 287 328 1000 829		CO CR ZN CO	111	2622.840 2622.88 2622.95 2623.031 2623.05	2622.059 2622.10 2622.17 2622.250 2622.27	40 1 30 3 10	54.	603 341 162 603 168	Р	
	V FE NE CR	1 V 1 I 1	2621.190 2621.2 2621.26 2621.262	2620.33 2620.408 2620.4 2620.48 2620.480	25 12 40 50 12	1. 316. 20.	325 896 885 340 341	H M	CO CL CR CO V	1 I I I I I	2623.212 2623.404 2623.42 2623.52 2623.52	2622.430 2622.621 2622.64 2622.74 2622.74	30 2 4 1 50	54.	603 613 340 825 478		
	V HE NE CU FE	11 11		2620.5 2620.534 2620.537 2620.6659 2620.695	M- 60 65 20	171.	115 497 563 612 896	н	ZN MN CR N CU	111 11 111 111	2623.62 2623.648 2623.65	2622.80 2622.74 2622.867 2622.87 2622.87	5 20 18 40 5	21.	162 328 341 910 672		
	CA CR CR CO AR	1 1	2621.599 2621.622 2621.64 2621.66 2621.767	2620.817 2620.841 2620.86 2620.88 2620.985	360 7 5 1 40	9. 82.	64 341 340 825 506		MN NE C HE CR	I	2623.68 2623.69	2622.895 2622.90 2622.90 2622.947 2623.00	25 15 10 M 5	27. 27. 324.	148 723 287 497 340		

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTRUM	. .	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
O 11 NI I AR I MN I FE 1	I 2623.854 I 2623.873 I 2623.88	2623.00 2623.071 2623.090 2623.10 2623.107	4 10 10 5 4	, 19. 318.	1032 835 506 328 896	н		1 I 1 I I I I	2625.514 2625.544 2625.577 2625.582 2625.60	2624./31 2624.761 2624.795 2624.800 2624.82	40 40 1 10 285	4. 19. 24. 3.	496 328 603 148 488	
MN		2623.107 2623.154 2623.20 2623.284 2623.362	80 20 40 8 5	324. 24. 27.	563 835 340 148 148		MN CR V	11 11 11 11	2625.642 2625.739 2625.78 2625.79 2625.795	2624.860 2624.956 2625.00 2625.01 2625.012	15 10 2 4 520	216.	478 328 340 478 537	
CR I	1 2624.22 1 2624.221	2623.3657 2623.39 2623.44 2623.440 2623.460	20 30 M 2 60	6. 124. 53.	896 340 825 603 563		CU I MN MN	11 11 11 11	2625.833 2625.899 2625.902 2625.957 2625.983	2625.050 2625.116 2625.120 2625.174 2625.202	5 15 3- 40 1	26. 410.	328 724 148 329 488	
FE Mn I FE	V 2624.266 I 2624.316 I 2624.407 I 2624.409 I 2624.508	2623.483 2623.533 2623.624 2623.626 2623.726	15 200 20 6 15	52. 171.	829 896 328 896 896	м	FE I CR CL FE	111 11 11 1V	2626.050 2626.100 2626.272 2626.273 2626.29	2625.268 2625.318 2625.488 2625.490 2625.51	25 15 17 50 1	91. 20. 318.	188 341 613 896 173	н
F II V I CR I		2623.755 2623.787 2623.792 2623.82 2623.96	40 [°] 150 15 10 5	89. 324.	603 537 478 340 603		CR I FE O I	11 111 11 111 111	2626.388 2626.416 2626.450 2626.46 2626.495	2625.606 2625.635 2625.667 2625.68 2625.711	550 25 · 140 1	19. 65. 1.	328 893 896 1032 506	н
MN 1 CL I	I 2624.827 I 2624.830 I 2624.887 V 2624.996 I 2625.011	2624.043 2624.047 2624.104 2624.213 2624.228	50 0 5 50 20	. 27	148 328 613 829 724		CR MN	I 111 11 11 11	2626.589 2626.60 2626.65 2626.68 2626.707	2625.806 2625.82 2625.87 2625.90 2625.924	M - 5 2 20 0	143.	497 162 340 328 724	
NI I MN AL I AR I	1 2625.150 I 2625.249 V 2625.32 I 2625.376 I 2625.424	2624.367 2624.466 2624.54 2624.593 2624.642	10 1 5 30 2	24	835 148 888 506 148		NE CR MN CO P	11 111 11 11	2626.774 2626.853 2626.90 2626.904 2626.962	2625.991 2626.072 2626.12 2626.122 2626.178	60 570 30 1	4.	563 893 328 603 496	
FE		2624.66 2624.661 2624.697 2624.71 2624.715	4 5 15 300 1	23.	340 896 835 43 1032	M	CR V NI MN FE	11 11 11 11	2627.209 2627.251	2626.30 2626.42 2626.426 2626.468 2626.501	2 2 140 60 · 15	62. 173.	340 478 835 328 896	· . н

	_
•	٠,
•	
•	v

	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC1		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NI CR MN CU CR	1 1 1	2627.354 2627.383 2627.417 2627.461 2627.47	2626.570 2626.601 2626.635 2626.678 2626.69	5 15 20 10 15	21. 26. 42. 316.	835 341 148 672 340		O CO NE SE C	111 11 11 111 111		2628.31 2628.31 2628.327 2628.44 2628.46	4 00 30 30 4	59.	1032 825 563 587 287	
	FE CO F CR NI	11 17 11 11	2627.51 2627.52 2627.56	2626.695 2626.72 2626.74 2626.78 2626.888	5 10 10 20 40	203.	488 825 173 340 835		CU MN CU FE P	111 111 11 11	2629.275 2629.289 2629.334 2629.351 2629.366	2628.491 2628.505 2628.550 2628.569 2628.582	10 30 0 20 70	203. 4.	724 328 724 488 496	
	CL CO MN CU FE	11 11 111 111	2627.814 2627.841 2627.847	2626.902 2627.031 2627.058 2627.063 2627.1272	11 2 40 1 3		613 603 328 724 896		MG CR V CO MN	I II I I II	2629.53 2629.544	2628.664 2628.72 2628.75 2628.761 2628.768	5 2 30 3 30	13. 324.	1017 340 478 603 328	
178	FE F CR FE P	111 111 110 110	2627.949 2627.95 2628.0078	2627.160 2627.165 2627.17 2627.2243 2627.308	3 80 3 5 10	324.	896 537 340 896 937	M	CO CU CR S	1 I 1 I 1 I 1 I	2629.57 2629.643 2629.66 2629.66 2629.8	2628.78 2628.860 2628.87 2628.88 2629.1	20 1 00 2 200	26. 11.	825 672 825 340 285	
	V SC CU AR F	111 111 111	2628.117 2628.148 2628.181	2627.32 2627.334 2627.365 2627.397 2627.447	1 2 20 30 30	42.	478 855 672 506 537		CR ZN V HE MN	11 111 1 1.	2629.877	2629.04 2629.09 2629.094 2629.229 2629.239	5 40 5 M 20	164.	340 162 1000 497 328	
	MN CO V CU CR	I III III - I	2628.421 2628.45 2628.522	2627.48 2627.638 2627.67 2627.738 2627.847	1 50 20 10 4	54. 66.	148 603 325 724 341		AS ZN CR CU MN	11 111 11 111 111	2630.16 2630.20 2630.233	2629.276 2629.38 2629.42 2629.449 2629.554	0 20 4 10 60	. 324.	425 162 340 724 328	
	CR MN V V MN	I I I I I I V I	2628.773 2628.87	2627.95 2627.990 2628.09 2628.090 2628.100	35 2 4 20 2	323.	340 148 478 829 148		FE CR FE F	11 11 11 11 11	2630.3566 2630.36 2630.372 2630.484 2630.50	2629.5725 2629.58 2629.590 2629.700 2629.72	15 8 285 600 60	6. 198. 171. 216.	896 340 488 537 478	н
	MN NE MG FE MN	VII	2628.971	2628.158 2628.187 2628. 2628.293 2628.293	20 60 125 80	1.	328 563 843 896 328	FH H	NE NI CR CR NE	11 11 11	2630.505 2630.571 2630.59 2630.598 2630.669	2629.721 2629.787 2629.81 2629.815 2629.885	70 40 2 12 80	20.	563 835 340 341 563	

.

SPEC	TRUM	VACUUM WAVELENGT'	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO CU MN MG FE	1 11 1 11	2630.753 2630.788 2630.80 2630.837 2630.855	2629.970 2630.004 2630.02 2630.053 2630.071	30 20 10 15 20	41. 13. 171.	603 672 328 1017 896	н	MN GE CR AR NE	11 11 111 11	2632.556 2632.56 2632.65 2632.68 2632.752	2631.771 2631.78 2631.87 2631.90 2631.967	30 5 3 70 60	9.	328 406 340 488 563	
CL TI Mi N) F	11 11 11 11 11	2631.043. 2631.058	2630.195 2630.2 2630.260 2630.273 2630.28	11 M 8 30 25	25. 17.	613 601 148 835 173		CO MN NI CR CR	11 11 11	2632.76 2632.791 2632.825 2632.84 2632.88	2631.98 2632.006 2632.040 2632.06 2632.10	140 5 5 3	19. 66. 144.	825 328 835 341 340	
F V FE CC FE	111 11 11 111	2631.30	2630.334 2630.48 2630.498 2630.52 2630.527	150 30 3 1 1	91.	537 782 896 825 188	М	FE CU CO NI V	III II II I	2633.0216 2633.023 2633.040 2633.040 2633.084	2632.2369 2632.238 2632.255 2632.255 2632.300	100 5 30 50 2	52. 20.	896 724 825 835 1000	
N M V M Z	11 11 11 111	2631.348 2631.449 2631.504	2630.545 2630.565 2630.665 2630.721 2630.73	1 25 150 2 15	24. 89. 25.	835 148 478 148 162		SC MN CR V T1	VI II I I	2633.114 2633.139 2633.14 2633.182 2633.207	2632.331 2632.354 2632.36 2632.398 2632.424	40 450 20 2 150	19. 324. 5.	720 328 340 1000 488	н
CI F FI CI FI	11 111 11 11	2631.717 2631.796 2631.823	2630.93 2630.933 2631.012 2631.039 2631.047	50 300 30 00 155	63. 171.	340 537 896 .825 896	M	CR CD FE AS GA	11 11 11 11	2633.32 2633.35 2633.3798 2633.422 2633.44	2632.54 2632.57 2632.5939 2632.637 2632.66	15 4 20 1 450	337. 6. 3.	340 825 896 425 488	·
F. MI CC S1 CC	11 11 1 1	2631.93 2631.999 2632.0665 2632.096	2631.312	155 10 1 190 M	1. 19. 83.	896 328 603 608 825	H .	CL NI P CR CL	111 111 111 11	2633.45 2633.498 2633.498 2633.55 2633.605	2632.67 2632.713 2632.713 2632.77 2632.821	500 50 300 5 3	23. 63. 279.	43 835 936 340 613	
CF FE CL NI V	XI II II II	2632.1 2632.106 2632.134 2632.134	2631.3 2631.322 2631.349 2631.349 2631.484	155 2 100 3	1. 63.	726 896 613 835 478	F H	MG CO TI CL V	1 1 11 11	2633.658 2633.68 2633.73 2633.732 2633.74	2632.873 2632.89 2632.95 2632.947 2632.96	25 3 M 4 3	13.	1017 603 601 613 478	
TI AL FE NÉ P	I I I I I I I I I I I I I I I I I I I	2632.336 2632.393 2632.414	2631.55 2631.553 2631.608 2631.630 2631.70	10 80 50 20	5. 11. 171.	483 488 896 563 4 31		MN CR FE AS NI	1	2633.760 2633.770 2633.773 2633.820 2633.839	2632.975 2632.987 2632.988 2633.035 2633.054	20 4 5 1 3	19.	328 341 896 425 835	м

۰	-		•
(2	t	0
ć	٠		5

	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CR MN FE P	I I I I I I I I I I I I I I I I I I I	2633.907 2633.955	2633.09 2633.085 2633.122 2633.170 2633.18	2 10 20 1 500	12.	341 328 896 937 43	· M	CO FE CL O F	11 11 11 11 V	2636.092	2635.23 2635.304 2635.306 2635.3 2635.37	1 3 2 25	•	825 896 613 309 173	
	CR FE V MN CR	11 11 11 11	2634.06 2634.119	2633.19 2633.203 2633.28 2633.334 2633.38	1 8 2 40 2	356.	341 896 478 328 341	н .	FE FE V CR CL	11 11 11 1	2636.188 2636.21 2636.22	2635.402 2635.402 2635.43 2635.44 2635.44	5 5 7 7 6	296. 238. 216. 81.	896 896 478 341 345	
	HE NI CR V FE	11 .11 .1	2634.37 2634.372	2633.375 2633.558 2633.59 2633.588 2633.621	M 2 10 4 2	324. 13.	497 835 340 1000 896	.M	MN CO TI AS MN	I I I I I I I	2636.38 2636.386	2635.551 2635.55 2635.60 2635.600 2635.604	4 1 5- 1 0	29.	148 825 488 425 328	
180	CR MN MN FE AS	111 11 11 111 111	2634,53 2634.580	2633.711 2633.75 2633.795 2633.819 2633.876	1 2 30 40 5	·	893 328 328 188 425		V CU FE CU CR	111 111 1 1	2636.424 2636.453 2636.508 2636.525 2636.53	2635.640 2635.667 2635.723 2635.614 2635.74	10 3 10 1	89.	478 724 896 672 340	М
	V AR CL AS CA	11 11 11 11 111	2634.89 2634.893	2633.91 2634.001 2634.10 2634.107 2634.139	3 20 4 10 360	9.	478 506 345 425 64		CR CL FE MN CO	I II I II	2636.5948	2635.777 2635.807 2635.8092 2635.84 2635.85	8 8 .170 5	81. 52.	341 613 896 324 825	
	CR CR V CD F	I II II IV	2635.15 2635.23	2634.23 2634.27 2634.37 2634.44 2634.49	4 12 3 1 1		341 340 478 825 173		FE NE V CO NE	I II II II	2636.757 2636.78		5 6 5 20 90	214.	896 896 478 825 563	M M
	FE F CR FE V	111 111 V 1	2635.618 2635.62 2635.64	2634.740 2634.833 2634.84 2634.86 2634.864	3 110 2 8	•	896 537 340 229 1000	F M	CO CR MX MN CU	II I II III		2636.076 2636.094 2636.131 2636.20 2636.258	1 5 2 20 1	19.	825 341 148 328 724	
	CO CU CL K FE	11 11 111 111	2635.89	2634.925 2634.933 2634.948 2635.11 2635.127	15 30 56 60	. 40. 8. 296.	825 672 613 488 488		AS AR CO CO V	II II II IV	2637.113 2637.1444 2637.150 2637.16 2637.186	2636.327 2636.3586 2636.365 2636.37 2636.401	3 20 5 10 30		425 867 603 825 829	
	FE	11	2635.911	2635.127	0	296.	488				2637.186	2636.401				

SPECTR	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTR	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V CR FE CU MN	11 11 11 11	2637.25 2637.2639 2637.4048	2636.40 2636.46 2636.4781 2636.6190 2636.668	2 10 30 4 40	62. 51.	478 340 896 612 328		MN AL P AL NE	11 11 11 11	2638.959 2638.967 2638.995 2639.048	2638.173 2638.182 2638.209 2638.263 2638.289	320 2 60 25 80	19. 14. 4. 14.	328 468 496 488 563	H
FE CR P NI S	11 11 11 11		2636.687 2636.70 2636.756 2636.824 2636.88	5 3 90 75 200	356. 4. 19.	488 340 496 835 323		NI CU HE ZN V	11 111 111 111	2639.248 2639.27	2638.336 2638.393 2638.462 2638.48 2638.52	2 1 M 10 7		835 724 497 162 478	
CR CU AR V NE	11 11 11 11 11 1	2637.677 2637.6976 2637.722	2636.89 2636.891 2636.9117 2636.936 2636.942	4 0 30 10 60	19.	341 724 867 829 563		CR AL NE MN AL	11 11 11 11	2639.332 2639.343 2639.353	2638.53 2638.547 2638.560 2638.567 2638.625	3 1 70 80 2	324. 14.	340 488 563 328 488	•
P FE MN CR CR	111 11 11 11	2637.840 2637.948 2637.952	2637.021 2637.054 2637.173 2637.168 2637.20	60 2 80 4 10	19. 62.	936 896 328 341 340	M	FE AL MN NE TI	I II III III	2639,480 2639,486 2639,49	2638.655 2638.695 2638.700 2638.70 2638.70	10 15 60 200	14.	896 488 328 1031 488	١
CO V V CO NA	11 11 11 111	2638.007 2638.04 2638.13	2637.21 2637.222 2637.25 2637.35 2637.46	1 20 6 10		825 1000 478 825 516		FE CU V FE MN	1 111 11 11	2639.512 2639.53 2639.533 2639.61	2638.711 2638.726 2638.74 2638.747 2638.82	5 15 2 15 15		896 724 478 896 328	n n
CR FE V FE AS	11 11 11 11	2638.408 2638.430	2637.48 2637.497 2637.623 2637.644 2637.690	20 5 2 15	198. 410. 221.	340 896 478 896 425	ı j u	CR CR S F MN	111 V 111	2639.677 2639.68 2639.803	2638.882 2638.892 2638.89 2639.017 2639.029	4 15 400 300 20		893 341 51 537 328	
AL NE V MN CR	11 11 11 11	2638.623 2638.671 2638.675	2637.696 2637.837 2637.886 2637.889 2637.92	40 20 2 100 2	14.	488 563 478 328 340		CR CO NE MN V	11 111 111 11	2639.87 2639.97 2640.006	2639.05 2639.08 2639.18 2639.220 2639.29	1 100 15 2		340 825 1031 328 478	
CR NE S SC MN	11 11 11 111x	2638.882 2638.9 2638.9	2638.05 2638.096 2638.1 2638.1 2638.13	5 70 100	64. 11.	340 563 285 913 328	FΡ	CR NI F CR CR	11 11 111	2640.144 2640.173	2639.32 2639.358 2639.387 2639.42 2639.54	8 140 250 7	216	340 835 537 341 341	

-	_
^	
u	٠
	_

SPECTRUM	VAĆUUM WAVELENGT'I	: AIR WAVELENGTH	INTENSITY	MULTIPLET.	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENC E	NOTES
MN I	I 2640.351	2639.546 2639.564 2639.72 2639.849 2639.91	4 12 20 70 7	221. 52. 323.	855 896 328 328 340	н	FE MN ZN C	111 11 111 11 11	2642.194 2642.20 2642.21 2642.212 2642.311	2641.408 2641.41 2641.42 2641.425 2641.524	60 3 5 150 70	32.	20. 563	
CR 1 CR CU 1	I 2640.76 I 2640.79 I 2640.841 I 2640.9057 I 2641.007	2639.97 2640.00 2640.056 2640.1190 2640.221	15 7 7 1 5	216. 20. 81.	723 340 341 612 341		CU CU FE NI CR	111 1 11 11	2642.324 2642.336 2642.4326 2642.577 2642.58	2641.537 2641.550 2641.6456 2641.790 2641.80	50 5 50 50 25	50 <i>.</i> 242.	724 672 896 835 340	
AR 1	I 2641.129 V 2641.13 I 2641.13	2640.267 2640.297 2640.340 2640.34 2640.34	7 1 1. 150 500	5.	1000 724 148 488 162		ZN FE CR TI	111 11 11 11	2642.70 2642.800 2642.904 2642.94 2642.998	2641.91 2642.013 2642.118 2642.15 2642.212	5 8 20 20 80	309. 66. 29. 89.	162 896 341 488 478	н
CO I C I	I 2641.24 I 2641.30 I 2641.347 I 2641.35 I 2641.405	2640.45 2640.48 2640.560 2640.56 2640.619	90 120 4	323. 32. 25.	340 825 287 1031 148		MN NE FE CL V	1 1 1 1 1 1 1 1 1 1	2643.02 2643.04 2643.061 2643.064 2643.076	2642.235 2642.25 2642.274 2642.277 2642.289	40 40 0 9 4	51. 13.	328 1031 378 613 1000	
NE : V CR I:	2641.42 I 2641.454 I 2641.470 I 2641.515 I 2641.575	2640.63 2640.667 2640.684 2640.729 2640.788	4 60 6 350 200	86.	173 563 1000 893 768		C MN NE NE P	II III I	2643.118 2643.190 2643.21 2643.26 2643.278	2642.331 2642.403 2642.42 2642.47 2642.491	25 3 60 8 10	32.	287 148 1031 723 937	
MN C NI FE	2641.65 1 2641.671 11 2641.681 11 2641.757 1 2641.815	2640.86 2640.887 2640.894 2640.970 2641.029	80 1 60 10 6	213. 32.	478 148 287 835 896		MN CR V MN CO	11 11 11 11	2643.30 2643.39 2643.51 2643.563 2643.670	2642.51 2642.60 2642.72 2642.775 2642.884	10 2 6 40 10	330. 199.	328 340 478 328 603	
FE CR TI	1 2641.86 1 2641.870 1 2641.88 1 2641.902 (1 2641.904	2641.07 2641.084 2641.09 2641.116 2641.117	200 8 3 400 40	5.	1031 896 340 488 835	M	FE CR MN V	11 11 11 11	2643.768 2643.81 2643.852 2643.90 2643.93	2642.982 2643.02 2643.065 2643.11 2643.14	1 5 50 2 5	426. 104.	488 340 328 478 1000	
FE F I CU I CR V I	11 2641.951 11 2642.009 11 2642.09	2641.123 2641.164 2641.222 2641.30 2641.30	5 200 1 15 15	323.	896 537 724 340 325		NI V CR N C	I I I I I I I	2643.932 • 2643.98 2644.10 2644.200 2644.214	2643.146 2643.19 2643.31 2643.413 2643.427	10 5 1 20 25	72. 323. 50. 32.	488 1000 340 200 287	

SPECTRUM	· W	VACUUM VAVELENGTH	· AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NE FE NE	1 I 1 I 1 I 1 I	2644.33 2644.414 2644.434 2644.471 2644.48	2643.54 2643.627 2643.647 2643.684 2643.69	12 60 3 60 4	123.	340 563 896 563 478		FE :	I I I I	2646.043 2646.09 2646.090 2646.122 2646.130	2645.256 2645.30 2645.303 2645.334 2645.343	10 2 20 3 5	13. 19. 42. 426.	1000 341 672 896 1000	
MN CU MN	1 1 1 1 1 1 1 1	2644.52 2644.543 2644.620 2644.68 2644.711	2643.74 2643.756 2643.834 2643.89 2643.923	10 50 1 20 170	29.	506 328 672 328 724		FE NE SI	II I II IV	2646.17 2646.2095 2646.30 2646.327 2646.329	2645.39 2645.4216 2645.51 2645.539 2645.541	200 10 30 0 80	6. 25.	188 896 1029 678 829	
FE Mn . Ne	1 I 1 1 I 1 I 1 I	2644.72 2644.7855 2644.85 2644.885 2644.91	. 2643.93 2643.9980 2644.06 2644.097 2644.12	5 140 20 80 5	50. 52.	200 896 328 563 341		N CR SC	II IV II IV	2646.433 2646.44 2646.53 2646.586 2646.627	2645.645 2645.65 2645.71 2645.799 2645.840	50 450 2 110 80	19.	563 824 340 720 478	
GE	II III	2644.91 2644.9712 2644.98 2645.02 2645.062	2644.12 2644.1836 2644.19 2644.23 2644.275	5 80 3 7 400	24. 19. 5.	328 7 340 341 488		V MN	11 11 11 11	2646.698 2646.702 2646.777 2646.78 2646.80	2645.911 2645.914 2645.990 2645.99 2646.02	1 2 2 20 1	410. 29. 50.	488 724 1000 328 200	
	IV II I I	2645.083 2645.150 2645.416 2645.42 2645.47	2644.295 2644.363 2644.628 2644.63 2644.690	400 100 6 1	213.	937 478 896 341 1000	M	FE NE	I I1 I I1 IV	2646.820 2646.87 2646.886 2646.966 2646.97	2646.032 2646.08 2646.098 2646.178 2646.18	10 50 5 40 550	29. 19.	896 488 896 563 824	M
CO FE MG HE	II I V I I	2645.514 2645.559 2645.57 2645.589 2645.589	2644.726 2644.772 2644.78 2644.801 2644.802	10 10 3 2	111.	835 603 229 1017 497	F	FE MG V CU I	I II II II II	2646.981 2646.993 2646.994 2647.012 2647.171	2646.194 2646.206 2646.206 2646.225 2646.383	1 5 5 2 15	237. 12.	672 488 1017 478 724	
CR V CR 1 FE	11 1V 11 11	2645.59 2645.734 2645.744 2645.871 2645.871	2644.80 2644.946 2644.957 2645.083 2645.084	2 8 10 5 40	65. 309. 263.	340 829 893 896 488		CO NI NI CR		2647.200 2647.224 2647.371 2647.39	2646.413 2646.436 2646.583 2646.60 2646.633	10 3 2 2 40	53. 104.	603 835 835 340 538	
MN CR FE	1 1 1 1 1 1 1 1 1 1	2645.916 2645.955 2645.97 2645.978 2646.000	2645.128 2645.168 2645.18 2645.191 2645.212	10 1 2 20 50	421.	425 148 340 488 537		FE I CR	I II I I I	2647.438 2647.480 2647.538 2647.61 2647.636	2646.650 2646.692 2646.751 2646.82 2646.848	400 1 90 1	5. 220. 91.	488 488 188 341 613	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
N ! NI ! CL ! N ! CR !	1 2647.683 1 2647.687	2646.87 2646.895 2646.898 2646.96 2647.04	1 140 120 650 2	50. 63. 19. 323.	200 835 613 824 340		TI CO FE NI FE	I II II II XI	2649.44 2649.451 2649.492 2649.508 2649.52	2648.65 2648.662 2648.704 2648.719 2648.73	10 25 1 . 10 255	4. 409. 17.	488 825 488 835 940	FH
	1 2648.035	2647.22 2647.247 2647.31 2647.390 2647.42	2 60 2 1 150		340 506 328 378 723		MN V MN CR F	I II III III	2649.588 2649.679 2649.728 2649.74 2649.789	2648.800 2648.891 2648.938 2648.95 2649.000	3 6 100 2 110	53. 166.	148 1000 328 340 537	
MN I	I 2648.29 I 2648.3459	2647.449 2647.50 2647.5575 2647.624 2647.710	80 50 20 80	6. 53. 13.	537 490 896 328 1000		V MG MN FE TI	III II. II. I	2649.80 2649.851 2649.87 2650.010 2650.094	2649.01 2649.062 2649.08 2649.222 2649.306	20 7 5 2 40	12.	325 1017 328 896 488	M N
NE CL I MN I AR 1 AS I	I 2648.600 I 2648.632	2647.76 2647.777 2647.811 2647.844 2647.881	8 57 40 10 0		723 613 328 506 425		V MN NI' EE ZN	11 11 11 11	2650.16 2650.213 2650.225 2650.258 2650.290	2649.37 2649.424 2649.436 2649.469 2649.502	150 30 40 6 8	213. 427.	478 328 835 896 154	
FE I FE	I 2648.846 I 2648.85	2647.918 2648.056 2648.08 2648.159 2648.164	12 80 15 0	142. 355. 99.	896 328 340 488 378	м	CU TI AR CR NI	111 1 11 11 11	2650.308. 2650.385 2650.3903 2650.45 2650.499	2649.519 2649.597 2649.6014 2649.66 2649.710	20 30 40 7	166.	724 488 867 340 835	N
F I	I 2648.976 I 2649.00	2648.17 2648.18 2648.187 2648.21 2648.30	2 1 58 15 8	323.	341 173 613 723 340		CU CR CD V CD	1 1 1 1 1 1 1	2650.628 2650.68 2650.719 2650.924 2651.054	2649.840 2649.89 2649.931 2650.136 2650.266	30 1 50 1 50	41. 104. 112. 53.	672 340 603 478 603	
v I	I 2649.162 I 2649.235	2648.339 2648.373 2648.446 2648.475 2648.548	20 0 2 30 1	192.	328 425 896 478 378	М	CR V BE FE BE	11 11 11 11 11	2651.17 2651.20 2651.243 2651.270 2651.339	2650.38 2650.41 2650.454 2650.481 2650.550	2 3 60 2 40	2. 410. 2.	340 478 333 896 333	
CO I	I 2649.423 I 2649.43	2648.56 2648.6059 2648.635 2648.64 2648.64	25 2 5 40 20	53.	723 612 603 825 328		CR CR V BE V	11 111 1 1 1 1	2651.36 2651.370 2651.396 2651.402 2651.402	2650.57 2650.581 2650.608 2650.613 2650.613	1 10 3 1 8	2.	340 893 1000 333 829	

SPECT	RUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NO TE
BE BE BE CR NI	I I II II	2651.408 2651.483 2651.549 2651.59 2651.645	2650.619 2650.694 2650.760 2650.80 2650.856	80 40 60 7	2. 2. 2. 143.	333 333 333 340 835		V CO CR CO HE	1 1 1 1 1 1 1 1	2653.55 2653.56 2653.57 2653.62 2653.638	2652.76 2652.77 2652.78 2652.83 2652.848	20 5 3 8 3	330.	478 825 340 825 497	
MN NE MN CR GE	I	2651.826 2651.94	2651.000 2651.01 2651.036 2651.15 2651.1720	80 30 80 1	52. 1.	328 1029 328 340 7	Q	CU AR V ZN TI	· I	2653.689 2653.708 2653.733	2652.854 2652.899 2652.919 2652.944 2653.02	3 10 20 10 20	99. 4.	724 506 1000 154 488	
CL NE FE CR NI		2652.043 2652.059 2652.091 2652.198	2651.19 2651.254 2651.270 2651.303 2651.408	300 70 3. 7 1	12. 237.	43 563 896 341 835	٠.	P CU CO ZN MN	111 111 111 111	2653.838 2653.865 2653.89 2653.95 2653.96	2653.048 2653.075 2653.10 2653.16 2653.17	4 3 1 35	13.	936 724 825 162 328	
CR CU F GE V	11 1 111 1	2652.21 2652.229 2652.266 2652.3577 2652.36	2651.42 2651.440 2651.477 2651.5683 2651.57	4 1 200 120 5	1. 213.	340 672 537 7 478		F AR CR CR CO	111 -11 11 111 11	2654.04 2654.067	2653.201 2653.21 2653.25 2653.278 2653.41	110 0 4 4	330.	537 506 340 893 825	
F CU FE FE FE	111 1 1 11	2652.482 2652.4959 2652.50	2651.676 2651.693 2651.7063 2651.71 2651.826	250 10 25 25 1	41. 51. 355. 427.	537 672 896 896 488		F FE AS CR MN	111	2654.242 2654.347 2654.351 2654.36 2654.361	2653.452 2653.557 2653.561 2653.57 2653.571	300 2 5 85 60	432. 8.	537 896 425 340 328	
MN V AR F CR	11 111 11	2652.685 2652.695 2652.721 2652.79	2651.868 2651.896 2651.906 2651.932 2652.00	40 50 20 150 30	13.	328 1000 506 537 340		FE CO F V CU	11 111 1	2654.457 2654.503 2654.528 2654.613 2654.69	2653.667 2653.713 2653.738 2653.824 2653.90	2 30 375 25		896 825 537 1000 672	
CU CU CO CR CR	111 111 11	2652.853 2652.884 2652.96 2653.08 2653.23	2652.065 2652.095 2652.17 2652.29 2652.44	2 4 3 4 4	•	672 724 825 340 341		V CO CR SE AR	I II III II	2654.80 2654.81 2654.83	2654.005 2654.01 2654.02 2654.04 2654.056	2 3 4 150 20	330.	1000 825 340 587 506	
AL MN FE NE SI	11 11 11		2652.475 2652.497 2652.566 2652.593 2652.69	160 ,140 2 50 100		198 328 896 563 941		NE V V NI ZN	111	2655.091 2655.15 2655.18 2655.182 2655.20	2654.301 2654.36 2654.39 2654.392 2654.41	10 60 3 1	٠	563 325 478 835 162	

	CUUM AIR', ELENGTH WAVELENGTH		ET REFERENCE NOTES	SPECTRUM VACUUM WAVELENG		INTENSITY MULTIP	LET REFERENCE NOTES
MN 11 26 NI 11 26 MN 11 26	555.201 2654.412 2654.21 2654.25 555.250 2654.460 555.415 2654.625 255.419 2654.629	10 10 3 20 5 410	341 328 835 328 896	F 111 2657.0 AR 11 2657.0 MN 11 2657.1 CO 11 2657.1 T1 1 2657.1	94 2656.303 1 2656.32 6 2656.37	250 20 30 00 40	537 506 328 825 488 N
CR 11 26 CR I 26 V II 26	555.613 2654.824 555.63 2654.84 555.633 2654.84 555.68 2654.89 555.71 2654.92	1 1 5 2 10;	148 340 341 478 587	F III 2657.2 CU III 2657.2 CO II 2657.2 V I 2657.3 CO II 2657.4	9 2656.493 9 2656.50 4 2656.55	450 0 1 10 2	537 724 825 1000 825
F : 111 20 CR : 1 20 ZN : 111 20	555.718 2654.928 555.757 2654.967 655.84 2655.05 555.89 2655.10 655.93 2655.14	50 80 .4 9! 10	162	SE 111 2657.4 FE 1 2657.5 V 10 2657.6 TI 1 2657.6 CR 11 2657.9	826 2656.7920 559 2656.868 11 2656.920	10 12 9 50· 40 8	587 896 829 488 N
FE 111 20	556.054 2655.264 556.076 2655.286 556.09 2655.30 656.135 2655.345 556.172 2655.382	200 40 M 120 60	893 288 601 6. 835 64	FE II 2657.9 TI I 2657.9 CR I 2658.0 LI II 2658.0 V II 2658.0	2657.186 2 2657.23 2657.293	1 40	2. 896 3. 488 341 307 8. 478
V 1V 20 S1 111 20 V 11 2	656.186 2655.396 656.198 2655.408 656.302 2655.512 656.47 2655.68 656.483 2655.692	0 37. 50 315 8. 200 21.	829 1. 768	LI II 2658.0 CO I 2658.1 AL I 2658.1 P 111 2658.2 CU 111 2658.2	29 2657.340 97 2657.406 235 2657.445	60 0 15 1	307 603 198 936 724
NI II 2 CR II 2 MN I 2	656.560 2655.769 656.560 2655.769 656.57 2655.78 656.577 2655.787 656.593 2655.803	10	5. 148	MN I 2658.3 CR II 2658.3 NE I 2658.3 FE II 2658.3 FE I 2658.4	32 2657.53 345 2657.554 378 2657.588	1 15 12 6 3	148 340 896 896 896 M
AS II 2 MN 1I 2 CU II 2	656.611 2655.820 656.628 2655.838 656.714 2655.924 656.7551 2655.9646 656.779 2655.989		328 425 328 612 537	V 1 2658.4 AR II 2658.6 MN I 2658.6 FE II 2658.7 V II 2658.7	58 2657.89 588 2657.898 712 2657.921	. 0 8	1. 1000 . 506 148 3. 896 478
FE I 2 MN II 2 V I 2	656.82 2656.02 656.938 2656.147 656.961 2656.170 657.014 2656.224 657.06 2656.27	, 40 , 15 140 7 60 1.	9. 341 6. 896 0. 328 3. 1000 825	CR III 2658.0 V III 2658.0 ZN III 2658.0 FE II 2659.0 ZN III 2659.0	2658.06 2658.15 2658.252	1 1 30 10 30	893 325 162 9. 896

	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	FRUM	VACUUM WAVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES
	CR MN FE	111 11 1 1		2658.314 2658.34 2658.349 2658.478 2658.49	20 2 2 8 7	15. 213.	724 340 148 896 478	M	MN P CR MN TI	11 11 11 11 1	2661.20 2661.22 2661.31 2661.413 2661.45	2660.41 2660.42 2660.52 2660.621 2660.66	3 0 30 40 10	4.	328 431 490 328 468	
	CR V ZN CL CO	11 111 111 11 11		2658.59 2658.62 2658.65 2658.723 2658.725	100 15 50 310 M	7.	340 325 162 613 825		MN MG CR FE MG	11 11 11 111	2661.54 2661.544 2661.56 2661.605 2661.610	2660.75 2660.755 2660.77 2660.815 2660.821		4. 164. 4.	328 488 340 188 488	:
	CU CR FE V FE		2659.70	2658.822 2658.91 2658.946 2658.97 2659.054	3 40 3 30 1	141. 88. 237.	724 340 896 478 488	М	CO MN NA NI MN	11 11 11 11	2661.63 2661.63 2661.76/ 2661.797 2661.80	2660.84 2660.84 2660.997 2661.006 2661.01	M 5 120 1 2	11.	825 328 693 835 328	
187	MN CO S FE MN	11 -11 V 1	2659.98 2660.041	2659.090 2659.17 2659.19 2659.249 2659.270	. 0 200 4 50		328 825 51 896 328	M	MN MN FE CR V	11 1 11 11	2661.96 2661.9828	2661.14 2661.20 2661.1911 2661.22 2661.243	10 2 8 50 3	50. 329.	328 148 896 340 478	
	SE CR NI CU F	111 11 11 111	2660.26 2660.289 2660.35	2659.38 2659.47 2659.498 2659.57 2659.576	1 10 120 2 50	103.	587 340 835 672 537		FE BR CR FE V		2662.096 2662.19 2662.20 2662.207 2662.215	2661.305 2661.40 2661.41 2661.416 2661.424	12 150 7 8 70	62. 13.	896 574 340 896 1000	M
	V FE CL ZN CR	11 111 11 111 11	2660.404 2660.46 2660.47	2659.60 2659.614 2659.67 2659.68 2659.73	25 40 6 100 8	112. 91. 268.	478 188 345 162 340		MN V CR O CL	111	2662,38 2662,402	2661.42 2661.47 2661.59 2661.612 2661.65	2 30 10 1 500	62. 16.	328 478 340 1032 38	
	SI GA MN CR CU	II II III	2660.662 2660.73 2660.797	2659.781 2659.873 2659.94 2660.006 2660.128	5 40 20 8 2	25. 2. 58.	678 488 328 341 724		ZN CO CO CR MN	1 I 1 I	2662.45 2662.505 2662.51 2662.52 2662.55	2661.66 2661.714 2661.72 2661.73 2661.76	5 2 5 50 5	8.	162 603 825 340 328	
	FE MN S AL FE		2661.083	2660.236 2660.292 2660.3 2660.386 2660.3973	5 40 100 160 15	429. 411. 1. 51.	896 328 285 198 896		FE ZN TI MN MN	11	2662.64 2662.756 2662.76	2661.771 2661.85 2661.966 2661.97 2661.998	40	429. 2. 52.	896 162 488 328 328	

Ģ. 201	RUM	VACUUM WAVELENGT I	'AIR WAVELENGTH	INIENSIII	MULTIPLET	REFERENCE	NUTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	
CO FE CR CL CR	I II III	2662.82 2662.8480 2662.94 2663.08 2663.08	2662.03 2662.0562 2662.15 2662.29 2662.29	M 30 4 300 2	50. 62. 16.	825 896 340 38 341		FE SC CO FE FE	I I I I I I I I I I I I I I I I I I I	2664.848 2664.95 2664.960	2664.043 2664.058 2654.16 2664.168 2664.209	15 160 1 12 20	237.	896 720 825 896 488	
FE FE CO CU MN	111 11 1 1	2663.25 2663.26	2662.304 2662.331 2662.46 2662.47 2662.538	20 40 1 1	70.	896 188 825 672 328	М	FE CR F CR MN	111	2665.052 2665.07 2665.123 2665.24 2665.26	2664.260 2664.28 2664.331 2664.44 2664.47	6 2 300 7 10	427.	896 340 537 341 328	
FE CO CR MN CU	1 I I I I I	2663.350 2663.44 2663.51 2663.56 2663.56	2662.558 2662.64 2662.72 2662.76 2662.77	5 1 7. 4 1	410. 165.	896 825 340 328 672		CO FE CR ZN F	11 1 111	2665.41 2665.456 2665.609 2665.70	2664.62 2664.663 2664.818 2664.91 2664.910	1 60 3 10 50	263.	825 896 341 162 537	
MN ZN FE CR AS	111 111 111 111	2663.57 2663.693 2663.704	2662.78 2662.78 2662.901 2662.914 2662.986	15 15 3 10 5		328 162 896 893 425	, М	SC GA MN CR CO	IV I I II	2665.760 2665.84 2665.856 2665.89	2664.970 2665.05 2665.064 2665.10 2665.13	5 450 4 5 5	3.	720 488 148 341 825	
CR FE CL NI V	11 111 11 11	2663.957 2663.99	2663.02 2663.165 2663.20 2663.220 2663.25	10 2 300 3 230	165. 213.	340 896 43 835 478		MN NI Y Fe Fe	11 11 11 111	2666.128	2665.179 2665.252 2635.277 2665.337 2665.351	80 50 3 1 40	62. 45. 14. 432.	328 835 479 488 288	
FE HE CR FE CR	II	2664.050 2664.063 2664.07 2664.135 2664.21	2663.260 2663.271 2663.28 2663.343 2663.42	3 4 30 10 75	432. 329. 8.	896 497 340 896 340	М	CU S S V P	111 111 V 11	2666.19 2666.21 2666.281	2665.384 2665.40 2665.42 2665.490 2665.523	3 350 100 2	19.	724 323 51 478 936	
V CO ZN CR MN	11		2663.526 2663.528 2663.54 2663.67 2663.74	4 50 30 45 25	207. 13. 8.	478 825 162 340 328		CL FE CR F	111 11 111 111	2666.333 2666.37 2666.502	2065.54 2665.541 2665.58 2665.709 2665.78	600 15 30 30 120	16. 428. 329.	38 896 340 537 488	
FE FE P Mn	I II III III	2664.737	2663.779 2663.837 2663.945 2663.978 2664.Q35	3 2 5 90 100	428.	896 478 896 936 328	·M	P NI NI V CR	1V 11 11 1	2666.750	2665.769 2665.852 2665.950 2605.958 2666.02	10 15 100 20 80	12. 8.	937 835 835 1000 340	

SP	ECTRUM	١	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN CO CU MN FE	·		2666.89 2666.92 2667.0837 2667.17 2667.1915	2666.10 2666.13 2666.2908 2666.38 2666.3986	20 3 200 40 25	f 130. 50.	328 825 612 328 896		NE MN	II II II II	2668.674 2668.674	2667.849 2667.881 2667.882 2667.89 2667.9125	60 60 1 25 12	329. 6.	328 563 148 340 896	
NI CL FE V CU	. :	1 I 1 I 1 I 1 I	2667.216 2667.247 2667.248 2667.29 2667.39	2666.423 2666.454 2666.455 2666.50 2666.59	50 61 8 1 2	12. 49.	835 613 896 478 672	М.	CO MG MN	11 1 1 11 11	2668.80 2668.88 2668.917 2668.97 2668.991	2668.01 2668.08 2668.124 2668.25 2668.198	10 1 15 15 200	199.	478 603 1017 328 537	
NI FE ZN FE CO	Į	11 11 NI 1	2667.409 2667.429 2667.46 2667.544 2667.55	2666.616 2666.636 2666.67 2666.751 2666.76	2 30 40 60 3	263. 28.	835 896 162 896 825	н м	CU	1 1 1 1 1 1		2668.23 2668.32 2668.328 2668.36 2668.370	20 0 1- 10 3	4.	288 672 341 488 148	
MN V FE MN SC	. : i.	II II II II	2667.562 2667.58 2667.6054 2667.687 2667.700	2666.769 2666.79 2666.8123 2666.894 2666.907	170 10 170 50 12	213. 48. 52.	328 478 896 328 855		V MN CR	11 11 11 11	2669.167 2669.387 2669.422 2669.50 2669.503	2668.374 2668.595 2668.629 2668.71 2668.710	110 4 30 70 40	14.	537 478 328 340 563	
NE FE MN CR MN	: 	11 1 11 11 11	2667.710 2667.7583 2667.823 2667.93 2668.008	2666.917 2666.9652 2667.030 2667.21 2667.215	10 60 170 4 10	100.	563 896 328 340 328		FE FE	1 1 1 1 1	2669.687 2669.700 2669.730 2669.756 2669.801	2668.894 2668.910 2668.938 2668.963 2669.008	3 15 5 5	11. 429. 429.	1000 896 488 896	м м ,
FE FE MN CL MN		II II II II	2668.01 2668.010 2668.055 2668.141 2668.186	2667.22 2667.220 2667.263 2667.348 2667.393	1 10 1 93 30	410.	378 896 148 613 328		CR NE AL	11 11 11 11	2669.86 2669.92	2669.057 2669.07 2669.13 2669.166 2669.211	60 3 3 160 15	1.	563 340 723 488 835	
CL CU V AS FE	i :	11 11 11 11	2668.191 2668.2164 2668.324 2668.426 2668.426	2667.398 2667.4232 2667.532 2667.633 2667.635	28 2 4 1 0	12. 67. 430.	613 612 478 425 488		MN :	V 1 11 1	2670.15	2669.230 2669.274 2669.328 2669.36 2669.359	50 20 80 3	3.	524 488 328 1029 341	N
MN SC MN NE V		11 11 1 1	2668.476 2668.52 2668.543 2668.63 2668.631	2667.683 2667.73 2667.751 2667.84 2667.837	1		328 1028 148 - 1029 829		V . FE B :	11 1 1 1 11 11	2670.159 2670.277 2670.286 2670.292 2670.31	2669.365 2669.483 2669.493 2669.498 2669.52	1 10 25 50 300	156. 16.	835 829 896 532 38	

SPECTRUM		VACUUM		.INTENSIT	Y M	ULTIPLET	REFERENCE	NOTES		TRUM	VACUUM	AIR	INTENSITY	MULTIPLET	REFERENCE	NOTES
		AVELENGTH	WAVELENGTH						•		WAVELENGTH	WAVELENGTH		:		
CO MN TI	II II	2670.347 2670.367 2670.399 2670.402 2670.51	2669.553 2669.575 2669.605 2669.610 2669.71	15	ō	2.	1017 603 328 488 825		CL MN V ZN CR	11 11 111 111	2672.30 2672.462 2672.5	2671.408 2671.51 2671.669 2671.7 2671.80	72 0 10 10 80	12. 8.	613 328 1000 162 340	· ·
C .	11	2670.516 · 2670.60 · 2670.726 · 2670.754 · 2670.77	2669.722 2669.81 2669.933 2669.960 2670.02	10	2 5	28. 416. 23. 11.	896 825 896 287 285		MN NA FE CR V	11 11 11 1		2671.811 2671.832 2671.922 2671.980 2672.005	80 90 10 10 150	10. 432. 18. 3.	328 693 896 341 478	
	11 11 11	2670.794 2670.85 2670.947 2671.02 2671.03	2670.002 2670.06 2670.153 2670.22 2670.24	3	0 0 0 5 5	63. 25. 69.	1032 340 678 506 340	. · · .	CO CU FE CL SI	11 11 11 11	2672.971	2672.05 2672.05 2672.139 2672.176 2672.193	00 5 10 165 10	429. 6. 30.	825 672 896 613 767	
C NI	111 111	2671.030 2671.030 2671.034 2671.120 2671.176	2670.237 2670.237 2670.240 2670.326 2670.384	. 4	4 0 0 0 0	111. 32. 45. 355.	148 478 34 835 488		NE FE CR ZN MG	. 11		2672.194 2672.310 2672.37 2672.45 2672.460	20 1 15 5 40	202. 122.	563 488 340 162 1017	
CU SC ZN	I III IV I I	2671.228 2671.275 2671.319 2671.324 2671.354	2670.435 2670.481 2670.527 2670.532 2670.562		4 0 0 4 0	· 6.	148 724 720 830 341		FE MN V FE	1 11 111 1	2673.375	2672.480 2672.548 2672.581 2672.71 2672.784	12 6 320 1 3	429. 34.	896 896 328 325 896	M
NE FE FE CO CR	V I II	2671.407 2671.51 2671.580 2671.65 2671.69	2670.613 2670.72 2670.786 2670.85 2670.90	,	0 8 4 3	•	563 229 896 825 340	F M	CR MN C FE CU	11 111 1	2673.750 2673.881	2672.83 2672.85 2672.959 2673.086 2673.090	90 1 110 5 10	8. 32.	340 148 34 896 724	M
V FE CR MN MN	1 11 11	2671.711 2671.786 2671.81 2671.85 2671.89	2670.918 2670.992 2671.00 2671.06 2671.10		7 5 2 8 0	11. 61.	1000 896 340 328 328	M	MN NI FE V MN	11	2674.0075 2674.04	2673.25 2673.379	40 40 15 50 140	50. 52.	328 835 896 478 328	
CR CU F	I III III .	2671.96 2671.989 2672.076 2672.110 2672.196	2671.17 2671.204 2671.282 2671.318 2671.404	,	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	49. 4 32. 410.	341 672 537 34 488		NE CR FE CR MN	11 11 V	2674.40 2674.438	2673.422 2673.49 2673.61 2673.644 2673.651	60 3 12	278. 18	563 340 229 341 148	F

PECTRUM	VACUUM WAVELENGT.I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENG	AIR TH WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
0 1 0 1	2674.61 1 2674.711 1 2674.73 1 2674.749 1 2674.76	2673.82 2673.918 2673.93 2673.955 2673.97	25 M 4 8	14. 329.	229 603 825 478 340	F	CR I CR I V	I 2676.4 I 2676.4 I 2676.5 I 2676.5 I 2676.5	5 2675.67 3 2675.74 47 2675.753	100 20 15 8 20	13. 69. 292. 12. 52.	488 340 340 1000 200	
AR I ZN II NF I	1 2674.86 I 2674.965 I 2674.98 I 2675.013 I 2675.05	`2674.219	8 20 20	329. 329.			NE I CO I CR	I 2676.6 I 2676.6 I 2676.7 I 2676.7 I 2676.7	42 2675.847 0 2675.90 48 2675.955	10 30 10 3 4	28. 72.	328 563 825 341 1000	
V 1 FE 11 MN 1 L1 1 SE 11	I 2675.07 I 2675.214 I 2675.235 I 2675.255 I 2675.29	2674.28 2674.419 2674.440 2674.460 2674.50	3 5 220 40 10	63. 4.	478 288		SC 1 V 1 CU, 1	1 2676.7 1 2676.7 1 2676.8 1 2676.8 1 2676.8	9 2676.00 4 2676.05 615 2676.0663	10 1 9 5 6	53. 213.	603 1028 478 612 896	М
F 11 CR 11 O 11 CU 11	I 2675.325 I 2675.362 I 2675.42 I 2675.441 I 2675.5095	2674.530 2674.569 2674.63 2674.646 2674.7146	150 25 150 10 2		537 893 488 724 896	Р	MN FE NI	1 2676.8 1 2676.8 1 2676.9 11 2677.0	84 2676.090 55 2676.159 26 2676.231	· 3	. 4.	488 148 896 835 563	•
MN I NI I MN I	1 2675.547 1 2675.552 1 2675.643 1 2675.652 1 2675.778	2674.752 2674.756 2674.848 2674.858 2674.983	60 100 50 30 2	52.	563 328 835 328 896	. м	V MN CU	11 2677.0 11 2677.1 1 2677.1 11 2677.1 1 2677.2	2 2676.33 20 2576.326 734 2676.3781	60 7 10 2 2		936 478 148 612 896	М .
FE 11 SI I MN I V 1	1 2675.780 1 2675.913 V 2675.915 1 2675.925 1 2675.96	2674.985 2675.118 2675.120 2675.130 2675.17	140 40 160 30 2	52. 25.	328 288 767 328 478		MN CR MN	1 2677.2 11 2677.2 11 2677.3 !! 2677.3	22 2676.428 44 2676.450 2 2676.53 73 2676.578 30 2676.636	20 20 5 40 3	53. 141. 72.	672 328 340 328 1000	
SI I NE P	1 2676.04 V 2676.044 I 2676.070 I 2676.102 1 2676.186	2675.25 2675.249 2675.275 2675.307	160 15 50 110	25. 13. 7.	340 767	·	MN FE CL	V 2677.5 II 2677.5 II 2677.6 II 2677.7 II 2677.7	0 2676.71 51 2676.756 78 2676 983 47 2676.951	. 40 6 270	6.	229 328 896 613 478	F
FE I	2676.2 11 2676.235 11 2676.313 1 2676.340 11 2676.397	2675.517 2675.546	200 1 80 1 40		43 896 328 603 563		0 I V	1 2677.8 I 2677.8 II 2677.8 I 2677.9	2677.020 115 2677.021 178 2677.084 111 2677.117	1 0 4 4 100	10.	723 603 1032 1000 340	

SPECTRUM	W	VACUŪM (AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PEC1	RUM .	VACUUM WAVELENGT I	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
HE CR I CU II	I	2677.922 2677.930 2677.98 2678.026 2678.044	2677.126 2677.135 2677.19 2677.231 2677.249	80 5 125 2	7. 8.	496 497 340 724 328		AS FE NI MN CU	I 11	2679.854 2679.8582 2679.905 2679.962 2679.99	2679.058 2679.0622 2679.109 2679.166 2679.19	2 240 140 140 0	47.	425 896 835 328 672		
B I FE 1I F 11	I	2678.185 2678.20 2678.211 2678.213 2678.22	2677.389 2677.40 2677.417 2677.417 2677.43	1 25 110 3	91.	896 211 188 537 341	н	NE CR V CL SC	1 11 11 111	2680.122 2680.151	2679.208 2679.28 2679.327 2679.355 2679.493	3 4. 200 18 2	3.	896 341 478 613 855	М	
MN I SI I	I V I		2677.472 2677.51 2677.57 2677.794 2677.800	1 5 10 2 25	30.	1000 328 767 672 1032		FE MN NI N	1	2680.309 2680.313 2680.317 2680.40 2680.455	2679.513 2679.517 2679.521 2679.60 2679.659	0 30 30- 5 5	52.	378 328 835 200 835		
MN I NE II NE	I I I	2678.599 2678.647 2678.69 2678.701 2678.702	2677.804 2677.851 2677.90 2677.905 2677.906	150 140 150 15	3. 52. 12. 20.	478 328 488 896 678		V FE CO FE CU	I I V III	2680.502 2680.510 2680.546 2680.56 2680.569	2679.707 2679.714 2679.751 2679.77 2679.773	5 2 75 50	79. 110.	1000 896 603 229 724	M F	
SC I NI FE	V I I.	2678.766 2678.807 2678.820 2678.826 2678.85	2677.971 2678.013 2678.026 2678.030 2678.05	8 285 15 6 5	69.	896 720 486 896 825	M	FE CR CR MN TI	11 1 11 11 1	2680.571 2680.62 2680.68 2680.743 2680.744	2679.775 2679.82 2679.89 2679.947 2679.949	5 4 15 100 200	429. 267. 2.	896 341 340 328 488		
FE CR FE' 1	I I I	2678.881 2678.938 2678.94 2679.066 2679.17	2678.087 2678.142 2678.15 2678.270 2678.38	60 1 12 1 90	18.	693 896 341 896 488	M	CU CO FE P NI	İΙ	2680.914 2680.929	2679.963 2680.104 2680.117 2680.133 2680.153	3 25 10 200 75		724 603 896 936 835	M	
NE II V	I I	2679.349 2679.367 2679.43 2679.469 2679.487	2678.553 2678.572 2678.64 2678.674 2678.691	50 100 125 5 12	3. 12. 12.	328 478 488 1000 896	, м	FE CR AL FE FE	II VI II I	2680.957 2680.96 2681. 2681.029 2681.069	2680.160 2680.16 2680. 2680.233 2680.273	8 8 3 2	142. 408.	896 340 108 896 896	F M	
SE II SC II CR I FE II	I I I I	2679.49 2679.521 2679.58 2679.604 2679.673	2678.70 2678.725 2678.79 2678.810 2678.878	30 16 100 90 10	7. 149. 79.	587 855 340 188 1000		CA NI P. CR CR	11 111 11	2681.087 2681.106 2681.107 2681.12 2681.12	2680.291 2680.310 2680.311 2680.32 2680.33	2 2 1 15 3	292. 18.	1018 835 936 340 341	·	

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	SPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NA MN I NA	I 2681.134 I 2681.137 I 2681.17 I 2681.230 I 2681.24	2680.338 2680.340 2680.38 2680.433 2680.44	220 F 40 F 7	63. 2. 2.	328 1019 328 1019 825		F MN MN FE CO	111 11 1 1	2682,493 2682,509 2682,518 2682,681 2682,70	2681.696 2681.712 2681.723 2681.885 2681.90	80 30 20 1 2	63.	537 328 488 896 825	N M
	\$ 11	I 2681.2489 I 2681.265 I 2681.27 I 2681.32 I 2681.39	2680.4526 2680.470 2680.47 2680.52 2680.59	25 8 200 3 10	50. 111. 19.	896 478 323 825 162		SI CR CO NI SI	V I I I I I	2682.991	2681.92 2682.01 2682.16 2682.194 2682.210	30 10 3 100	18.	941 341 825 835 678	
	MN I	2681.44 2681.477 1 2681.480 1 2681.499 1 2681.565	2680.64 2680.681 2680.685 2680.702 2680.769	2 170 1 15 40	429. 52.	341 328 723 896 328	. •	FE MN CR MN FE	1 1 11 11 111	2683.040	2682.211 2682.244 2682.25 2682.368 2682.388	20 2 2 80 70	15. 63.	896 148 340 328 288	М
193	٠.	2681.615 2681.617 2681.65 1 2681.68 1 2681.7091	2680.818 2680.822 2680.85 2680.88 2680.9127	15 1 5 200 4	202. 86. 100.	896 478 340 43 896		CL MN CR FE V	111 11 11 11	2683,296 2683.30	2682.40 2682.499 2682.50 2682.511 2682.535	300 30 2 6 6	63. 425. 14.	43 328 340 896 478	•
		1 2681.734 1 2681.788 1 2681.81 1 2681.820 1 2681.839	2680.939 2680.991 2681.02 2681.023 2681.042	2 3 2 2 2	429.	1000 896 672 896 896	M	FE F V CU NI	I IV I II II	2683.40 2683.477	2682.576 2682.60 2682.682 2682.7487 2682.782	5 4 1 1 5		896 173 1000 612 835	М
	CR V	11 2681.839 11 2681.87 11 2681.97 11 2681.97 1 2681.999	2681.042 2681.07 2681.17 2691.18 2681.203	2 3 2 1 12	416. 86.	896 340 1000 670 896	м	V CR FE MN FE	11 11 1 1	2683.795	2682.875 2682.95 2682.998 2683.014 2683.033	100 1 6 15 2	3. 186. 416.	478 340 896 488 896	N M
	MN V NI	11 2682.0 11 2682.049 11 2682.09 11 2682.172 11 2682.181	2681.2 2681.252 2681.29 2681.376 2681.386	15 70 1 3 10		162 328 478 835 1032		FE V V AR CR	í I I I I I	2683.879 2683.888 2683.89 2683.891 2683.96	2683.082 2683.092 2683.09 2683.094 2683.16	8 80 100 30 4	72. 3.	896 1000 478 506 341	M
	cu :	1 2682.257 1 2682.26 11 2682.2934 11 2682.30 1 2682.383	2681.461 2681.46 2681.4968 2681.50 2681.586	10 18 2 2 2	8.	896 341 612 301 896	M	ZN NI NE CR MN	111 11 11 11	2684.182 2684.188 2684.25	2683.33 2683.385 2683.391 2683.45 2683.48	50 30 50 20 1	268.	162 835 563 340 328	

	SPECTR		VACUUM WAVELENGT!	AIR WAVELENGTH	INTENSITY	MULTIPLE	T REFERENCE	NOTES	SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CR .	- 11	2684.45 2684.507 2684.53 2684.573 2684.627	2683.65 2683.710 2683.73 2683.776 2683.830	40 4 4 4 6	304.	168 896 340 896 896	М М	NE CO CL CR V	III	2686.20	2685.253 2685.336 2685.40 2685.40 2685.41	3 75 400 4 1	53. 25. 65. 14.	896 603 43 341 478	
	MN FE FE CR	i I	2684.865. 2684.89	2683.833 2683.936 2684.068 2684.09 2684.158	100 15 20	277.		M M	FE ZN V CR MN	11 111 11 11	2686.3 2686.311 2686.46	2685.436 2685.5 2685.515 2685.66 2685.68	6 2 4 2 2	381. 79.	896 162 1000 340 328	
	FE CO	1 11 11 11	2684.958 2685.03 2685.074 2685.150 2685.237	2684.162 2684.23 2684.277 2684.354 2684.440	12 2 180 0 20	63. 429.	830 1028 835 488 825	•	V SE V FE MN	111 111 1 1	2686.58 2686.640 2686.661	2685.689 2685.78 2685.843 2685.863 2685.883	30 150 4 2 100	3. 72. 44.	478 587 1000 896 328	M
194	FE MN FE	I II II II	2685.337 2685.381 2685.477	2684.517 2684.539 2684.584 2684.680 2684.72	1 170 3 10 7	63. 85.	896 328 896 835 340	M	MN MN CR FE P	11 11 11 1	2686.780 2686.80 2686.905	2685.941 2685.983 2686.00 2685.107 2686.165	8 40 8 1 30	23. 62. 68. 202. 7.	148 328 340 896 496	
	FE CL V TI FE	. 1	2685.551 2685.56 2685.58 2685.608 2685.653	2684.754 2684.76 2684.78 2684.812 2684.857	220 500 . 15 50 2	283. 25.	896 43 478 488 605	H N .	O FE MN AR NE	111 11 11 11	2687.015 2687.10 2687.1207	2686.20 2686.218 2686.30 2686.3230 2686.350	250 15 3 30 10	22.	488 896 328 867 563	P
	FE	111	2685.713 2685.741 2685.75	2684.900 2684.917 2684.944 2684.95 2684.963	1 4 40 10	201.	896 1032 936 328 896	. M	V FE CR FE FE	11 11 11	2687.153 2687.185 2687.20 2687.234 2687.278	2686.356 2686.388 2686.40 2686.436 2686.482	9 5 6 1 0	79. 262. 241.	1000 488 340 896 645	
	NE V CR FE MN		. 2685.777 2685.814	2684.979 2685.018 2685.04 2685.099 2685.13	50 5 18 5 50	12. 122. 44.	563 1000 340 896 328	M	V CR P FE CR	1 1 1 1	2687.402	2686.512 2686.52 2686.585 2686.604 2686.608	10 2 10 1 2	12.	1000 341 936 896 341	м
	V TI V FE CR	II I I II	2685.934 2685.94 2685.94 2685.940 2685.99	2685.138 2685.14 2685.14 2685.140 2685.19	20 30 15 4 18	110. 2. 79.	478 488 1000 896 340	М	MN CR CA GU NE	III	2687.42 2687.46 2687.520 2687.54 2687.540	2686.62 2686.66 2686.722 2686.74 2686.742	20 4 230 1 12	68.	328 340 64 672 896	

۰	_
`	٥
ţ	n

	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC1		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN N AR FE V	I III II II	2687.71 2687.73 2687.750	2686.777 2686.91 2686.94 2686.952 2687.001	6 60 10 1	25.0	148 521 506 896 1000	· · · .	IN TI MN CR V	III IV II II	2689.11 2689.12 2689.14 2689.21 2689.35	2688.31 2688.32 2688.34 2688.41 2688.55	10 1 5 45 1	186.	162 721 328 340 1000	
	FE CR MN AR MN	I II II . I	2687.89 2688.166 2688.193	2687.054 2687.09 2687.368 2687.395 2687.400	20 65 30 10 8	7. 23.	896 340 328 506 148	М	NI V V AS	111 11 11 11 . 1	2689.473 2689.514 2689.516 2689.601 2689.617	2688.676 2688.717 2688.719 2688.803 2698.820	5 100 60 50 100	3. 70.	661 478 1000 425 488	N
	V FE MN O FE	: I III III . I	2688.213 2688.255 2688.33	2687.408 2687.415 2687.457 2687.53 2687.534	5 10 20 60 1	23.	1000 896 328 168 896	м	NI V CR / AR V	11 11 11 1	2689.680 2689.739 2689.83 2689.891 2689.911	2688.881 2688.942 2689.03 2689.093 2689.114	5 4 20 20 3	71. 84. 70.	835 1000 340 506 1000	. :
	CR MN CR GU CA	1 111 11 111	2688.379 2688.40 2688.47	2687.57 2687.581 2687.60 2687.68 2687.764	2 5 3 1 410	84. 8.	341 301 340 672 64		SE CR N FE CU	111 111 11 11	2689.92 2690.00 2690.00 2690.0109 2690.0980	2689.12 2689.20 2689.20 2689.2125 2689.2996	30 35 90 200 750	85. 25.0 48. 130.	587 340 521 896 612	
	FE CR MN ZN V	1 1 1 1 1 1	2688.65 - 2688.68 2688.680	2687.801 2687.85 2687.88 2687.883 2687.960	15 2 5 10 260	3.	896 341 328 154 478	M	V CL TI NE MG	1 11 1V 11 1	2690.147 2690.174 2690.19 2690.216 2690.34	2689.350 2689.375 2689.39 2689.418 2689.50	2 14 4 5		1000 613 721 563 1017	
	MN P CR CL NE	1 I 1 1 I 1 I	2688.799 2688.832 2688.838 2688.846		2 50 22 340 5	7. 18. 6.	328 496 341 613 563		NI NI MN CR CO	ii.	2690.478 2690.528 2690.584 2690.59 2690.606	2689.680 2689.730 2689.787 2689.79 2689.808	20 50 100 10 8	71. 44. 188.	488 835 328 340 825	. •
•	NE MN CU F	I	2688.867 2688.875 2688.889 2688.898	2688.069 2688.078	5 2 0 2 10	•	563 148 1032 724 173		CR FE FE V K		2690.680 2690.680	2689.82 2689.8292 2689.881 2689.883 2689.90	2 25 12 100 60	57. 99. 3. 8.	341 896 896 478 488	М
•	NE CR FE MN CR	11 11 11	2688.94 2688.990 2689.045	2688.131 2688.14 2688.191 2688.247 2688.28	10 5 3 140 55	304. 84.	563 340 896 328 340		AS AR V FE BR	11 11 1 1	2690.820 2690.8240 2690.863 2690.8672 2690.948	2690.022 2690.0254 2690.065 2690.0686 2690.150	10 20 2 12 120	4. 11.	425 867 489 896 488	

`	c)
C	7	١

	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	BR MN	II II	2690.977 2690.977 2690.991 2691.04 2691.048	2690.178 2690.178 2690.193 2690.24 2690.251	5 3 500 3 20	18.	896 835 606 328 341	M	CR AR TI CO CU	11 111 11		2692.11 2692.15 2692.158 2692.24 2692.242	25 5 160 1 15	84.	340 506 227 825 724	
	V CR MN CR FE	11 11	2691.050 2691.14 2691.195 2691.21 2691.220	2690.252 2690.34 2690.396 2690.41 2690.422	150 8 30 2 2	3.	478 340 328 340 896	м	FE V CR MN NE	I	2693.06 2693.239 2693.249	2692.2482 2692.26 2692.441 2692.450 2692.450	10 30 10 100 50	98. 18.	896 325 341 328 563	
	N NI N V CR	II II	2691.28 2691.284 2691.526 2691.589 2691.62	2690.49 2690.485 2690.728 2690.792 2690.82	5 120 200 2	51. 65. 51. 3.	200 835 521 478 341	P	CO CU MG FE	I		2692.46 2692.479 2692.4981 2692.45 2692.520	2 1 8 I	•	825 603 612 1017 896	М
196	MN NI MN MN CR	II I	2691.65 2691.724 2691.775 2691.777 2691.83	2690.85 2690.925 2690.977 2690.978 2691.03	20 1 2 100 90	85.	328 835 148 328 340		SC ZN AR FE CR	1 I 1 I 1 I		2692.59 2692.59 2692.5945 2692.602 2692.64	1 20 100 60 1	283. 322.	1028 154 867 896 340	н
		II II I	2691.89 2691.99 2692.05 2692.09 2692.1400	2691.09 2691.19 2691.25 2691.29 2691.3411	20 10 285 150	3. 1.	108 328 328 488 7	F	FE MN MN NI O	I I II III	2693.453 2693.463 2693.496	2692.6495 2692.655 2692.665 2692.697 2692.731	6 20 4 3 4	50. 23.	896 148 328 835 1032	
	CR FE CL O CL	III III	2692.202 2692.289 2692.32 2692.367 2692.454	2691.404 2691.490 2691.52 2691.569 2691.655	12 8 500 0 20	65. 20.	341 896 43 1032 613	· M	F ZN SC FE FE	111 111 1 1	2693.55 2693.58	2692.747 2692.75 2692.78 2692.806 2692.834	90 10 1 3 6	2. 62.	538 162 488 896	M
	S CR MN FE FE	1 11	2692.48 2692.510 2692.516 2692.536 2692.62	2691.68 2691.712 2691.717 2691.737 2691.82	250 4 80 6	19. 80. 202.	323 341 328 896 229	F	N CR V V FE	11 11 11	2693.80 2693.80 2693.80	2692.867 2693.00 2693.00 2693.00 2693.005	4 2 5 3	22.0 140.	521 340 1000 478 896	P M
	CU MN MN GR ZN	11 111 11	2692.6243 2692.780 2692.780 2692.79 2692.9	2691.8253 2691.981 2691.984 2691.99 2692.1	1 140 10 3 5	277.	612 328 301 340 162		CO MN CO MN MN	II II II II	2693.84 2693.890 2693.91	2693.01 2693.04 2693.091 2693.11	3 20 6 60 220	34.	825 328 825 328 328	

SPECTRUM	٧	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
CR NE		2694.02 2694.113 2694.155 2694.185 2694.202	2693.22 2693.315 2693.356 2693.387 2693.402	1 8 70 5 3	57.	14 341 563 328 896	м	NE CR S1 CL CO	II V II	2695.618 2695.686 2695.79 2695.82 2695.82	2694.819 2694.887 2694.99 2695.02 2695.02	50 10 200 6 4	80.	563 341 941 345 825	
FE CR NE	1 I 1 I 1 I 1 I	2694.21 2694.279 2694.33 2694.339 2694.369	2693.41 2693.479 2693.53 2693.539 2693.570	2 2 45 50 100	84.	345 896 340 563 328	M ·	F FE MN CO FE	, I II II IA	2695.83 2695.8342 2695.847 2695.93 2695.949	2695.03 2695.0344 2695.046 2695.13 2695.149	4 30 60 0 2	47.	173 896 328 825 896	
FE	1 N 11 11	2694.42 2694.522 2694.63 2694.656 2694.67	2693.62 2693.723 2693.83 2693.857 2693.87	4 5 15 2 7	10. 261. 277.	341 1017 328 896 340		FE FE MG FE	111 I I I		2695.150 2695.180 2695.181 2695.209 2695.235	450 1 10 4 4	159. 10. 12.	288 896 1017 896 1000	
MN	I I I V	2694.70 2694.716 2694.755 2694.762 2694.78	2693.90 2693.918 2693.957 2693.959 2693.98	5 6 2 1 4	70. 23.	341 1000 148 936 172		CO FE FE MN	11 111 1	2696.060 2696.108 2696.114 2696.161 2696.166	2695.260 2695.308 2695.314 2695.362 2695.365	0 1 360 3 220	159. 34.	825 896 288 896 328	
FE CU MN V FE	I I I I I	2694.847 2694.878 2694.901 2694.901 2694.983	2694.047 2694.080 2694.102 2694.102 2694.184	3 5 .100 3 5		896 672 328 1000 896	M	CO O F O FE	11 V 1V 111	2696.29	2695.37 2695.44 2695.45 2695.49 2695.530	0 60 25 90 20	23.	825 83 173 168 896	
CO	X I II II	2695.0 2695.0382 2695.04 2695.068 2695.190	2694.2 2694.2386 2694.24 2694.269 2694.392	5 2 20 25	4. 65. 374.	726 896 341 488 603	F	CL MN FE FE FE	111 11 1 1		2695.52 2695.59 2695.590 2695.651 2695.681	500 5 3 12 5	16.	38 328 896 896 896	
Ÿ	II II II I	2695.23 2695.27 2695.33 2695.336 2695.358	2694.43 2694.47 2694.53 2694.536 2694.560	4 5 20 15 8	322. 49. 144. 15.	340 478 154 896 148		NE CO CO FE MN	11 1 11 111	2696.645 2696.68 2696.727	2695.720 2695.846 2695.98 2695.929 2695.951	40 50 1 25 50	53.	563 603 825 188 328	
V CD CŘ	II II II II	2695.414 2695.45 2695.479 2695.50 2695.54	2694.615 2694.65 2694.679 2694.70 2694.74	8 10 200 7 20	13. 163. 2.	613 478 825 340 478	•	ZN TI FE R	11 11 111 111	2696.77 2696.789 2696.835	2695.96 2695.97 2695.989 2696.035 2696.072	20 0 25 4 25	٠ ـ ـ	154 601 896 936 032	•

_	_	
-	_	_
Ł		٠
`	ı	
-		Ξ

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET		NOTES
HE I	2696.91 2696.919	2696.10 2696.11 2696.119 2696.123 2696.135	4 25 7 6 10	61. 24.0 80.	340 521 497 896 341	M	FE 11 C 111 C 1V	2698.54	2697.585 2697.721 2697.75 2697.75 2697.744	15 6 220 100 50	325. 28. 12. 86.	332 896 34 35 1000	
V I FE I SE III V I CU III		2696.222 2696.283 2696.35 2696.376 2696.378	5 50 50 1 170	143.	1000 896 587 1000 724		FE 11		2697.797 2697.90 2697.90 2697.982 2698.08	10 4 30 5 3	431. 84.	896 825 340 896 406	M
P IV BR III NI I V II CR I	2697.249 2697.25 2697.264 2697.31 2697.33	2696.449 2696.45 2696.484 2696.51 2696.534	1 10	49. 8.	937 586 488 478 341		CR II P IV MG I	2698.893 2698.91 2698.945 2698.945 2698.965	2698.094 2698.11 2698.144 2698.145 2698.165	4 8 60 15 20	122. 10.	341 340 937 1017 896	•
N . III	2697.392 2697.51 2697.559 2697.56 2697.586	2696.592 2696.71 2696.760 2696.76 2696.786	8 10 6 20 2	24.0 70.		м .	FE III CO II FE I AS II	2698.99 2699.062 2699.08 2699.085 2699.173	2698.19 2698.261 2698.28 2698.285 2698.372	2 20 1 5		341 268 825 896 425	м
FE 111 FE 111 FE 1 MN 111 V 1	2697.695 2697.705 2697.753 2697.780 2697.795	2696.895 2696.905 2696.953 2696.979 2696.996	2 220 1 30 40	159. 86.	896 288 896 328 1000		CR 11 FE 111 CO 11	2699.178 2699.20 2699.215 2699.216 2699.242	2698.377 2698.40 2698.414 2698.415 2698.441	1 100 220 0 50	7. 159.	896 340 288 825 724	М
CR · 1	2697.81 2697.8213 2697.850 2697.995 2697.999	2697.01 2697.0210 2697.050 2697.195 2697.200	15 20 15 20 8	65. 100. 13.	341 896 825 328 341		TI II CL II MN II CO II		2698.52 2698.52 2698.56 2698.626 2698.66	10 30 4 5	103.	328 488 345 328 825	N
CO II	2698.000 2698.132 2698.14 2698.174 2698.21	2697.201 2697.331 2697.34 2697.374 2697.41	10 6 70 10	207. 341. 159.	478 896 288 506 825	H	CR II V I MN II	· 2699.47 2699.48	2698.67 2698.68 2698.724 2698.730 2698.823	100 35 40 10 50	12. 7. 79. 103.	35 340 1000 328 835	
BE II FE II CR II	2698.220 2698.255 2698.261 2698.31 2698.31		25	28. 341. 186.	34 332 896 340 328	н	CR 11 MN 1 CL 11 MN 11 SC 111	2699.65 2699.689 2699.74 2699.788 2699.868	2698.85 2698.890 2698.94 2698.989 2699.067	30 · 2 2 170 700	15.	340 148 345 328 855	

	SPECT		VACUUM NAVELENGTH	A1R WAVELENGTH		MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES
	V FE	I	2699.9072 2699.92 2699.92 2700.000 2700.14	2699.1064 2699.12 2699.12 2699.199 2699.34	140 6 20 3 20	48. 79. 416. 141.	896 1030 1000 896 340	М	CU FE MN O CR	V 11 111	2701.7628 2701.81 2701.826 2701.826 2701.90	2700.9616 2701.01 2701.024 2701.025 2701.10	700 170 25 30	165. 34. 62.	612 229 328 1032 340	F
	ZN FE FE MN FE	I I II II	2700.22 2700.253 2700.342 2700.37 2700.423	2699.42 2699.452 2699.542 2699.57 2699.622	10 6 1 40 6		162 896 896 328 896	M M	FE FE FE ZN MN	111. 1 111	2701.905 2701.93 2701.946 2701.96 2701.972	2701.104 2701.13 2701.145 2701.16 2701.170	3 220 8 10 220		896 288 896 162 328	M
	V FE CL CR MN	111 111 11	2700.43 2700.576 2700.59 2700.64 2700.652	2699.63 2699.775 2699.79 2699.84 2699.853	4 4 100 2 30	16. 103.	478 896 38 340 328	M	FE FE CR NE V	. I I I I	2701.974 2701.999 2702.04 2702.049 2702.066	2701.174 2701.198 2701.24 2701.248 2701.266	1 4 20 10 7	230.	645 896 340 563 1000	· M
199	S MN NI MN O	11 11 11	2700.67 2700.75 2700.795 2700.811 2700.84	2699.87 2699.95 2699.994 2700.011 2700.04	20	103. 103.	285 328 835 328 83		AS CL MN V FE	. IV II II		2701.357 2701.36 2701.530 2701.535 2701.541	30 400 20 10 8	103. 2.	425 43 328 478 896	
	FE V Zn V Mn	111 1 111 11	2700.846 2700.846 2700.99 2701.00 2701.089	2700.045 2700.046 2700.19 2700.20 2700.296	285 4 0 1 10	159.	288 1000 162 478 328		CO NE CR MN AR	II II II II	2702.440 2702.45 2702.500	2701.64 2701.639 2701.65 2701.698 2701.719	1 6 15 450 20	62.	825 896 340 328 506	н.
	CR CO FE CO MN	1 11 11	2701.09 2701.098 2701.157 2701.18 2701.18	2700.29 2700.298 2700.356 2700.38 2700.38	3 1 10 8 30		341 603 896 825 328	,	FE TI	111	2702.55 2702.7106 2702.757 2702.790 2702.806	2701.75 2701.9092 2701.956 2701.990 2702.004	12 8 230 30 5	277. 161. 18. 29.	340 896 227 341 825	
	GA V NE CR MN	I I II	2701.27 2701.306 2701.356 2701.390 2701.527	2700.47 2700.506 2700.555 2700.590 2700.673	1000 . 1 . 8 . 20 . 30	9. 17.	652 1000 723 341 - 328		V MN FE F	1 1 1 V	2702.985 2703.03 2703.099 2703.10 2703.208	2702.185 2702.23 2702.297 2702.30 2702.407	200 5 2 4 2	2. 103.	478 328 896 176 896	M M
	CO NE SC NE V	11 1 11	2701.53 2701.53 2701.61 2701.74 2701.744	2700.73 2700.73 2700.81 2700.94 2700.944	. 1 2 1	. #	825 723 1028 1029 478		CO FE CR NE ZN	II I I I	2703.235 2703.2508 2703.319 2703.362	2702.433 2702.4492 2702.519 2702.560	. 15 6	154. 64.	825 896 341 896 154	

r	J
-	_
2	_
•	_

ŞPECTRU		VACUUM WAVELENGT	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECI	TRUM .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU NE FE CR AS	1 11 111 1	2703.48	2702.65 2702.656 2702.657 2702.68 2702.71	1 30 40 2 100	47. 94.	672 563 288 341 425		NE MN NI FE FE	I II III III	2705.123 2705.217 2705.226	2704.28 2704.321 2704.415 2704.424 2704.43	2 5 20 20 25	159.	723 328 835 288 188	
S FE CO NI GE			2702.76 2702.762 2702.786 2702.796 2702.83	250 1 0 3 2	19.	323 896 825 835 676	М	CU FE MN CR CR	11 11 11 11	2705.369 2705.39 2705.53	2704.520 2704.569 2704.59 2704.73 2704.744	3 5 8 4 12	202. 65.	612 488 328 340 341	
CR NI NE CR MN	II II II II	2703.76	2702.89 2702.905 2702.942 2702.96 2702.94	5 4 5 4 30	186.	340 835 563 340 328		FE CA FE CR MN	111 1 1 1 1	2705.661 2705.668 2705.69	2704.748 2704.859 2704.866 2704.89 2705.03	8 360 2 15 30	9.	896 64 896 341 328	M M .
MN CR MN V CU	I I I I		2703.04 2703.11 2703.129 2703.15 2703.1841	5 20 3 650	67. 130.	328 341 148 478 612		FE FE NI CU	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2705.91 2705.919 2705.956	2705.081 2705.10 2705.117 2705.154 2705.18	1 120 220 3 2	159.	896 188 288 835 672	Μ.
MN MN MN CR MN	11 11 11 1	2704.02 2704.15 2704.255 2704.28 2704.30	2703.22 2703.34 2703.453 2703.48 2703.50	30 2 40 12 20	34. 103. 18. 18. 35.	328 328 328 328 341 328		V CD CR FE NI	1 I I I V I	2706.213 2706.215 2706.23	2705.220 2705.412 2705.414 2705.43 2705.463	40 3 12 5	2. 64. 48.	478 603 341 229 488	F
CR MN MN CR V	II II II II	2704.460 2704.562 2704.65	2703.56 2703.658 2703.760 2703.85 2703.904	75 50 50 30	84. 34. 7.	340 148 328 340 1000		MN CO CR MN CO	11 11 11 11	2706.493 2706.525 2706.534	2705.561 2705.691 2705.724 2705.732 2705.843	140 M 10 320 15	34. 18. 18.	328 825 341 328 603	н
MN V F MN FE	I IV V II II	2704.72 2704.735 2704.76 2704.78 2704.790	2703.92 2703.933 2703.96 2703.98 2703.988	40 20 4 320 60	11. 18. 261.	148 829 172 328 896	н н	CO CR SE FE P	11 111 1 1 111	2706.844	2705.85 2705.92 2705.96 2706.0121 2706.042	100 2 85 80 25	154.	825 341 587 896 936	
GE MN CU MN NI	I 11	2704.829 2704.847 2704.89 2705.00 2705.050	2704.027 2704.045 2704.09 2704.20 2704.248	200 20 1 20 3	16. 103.	676 328 672 328 835		CR FE MN MN	11 1 1 1		2706.06 2706.067 2706.094 2706.142 2706.17	8 20 20 5 200	322. 34. 15.	340 896 328 149 478	M

\$PE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRI	ηr.	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE FE CO NI CR	111 111 11 1	2707.013 2707.197 2707.321	2706.17 2706.210 2706.396 2706.521 2706.531	10 20 4 15 20	159. 70. 64.	188 288 825 488 341		CU MN CD SC CD	111 11 11 1 1	2708.707 2708.717 2708.747 2708.75 2708.79	2707.904 2707.915 2707.944 2707.95 2707.99	1 20 1 1	103.	724 328 825 488 603	
B CO FE FE MN	V 11 11 11	2707.362 2707.366 2707.3848	2706.54 2706.560 2706.566 2706.5822 2706.631	100 220 200 140	28. 341. 48. 18.	309 825 488 896 328		P FE FE CO AR	1 I I I I I I	2708.80 2708.806 2708.843 2708.85 2708.85	2708.00 2708.003 2708.040 2708.04 2708.052	0 3 2 15 20		431 896 896 825 506	M M
F V ZN NE CL	1V 111 111 1 1	2707.50 2707.52 2707.54	2706.66 2706.70 2706.72 2706.74 2706.738	150 10 .2 9	2.	173 478 162 1029 613	Q	CR V CR CU AR	I I II II	2708.94 2709.026 2709.04 2709.0727 2709.075	2708.14 2708.224 2708.24 2708.2697 2708.272	2 2 3 30 60		341 489 341 612 506	
SC FE O FE MN	I I V I I I	2707,623 2707.63 2707.682	2706.78 2706.821 2706.83 2706.879 2706.90	2 3 25 2 15	1.1	488 896 83 896 328	M M	CU F C FE MN	111 111 11 11 11	2709.120 2709.158 2709.2 2709.220 2709.255	2708.317 2708.355 2708.4 2708.417 2708.452	8 50 4 5 320	61. 18.	724 537 287 896 328	Н
FE ZN FE FE TI	11 111 1 1 11	2707.72 2707.803 2707.837	2706.913 2706.92 2707.000 2707.034 2707.05	6 10 2 5 0		896 162 896 896 601	M M	FE CL N: FE MN	I II II	2709.3742 2709.40 2709.438 2709.456 2709.520	2708.5712 2708.60 2708.635 2708.653 2708.719	60 2 .140 5 8	161. 63.	896 345 835 890 328	м
FE F CL CO FE	11 V 11 V	2707.97 2708.079 2708.085	2707.128 2707.17 2707.277 2707.282 2707.36	160 10 4 10	339. 29.	488 176 613 825 229	F	CR CO MN FE V	11 11 11	2709.58 2709.611 2709.617 2709.693 2709.71	2708.78 2708.810 2708.814 2708.890 2708.91	65 30 140 3	186.	340 603 328 896 478	м
NI FE CR CU MN	11 1 1 1 11	2708.251 2708.26 2708.30	2707.390 2707.448 2707.46 2707.50 2707.544	3 10 2 0 220	18.	835 896 341 672 328		CO O B CL S	11 111 11 11 11	2709.722 2709.727 2709.796 2709.814 2709.84	2708.920 2708.926 2708.993 2709.011 2709.03	30 4 50 46 100	29. 16.	825 1032 532 613 323	
V CR FE CU V	1 1 1 1 1 1 1	2708.49 2708.512 2708.647	2707.589 2707.69 2707.709 2707.844 2707.86	3 7 1 5 100	. 10. 56.	1000 341 896 724 478	М	FE MN V FE CO	II II III III	2709.858 2709.87 2709.90 2710.046 2710.09	2709.054 2709.06 2709.10 2709.243 2709.29	20 5 6 70 0	218.	896 328 478 288 603	н

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENȘI	TY MULTIPLET	REFERENCE	NOTE
CR I FE I F II CL I BR I	I 2710.174 I 2710.211	2709.31 2709.373 2709.408 2709.481 2709.576	60 5 250 4 120	186. 62. 8.	340 488 537 613 488		CU MN BR CO CR	11 11 111 11 11	2711.4107 2711.433 2711.59 2711.615 2711.72	2710.6072 2710.629 2710.79 2710.811 2710.92	,	2 40 1 1 65 289.	612 328 586 825 340	
CL I MN I GE	1 2710.39 I 2710.390 I 2710.420 I 2710.4270 I 2710.439	2709.59 2709.587 2709.617 2709.6237 2709.636	15 15 60 150 50	1.	154 613 328 7 835	٠	FE FE FE K	I I IV III	2711.741 2711.815 2711.855 2711.9 2711.906	2710.938 2711.011 2711.051 2711.1 2711.102		4 1 2 8	896 896 896 726 724	F ,
CL I	1 2710.594 1 2710.640	2709.691 2709.7594 2709.791 2709.837 2709.846	4 3 6 160 4	180.	896 612 613 200 936	. •	MN CR FE P SC	: II IV IV	2711.925 2711.99 2711.953 2712.049 2712.16	2711.123 2711.19 2711.195 2711.245 2711.36		5 20 187. 2 90 2	328 340 896 937 488	•.
FE II MN I CO I		2709.937 2709.949 2709.970 2709.990 2709.989	1 20 170 1 20	340. 18. 144.	488 288 328 825 896		CR NE D MN CU	. II V II II	2712.20 2712.256 2712.33 2712.370 2712.381	2711.40 2711.453 2711.53 2711.568 2711.577		6 94. 50 . 25 00 18.	341 563 83 328 612	
CR CU I	I 2710.840 I 2710.97 I 2710.99 I 2711.0491 I 2711.057	2710.037 2710.17 2710.19 2710.2456 2710.254	8 15 25 15 3	48.	896 478 341 612 496		MN FE NE V CU	11 11 11 11	2712.432 2712.4592 2712.539 2712.543 2712.56	2711.630 2711.6554 2711.735 2711.740 2711.75	1	320 18. 40 47. 30 . 00 2.	328 896 563 478 672	
CL 11		2710.274 2710.334 2710.336 2710.37 2710.392	60 1 320 700 140	18. 20. 18.	936 825 328 43 328	н	FE CU V CO AS	11 11 11 11	2712.646 2712.6690 2712.677 2712.70 2712.705	2711.842 2711.8651 2711.874 2711.90 2711.901	M	10 201. 40 1	896 612 489 825 425	н
FE	I 2711.221 I 2711.244 I 2711.273	2710.398 2710.417 2710.440 2710.471 2710.473	1 3 3 2 1		1032 896 896 489 936	M M	V V CR FE C	11 11 11 11	2713.01 2713.020 2713.10 2713.100 2713.12	2712.21 2712.217 2712.30 2712.296 2712.32		30 4 86. 80 7. 15 431. 1 60.	478 1000 340 896 287	
CO I	I 2711.3473 I 2711.358 V 2711.38 I 2711.39 I 2711.404	2710.5437 2710.555 2710.58 2710.59 2710.601	20 1 4 5	100. *	896 825 229 287 563	F	CO FE P ZN FE	. IV	2713.15 2713.195 2713.208 2713.292 2713.489	2712.490		15 . 201. 25 10 6.	825 896 937 830 896	

SPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SE CL V CR F	11 11	2713.53 2713.553 2713.61 2713.65 2713.68	2712.73 2712.748 2712.81 2712.85 2712.88	85 10 7 10	289.	587 613 478 340 176		V CO CR CU		2715.22 2715.243 2715.250 2715.28 2715.34	2714.42 2714.439 2714.446 2714.48 2714.54	10 200 200 4 2	13.	478 825 825 341 672	
FE V NE CO S	11 11	2713.791 2713.853 2713.904 2714.01 2714.09	2712.989 2713.050 2713.100 2713.21 2713.28	5 40 50 1	325. 2.	488 478 563 825 323		MN MN CO CR FE	I	2715.387 2715.541 2715.61 2715.637 2715.6737	2714.584 2714.737 2714.81 2714.834 2714.8691	10 30 3 8 40	94. 48.	328 328 825 341 896	
MN CR O FE FE	111 111 1	2714.123 2714.16 2714.216 2714.249 2714.287	2713.320 2713.36 2713.414 2713.445 2713.483	100 6 10- 5 6	f1.	148 341 1032 896 896	M M	MN FE CO MN V	11	2715.740 2715.742 2715.75 2715.79 2715.828	2714.936 2714.938 2714.95 2714.98 2715.025	10 8 2 40 7		301 896 825 328 1000	M
CU F SC FE P	11 1V IV	2714.3123 2714.34 2714.408 2714.444 2714.453	2713.5080 2713.54 2713.606 2713.640 2713.649	700 1 1 10 1	130.	612 173 720 896 936	· M	CR FE BR FE FE	11 1 11 1 1	2715.925 2715.96 2715.976	2715.03 2715.120 2715.16 2715.171 2715.3205	5 5 0 3 5	4.	340 896 606 896 896	M M
BR NE TI BR MN	I:1 I:1 , I:1	2714.510 2714.533 2714.56 2714.587 2714.64	2713.708 2713.729 2713.76 2713.784 2713.83	500 20 . 1 600 30				CU CU FE MN P	I II III	2716.209	2715.35 2715.4041 2715.405 2715.45 2715.476	5 30 6 1 4	52.	672 612 896 328 936	М
NE MN CR AS CU	11 11	2714.702 2714.72 2714.73 2714.740 2714.80	2713.936 2714.00	30 5 3 30 2		563 328 341 425 672		FE CR CU CR FE	I I II	2716.300 2716.31 2716.346 2716.41 2716.412	2715.500 2715.51 2715.543 2715.61 2715.609	3 2 20 5	64. 52. 325.	896 341 672 340 488	М
N FE N CO V	11 11	7 . 2714.81 2714.8635 2714.87 2714.94 2715.008	2714.01	25 20 4 4 50	161. 21.	521 896 521 825 478		CO V FE MN SE	11		2715.67 2715.676 2715.685 2715.699 2715.94	5 180 6 50 120	1.	825 478 896 328 587	
N CL CL FE	. I	I 2715.15 I 2715.17 I 2715.179 I 2715.19 I 2715.218	2714.35 2714.37 2714.374 2714.38 2714.413		21.		H	CR CR CD FE AS	I I	2716.77 2716.78 2716.790 2716.807 2716.838	2715.97 2715.98 2715.987 2716.002 2716.034	3 4 75 3 5	186. 51. 131.	340 341 603 896 425	M

	ŞPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC'	rum	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CO MN MN CR TI	11 11 11 11	2716.84 2716.843 2716.95 2716.980 2717.00	2716.04 2716.038 2716.14 2716.177 2716.20	1 30 1 20 4	17. 13.	825 328 328 341 486		FE CO FE FE CR	V II I I	2718.62 2718.63 2718.679 2718.734 2718.87	2717.82 2717.83 2717.873 2717.929 2718.07	1 50 12 7	431. 17.	229 825 896 896 341	F M
	FE CO FE FE	11 11 1 1	2717.022 2717.0624 2717.18 2717.2234 2717.232	2716.217 2716.2575 2716.37 2716.4184 2716.429	50 50 10 6 40	261. 155. 154. 339.	896 896 825 896 488	H .	CR P CO F NI	11 111 11 111 17	2718.88 2718.890 2718.94 2718.940 2719.044	2718.08 2718.085 2718.13 2718.135 2718.239	12 4 1 200 5	187.	340 936 825 537 835	
	NI MN CO CL FE	11 11 11 11	2717.239 2717.24 2717.31 2717.323 2717.369	2716.434 2716.43 2716.51 2716.518 2716.564	5 5 2 4 15	434.	835 328 825 613 896		CR F CU MN NI	11 1V 11 11	2719.12 2719.14 2719.16 2719.18 2719.197	2718.32 2718.34 2718.36 2718.37 2718.392	40 1 1· 30 15	102.	340 173 825 328 835	
204	V CR V FE CO	IV I II II	2717.399 2717.447 2717.492 2717.506 2717.53	2716.594 2716.643 2716.689 2716.701 2716.73	20 10 3 3	94. 62.	829 341 1000 896 825		CP FE FE TI N	1 I 1 I 1 I I 1 I I	2719.23 2719.2416 2719.446 2719.45 2719.459	2718.43 2718.4362 2718.640 2718.64 2718.655	5 155 8 1	121. 48. 417.	340 896 896 227 521	P
	MN AR CR MN MN	1 I 1 I 1 I 1 I	2717.602 2717.665 2717.69 2717.797 2717.831	2716.796 2716.860 2716.89 2716.993 2717.028	170 20 6 5 4	33. 186.	328 506 340 328 148		V CU MN CU S	III II IV	2719.527 2719.5830 2719.585 2719.651 2719.68	2718.722 2718.7775 2718.779 2718.847 2718.88	2 650 30 2 350	174.	829 612 328 672 323	•
	CR MN F AS	11 111 111 11	2717.85 2717.89 2717.900 2718.038 2718.107	2717.05 2717.09 2717.095 2717.232 2717.304	7 1 80 2 3	163.	340 301 537 425 488		MN FE CU CD FE	11 11 11 1	2719.818 2719.8331 2719.837 2719.84 2719.8660	2719.012 2719.0275 2719.031 2719.03 2719.0604	170 620 1 15 40	3 3. 5.	328 896 612 825 896	
	FE V GE V CR	I IV II II	2718.1710 2718.236 2718.24 2718.268 2718.31	2717.3658 2717.433 2717.44 2717.464 2717.51	15 3 15 5 40	47. 9. 121. 7.	896 1000 406 478 340		CR CU FE CR MN	I I I I I I	2719.90 2719.901 2720.107 2720.11 2720.113	2719.10 2719.097 2719.301 2719.31 2719.307	4 15 12 3 140	52. 339. 60.	341 672 896 340 328	
	MN FE FE CL FE	11 11 11 11 1	2718.332 2718.336 2718.356 2718.42 2718.5917	2717.527 2717.533 2717.553 2717.62 2717.7865	170 5 1 200 50	33. 417. 32. 49.	328 488 483 43 896	н	TI FE CU CO FE	11 111 1 1	2720.19 2720.2256 2720.346 2720.385 2720.398	2719.39 2719.4199 2719.540 2719.581 2719.592	2 100 2 25 15	13. 154. 108.	488 896 724 603 896	м •

SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PEC1		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CL GA CR MN CL	11 1 11 11	2720.468 2720.48 2720.548	2719.601 2719.664 2719.68 2719.743 2719.85	10 40 3 220 2	2. 102. 33.	613 488 340 328 345		FE FE FE CR V	11 11 11 11	2722.618 2722.8450 2722.869 2722.890 2722.900	2721.813 2722.0387 2722.062 2722.085 2722.095	70 12 10 10	199. 97. 260. 71.	488 896 896 341 478	
F MN MN CR AR	111 11 11 11 11	2720.701 2720.810 2720.86	2719.870 2719.895 2720.003 2720.06 2720.184	150 100 140 50 20	33. 102.	537 328 328 340 506		MN CO NE F SI	11 11 111 111	2722.902 2722.911 2722.965 2723.039 2723.056	2722.097 2722.106 2722.159 2722.233 2722.250	170 50 40 12 2	33. 140.	328 603 563 537 678	
FE CU CR FE MN	1 11 111 1	2721.003 2721.05 2721.185	2720.1967 2720.199 2720.25 2720.381 2720.387	50 15 40 60 2	129. 49. 102. 113.	896 372 340 188 148		MN V NE V SC	11 11 11 1 1	2723.060 2723.063 2723.263 2723.365 2723.498	2722.254 2722.258 2722.477 2722.560 2722.693	20 3 5 60 20	47. 85.	328 478 563 1000 720	
FE MN MN CU CO	1 1 1 1 11	2721.341 2721.354 2721.44	2720.5188 2720.534 2720.550 2720.62 2720.68	0 20 5 2	4. 47.	896 328 148 672 825		CU CR NI FE CR	1 1 1 1 1 1 1 1 1	2723.507 2723.54 2723.544 2723.547 2723.79	2722.702 2722.74 2722.738 2722.740 2722.98	5 70 10 5 2	7. 416. 51.	672 340 835 896 341	
CR ZN V FE CO	11 111 11 1 1	2721.56 2721.57 2721.7087	2720.69 2720.76 2720.77 2720.9026 2720.91	15 50 2 380 15	140.	340 162 479 896 825	•	FE CD CO MN HE	1 11 111 1	2723.838 2723.85 2723.90 2723.954 2723.998	2723.032 2723.05 2723.09 2723.147 2723.191	0 0 6 7 10	154.	378 603 825 301 497	
CO F FE V SI	I I V I I V	2721.87 2721.914 2721.944	2721.02 2721.06 2721.108 2721.139 2721.246	6 1 8 20 600		825 176 896 1000 941	M	SI F V F FE	VIII III IV V	2724. 2724.021 2724.023 2724.06 2724.09	2723. 2723.214 2723.218 2723.25 2723.28	110 20 1	1.	843 537 478 173 229	Н F
MN CR S CU AR	111 111 111	2722.18 2722.21 2722.24	2721.333 2721.38 2721.40 2721.44 2721.580	10 2 250 1 5	19.	328 341 323 672 506		FE V P'* CR SC	11 11 1V 11 1V	2724.243 2724.260 2724.262 2724.29 2724.322	2723.438 2723.455 2723.455 2723.48 2723.517	1 10 1 30 285	431. 102.	488 478 937 340 720	
CA MN CU CU N1	1 11 11 1 1	2722.464 2722.4836 2722.56	2721.645 2721.660 2721.6774 2721.75 2721.770	20 10 300 1 3	164.	1018 328 612 672 835		CO FE CR SI NE	II II V I	2724.37 2724.3845 2724.45 2724.573 2724.594	2723.56 2723.5778 2723.64 2723.768 2723.787	4 200 60 550 8	5. 59.	825 896 340 941 896	М

													. •			
	1										·					
	SPECTRUM	VACUUM WAVELENGT:1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
	CR I		2723.812 2723.90 2723.925 2723.953 2724.000	90 2 2 30 110	32. 49.	767 341 1000 672 537		CO TI FE F CR	11 11 11 111 1	2726.60 2726.611 2726.629	2725.76 2725.79 2725.805 2725.822 2725.86	6 3 1 200 4	15. 161.	825 488 605 537 341		
	CO III CL III CL IV CR III MN II	1 2724.83 1 2724.84 V 2724.84 I 2724.85	2724.02 2724.03 2724.03 2724.04 2724.15	5 500 500 65 30	102.	825 43 43 340 328		C MN FE MN CL	111 11 1 1	2726.739 2726.862 2726.94	2725.90 2725.932 2726.055 2726.13 2726.192	220 140 80 100 10	33. 48. 11.	34 329 896 148 613		
	FE I	1 2724.97 1 2724.972 1 2725.146 1 2725.21 1 2725.272	2724.16 2724.165 2724.339 2724.40 2724.465	1 3 12- 2 170	33.	1028 835 896 478 328	•	FE P FE CR CR	1 1V 11 11	2727.058 2727.060 2727.07	2726.2351 2726.251 2726.254 2726.26 2726.496	50 25 40 15 75	161. 434. 162. 7.	896 937 488 340 341		
206	V II FE I NI II	2725.36 I 2725.42 I 2725.477 I 2725.532 I 2725.548	2724.55 2724.61 2724.670 2724.725 2724.742	1 5 10 50 1	:	340 478 896 835 672	м	FE V SE SI FE	11 11 111 11 11	2727.350 2727.36 2727.509	2726.509 2726.544 2726.55 2726.702 2726.809	40 40 30 5	261. 47. 19.	488 478 587 678 645	н	
	AR 111		2724.764 2724.772 2724.76 2724.84 2724.85	300 74 . 1 100 160	9. 33.	937 796 340 488 34		S O MN FE BR	111 111 V 11	2727.76 - 2727.801 2727.82	2726.82 2726.95 2726.994 2727.01 2727.037	350 4 60 250	20.	323 168 328 229 606	F	
	FE 1	I 2725.691 V 2725.73 I 2725.7601 I 2725.867 I 2725.890	2724.884 2724.92 2724.9531 2725.062 2725.084	30 100 125 4	48. 8. 32.	896 941 896 1000 488	н	V CO CR F C	1 11 111 111	2727.98 2728.06 2728.123	2727.124 2727.18 2727.25 2727.315 2727.360	1 2 85 80 10	102. 31.	1000 825 340 537 287		
•	C III FE I BR II		2725.285 2725.30 2725.311 2725.32 2725.3292	8 -220 1 10 5	33. 98.	896 34 378 606 896	м	MN FE TI V FE	. II II II	2728.191 2728.222 2728.246	2727.381 2727.383 2727.416 2727.440 2727.538	1 25 80 1 80	200. 32. 63.	148 896 488 1000	н н	
,	CR 1 MN 11 CO 11 CU 111	1 2726.36 1 2726.37	2725.35 2725.55 2725.56 2725.573 2725.6014	15 3 5	•	341 328 825 724 896		ZN MN CR CL CU	111 11 11 111 111	2728.392 2728.40 2728.5	2727.56 2727.584 2727.59 2727.7 2727.6949	10 140 1 200 2	162.	162 328 340 43 612		

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	2728.595 2728.735 2728.750	2727.780 2727.787 2727.929 2727.943 2727.959	6 1 200	' 47.	829 825 478 835 537	• •	CR SC I MN I	I 2730.41 I 2730.420 I 2730.45	2729.569 2729.58 2729.60 2729.614 2729.64	5 2 1 20 1	417.	468 341 1028 328 478	
MN II SI V CR II	2728.8275 2728.882 2728.924 2728.98 2729.012	2728.075 2728.117 2728.17	140 50 450	47. 162.	896 328 941 . 340 612		CR I GE I	I 2730.520 I 2730.54 I 2730.583 I 2730.614 I 2730.64	2729.73	3 6 400 2 3	162. 16.	835 340 676 1000 825	
LI II LI II CR I	2729.123	2728.288 2728.315 2728.44	100	·	307 307 307		CR FE CR I	1 2730.66 1 2730.88 V 2731.02 I 2731.06 I 2731.076	2729.85 2730.07 2730.21 2730.25 2730.267	3 3 2 15		341 341 229 340 724	· · · · · · · · · · · · · · · · · · ·
MN 11 V 11 NI 11 C 11	2729.374 1 2729.425 1 2729.451 1 2729.491 1 2729.515	2728.683 2728.707	150 3 - 40	1. 31.	488 328 478 835 287	N .	CA XV AR I LI I	1 2731.281 1 2731.3 1 2731.31 1 2731.359 1 2731.38		5 20 1	•	307 913 506 307 587	F P
NI III CO I P IV	I 2729.541 I 2729.560 V 2729.578 V 2729.601	2728.732 2728.754 2728.770 2728.794 2728.8196			661 603 937 720 896		V I C I AR I	I 2731.403 I 2731.41 I 2731.420 I 2731.48 I 2731.508	2730.591 2730.60 2730.610 2730.67 2730.700	20 2 4 5	16. 31.	676 478 287 506 896	м
BE II	1 2729.670 1 2729.685 1 2729.713 1 2729.74 1 2729.777	2728.862 2728.877 2728.905 2728.93 2728.9690	80	7. 260.	328 332 896 340 896		CO II MN II TI II FE	I 2731.542 I 2731.59 I 2731.667 I 2731.76 I 2731.7904	2730.95	40 3 10 6 40	62. 23. 48.	896 825 328 488 896	н
CO I V P IV CR I C I	1 2729.90 1 2729.927 V 2729.928 1 2729.96 1 2730.021	. 2729.120 2729.15	200 1		825 1000 937 340 287		CR 11 S 11 CO	I 2731.85 I 2731.87 I 2731.91 I 2731.919 I 2731.919	2731.04 2731.07 2731.10 2731.112 2731.12	3 20 350 50 4	16. 140.	340 490 323 603 478	
FE I	I 2730.137 V 2730.15 I 2730.15	2729.329 2729.34 2729.34	, 25 0 10	• •	896 83 1030 148 488	M	FE 1	1 2732.052		8 5	161. 85.	488 896 896 1000 723	
	. •		· .*	es	• •.					\$		·	

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	N II CR II CU III CO II	2732.21 2732.26 2732.275	2731.37 2731.40 2731.45 2731.466 2731.50	5 4 15 25 10	54.	200 340 83 724 825		CR V AR BE MN	II II IV II	2733.81 2733.81 2733.831 2733.871 2733.94	2733.00 2733.00 2733.022 2733.062 2733.13	1 5 40 30	51.	341 478 506 309 328	
	NI II V NE TI AR I	2732.326 2732.336 2732.400	2731.517 2731.518 2731.528 2731.592 2731.639	3 20 3 70	32.	835 1000 723 488 506		MN TI HE V	1 1 1 1	2733.975 2734.073 2734.106 2734.142 2734.15	2733.167 2733.265 2733.297 2733.334 2733.34	1 300 8 250	32. 8. 20.	148 468 309 1000 488	
	NI II MN II FE II CR CU II	2732.494 2732.649 2732.703	2731.642 2731.686 2731.841 2731.895 2731.9480	5 50 20 65 50	7.	835 328 488 341 612	Ņ	NI CO MG CR TI	III II I I	2734.258 2734.28 2734.32 2734.32 2734.37	2733.466 2733.57 2733.51 2733.51 2733.56	50 1 40 8 J	9. 56. 31.	661 825 1017 341 488	
208	MG 1 1 1 1 1 1 1 1 1	2732.830 2732.98	2731.993 2732.008 2732.021 2732.17 2732.236	25 5 1 10 40	9. 236.	1017 896 301 478 937		FE CO CR F CR	I II III IX	2734.3898 2734.54 2734.57 2734.584 2734.6	2733.5807 2733.73 2733.76 2733.775 2733.8	320 1 2 80	46.	896 825 341 537 726	F
	MN FE II AS II AR II CR II	2733.136 2733.139 2733.144	2732.260 2732.328 2732.330 2732.335 2732.41	2 20 0 10 2	185.	148 488 425 506 340	N	AR MN V CR ZN	II II II III	2734.618 2734.703 2734.714 2734.74 2734.80	2733.809 2733.894 2733.906 2733.93 2733.99	10 50 25 2	1.	506 328 478 340 162	
	FE 11 AR 11 F 111 P 11 NE 1	2733.3109 2733.353 2733.41	2732.441 2732.5020 2732.544 2732.60 2732.61	20 90 50 00 1	32.	488 867 537 431 723	н	FE SC CR MN FE	III II I	2734.8145 2734.857 2734.88 2734.972 2735.0769	2734.0053 2734.048 2734.07 2734.164 2734.2676	60 460 3 1 50	48. 3. 60. 125.	896 855 340 148 896	-
	NI 11 FE 1 CO 11 CO 2 ZN 13	2733.587 2733.649 2733.656	2732.708 2732.778 2732.840 2732.848 2732.9	3 1 15 2 5		835 378 825 603 154		V MN MN CO CR	II II II	2735.08 2735.105 2735.280 2735.375 2735.38	2734.27 2734.297 2734.473 2734.566 2734.57	15 1 30 3 15	40. 253.	478 148 328 825 340	
	V 11 F 111 FE 11 CR 1	2733.732 2733.744 2733.76	2732.92 2732.923 2732.936 2732.95 2732.98	5 12 40 2 2	1. 417. 51.	478 537 488 341 825		SI FE FE N MN	V I II II	2735.398 2735.4252 2735.463 2735.511 2735.544	2734.590 2734.6159 2734.655 2734.702 2734.736	200 30 20 20 15	. 47. 381. 28. 39.	941 896 488 200 143	

, spec	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE I
NE FE CA CU AS	1	2735.612 2735.63 2735.666	2734.755 2734.803 2734.82 2734.858 2734.993	2 20 10 0	416. 1. 39.	723 488 488 672 425		F CO FE CU CR	111 11 11 11	2738.11 2738.1196 2738.1517	2737.230 2737.30 2737.3096 2737.3417 2737.47	50 3 220 125 4	5. 130. 120.	537 625 896 612 340
MN O NE TI MN	1	2735.95 2735.977 2736.107	2734.997 2735.14 2735.168 2735.298 2735.310	4 4 3 100 1	32.	148 168 723 488 148		AS CU MN CU FE	11 111 11 11 11	2738.381 2738.417	2737.483 2737.491 2737.570 2737.608 2737.630	0 1 80 2 70	39. 200.	425 724 328 672 488
CO FE SC FE TI		2736.2847 2736.42	2735.45 2735.4751 2735.61 2735.6120 2735.613	5 220 0 50 60	46. 125. 26.	825 896 1028 896 488		MN FE CR NI FE	I I I I I	2738.448 2738.4500 2738.47 2738.488 2738.643	2737.640 2737.6399 2737.66 2737.678 2737.832	2 0 3 3 110	153. 120.	148 896 340 835 896
NE CR BR N GE	1	2736.50 2736.57 2736.66 2736.771	2735.69 2735.76 2735.85 2735.962 2736.09	8 12 10 30	334. 21.0	723 340 586 521 406	P	F BE V SE CR	III I II I	2738.884	2737.975 2738.050 2738.075 2738.16 2738.17	300 25 5 150	2. 85. 19.	537 333 1000 468 341
V NE CR ZN MN	11	2736.983 2737.01 2737.1	2736.12 2736.174 2736.20 2736.3 2736.41	116 2 1 5	218. 184.	478 796 340 162 328		FE MN CO ZN CR	II II II II	2739.13	2738.2135 2738.298 2738.30 2738.32 2738.51	5 30 8 10	48.	896 328 825 154 340
CR FE' MG V TI	1 I 1 I 1 I	2737.273 2737.309 2737.352 2737.50 2737.52	2736.463 2736.500 2736.542 2736.69 2736.71	50 5 60 10 20	7. 220. 9. 87. 31.	341 488 1017 478 488		MN CU CR TI MN	I III II I		2738.552 2738.652 2738.67 2738.70 2738.861	5 3 2 3 25	• 162. 23. 38.	148 724 340 488 148
CR F CO FE FE	11 V II	2737.54 2737.72 2737.75	2736.73 2736.91 2736.94 2736.9633 2736.968	5 1 M 8 650	61. 49. 63.	340 176 825 896 488	н	NI CO SE MN F	11 111 111 111	2739.701 2739.761 2739.77 2739.868 2739.913	2738.890 2738.951 2738.96 2739.057 2739.102	20 10 30 1 150		835 825 587 301 537
MN CR MN CR CR	11 11 11 11	2737.90 2737.932 2738.00	2737.022 2737.09 2737.121 2737.19 2737.222	40 15 40 3 8	120. 61. 57.	328 340 328 340 341	-	O V NE P CR	III II IV I	2740.119	2739.15 2739.18 2739.233 2739.309 2739.395	1 8 5 500 20	63.	168 478 563 937 341

SPECT	RUM	VACUUM WAVELENGTH		INTENSITY			NOTES	SPEC		VACUUM WAVELENGT I	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES
N1 N N	111 11 11 11	2740.21 2740.227 2740.234 2740.25 2740.261	2739.40 2739.417 2739.424 2739.44 2739.451	1 8 120	17.0 • 21.0	661 521 521 825 936		AR AR CR CR FE	1 I 1 I I	2741.878 2741.8788 2741.88 2741.887 2741.9124	2741.067 2741.0679 2741.07 2741.078 2741.1015	20 50 8 22 8	63. 181.	506 867 340 341 896	
CO FE NE F MN	11 11 11	2740.34 2740.357	2739.555 2739.627	10 200 20 25 4		825 896 563 538 148	н	SI LI MN FE FE	VIII II II II	2742.014 2742.11 2742.135	2741. 2741.204 2741.30 2741.325 2741.395	· 160 ·	417. 260.	843 488 328 488 488	н
 NI V CR NI CU	11 11. 11		2739.649 2739.715 2739.74 2739.761	100 7 3	1. 185. 174.	835 478 340 835 612		V FE AS FE TI	. II II I	2742.372 2742.3878 2742.393 2742.483	2741.563 2741.5767 2741.582 2741.673 2741.82	4 1 150- M	• 1. 98.	478 896 425 645 488	<i>,</i> .÷
MIN	11	2740.683 2740.90	2739.84 2739.872 2740.09	150 3 250 35 1	_	488 328 937 340 148		NE FE AR CU FE	111	2742.778	2741.937 2741.952 2741.962 2741.967 2742.0156	10 10 10 2 10	90.	563 188 506 724 896	
V MN P F AR	111 11 17 111. 11	2741.03 2741.033 2741.095	2740.284	20 30 200 150 10	·	325 328 937 537 506		CR CO CR V FE	II I	2742.83 2742.86 2742.974 2743.060 2743.0654	2742.02 2742.05 2742.165 2742.250 2742.2542	70 2 20 2 155	6. 63. 46.	340 825 341 489 696	
GE CD V MN V	I IV I V	2741.354	2740.457 2740.545 2740.546	50 5 3		7 603 829 148 929		TI TI NI CO FE	11 11 11	2743.11 2743.11 2743.170 2743.21 2743.2168	2742.40	150 8 3 3 280	25.	488 601 835 825 896	
MN TI AR MN ZN	1.I 1.I	2741.69 2741.723 2741.75	2740.88 2740.912	` 20	31.	328 488 506 328 154		V MN NI SI V	1 I 1 I		2742.43 2742.467 2742.489 2742.532 2742.670	25 20 3 400 30	1.	478 328 835 941 478	
V V AL S FE	IV II III	2741.79	2740.98 2740.980 2741.01	. 7 25 250	218. 16.	829 478 198 323 488		CO MN NI MN CR	. I	2743.545 2743.642	2742.70 2742.735 2742.831 2742.930 2742.98	3 15 180 1 3	66.	825 148 835 148 341	

	SPECTRI		VACUUM AVELENGTH	WAVELENGTH	INTENSITY	WOCITACEI	REFERENCE	NOTES	SPECT	V	AVELENGTH	AIR WAVELENGTH				
	FE MN P CO FE	11	2743.79 2743.992 2743.995 2744.00 2744.008	2742.98 2743.180 2743.183 2743.19 2743.196	80 1 2 140	62.	229 328 936 825 896	ғ .	NI MN CO AS BR	I I II	2745.812 2745.893 2745.908 2745.941 2745.97	2745.001 2745.082 2745.098 2745.129 2745.16	20 3 50 5 30	* 140.	661 148 603 425 586	
	MN V NE K FE	I v I I I I I I I I I I I I I I I I I I	2744.256 2744.335	2743.446 2743.523 2743.53 2743.55 2743.5651	10 20 15 70 125	6. 47.	148 829 723 488 896		CU AS CR CU CA	II II I	2746.0832 2746.086 2746.22 2746.263 2746.30	2745.2712 2745.274 2745.41 2745.452 2745.49	170 12 20 2	150. 185. 64. 10.	612 425 340 672 488	
	O F CR V MN	111 11 11	2744.39 2744.40 2744.44 2744.578 2744.600	2743.58 2743.59 2743.63 2743.768 2743.790	15 30 70 20 5	6. 13.	83 537 340 478 148		CO MN CR F MN	111			10 60 1 80 10	38.	825 328 341 537 148	
211	CR CU MN CO FE	III III II II	2744.834 2744.85	2743.94 2743.940 2744.023 2744.04 2744.0679	9 2	184. 38. 5.	340 724 148 825 896		MN CL SE V MN	11 11 11 11	2746.67 2746.703	2745.732 2745.75 2745.86 2745.893 2745.913	60 6 30 6 2	66.	328 345 587 478 148	
	F	11 1 1 1 1 1	2745.078 2745.16 2745.32	2744.25 2744.268 2744.35 2744.51 2744.519	2 6 1 4 6	38.	345 148 672 173 148		FE FE CO MN BR	111 1 1 11 11	2746.745 2746.764 2746.838 2746.935 2746.946	2745.935 2745.952 2746.028 2746.124 2746.134	10 0 50 8 10	108.	188 378 603 328 606	
	FE V CR N FE	1 11 11 11	2745.35 2745.40	2744.5274 2744.54 2744.59 2744.678 2744.691	4	46. 13. 334. 17.0	896 478 340 521 645	P .	CR FE CR SC CO	11 11 1	2746.96 2746.969 2747.02 2747.24 2747.294	2746.15 2746.157 2746.21 2746.43 2746.481	15 70 50 1 4	138. 373. 58.	340 488 340 1030 825	М
	MN CO AR V TI	II II	2745.609	2744.748 2744.76 2744.797 2744.80 2744.846	1 2 60 1 50	é	148 825 506 478 488		FE C BR MN N	11 11 11	27-7.295 2747.300 2747.328 2747.42 2747.493	2746.483 2746.488 2746.516 2746.61 2746.681	10	15.	896 287 606 328 521	H P
	FE MN CR AR AS	II II II .	2745.701 2745.715 2745.78 2745.80 2745.81	2744.890 2744.902 2744.97 2744.98 2745.00	40 80 40 10 50	260. 58.	488 328 340 506 480		TI CU NI CO FE	11 1 1 11	2747.51 2747.524	2746.70 2746.713 2746.743 2746.955 2746.978	4	48. 26.	488 672 498 825 488	н

SPECTRUM	VACUUM WAVELENGTY	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	υM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE I I I I I I I I I I I I I I I I I I I	2747.8 2747.97 2747.97	2746.982 2747.0 2747.16 2747.16 2747.282	40 10 1 1 350	45. 15.	896 154 661 1030 287	М	CU P V FE MN	1 11 11 11	2750.24 2750.29 2750.298	2749.39 2749.43 2749.48 2749.485 2749.56	1 0 8 220 1	218. 63.	672 431 478 896 328	н
V 11 MN 11 O 11 V 11 V 1	2748.132 2748.27 2748.273	2747.313 2747.320 2747.46 2747.462 2747.534	15 80 90 80 6	20. 135. 8.	782 328 488 478 1000		CO FE MN BR CU	11 11 111 111 111	2750.43 2750.501 2750.503 2750.51 2750.546	2749.61 2749.688 2749.689 2749.70 2749.734	2 0 40 10 2	49. 56.	825 378 328 586 672	•
FE I P III P III CR II NI II	2748.443 2748.527 2748.57	2747.5549 2747.630 2747.715 2747.76 2747.780	1 5 1 7 15	125.	896 496 936 340 835		CR CO S V FE	11 41 111 11 11	2750.75	2749.82 2749.88 2749.94 2749.97 2750.003	20 15 3 7 20	253. 218. 199.	340 825 598 478 488	
MN I MN II F III NI II CR II	2748.65 2748.694 2748.733	2747.785 2747.84 2747.882 2747.920 2747.94	4 10 375 2 12		148 328 537 835 340		MN CO FE P V	II I IV II	2750.939 2750.952 2750.9537 2751.011 2751.10	2750.126 2750.141 2750.1405 2750.198 2750.29	140 15 340 10 8	46. 5. 198.	328 603 896 937 478	
MN II CL II AS II AL I MN II	2748.805 2748.820 2748.878	2747.956 2747.992 2748.007 2748.065 2748.23	60 10 10 15 10		328 613 425 198 328		NI CR BR MN FE	II III I	2751.288 2751.32 2751.41 2751.414 2751.5099	2750.475 2750.51 2750.60 2750.602 2750.6967	5 2 30 3 5	125.	835 341 585 148 896	
CR II CR III CO III CR I	2749.14 2749.145 2749.20	2748.275 2748.33 2748.332 2748.39 2748.58	50 4 10 6 3	15. : 63.	341 340 506 825 341		CH CU FE FE FE	11 . I . V	2751.53 2751.598 2751.6868 2751.69 2751.709	2750.72 2750.786 2750.8735 2750.88 2750.896	100 5 30 4u	6. 128. 200.	340 672 896 229 488	F
CU I MN II CR II TI I FE II	2749.511 2749.79 2749.875	2748.60 2748.698 2748.98 2749.062 2749.178	1 60 100 50 750	6. 30. 63.	672 328 340 488 488	н	F CR NI FE CL	111 111 111 11	2751.742 2751.85 2751.887 2751.938 2752.	2750.929 2751.04 2751.966 2751.125 2751.	12 4 2 20	120. 217.	537 340 661 - 896	н
MN I F 111 CO II FE 11 CA I	2750.125 2750.133	2749.205 2749.30 2749.312 2749.320 2749.34	20 4 4 100	38. 62. 10.	148 537 825 896 488	н		II IV III III	2752.03 2752.04 2752.10 2752.12 2752.143	2751.22 2751.23 2751.29 2751.31 2751.330	4 500 10 10 20	120.	340 43 672 162 724	
										-				

ŞPEC	CTRUM	VACUUM WAVELENGTH		INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGT'I	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES
CR V FF	11 1V	I 2752.318 I 2752.33 V 2752.342 I 2752.367 I 2752.39	2751.52 2 2751.528 7 2751.555	15 3 10 1 18	15.	613 340 829 645 341		NI FE BR CO V	. III . II	2754.099 2754.101 2754.12 2754.15 3754.219	2753.285 2753.287 2753.31 2753.34 2753.407	10 80 10 8 150	235. 150.	835 896 586 825 478	н
MN CO TI F V	11 11 111	1 2752.410 1 2752.49 1 2752.51 1 2752.582 1 2752.60	2751.67 2751.70 2 2751.769	80 5 50 150	31.	328 825 488 537 478		MN CR FE MN CR	1 I I I	2754.271 2754.47 2754.500 2754.664 2754.71	2753.457 2753.63 2753.686 2753.851 2753.90	40 20 50 3 15		328 340 896 148 340	
CA FE CU C CR) I) I	I 2752.611 I 2752.616 I 2752.622 I 2752.642 I 2752.66	64 2751.8029 2 2751.810 2 2751.828	15 4 10 40 85	63. 34.	64 896 672 34 340		MN, MN CL FE CL	I I I I	2754.801 2754.807 2754.844 2754.8465 2754.915	2753.987 2753.995 2754.029 2754.0324 2754.101	50 3 11- 125 57	47.	328 148 613 896 613	
MN BR CO FE V	. 1:11 1 11	I 2752.77 I 2752.80 I 2752.881 I 2752.903 I 2752.92	2751.99 2 2752.070 3 2752.092		138. 418.	603		FE MN AS CO CR	11 11 11	2754.967 2755.016 2755.067 2755.08 2755.09	2754.155 2754.203 2754.253 2754.26 2754.28	20 80' 0 1 30	46.	488 328 425 603 340	N
FE SC CR O MN	1 1	I 2752.964 I 2752.97 I 2753.02 V 2753.05 I 2753.07	2752.16 2752.21 2752.24	1 1 25		896 1030 341 83 148	. M	FE MN GE MN CR	I 111	2755. 2399 2755. 265 2755. 4020 2755. 429 2755. 47	2754.451 2754.5878	100 30 150 7 2	1.	896 328 7 301 340	
MN CR MN P	. I . II	I 2753.134 I 2753.18 I 2753.23 I 2753.274 I 2753.28	2752.37 2752.42 4 2752.461	7 10 15 60 1	253.	148 340 328 936 168		O CO CR AR FE	1 I I I I	2755.51 2755.56 2755.633 2755.6818 2755.703		15 3 15 20 - 30	79. 373.	83 825 341 867 896	
MN F TI CR FE	II I	I 2753.444 I 2753.62 I 2753.66 I 2753.66 I 2753.84	2752.809 2752.85 2752.851	110 4 50 20	33. 15.	341	•	NI FE AS V SC	1 I 1 1 I 1 I	2755.743 2755.757 2755.856 2755.86 2755.882	2754.929 2754.942 2755.041 2755.05 2755.070	2 12 1 10 40		835 896 425 478 720	М
V FE MN F	11	1 2753.89 1 2753.99 1 2754.00 1 2754.06 1 2754.07	2753.098 2753.186 2753.25	12 40 30		1000 896 328 537 825	M	FE O V ZN CR	111 111	2755.900 2755.92 2755.96 2755.96 2755.99	2755.088 2755.11 2755.15 2755.15 2755.18	1 100 2 20 2		488 83 325 162	

SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE NI CR P CR	I II II I		2755.1809 2755.208 2755.24 2755.27 2755.29	15 75 6 0	16.	896 835 341 431 341		O FE CR CL CO	V I I I I I I	2757.79 2757.845 2757.899 2757.970 2758.10	2756.98 2757.030 2757.086 2757.155 2757.28	7 8 40 4 1	199. 15.	83 896 341 613 825	н
F CD CR F V	111 11 111 111	2756.33 2756.34	2755.307 2755.52 2755.53 2755.550 2755.653	300 E 15 520 10	101.	537 825 340 537 1000		AR FE CU P CA	1 I 1 I 1 I 1 I	2758.119 2758.1306 2758.1434 2758.21 2758.21	2757.304 2757.3157 2757.3285 2757.39 2757.40	30 100 3 0 4	46.	506 896 612 431 488	
CU CO FE MN CR	1 11 11 1	2756.590	2755.69 2755.73 2755.734 2755.777 2755.81	280 280 2	62.	672 825 896 148 340	н , ,	TI FE MN FE MN	I I II 1	2758.210 2758.237 2758.35 2758.350 2758.380	2757.397 2757.422 2757.51 2757.535 2757.565	60 30 1 8 10	30.	488 896 328 896 301	M M
NE MN O MN FE	I V 11 I	2756.63 2756.653 2756.73 2756.82 2756.901	2755.82 2755.839 2755.91 2756.01 2756.086	15 2 7 1 4		723 148 83 328 896	M	TI CR V NI FE	11 11 11 11	2758.43 2758.53 2758.56 2758.576 2758.651	2757.62 2757.72 2757.75 2757.761 2757.836	3 80 2 20 5	33. 6.	488 340 1000 835 896	
MN MN O MN FE	111 11 111 1 1	2756.973 2756.995 2757.03 2757.081 2757.0818	2756.158 2756.180 2756.22 2756.267 2756.267	15 30 4 4	 	301 328 169 148 896		FE AR MN †I MN	I IV II I	2758.673 2758.73 2758.75 2758.874 2758.892	2757.858 2757.92 2757.93 2758.061 2758.076	5 140 30 200 80	6. 35.	896 488 328 488 328	• • .
CR FE MN CO V	11 1 11 11		2756.30 2756.3284 2756.330 2756.33 2756.38	40 155 40 1	5.	340 896 329 825 478		CU MN CR TI	IV I II I	2758.98 2759.035 2759.04 2759.049 2759.16	2758.16 2758.221 2758.22 2758.236 2758.35	120 1 10 10 2	101. 33.	66 672 328 341 488	
ZN FE V CO NE	I II II II	2757.265 2757.324 2757.39 2757.43 2757.4333	2756.452 2756.509 2756.58 2756.62 2756.6186	120 6 20 1 70	200. 218.	830 896 478 825 389		P MN CR V CO	111 11 11 11 11	2759.161 2759.26 2759.29 2759.34 2759.351	2758.346 2758.44 2758.48 2758.53 2758.53	90 80 3 9	13. 128.	936 328 341 478 603	
F CR CR S CR	111 11 111 111	. 2757.70	2756.676 2756.77 2756.89 2756.89 2756.96	375 10 15 400 20	79. 101.	537 341 340 323 340		CR NE CL FE V	1 I 1 I 1 I 1 I	2759.42 2759.45 2759.498 2759.564 2759.623	2758.61 2758.64 2758.683 2758.749 2758.810	, 3 23	139.	340 723 613 896 478	М

SPECTRUM		VACUUM WAVELENGT'I	AIR WAVELENGTH		NSITY	MULTIPLE	T RE	FERENCE	NOTE!	5	SPECTRU		VACUUM VAVELENGTH	AIR WAVELENGTH		ITY	MULTIPLET	REFERENCE	NOTES
				•			•						•						
ZN NI TI	II II II	2759.660 2759.68 2759.690 2759.74 2759.764	2758.845 2758.87 2758.874 2758.93 2758.950		15 10 120 1 4	66. 33.		301 154 835 488 148			NI V	V I I I I	2761.438 2761.45 2761.487 2761.524 2761.571	2760.623 2760.64 2760.671 2760.710 2760.757		1 15 60 0	55. 149. 433.	378 229 835 478 488	F
CR FE O V BR .1	II IV II III	2759.80 2759.808 2759.87 2759.89 2759.92	2758.99 2758.933 2759.05 2759.08 2759.11		40 1 90 2 50	. 252.		340 378 86 478 586	•		AS' FE	II I I	2761.64 2761.650 2761.707 2761.734 2761.74	2760.83 2760.834 2760.891 2760.920 2760.92		15 3 25 100 100	9.	340 425 896 148 328	М
CR NE FE	1 I 1 1 I	2760.03 2760.04 2760.136 2760.149 2760.21	2759.22 2759.23 2759.323 2759.336 2759.40		1 7 2 20 50	46. 32. 101.		478 340 723	н		MN CU FE CR FE	1 I 1 I	2761.823 2761.9021 2761.942 2761.97 2761.998	2761.006 2761.0863 2761.128 2761.16 2761.183		100 2 20 5 8	60.	328 612 488 340 896	N .
GE P MN FE	II IV II	2760.224 2760.236 2760.250 2760.294 2760.41	2759.409 2759.421 2759.432 2759.479 2759.60		10 40 20 6 15	218.		676 937 328 896 478		M .	MN TI MN AR V	II II II II	2762.027 2762.105 2762.131 2762.14 2762.15	2761.213 2761.291 2761.315 2761.33 2761.34		0 7 40 5 3	12. 46.	328 488 328 506 782	
MN 1 F CR	111 111 1	2760.4226 2760.433 2760.444 2760.48 2760.54	2759.6072 2759.618 2759.629 2759.67 2759.73		3 7 .800 8 30	79. 101.		612 301 537 341 340			MN CO FE NI	· I I !	2762.164 2762.180 2762.265 2762.268 2762.2961	2761.350 2761.366 2761.449 2761.452 2761.4802		4 75 8 2 4	140.	148 603 896 835 896	м
FE CR F	1 1 111	2760.602 2760.628 2760.65 2760.654 2760.70	2759.787 2759.813 2759.84 2759.839		10 50 12 250	47. 101.		301 896 341 537 586			CP	. 7	2762.449 2762.549 2762.5957 2762.611 2762.621	2761.635 2761.735 2761.7798 2761.797 2761.805		20 40 110 3 1	15. 46.	488 341 896 148 835	N
CR CO V	II II II	2760.76 2760.85 2760.93 2760.936 2761.01	2759.94 2760.04 2760.11 2760.122 2760.20		1 20 8 40 12	184. 77. 101.	· ·	328 340 825 478 340			FE SC MN FE CA	II IV I I	2762.741 2762.800	2761.812 2761.927 2761.985 2762.0264 2762.05	•	125 1 2 125 4	63. 46. 9.	896 720 148 896 . 488	н
MN CR FE	11 11 11	2761.07 2761.13 2761.17 2761.319 2761.34	2760.25 2760.31 2760.36 2760.505 2760.53		2 .100 20 M	100.		672 328 340 645 340			MN TI P NE FE	11 11 11 1	2762.904 2763.03 2763.13 2763.138 2763.154	2762.088 2762.22 2762.31 2762.324 2762.340	•	140 2 0 3 70	73. 12.	328 488 431 723 488	

										·						
SPECT	TRUM	VACUÜM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECT		VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
CR V FE CU MN	II II II	2763.20 2763.228 2763.250 2763.2978 2763.37	2762.38 2762.479 2762.436 2762.4817 2762.55	1 50 70 1 60	1 99.	341 782 488 612 328		CL TI MN FE ZN	1 1 1 1 1	2764.694 2764.71 2764.722 2764.727 2764.769	2763.877 2763.90 2763.907 2763.913 2763.955	44 1 8 40 30	8. 199. 7.	613 488 148 488 154		
FE CR CU FE MŅ	ii I	2763.39	2762.566 2762.58 2762.58 2762.681 2762.69	1 140 1 12	219. 6.	488 340 672 896 328	M	CR FE MN MN MN	11 11 11 1	2764.78 2764.794 2764.802 2764.841 2764.90	2763.97 2763.979 2763.987 2764.027 2764.08	12 20 30 1	253. 407.	340 488 328 148 328		
V NI FE CR AL	11 11 11 111	2763.5831 2763.59	2762.714 2762.726 2762.7719 2762.78 2762.767	3 1 110 10 285	46. 125. 100.	478 835 896 340 826		CA FE BE CO V	II II II IV	2764.912 2764.935 2765.0 2765.003 2765.036	2764.095 2764.118 2764.2 2764.188 2764.219	25 20 100 15	· 52.	64 896 862 603 829		
MN AL TI NE CU	11 11 11 11 11	2763.668 2763.729 2763.73 2763.7380 2763.84	2762.853 2762.871 2762.92 2762.9218 2763.02	3 220 0 80	33. 10.	148 826 488 389 670		TI V CR FE CR	II II II I	2765.09 2765.10 2765.10 2765.1396 2765.169	2764.28 2764.28 2764.29 2764.3230 2764.355	1 4 15 30 35	33. 100. 128. 15.	455 478 340 896 341		
CD CR CU FE MN.	I I I II		2763.062. 2763.09 2763.09 2763.1093 2763.172	1 15 1 110 60	101. 47.	603 341 672 896 328		NE NI FE CA F	111 11 11 1		2764.38 2764.412 2764.465 2764.60 2764.60	20 8 1 4	424. 9.	1031 835 488 488 173	М	
SI NI CR NI AR	VIII II II III	2764. 2764.19 2764.21 2764.257 2764.336	2763. 2763.37 2763.40 2763.440 2763.520	1 2 5 10		843 661 341 835 506	Н	AR NE CC CU	11 111 11 11	2765.53 2765.546	2764.6461 2764.70 2764.72 2764.730 2764.762	60 40 M 2	17.	867 1031 825 612 672	М	
CR MN FE MN MN	11 11 1 1	2764.40 2764.469 2764.472 2764.480 2764.576	2763.59 2763.653 2763.656 2763.665 2763.760	20 60 20 3 20	101. 440.	340 328 896 148 328		FE TI CR MN CR	11 11 11 1		2764.787 2764.821 2764.96 2764.966 2765.03	40 10 10 40 1	198. 12. 138.	488 488 340 328 341		
HE CU FE V MN	I II IV I	2764.620 2764.624 2764.654 2764.676 2764.69	2763.804 2763.809 2763.839 2763.860 2763.87	20 15 1 15 3	52.	497 672 645 829 148		C CR FE FE CR	11 11 11 V	2765.937 2765.94 2765.945 2765.98 2766.03	2765.120 2765.13 2765.128 2765.17 2765.21	4 4 25 5	37. 252.	287 340 896 229 341	F	

	SPECTR	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MG FE CU MN CR	11 1 11	2766.039 2766.040 2766.116 2766.249 2766.28	2765.222 2765.224 2765.300 2765.434 2765.46	10 8 1 100 20	8. 46. 100.	1017 896 672 328 340		CR CR NE MN CO	II I I	2768.10	2767.21 2767.26 2767.28 2767.450 2767.498	1 10 3 10	, 266.	341 340 723 148 825	· .
	FE CR TI MN V		2766.44	2765.493 2765.62 2765.65 2765.652 2765.676	5 12 0 60 150	324. 59. 33. 218.	488 340 488 328 478		FE FE FE CR CR	I I I I		2767.500 2767.500 2767.5222 2767.53 2767.62	750 750 155 7 20	235. 373. 46. 79. 253.	488 488 896 341 340	н
	FE CR FE FE NE	11	2766.51 2766.68 2766.808 2766.85 2766.89	2765.70 2765.86 2765.991 2766.03 2766.07	1 20 4 1 20	92. 260. 160.	605 340 896 605 1031	M .	CO ZN C NE MN	I I I I I		2767.657 2767.66 2767.673 2767.77 2767.806	50 10 25 2 40	37.	825 154 287 723 328	
217	V C CA FE CO	I.	2766.935	2766.10 2766.118 2766.13 2766.200 2766.215	1 10 2 5 50	37. 9. 324. 131.	1000 287 488 488 603			11	2768.68 2768.73 2768.74 2768.75	2767.810 2767.86 2767.92 2767.92 2767.93	30 10 10 3 60		328 586 188 340 328	
	CU NE CO CR MN	III I I	2767.189 2767.197	2766.371 2766.372 2786.382 2766.39 2766.410	500 6 50 10	18. 52. 93.	672 896 603 341 301		AR AS FE V CR	II II II. II.	2768.801 2768.922 2768.966	2767.945 2767.983 2768.105 2768.150 2768.16	20 40 20 15	64. 100.	506 425 896 478 340	M
	V P CR FE FE		2767.29	2766.460 2766.48 2766.55 2766.560 2766.659	60 00 150 1	77. 6. 152.	478 • 431 340 378 896	м	TI CO V FE MG	I I	2769.02 2769.110 2769.12 2769.150 2769.156	2768.20 2768.294 2768.30 2768.334 2768.339	M 9 3 5 20	31. 78. 338. 8.	488 603 1000 488 1017	
	CO ZN BR MN CO	11 11 11 11	2767.54 2767.55 2767.584	2766.696 2766.72 2766.73 2766.767 2766.82	4 10 120 30 4	29. 29.	825 154 586 328 825		FE MN CR V FE	I I	2769.249 2769.275 2769.28 2769.382 2769.397	2768.432 2768.456 2768.46 2768.566 2768.580	15 170 2 100 10	126. 83. 78. 46.	996 328 341 478 896	м
	FE LI ÑE V SE	I III III III	2767.806 2767.84	2766.9096 2766.989 2767.02 2767.10 2767.20	80 I 40 30 250	47. 218.	896 307 1031 478 587	М	CR MN NI CO MN	11 11 1	2769.41 2769.43 2769.452 2769.502 2769.53	2768.59 2768.61 2768.634 2768.686 2768.71	50 1 120 20	252. 68.	340 328 835 603 328	

	ȘPECTRUM V	VACUUM AVELENG: I	AIR WAVELENGTH	INTENSIT	Y MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN II	2769.664 2769.677 2769.694 2769.70 2769.72	2768.848 2768.859 2768.878 2768.88 2768.90		0 83.	488 328 672 1030 328	М	FE NE GE CL FE		2771.323 2771.3928 2771.406 2771.46 2771.5132	2770.505 2770.5747 2770.588 2770.64 2770.6951	4 70 50 400 10	199. 10.	896 389 676 43 896	
		2769.752	2768.93 2768.934 2769.04 2769.073 2769.153	1	6 84. 2 63. 0 . 2 8 200.	1000 896 506 825 896	н н	MN P CA ZN V	I I		2770.729 2770.791 2770.79 2770.865 2770.94	1 1 6 160 2	9. 5.	301 936 488 830 1000	• •
	CR II FE I MN 1I FE II	2770.173	2769.3 2769.29 2769.2970 2769.317 2769.355		8 333. 0 151.	43 340 896 328 896	н	ZN V MN FE CR	11	2771.801 2771.81 2771.853 2772.001 2772.09	2770.984 2770.99 2771.035 2771.184 2771.27	50 4 40 110 12	5. 63. 282. 251.	478 328	
218	MN I FE II MN II	2770.196	2769.378 2769.410 2769.566 2769.640 2769.659	10 1	5 199.	724 148 488 328 603	· .	CA CO V FE MN	111 1 11 V 1	2772.095 2772.140 2772.23 2772.24 2772.246	2771.277 2771.324 2771.41 2771.42 2771.430	315 1 40 30	219. 8.	64 603 478 229 148	F
	V : 11		2769.6692 2769.6713 2769.70 2769.731 2769.7387	80 _4 2	0 150. 0 44. 3 333.	612 896 340 478 867		CR NI MN P FE	11 11 111 11	2772.266 2772.291 2772.346 2772.364 2772.370	2771.449 2771.473 2771.527 2771.546 2771.553	10 10 40 4 40	62. 197.	341 835 323 936 488	
	MN II CR I AR II	2770.652 2770.679 2770.719 2770.73	2769.902 2769.91	1	5 0 0 83. 0 15. 5	83 896 328 341 506		NI CO CL P FE	II II V	2772.514 2772.59 2772.596	2771.567 2771.697 2771.78 2771.778 2771.880	8 9 4 30 40	126.	835 603 345 524 896	м
	N II CO I	2770.74 2770.876 2770.92 2771.058	2769.92 2770.060 2770.10 2770.242 2770.303		0 333. 21.0 0 3 5 337.	340	P	CR MN AR V NI	II II II		2771.89 2771.89 2771.91 2772.01 2772.018	20 0 5 60 5	333. 218.	340 328 506 478 835	
	CR I	2771.248 2771.256	2770.30 2770.432 2770.438 2770.44 2770.505		0 0 5 3 79. 4 198.	490 488 506 341 896	. N	MN FE NI MN O	II II .	2772.849 2772.8921 2772.908 2772.91 2772.92	2772.032 2772.0736 2772.090 2772.09 2772.10	2 170 5 20 10	13. 45.	148 896 835 328 168	P

SPECTRU		VACUUM WAVELENGTH	AIR Wavelength	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE MN NI FE MN	I 11 11 1	2772.9284 2772.945 2773.114 2773.137 2773.14	2772.1099 2772.126 2772.296 2772.318 2772.32	8 30 3 20 2	5 .	896 328 835 896 328		V AR CR FE MN	II II II	2774.83 2774.918 2774.95 2774.9804 2775.02	2774.01 2774.099 2774.13 2774.1614 2774.20	3 20 2 6 15	69. 78. 127.	1000 506 341 896 328	
CR FE GE CR SE	11 11 11 11	2773.15 2773.161 2773.165 2773.19 2773.28	2772.33 2772.344 2772.346 2772.37 2772.46	8 25 75 2 120	183.	340 188 676 341 587	:	V MN MN CR CU	I I I 1 I 1 I I	2775.10 2775.106 2775.247 2775.26 2775.3	2774.28 2774.289 2774.427 2774.44 2774.5	100 1 30 50 4	46. 266.	478 148 328 340 672	
FE CO MN CO FE	I I I I I	2773.358 2773.43 2773.509	2772.508 2772.541 2772.61 2772.692 2772.719	25 15 .8 30 5	139. 63.	896 603 328 603 488		FE V FE MN N	11 11 111 111		2774.686 2774.718 2774.7297 2774.81 2774.815	20 60 20- 1	218. 133. 46. 21.0	896 478 896 301 521	H P
AR N CA FE CR	II I I	2773.559 2773.617 2773.62 2773.644 2773.82	2772.740 2772.798 2772.80 2772.826 2773.00	20 2 8 5	21.0 9. 179.	506 521 488 896 341	P	CR MN FE NI P	III III III		2774.84 2774.85 2774.938 2774.938 2774.959	1 10 10 8 4	•	341 328 896 835 936	М
MN SC MN FE CR	IV II II	2773.838 2773.853 2773.862 2774.050 2774.12	2773.021 2773.036 2773.043 2773.232 2773.30	5 285 80 50 30	14. 46. 58.	148 720 328 896 340		. V	I II II V	2775.778 2775.787 2775.793 2775.798 2775.816	2774.960 2774.968 2774.976 2774.978 2774.998	50 4 30 60 150	52. 30. 63.	603 825 478 328 929	
FE P MN NI MN	III II II II	2774.123 2774.14 2774.20 2774.254 2774.476	2773.306 2773.32 2773.38 2773.435 2773.659	150 00 15 8 10	158.	188 431 328 835 148			I II III II II	2775.869 2775.980 2776.07 2776.138 2776.157	2775.051 2775.160 2775.25 2775.319 2775.339	149 120 250 20	68. 16. 32.	796 835 323 328 488	:
FE V CR CO NI	11 1 1 1 111	2774.478 2774.48 2774.49 2774.50 2774.51	2773.659 2773.66 2773.67 2773.68 2773.69	8 8 1 3 2	338. 84.	896 1000 341 603 661		MN MN CO MN CR	11 11 11 11		2775.383 2775.51 2775.578 2775.652 2775.668	30 10 50 140 12	138. 73. 93.	328 328 603 328 341	•
CU TI SE NI FE	III III III II	2774.52 2774.54 2774.63 2774.675 2774.7216	2773.70 2773.72 2773.81 2773.856 2773.9027	1 25 200 15 6	151.	672 227 587 835 896		V MN FE CR V	II II I I	2776.588 2776.65 2776.663 2776.71 2776.730	2775.700 2775.83 2775.844 2775.89 2775.911	70 10 10 2 2	148.	478 328 896 341 1000	M

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CO CR MN FE CO			2775.97 2776.00 2776.131 2776.180 2776,209	1 3 5 70 15	333. 199.	825 340 328 488 825		V MN FE FE K	11 11 11 11	2778.597 2778.659 2778.709	2777.748 2777.776 2777.840 2777.889 2777.89	80 80 5 5 20	77. 281. 233. 4.	478 328 488 896 488	
P MN V AR CO	.II .II	2777.06	2776.210 2776.218 2776.24 2776.26 2776.34	60 80 6 100 5	9. 144. 4.	937 148 478 488 825		F.V CR FE V	IV I II II	2778.85 2778.876 2778.88	2778.03 2778.058 2778.06 2778.067 2778.16	4 4 70 60 2	69. 266.	173 1000 340 896 478	
NI FE FE V	I I I		2776.349 2776.397 2776.448 2776.47 2776.502	1 15 3 6		835 896 896 1000 782	м м .	MG CR MN FE MN	1 II II III	2779.01 2779.031 2779.04 2779.0405 2779.05	2778.13 2778.213 2778.22 2778.2205 2778.23	I 12 5 240	7. 93. 44.	1017 341 328 896 301	•
MN CR MG	1 1 11	2777.343 2777.421 2777.47 2777.47 2777.49	2776.523 2776.603 2776.59 2776.65 2776.67	100 2 I 20 2	46. 252.	328 341 1017 340 1000		AR CR MG AS TI	11 11 11	2779.06 2779.09 2779.090 2779.269 2779.30	2778.24 2778.27 2778.270 2778.448 2778.48	130	118. 6. 28.	506 340 1017 425 488	
MG FE NI CU F	1 11 111 111	2777.509 2777.586 2777.626 2777.637 2777.720	2776.690 2776.767 2776.806 2776.817 2776.900	130 1 40 10 30	6.	1017 378 835 724 537		CR NI MN V F	11 111 1 11 111	2779.33 2779.34 2779.363 2779.42 2779.428	2778.51 2778.52 2778.544 2778.60 2778.608	5 0 60 80 30	138. 9.	340 661 148 478 537	
FE N NI V MN	II III I -	2777.727 2777.807 2777.932 2777.976 2777.98	2776.907 2776.989 2777.118 2777.157 2777.16	15 5 5 20	373. 17.0	896 521 661 1000 328	Р	MN CO S FE FE	111	2779,632 2779,64	2778.81 2778.813 2778.82 2778.841 2778.868	5 75 50 40 60	128.	328 603 323 896 188	
CL MN MN CU SE	11 111	2778.0 2778.204 2778.282 2778.330 2778.34	2777.2 2777.384 2777.464 2777.510 2777.52	30 6 0 250		111 328 148 724 587		CR ZN MN CR NI	II II II II	2779.816 2779.952	2778.94 2779.0 2778.996 2779.134 2779.288	10 10 100 12 8	276. 72. 93.	340 154 328 341 835	
FE NE CR V C	III I I .	2778.450 2778.47 2778.482 2778.52 2778.534	2777.631 2777.65 2777.664 2777.70 2777.714	15 140 10 8 110	56. 35.	896 1031 341 1000 34	М	FE CO CR NI	III	2780.119 2780.148 2780.15 2780.180 2780.190	2779.299 2779.328 2779.33 2779.360 2779.370	40 0 1 3 2	234. 78.	896 825 341 835 301	н

	SPECT		VACUUM WAVELENGT:	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NO
	FE NI CO MN P	111 11 11 11	2780.303 2780.411 2780.475 2780.57 2780.607	2779.483 2779.591 2779.655 2779.75 2779.787	110 5 8 8 10	30.	288 835 825 328 936		MG CD F MN MG	I II II I	2782.109 2782.21 2782.211 2782.216 2782.236	2781.288 2781.39 2781.390 2781.397 2781.416	25 3 375 50 130	7.	1017 825 537 328 1017	
	CO MG FE MN NE	II II I.	2780.632 2780.651 2780.728 2780.812 2780.848	2779.812 2779.831 2779.907 2779.993 2780.027	2 160 5 40 50	6. 348. 13. 10.	825 1017 896 148 563		NE CU V CR MN	111 11 11 11	2782.24 2782.245 2782.30 2782.37 2782.37	2781.42 2781.424 2781.48 2781.55 2781.55	2 5 100 4 1	219. 333.	1029 724 478 340 328	
	FE V V GA V	II (V II	2780.854 2780.91 2780.959 2780.97 2780.97	2780.035 2780.09 2780.140 2780.15 2780.195	40 5 30 650 15	348. 63. 8.	488 478 929 652 782	•	NE MN MN FE CO	1		2781.63 2781.733 2781.798 2781.8355 2781.88	3 1 30 20 7	72. 46.	723 148 328 896 825	
221	FE MN AS CR CO	11 1		2780.178 2780.21 2780.22 2780.30 2780.37	0 20 200 85 5	259. 16. 183.	488 328 480 340 825		MN F FE NE CO	11 111 1 1	2782.874 2782.89	2781.932 2781.993 2782.053 2782.07 2782.09	30 300 6 2 3	104. 125.	328 537 896 723 825	
·	FE NI FE P TI	II III III	2781.22 2781.302 2781.346 2781.367 2781.37	2780.40 2780.482 2780.526 2780.547 2780.55	30 1 60 5	92.	229 835 378 936 488	F .	P CO CP MN CO	I II II I	2782.93 2782.95 2782.966	2782.095 2782.11 2782.13 2782.145 2782.258	80 0 4 100 3	276. · 72.	524 603 340 328 603	
	NI CR FE CU P	1 I I	2781.372 2781.514 2781.5181 2781.643 2781.658	2780.551 2780.695 2780.6975 2780.828 2780.838	10 60 15 1 40	15. 160.	835 341 896 672 936		MN NI TI SC CR	1 11 11 11	2783.079 2783.12 2783.16	2782.259 2782.258 2782.30 2782.34 2782.36	1 5 2 3 40	28. 4. 183.	148 835 488 488 340	
	FE CR NI N	11	2781.7032 2781.71 2781.726 2781.760 2781.83	2780.8826 2780.89 2780.905 2780.940 2781.01	12 25 10	45. 58. 17.0	896 340 835 521 83	.	CR CL V CR CU	II IV II II	2783.26 2783.29 2783.38 2783.41 2783.411	2782.44 2782.47 2782.56 2782.59 2782.592	3 700 5 28 20	99. 257. 52.	340 43 478 340 672	
	CO CR CR F	I I I I I I I I I I I I I I I I I I I	2781.89	2781.032 2781.07 2781.15 2781.18 2781.21	8 25 10 10 F	93.	603 340 341 173 86		AS MN CR ZN NI			2782.611 2782.711 2782.73 2782.81 2782.947	20 50 1 30	7.	425 148 341 154 835	

	SPECT	RUM :	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTRU		VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	v	11	2783.77	2782.95	6	191.	478		MN	11	2786.052	2785.230	100	83.	328	
	MG		2783.793	2782,972		6.	1017		FE	I		2785.275	8		896	М
	CR	· I		2782.988	3		341	·		111		2785.29	100		1031	
	NE	III		2783.03	. 40		1031	•	CR	ΙI		2785.32	2	266.	340	
	0	11	2783.88	2783.06	10		168	Р	MN	1.	2786.154	2785.334			148	
	MN	I	2783.899	2783.080	10		1 48		co	11		2785.43	7		825 .	
	MG	٧		2783.1	_ :		108	F		111		2785.49	300	20.	323	
	F	111		2783.309	50 5	337.	537 488		GE	11			. 2 8		676 1000	
	FE '	11	2784.230 2784.27	2783.410 2783.45	5.	337.	341		. V	I . I		2785.52 2785.66	10	92.	1000	
	CR	•	2/04.2/	2703,45	J.						2780.40	2703.00	.0	52.	1000	•
	CU	I		2783.551	20		672		CO.	11		2785.69	M.		825	
	FE	1			3	95.	896		CR.	11	2786.51	2785.69	65	183.	340	
	MN	.11		2783.566	30 G		328 2		FE '	11		2785.800	0· 5	295. 223.	488 478	
	MG F	111		2783.5 2783.63	10		. 538	-	NI	11		2785.83 2785.861	2	223.	835	
		. **	2107174	2,00100,			•••	. •		••			•		, 555	
	AR	111	2784.47	2783.65	50		79		co	1		2785.899	50	137.	603	
	CO	-11	2784.50	2783.68	0	·	825		F	١٧		2785.96	25		173	
	FE		2784.512	2783.691	50	234.	896	н	AR	٧		2785.99	_		108	, F
	V .	Į		2783.76 2783.84	7 20	92. 252.	1000 340		TI TI	11		2785.99 2786.01	6 1	28.	488 227	
	CR	1.1	2784.66	2103.84	20		340		1.	111	2786.83	2786.01	. 1		221	
	V	11	2784.76	2783.94	30		478		NE	111	2786.99	2786.17	40		1031	
	FΕ	ΙI	2784.779	. 2783.959	20	295.	. 488		FE	1	2787.00	2786.18	1	123.	605	
	FE	I			5	160.	896		MN	I		2786.185	3	14.	148	
•	MN	II.		2784.208 2784.25	140 60	83.	328 478		MN: CR		2787.086	2786.266	3 2	183.	148 340	
	۷.	11	2785.07	2784.25	60		478 .		CR	11	2787.12	2786.30		183.	340	
	FE	11	2785.102	2784.282	20		488		F	111	2787.248	2786.426	50		537	
	CR	11	2785.12	2784.30	4	•	340		MN	11	2787.278	2786.455	50		328	
	FE	ī		2784.343	. 8	152.	896		CR	II	2787.28		10	252.	340	
	MN .		2785.27 2785.29	2784.45 2784.47	10	6.	328 488		CU CR	I		2786.496 2786.597	10	50.	672 341	
	AR	17	2/85.29	2/04.4/	120	0.,	400		CH	•	2/8/.417	2786.597	4		341	
	FE .	11		2784.484	5	373.	488		MN	11	2787.58	2786.76	2		328	
	CR	1		2784.63	4	93.	341		MN	11		2786.78	. 2		328	
	TI		2785.469	2784.648	. 3	8.	488	-	FE	I	2787.603	2786.781	6	'	896	
	FE Mn	.V II		2785.00 2785.043	100	65.	229 328	F	CR NE	IÍI.		2786.814 2786.89	1 60		341 1031	
	MATN.	• • •	2103.003	2103.043	_		013		146		2/0/.//	2100.03	40			
	CR	11		2785.10		99.	340		MN	. 11	2787.73	2786.91	2		328	
	FE .	1		2785.127		200	896	М	FE '	1	2787.767	2786.944	- 5		896	М
	FE V	II		2785.193 · 2785.216	30 3		896 1000		0 · V	٧	2787.81	2786.99	920 10		83 479	
	AR .	111		2785.216		•	79	•	CO .	1 I I		2787.00 2787.016	10 -5	219.	478 .603	

PECTR		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
N E R	11 11 17 11	2787.89 2787.94 2787.95 2788.05 2788.064	2787.07 2787.12 2787.13 2787.23 2787.241	10 1 2 F	151. 307. 380.	328 605 340 86 896		CR MN SC CU MN	1 I 1 I 1 I 1 I		2789.08 2789.192 2789.20 2789.223 2789.304	8 25 5 1 30	99. 8. 4.	340 148 488 612 328	
N R. R	1 11 11 111	2788.14 2788.285	2787.264 2787.30 2787.32 2787.463 2787.61	2 5 2 110 55	13. 196. 58.	148 340 478 537 340		MN F CR MN FE	III II II II	2790.176 2790.186 2790.21 2790.21 2790.300	2789.355 2789.363 2789.39 2789.39 2789.477	250 40 15	9. 327. 125.	148 537 340 328 896	
N E O	11 111 111 111	2788.538 2788.55	2787.61 2787.71 2787.716 2787.73 2787.78	15 10 150 80 3		328 14 537 1031 825		CR CO FE FE MN	1 I I I I I I I I I I I I I I I I I I I		2789.52 2789.54 2789.678 2789.698 2789.731	2 7 5 60 3	٠.	341 825 896 188 148	
IN : IR IU IR IE	111	2788.633 2788.664 2788.687 2788.72 2788.7540	2787.813 2787.843 2787.865 2787.90	15 15 2 25 20	9. 259. 93.	148 341 724 340 896	·	FE O FE P . Mn	. V I I I I I I I	2790,67 2790.670 2790.724	2789.8019 2789.85 2789.847 2789.901 2789.982	20 775 6 25 100	170. 72.	896 83 896 936 328	N
I R E	11 11 1 1 1	2788.82 2788.91 2788.926	2787.95 2788.00 2728.09 2788.104 2788.10	20 8 3 550 4	28. 44.	478 488 341 896 825		MN FE CR FE AS	11 11 1 11 11	2790.887 2790.913 2790.999	2790.06 2790.065 2790.092 2790.177 2790.2070	5 5 8 1 50	104. 436. 92. 411.	328 488 341 488 425	
E U	111 111 111 V	2788.98 2789.079 2789.0840	2788.145 2788.16 2788.258 2788.2616 2788.36	450 2 90 45	120.	537 1000 188 612 229	F	CR CO LI MN FE	I I I V	2791.105 2791.136 2791.175	2790.28 2790.284 2790.313 2790.353 2790.37	12 30 I 30	. 61.	341 603 307 148 229	F.
IN SE SL	11 1V 11	2789.35 2789.38 2789.45	2788.38 2788.61 2788.56 2788.63 2788.66	3 30 4 6 3		328 406 173 345 . 478		FE NI AS TI CR	11	2791.379 2791.380 2791.4222 2791.44 2791.46	2790.557 2790.557 2790.5992 2790.62 2790.64	40 15 150 3	282. 28. 327.	488 835 425 488 340	
MN CR ZN AR MN	11 111 111	2789.56 2789.64 2789.78	2788.682 2788.74 2788.82 2788.96 2789.03	3 5 10 140 2	119.	148 340 162 488 328		FE FE CO MG MN	11	2791.585 2791.592 2791.593	2790.752 2790.762 2790.769 2790.771 2790.868	1 0 150 150	32.	488 378 825 831 328	н

ŞPECTR		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN CR FE CD MN	I I I I I	2791.747 2791.76 2791.823 2791.830 2791.906	2790.925 2790.94 2791.001 2791.009 2791.085	4 5 20 50 20	327. 232. 128. 6.	148 340 488 603 148		SE MN F MN FE	111 111 111 1	2793.95 2794.041 2794.045 2794.06 2794.062	2793.13 2793.218 2793.221 2793.24 2793.239	50 20 200 6 20	14. 337.	587 328 537 148 488	
MN CR CO CO CR	II II II II	2792.005 2792.19 2792.252 2792.263 2792.27	2791.180 2791.37 2791.430 2791.440 2791.45	30 3 2 5 5	307. 118.	328 340 603 825 340		NI FE CU CR NI	11 1 11 11	2794.168 2794.192 2794.307 2794.33 2794.421	2793.344 2793.368 2793.485 2793.51 2793.597	40 3 2 3 20	307.	835 896 672 340 835	M
FE V MN CA V	I I II II	2792.278 2792.32 2792.405 2792.413 2792.45	2791.454 2791.50 2791.584 2791.590 2791.63	12 7 4 360 10	36. 13. 8.	896 478 148 64 478	M	CU F CR CO MN	11 11 11 11	2794.4318 2794.434 2794.45 2794.529 2794.533	2793.6081 2793.610 2793.63 2793.705 2793.709	3 50 10 5 30	59. 30.	612 537 340 825 328	
CR MN FE CU CR	II I II I	2792.52 2792.529 2792.6088 2792.6180 2792.65	2791.70 2791.707 2791.7856 2791.7947 2791.83	7 2 20 200 4	258. 9. 151.	340 148 896 612 341		CR FE CR FE GE	1 1 1 1 1	2794.60 2794.611 2794.69 2794.712 2794.7487	2793.78 2793.787 2793.87 2793.888 2793.9249	3 5 2 20 30	91. 198. 22.	341 896 341 896 7	м Н
CU CU NE FE MN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2792.770 2792.789 2792.8405 2792.873 2792.91	2791.951 2791.966 2792.0172 2792.050 2792.09	5 0 90 5 4	10. 233.	672 724 389 488 328		FE BR CO FE O	I I I I I I I I I I I I I I I I I I I	2794.752 2794.77 2794.94 2794.979 2795.012	2793.928 2793.95 2794.12 2794.157 2794.189	30 1 4 1	124.	896 586 825 605 1032	М
NI CR CU FE NE	II II III III	2792.957 2792.98 2793.0476 2793.11 2793.142	2792.133 2792.16 2792.2242 2792.29 2792.319	50 80 2 10 30	183.	835 340 612 188 896		NE F V CR MN	II IV II II	2795.0434 2795.08 2795.11 2795.21 2795.340	2794.2195 2794.26 2794.29 2794.39 2794.516	80 25 5 5	10. 223. 307.	389 173 478 340 301	
SE FE CO CO	111 1 11 11	2793.16 2793.2221 2793.258 2793.260 2793.27	2792.34 2792.3987 2792.436 2792.437 2792.45	50 25 40 30 6	95. 107. 217.	587 896 603 825 478		C NE NI SC FE	III I II II I	2795.390 2795.419 2795.445 2795.52 2795.5262	2794.560 2794.595 2794.621 2794.70 2794.7022	20 30 100 1 20	36. 46.	34 796 835 1028 896	
CR NE CR NI	II II II IV	2793.31 2793.483 2793.61 2793.696 2793.72	2792.49 2792.660 2792.79 2792.872 2792.90	4 3 4 50	251. 196.	340 723 340 835 86		MN FE V CR FE	I V II I	2795.640 2795.65 2795.65 2795.767 2795.8294	2794.817 2794.83 2794.83 2794.945 2795.0054	1000 15 7 12	1.	148 229 478 341 896	F

	SPECTRUM		VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
		_			•		796 '		CR	ı	2797.787	2796.965	1		341	
		I I I	2795.916 2795.963	2795.092 2795.139	30 3		835		MN	Ī	2797.817	2797.094 2797.017	3 60	13.	148 478	
		11	2795.988 2796.06	2795.163 2795.24	100	66	328 825	•	V. FE	I I I I		2797.017	1	32.	488	
		I	2796.085	2795.263	. 1 5	92	341		FE	I	2797.870	2797.046		•	378	
,			2796.113	2795.289	20		506		CO FE	I I I	2797.904 2798.019	2797.081 2797.195	50 10	108. 436.	603 . 896	
			2796.1222 2796.14	2795.2981 2795.32	45 2	197.	612 340		CA	111	2798.028.	2797.203	60		64	
	V	I I	2796.21	2795.39	3	217.	478		CU S	11	2798.0797 2798.21	2797.2551 ² 2797.39	40 - 200	20.	612 323	
	AR	i I	2796.249	2795.425	20	•	506		.5	***		2757105	200			
		11	2796.34	2795.52	5		328		MN CU	1 I 1 I	2798.249 2798.2584	2797.424 2797.4337	30 50		328 612	
		I I M	2796.347 2796.35	2795.523 2795.53	400 5	1.	831 825		CU	1 I	2798.3741	2797.5495	2		612	:
	FE	I	2796.3643	2795.5401	30	94.	896		MN C	I I I I	2798.40 2798.53	2797.58 2797.70	40	104. 49.	328 · 287	
	V	11	2796.365	2795.541			782	. •	·	••	2.30.50				, 55.	•
	co	11		2795.59	7		825		FE	. 1	2798.5999	2797.7752 2797.795	140	45. 100.	896 478	
_	NE CU	I II	2796, 437 2796, 4815	2795.613 2795.6573	1 30		723 612		V FE	11 11		2797.795	110	234.	488	н
225	٧	ΙI	2796.54	2795.72	4	223.	478		CO MG	· 11	2798.751 2798.809	2797.925 2797.984	300 350	3.	825 831	
ર્ડે આ	FE	1.1	2796.584	2795.760	5	281.	488		MG	. 11	2798.809	2191.964		3.		
		1		2795.818	12	61.	341		NI.	I 111	2798.821 2798.85	2797.996 2798.03	10 4	73.	488 168	р
	CO MN	I I I		2795.819 2795.822	15 5		603 · 328		MN	111	2799.093	2798.270	- 880	1.	148	•
	₽Ε	I	2796.681	2795.857	15		896	M	CO P	I I 1 V	2799.15 2799.155	2798.33 2798.330	20 25		.825 937	
	CU		2796.6974	2795.8731	3		612	•	•		2,001,00					
	NE	1	2796.787	2795.963	. 8		723		CR V	1 I 1	2799.31 2799.351	2798.48 2798.526	. 4 2	307.	340 1000	
	MN	1 11	2796.867 2796.941	2796.045 2796.117	1 80	73.	672 328		CR	11	2799.45	2798.65	35	_	340	
	CO	Ì	2797.051	2796.228	50	52.	603		NI P	I I V		2798.651 2798.704	50 10	26.	488 937	
	CU	11	2797.0870	2796.2626	4		612			**		,		i .	• • • • • • • • • • • • • • • • • • • •	
		ΙÍ		2796.346	100		64		ŢΙ	111	2799.54	2798.72 2798.755	40 · 80	100.	227 478	
			2797.19 2797.280	2796.37 2796.460	100 40	36.	38 34	4	V CR	1 I 1 I		2798.77	30	117.	340	
	FE	11	2797.452	2796.627	10	373.	896		CU TI	11		2798.830 2798.910	100		612 227	
	f .	IV	2797.62	2796.80	10		173		••	111	2199.133	2750.510	100		227	•
		II		2796.820	. 6		825		co	11		2798.93	7 3		825	
		II		2796.866 2796.8706	20 2	96.	288 896		CU	111		2798.946 2799.035	3	•	724 1032	
	MN	1	2797.760	2796.938	5	9.	148		BR	11	2799.862	2799.038	250 4	49	606 287	
	NI I	11	2797.774	2796.953	3		661		С	ΙΙ	2799.97	2799.15	- 4	49.	287	

	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTEN	SITY	MULTIPLET	REFERENCE	NOTES		TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NA CR N	11 1 11	2799.971 2800.02 2800.03 2800.041 2800.053	2799.146 2799.20 2799.21 2799.216 2799.229		30 1 1 110 3	21.	896 693 341 200 1000		ZN CR NI ZN AR	1 f 1	2801.57 2801.59 2801.632 2801.693 2801.744	2800.74 2800.77 2800.807 2800.869 2800.919	20 85 40 160	182. 5.	154 340 835 830 506	
	MN FE CO	II II I	2800.076 2800.09 2800.119 2800.19 2800.211	2799.251 2799.26 2799.294 2799.37 2799.386		3 5 30 0 80	104. 233.	835 328 896 603 64	н	V NI CU ZN MN	11 11 1	2801.77 2801.776 2801.8757 2801.879 2801.908	2800.95 2800.950 2801.0502 2801.056 2801.084	20 1 5 30 770	224.	478 835 612 314 148	
	Ä.	.11 111 11 11	2800.215 2800.274 2800.290 2800.3534 2800.384	2799.390 2799.451 2799.470 2799.5282 2799.559		20 100 70 175	62. 36.	835 478 34 612 835		CD CR ZN NI C	: I I 11	2801.91 2801.95 2801.95; 2802.025 2802.030	2801.08 2801.13 2801.167 2801.199 2801.210	20 15 4 15 60	90. 5. 48.	825 341 314 835 287	
226	CL CU CO FE CR	11 11 11	2800.42 2800.5058 2800.52 2800.537 2800.567	2799.60 2799.6806 2799.69 2799.712 2799.743		8 75 5 20 3	198. 55.	345 612 825 488 341		CU SC CR C	11	2802.144 2802.18 2802.209 2802.250 2802.377	2801.318 2801.35 2801.385 2801.430 2801.553	2 6 1 25 3	4. 48. 77.	612 488 341 287 341	
	V BR	II II	2800.63 2800.665 2800.87 2800.885 2800.89	2799.80 2799.841 2800.05 2800.060 2800.06		2 50 4 10 3	6. 220.	723 148 478 606 328		NI NI ZN CO CR	11 11 11. 1	2802.537 2802.601 2802.791 2802.792 2802.82	2801.711 2801.775 2801.965 2801.966 2802.00	1 15 100 1 6	·	835 835 154 825 341	
	CR MN NI NE CL	II II III	2800.98 2800.99 2801.055 2801.07 2801.10	2800.16 2800.17 2800.230 2800.24 2800.27	·	20 4 15 60 8	303.	340 328 835 1031 345		MN SE CD	11 11 111 111	2802.829 2802.88 2802.992 2803.07 2803.086	2802.003 2802.05 2802.168 2802.24 2802.260	20 5 10 250 1	51. 21.	328 825 148 587 825	
•	CO CO MN BR FE	I	2801.24 2801.24 2801.25 2801.26 2801.292	2800.41 2800.42 2800.42 2800.43 2800.467		3 00 8 30 10		825 603 328 586 896	M	NI FE NE C CR	I I I I I I I I I I I I I I I I I I I	2803.096 2803.111 2803.17 2803.22 2803.22	2802.270 2802.285 2802.34 2802.39 2802.40	40	48,	488 378 1031 287 341	N Q
	FE AS MN TI NI	11 1 11	2801.362 2801.367 2801.45 2801.48 2801.526	2800.537 2800.542 2800.63 2800.65 2800.701		6 10 6 30 40	7. 28.	896 425 148 488 835		MN TI NI CU	I I I	2803.223 2803.279 2803.291 2803.336 2803.380	2802.399 2802.454 2802.465 2802.510 2802.556	5 10 150 10	22. 8. 24. 47.	148 148 488 835 672	

SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM AVELENGTH	. Alr Wavelength	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN BR CR MN MG	111 1 1 1	2803.443 2803.45 2803.47 2803.521 2803.523	2802.619 2802.62 2802.65 2802.697 2802.697	3 50 8 2 300	21. 77. 21. 1.	148 586 341 148 831		CU MN MN		2804.94 2805.015 2805.051 2805.188 2805.21	2804.12 2804.189 2804.216 2804.363 2804.39	50 1 2 15 50	21.	586 612 148 148 587	
CO FE V NI MN	11 111 11 111	2803.599 2803.620 2803.626	2802.705 2802.773 2802.796 2802.798 2802.805	8 110 100 5 15	62. 21.	825 288 478 661 148		FE NI MN	11 1 111 11 11	2805.267 2805.3469 2805.47 2805.54 2805.55	2804.443 2804.5206 2804.65 2804.71 2804.73	4 200 2 4 10	143. 44.	478 896 661 328 154	. •
TI C NI TI FE		2803.78 2803.963 2803.98 2803.9924	2802.94 2802.95 2803.140 2803.15 2803.1663	1 1 5- 1	48. 69. 3.	227 287 488 227 896			11 111 1 1 1	2805.594 2805.610 2805.6886 2805.753 2805.82	2804.768 2804.780 2804.8622 2804.929 2805.00	3 1 10 6 40	170. 13. 25.	835 531 896 148 488	
O CR MN CU CR	11 11 11 11	2804.03 2804.04 2804.064 2804.097	2803.20 2803.22 2803.238 2803.271 2803.35	4 8 20 2 20	67. 116.	168 340 328 612 340	. Р	CR FE	11 111 1	2805.826 2805.902 2805.91 2805.930 2805.960	2804.999 2805.078 2805.10 2805.104 2805.130	5 15 5 5	31.	896 488 490 896 34	М
MN CO FE MN C	11 11 11 11	2804.18 2804.256 2804.269	2803,352 2803,36 2803,430 2803,443 2803,45	10 5 8 30	438. 51. 48.	328 825 896 328 287			111 11 11 11	2805.99 2806.01 2806.015 2806.034 2806.139	2805.17 2805.19 2905.188 2805.204 2805.315	200 2 0 50 40	51. 295.	38 341 782 328 489	
V FE D FE MN	11 111 1V 1 1	2804.341 2804.42 2804.4390 2804.447	2803.469 2803.441 2803.59 2803.6129	150 90 25 10	62. 120. 151. 8.	478 188 86 896 148		MN CR CR V NI	II III II II	2806.191 2806.25 2806.281 2806.368 2806.494	2805.364 2805.42 2805.456 2805.544 2805.668	100 1 1 30 60	66. 120. 54.	328 490 341 478 835	
CU CO NI FE MN	I I I I I I	2804.742 2804.762	2803.686 2803.770 2803.916 2803.936 2803.946	10 100 3 5	48. 52.	672 603 835 896 148		GE TI CU FE FE	II	2806.50 2806.504 2806.54 2806.610 2806.6346		20 60 5 70 6	15. 29. 259. 92.	676 488 672 488 896	
CR FE F MN CO	11 111 1 1 1	2804.845 2804.860 2804.920	2803.96 2804.021 2804.034 2804.095 2804.098	10	307. 259.	340 488 537 148 603		O AR F FE MN	I V I I I V I I I I	2806.67 2806.817 2806.82 2806.831	2805.84 2805.990 2806.00 2806.007 2806.04	150 10 4 20	17. 438.	86 506 173 488 328	

SPEC1				AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES .	SPECTR		VACUUM WAVELENGT'I		INTENSITY	MULTIPLET	REFERENCE	NOTES	
FE MN AR NI C	1 I 1 I	I I	2806.897 2806.961 2806.9940 2807.062 2807.140	2806.070 2806.136 2806.1672 2806.236 2806.310		21. 17.	896 · 148 867 835 34		V CR C V FE	11 111 11	2808.848 2808.85 2808.900 2809.063 2809.1542	2808.023 2808.02 2808.070 2808.237 2808.3269	4 20 5 25 40	62. 31. 120. 45.	478 340 34 478 896		
CR CR TI FE MN	111	I I	2807.16 2807.22 2807.231 2807.3 2807.342	2806.34 2806.40 2806.407 2806.5 2806.515	3 10 5 1 40	17. 176.	340 490 488 605 328		NI MN FE MN NA	I 1 I 1 I	2809.170 2809.211 2809.225 2809.42 2809.510	2808.343 2808.385 2808.398 2808.59 2808.685	20 8 5 5 4	26. 13.	835 148 896 328 693		
NI V MN	11 11	I I	2807.369 2807.546 2807.61 2807.619 2807.656	2806.544 2806.719 2806.79 2806.794 2806.828	5 3 10	22.	478 835 478 148 328	•	V O FE K NI	11 11 11	2809.527 2809.61 2809.801 2809.82 2809.871	2808.701 2808.78 2808.974 2808.99 2809.044	4 10 20 40 10	36. 7.	478 168 288 488 835	P	
MN CO MN FE AR	. 11 1 113	I I	2807.726 2807.77 2807.803 2807.8115 2807.85	2806.899 2806.94 2806.977 2806.9843 2807.02	4	22. 45.	328 825 148 896 79		MN TI V MN CR	. 1 11 11	2809.929 2809.975 2810.010 2810.020 2810.10	2809.103 2809.150 2809.184 2809.192 2809.27	25 50 1 100 6	6. 29. 36. 65. 197.	148 488 478 328 340		
NI CU CR CO FE	11 - 11 111 11	I I I	2807.910 2807.9822 2808.00 2808.000 2808.006	2807.083. 2807.1552 2807.18 2807.173 2807.179			835 612 490 825 896		N MN AR NE V	IV II IV II II	2810.216	2809.35 2809.389 2809.44 2809.4842 2809.513	20 50 160 100 15	18.99 4. 10. 143.	824 328 488 389 478		
TI FE NI CR	I]	I I	2808.03 2808.0722 2808.215 2808.26 2808.28	2807.20 2807.2452 2807.388 2807.43		2.	227 896 835 341 173		NA CR CR MN CO	1 I 1 I 1 I	2810.45	2809.661	60 5 2 30 4	197.	693 340 340 328 825		
MN NI MN CO BR	11 11 11	I I I	2808.347 2808.387 2808.413 2808.43 2808.430	2807.520 2807.560 2807.585 2807.600 2807.606	50	66.	328 835 328 825 606		O MG CU FE MN	111 1 1 11 11	2810.588	2809.739 2809.761 2809.78 2809.783 2809.81	25 5 1 10 10	380.	1032 1017 672 896 328		
CR FE SC FE MN	1	V I	2808.46 2808.69 2808.73 2808.79 2808.840	2807.63 2807.87 2807.91 2807.96 2808.015	5 1 1 20	94.	340 229 1028 605 148	F ·	MN CR SC MN CR	. I IV II		2809.92 2809.932 2809.960 2810.00 2810.03	1 10 220 0 20	89.	328 341 720 328 340		

~	۵
1	۱
V)

	SPECTRUM		VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NI Mn Fe	11 11 11 1	2810.984 2811.049 2811.076 2811.090 2811.098	2810.158 2810.221 2810.247 2810.262 2810.272	60 10 80 5	120. 71. 120.	478 835 328 896 478	M	V CR FE TI MN	11 11 1 11 1	2812.808 2812.83 2812.8704 2812.88 2812.917	2811.982 2812.00 2812.0422 2812.05 2812.090	5 85 12 1	143. 182. 170.	476 340 896 601 148	·
	TI CU SI	II II V • I	2811.10 2811.101 2811.193 2811.23 2811.329	2810.28 2810.276 2810.366 2810.40 2810.503	10 50 1 50 5	25. 77.	825 488 612 941 341		FE V MN CR FE	1 11 11 11	2812.943 2812.990 2813.092 2813.14 2813.14	2812.114 2812.164 2812.264 2812.31 2812.31	3 6 100 2	143. 71. 312. 96.	896 478 328 340 605	M .
	CR CU FE	II II XI I	2811.396 2811.61 2811.6319 2811.662 2811.682	2810.568 2810.78 2810.8039 2810.834 2810.854	2 5 100 1 15	99.	676 340 612 378 825		SC MN NI O CO	IV 11 . I IV . I	2813.144 2813.16 2813.19 2813.24 2813.276	2812.318 2812.33 2812.37 2812.41 2812.449	160 40 5 10 3	71.	720 328 602 86 603	
229	CR CR	11 11 11 11	2811.71 2811.72 2811.88 2811.920 2811.940	2810.88 2810.89 2811.05 2811.092 2811.112	20 6 15 10 3	66. 303.	328 340 340 835 1017		FE NI MN TI NI	11 11 111 111	2813.319 2813.349 2813.35 2813.40 2813.410	2812.493 2812.521 2812.52 2812.57 2812.582	40 20 40 1 5	215. 71.	488 835 328 227 835	
	FE CR NI	1 1 1 11 11	2811.952 2811.9904 2811.995 2812.035 2812.095	2811.126 2811.1624 2811.169 2811.207 2811.269	50 1 12 3 40	92. 54. 196.	603 896 341 835 488		MN FE MN V	11 11 11 11.	2813.417 2813.493 2813.54 2813.54 2813.56	2812.588 2812.667 2812.71 2812.71 2812.74	100 1 20 3 2	71. 280.	328 488 328 478 672	
	FE Ni Mn	II V II I	2812.111 2812.12 2812.159 2812.164 2812.264	2811.283 2811.29 2811.331 2811.337 2811.436	80 2 4 50	51. 36. 51.	328 229 835 148 328	F	BR MN MN CO MN	11 11 1 11 11	2813.569 2813.605 2813.666 2813.67 2813.760	2812.743 2812.776 2812.840 2812.84 2812.933	0 30 20 2 2	66. 8. 36.	606 328 148 825 148	
	CR MN CO	11 11 11 1	2812.273 2812.28 2812.32 2812.334 2812.424	2811.445 2811.45 2811.49 2811.508 2811.597	800 10 20 50 7	66. 126. 143.	537 340 328 603 478		CU TI MN FE FE	III II III III	2813.771 2813.789 2813.949 2814.00 2814.068	2812.943 2812.963 2813.119 2813.17 2813.241	100 20 50 25 250	29. 71. 120.	724 468 328 188 188	
	MG FE I NI		2812.58 2812.609 2812.652 2812.788 2812.797	2811.75 2811.781 2811.824 2811.960 2811.970	20 2 20 10 10	110.	673 1017 288 835 328	•	CO FE CR MN CR	II I I I	2814.10 2814.1151 2814.24 2814.316 2814.36	2813.27 2813.2866 2813.41 2813.489 2813.53	1 500 1 20 5	44. 75. 8. 99.	825 896 341 148 340	

	SPECTRUM	WA	VACUUM IVELENGT:I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTI	RUM W	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CU FE 1 CU I	I I I	2814.379 2814.385 2814.439 2814.4603 2814.513	2813.552 2813.558 2813.613 2813.6317 2813.685	4 2 110 25 4	6. 198. 76.	341 672 488 612 341		TI MN CO CU FE	11 1 11 1 1	2816.40 2816.436 2816.532 2816.54 2816.590	2815.57 2815.609 2815.703 2815.71 2815.761	2 8 0 1 110	36.	601 148 825 672 288	
	CO I CA II V I SI II MN	1	2814.60 2814.706 2814.76 2814.761 2814.816	2813.77 2813.877 2813.93 2813.912 2813.989	1 410 0 G	88. 7.	825 64 782 768 148		FE CO P NI CO	11 11 11 11	2816.665 2816.741 2816.798 2816.809 2816.82	2815.836 2815.912 2815.969 2815.980 2815.99	0 2 40 5 5		378 825 937 835 825	
	GE I	I I I V	2814.843 2814.917 2814.929 2815.05 2815.15	2814.016 2814.090 2814.100 2814.22 2814.32	100 10- 5	20.0 83.	521 606 676 340 229	P F	CU AL CU NI	I II II II	2816.820 2816.98 2817.016 2817.0272 2817.086	2815.994, 2816.15 2816.189 2816.1980 2816.256	5 2 650 20 1	7.	1000 825 488 612 835	
	V II NI MN NI I	I I I I I	2815.15 2815.181 2815.289 2815.298 2815.35	2814.32 2814.354 2814.462 2814.469 2814.52	100 15 2 8 10	79. 36.	325 488 148 835 341		MN CR MN O FE	II II IV III	2817.157 2817.19 2817.236 2817.39 2817.427	2816.329 2816.36 2816.408 2816.56 2816.600	170 1 6 200 25	51.	328 341 328 86 168	
	NA \	1 I 7 I 1 I 1 I	2815.387 2815.4 2815.44 2815.48 2815.520	2814.561 2814.6 2814.61 2814.66 2814.691	10 M 20 3	110.	328 108 601 328 896	F	MN CR CR F CR	1 I 1 I 1 I 1 I	2817.455 2817.513 2917.66 2817.728 2817.78	2816.625 2816.684 2916.83 2816.899 2816.95	40 12 30 4 7	75. 58. 76.	328 341 340 538 341	
•		II II I I I	2815.62 2815.730 2815.803 2815.8434 2815.845	2814.79 2814.903 2814.976 2815.0144 2815.018	10 15 25 3	120. 1. 138. 36.	328 478 603 896 148		CO CR CU FE SI	111 11 11 11	2817.805 2817.83 2817.9139 2817.917 2817.940	2816.976 2817.00 2817.0844 2817.088 2817.110	0 15 2 - 6 130	307. 380. 88.	825 340 612 896 768	
	MN V MN I CR NI	11 11 11.	2815.854 2815.859 2816.14 2816.145 2816.170	2815.025 2815.032 2815.31 2815.317 2815.341	170 5 15 2 8	66. 36. 9 0.	328 478 301 341 835		MN MN F TI NI	1 11 11 1	2817.991 2818.151 2818.152 2818.20 2818.237	2817.164 2817.320 2817.322 2817.37 2817.407	5 80 10 30 2	29.	148 328 538 488 835	
	V CA I FE	11 11 1		2815.37 2815.391 2815.5075 2815.547	0 60 5 20 3	95. 155	782 64 896 478 603		CU S FE V SC	I	2818.30 2818.33 2818.3331 2818.334 2818.367	2817.47 2817.50 2817.5036 2817.506 2817.539	1 300 20 60 160	44. 120.	672 285 896 478 720	•

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT:	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE NOTE
	2818.495	2817.57 2817.667 2817.722 2817.725 2817.76	8 10 8 30		340 148 835 328 229	f	V FE SC NI I	I 2820.205 II 2820.272 I 2820.292 II 2820.39 II 2820.540	2819.326 2819.444 2819.462 2819.56 2819.715	4 20 1 5 20	120. 159. 5.	148 478 378 488 661
ri II / II :E V	2818.66 2818.666 2818.68 2818.70 2818.770	2817.83 2817.838 2817.85 2817.87 2817.940	20 60 0 5	29. 25.	488 488 782 229 896	F M	MN NI MN TI	I 2820.555 II 2820.712 II 2820.813 II 2820.82 II 2820.830	2819.727 2819.882 2819.983 2819.99 2820.000	4 5 10 8 4	110. 25.	148 835 328 488 287
IN . I	2818.79	2817.94 2817.96 2817.969 2818.08 2818.2	30 12 30 3 20	182. 6. 67.	328 340 148 340 126		CO FE I TI NI	1 2820.831 1I 2821.010 II 2821.19 1I 2821.303 II 2821.31	2820.002 2820.180 2820.36 2820.472 2820.48	50 20 4. 40 0	1. 7.	603 288 488 835 325
	2819,100 2819,132 2819,158	2818.26 2818.272 2818.302 2818.328 2818.36	60 10 2 375 75	24.	79 693 678 537 340		CA I SI NE VI C	2821.403 II 2821.410 II 2821.5 II 2821.520 II 2821.521	2820.573 2820.580 2820.7 2820.700 2820.690	80 2 4 3	24. 47.	64 678 1011 287 896
R 1	2819.3 2819.30 2819.35 2819.370 2819.420	2818.5 2818.47 2818.52 2818.540 2818.592	12 5 60 30	75. 220.	726 341 478 64 603	F	TI 1 FE CR	IV 2821.57 II 2821.61 I 2821.6331 I 2821.64 IV 2821.70	2820.74 2820.78	40 3 2 15 250		173 227 896 341 574
U N	2819.49 2819.51 2819.598 2819.599	2818.624 2818.65 2818.68 2818.770 2818.771	90 5 4 20 4	157. 67. 8.	188 340 672 148 1032		V CU NI	I 2821.80 II 2821.952 I 2822.06 I 2822.120 II 2822.24	2820.97 2821.124 2821.23 2821.291 2821.41	2 15 1 75 8	90. 86. 25. 24.	341 478 672 488 488
IN I II I I	2819.822 2819.948 2819.960	2818.89 2818.919 2818.992 2819.120 2819.130	7 10 100	8. 20.0 47.	825 148 227 521 287	P	CO MN TI SE SE I	II 2822.27 I 2822.280 I 2822.34 II 2822.35 II 2822.35	2821.44 2821.452 2821.51 2821.52 2821.52	5 - 20 10 250 85	6. 19. 20.	825 148 488 468 587
CR I	2820.08 2820.1331	2819,16 2819,174 2819,24 2819,3031	, 10 7	83. 17. 170. 196.	340 603 35 896 488	Q	FE I B	II 2822.370 I 2822.46 II 2822.493 IV 2822.51 I 2822.52	2821.540 2821.63 2821.665 2821.66 2821.69	4 1 10 100	47. 134.	287 605 189 221 341

SPECTR	UM	VACUUM		INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTI		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	W	AVELENGTH	WAVELENGTH	•	•					WAS EEN OU					
TI CO NI CO CR	111 11 11 11	2822.52 2822.574 2822.575 2822.58 2822.59	2821.69 2821.745 2821.745 2821.75 2821.76	1 30 120 10 6	75.	227 603 835 825 341		V NI CR FE CU	1 V 1 I 1 V 1	2824.962 2825.045 2825.053 2825.19 2825.199	2824.131 2824.214 2824.224 2824.36 2824.370	20 8 10 350	89. 17.	829 835 341 229 672	F
MN CR MN FE SE	II II II II III	2822.888	2821.843 2822.01 2822.056 2822.058 2822.07	50 65 40 3 120	182.	328 340 328 896 587		FE CO V CO TI	11 11 1	2825.273	2824.401 2824.44 2824.444 2824.45 2824.45	0 7 4 1 15	423. 35.	488 825 478 603 227	
CU V SC MN CR	II	2823.00	2822.070 2822.15 2822.17 2822.275 2822.38	5 20 7 2 100	5. 82.	724 478 488 148 340		NE GE CR B	111 11 11 1V	2825.339 2825.37 2825.39	2824.47 2824.508 2824.54 2824.56 2824.589	60 20 12 40 5	399.	1031 676 340 221 488	
V CR MN MN	11 11 1	2823.27 2823.34 2823.376 2823.378 2823.497	2822.44 2822.51 2822.545 2822.549 2822.668	80 2 15 30 5	222. 75. 110. 6. 231.	478 341 328 148 488		CR CO CO AR MN	1 11 111 111	2825.45 2825.48 2825.49	2824.60 2824.62 2824.65 2824.66 2824.673	2 1 4 60 60		341 603 825 79 328	
CO AS C CU NI	11 11 11 1	2823.56 2823.6092 2823.643 2823.69 2823.710	2822.73 . 2822.7783 2822.812 2822.86 2822.879	1 1 10 0	47.	825 425 287 672 835		FE FE CR V TI	1 V I II I	2825.62 2825.70 2825.85	2824.7001 2824.79 2824.87 2825.02 2825.06	3 1 5 10	170. 76. 221. 19.	896 229 341 478 488	F
CO NE CO CR MN	111	2823.764 2823.78 2823.82 2823.91 2824.097	2822.932 2822.95 2822.99 2823.08 2823.268	3 140 3 1 5	89. 7.	825 1031 825 341 148		P FE MN NI CO	11 V 11 11	2825.97 2825.971 2825.973 2825.980	2825.069 2825.14 2825.138 2825.142 2825.153	10 3 3 75	110.	496 229 328 835 603	F
FE CO N CO P	11 11 11 11	2824.466	2823.28 2823.635 2823.647 2823.689	1 110 5 15	44. 17.	896 825 200 603 496		CR NI CD NE NE	1 11 11 111	2826.026 2826.063 2826.082 2826.089	2825.196 2825.231 2825.250 2825.259 2825.28	15 200	25.	341 835 825 723 1031	
CR F MN NI CA	1 1 I	2824.63	2823.80 2823.80 2823.813 2823.877 2824.116	1 25 1 2	•	341 173 148 835 64		NI NI CR MN FE	11 11 11 1	2826.248 2826.309 2826.33 2826.387	2825.416 2825.477 2825.50 2825.552 4 2825.555	1 20 2	83.	835 835 340 148 896	

	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOT
	NE NI FE CO CR	I II II II	2826.5190 2826.52	2825.613 2825.641 2825.6874 2825.69 2825.73	40 50 50 4 4	з.	796 835 896 825 340		CR CA TI TI CR	111 I 11	2828,78 2828,833 2828,88 2828,981 2828,998	2827.95 2828.001 2828.05 2828.150 2828.167	15 40 20 60 12	19. 25. 54.	340 64 488 488 341	
	FE NE B V CO	III VI II	2826.577 2826.65 2826.68 2826.69 2826.72	2825.747 2825.82 2825.87 2825.86 2825.89	40 100 80	195. 221.	488 1031 221 478 603		FE FE AR CO MN	11 1	2829.07 2829.08 2829.10 2829.296 2829.299	2828.24 2828.25 2828.27 2828.466 2828.468	0 15 30	•	229 229 506 603 328	F
	S TI CR CU FE	111 N 111	2826.73 2826.74 2826.78 2826.822 2826.8261	2825.90 2825.90 2825.95 2825.990 2825.9945	300 1 7. 10 1	115.	285 227 340 724 896	·	FE MN FE CU MN	11 11 11 11	2829.48 2829.510 2829.5292	2828.627 2828.65 2828.678 2828.6970 2828.762	6 2 5 20 6	255. 7.	896 328 896 612	'н
233	FE NI F CR CU	II II IV II I	2826.854 2826.874 2826.98 2826.98 2827.03	2826.024 2826.043 2826.13 2826.15 2826.20	70 3 60 10 1	255. 182.	488 835 173 340 672		CR TI AS FE MN	1 I 1 I 1 I 1 I	2829.63	2828.79 2828.80 2828.8013 2828.8082 2828.838	. 15 30 170 110	117. 24. 45. 110.	340 488 425 896 328	
	NI P MN CR FE	11 11 11	2827.102 2827.104 2827.110 2827.25 2827.3291	2826.270 2826.272 2826.281 2826.42 2826.4973	20 25 10 7 8	110. 92.	835 496 328 340 896		TI CU MN GE HE	11 11 11 1	2829.7509 2829.800 2829.8400	2828.87 2828.9185 2828.967 2829.0076 2829.076	30 20 20 20 40	25. 21. 12.	488 612 328 7 497	
	CU SC NI CR CD	1 I 1 I 1 I	2827.33 2827.52 2827.525 2827.564 2827.627	2826.50 2826.69 2826.693 2826.734 2826.797	1 10 1 20 50	5. 100. 126.	672 488 835 341 603		CO O CO SI AS	II IV II III	2829.99	2829.08 2829.16 2829.19 2829.23 2829.268	4 40 6 3 5	88.	825 86 825 768 425	
	V NI TI FE NI	11 11 11		2826.89 2827.126 2827.22 2827.431 2827.507	5 10 10 110 5	24. 231.	478 835 489 488 835		MN CU NI NI	11 1 11	2830.14 2830.190 2830.25 2830.284 2830.377	2829.30 2829.358 2829.42 2829.452 2829.545	5 5 5 3 1	55.	328 200 672 835 835	
	P NE FE SC FE	1	2828.36 2828.421 2828.50 2828.64 2828.7240	2827.52 2827.589 2827.67 2827.81 2827.8919	00 10 2 2 2	169.	431 896 605 1028 896		NI CR NA CU CR	Ī	2830.44 2830.556 2830.682 2830.71 2830.734	2829.61 2829.725 2829.851 2829.88 2829.903	2 5 10 1 5	•	661 341 693 672	

\$PEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	-INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC	TRUM .	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SI TI FE CR MN	111 1 11 11 11	2830.892 2830.91	2830.02 2830.03 2830.061 2830.08 2830.16	3 20 1 8 2	90. 19. • 259. 83.	768 488 488 340 328		SC FE CO GE NI	ν		2831.754 2831.78 2831.83 2831.8432 2831.861	20 7 1000 3	12.	855 229 825 676 835	F
CU CR AS N V	11 11 11	2831.0642 2831.07 2831.1918 2831.20 2831.233	2830.2316 2830.24 2830.3591 2830.36 2830.402	35 10 340 1 40	182. 55. 155.	612 340 425 200 478		FE NI NI TI NI	1 I 1 I	2832.715 2832.771 2832.883 2832.990 2833.043	2831.883 2831.937 2832.050 2832.158 2832.209	5 5 10 20 50	399.	488 835 835 488 835	
CR MN NI CR NI	11 11 11 11 111	2831.29 2831.306 2831.323 2831.43 2831.506	2830.46 2830.473 2830.496 2830.60 2830.672	100 60 2 60 8	82.	340 328 835 340 661		TI NI FE SC CL	11 11 1	2833.09 2833.100 2833.102 2833.17 2833.177	2832.26 2832.267 2832.270 2832.34 2832.343	10 140 1 2 53	19. 347.	488 835 488 1030 613	
N1 V MN FE MN	1 I 1 I	2831.508 2831.53 2831.554 2831.587 2831.624	2830.675 2830.70 2830.720 2830.754 2830.793	4 3 80 0 20	221. 6.	835 478 328 378 148		CU FE NI CR CU	. I	2833.2547 2833.2690 2833.277 2833.28 2833.32	2832.4215 2832.4358 2832.444 2832.45 2832.49	20 380 2 60 5	44. 195.	612 896 835 340 672	
AR MN CR V MN	11 11 11 11	2831.679 2831.73	2830.834 2830.848 2830.90 2830.902 2830.914	5 30 2 15 20	14.	506 328 341 782 328		NI CR NE KF CU	11 1 1 11	2833.625 2833.753	2832.791 2832.794 2832.921 2833.00 2833.053	15 8 8 100	89. 10.	835 341 723 488 612	
CU FE V CR NI	11		2830.93 2830.960 2830.97 2831.039 2831.054	3 6 3 12 5	280. 222. 88.	672 896 478 341 835		FE MN NI SC CR	1 11 11	2833.918 2834.003 2834.155 2834.19 2834.20	2833.085 2833.171 2833.321 2833.36 2833.37	10 3 8 1 8	380. 214.	896 148 835 1028 340	
AS FE CO NI TI	11 11 1	2831.9972 2832.088 2832.16 2832.187 2832.23	2831.1643 2831.255 2831.32 2831.354 2831.40	340 6 4 15	19.	425 896 825 835 488		FE FE FE NI	III I I II II	2834.206 2834.235 2834.241 2834.436 2834.532	2833.373 2833.401 2833.408 2833.602 2833.699	20 30 3 2	. 137.	288 896 896 835 835	М
SI FE V NI AL	11	2832.323 2832.394 2832.43 2832.455 2832.540	2831.490 2831.561 2831.60 2831.622 2831.699	80 25 10 30	88. 217. 221.	768 896 478 835 826	н ,	FE MN CO F CR		2834.818	2833.817 2833.853 2833.922 2833.985 2834.043	3 30 40 600	2.	896 328 603 537	, N

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOT
V NI TI NI FE	1V 11 11 11	2834.944 2834.97	2834.089 2834.110 2834.14 2834.172 2834.1728	5 100 10 , 5 6	24. 93.	829 835 488 835 896		CL CO CR TI F	11 11 11 1	2836.44 2836.46 2836.46	2835.606 2835.61 2835.63 2835.63 2835.629	23 2 200 20 700	5. 19.	613 825 340 488 537	
CR CR CU GE NI	II II II II	2835.11 2835.11 2835.113	2834.24 2834.28 2834.30 2834.279 2834.354	60 35 2 50 5	195. 326. 15.	340 340 672 676 835	٠	V FE NI FE NI	1 11 11 11	2836.495 2836.537 2836.545 2836.650	2835.660 2835.661 2835.703 2835.711 2835.816	5 5 10 12 10	56. 216.	1000 896 835 896 835	
AS BR FE FE CO	11 1 1	2835.247	2834.369 2834.41 2834.4133 2834.4194 2834.428	5 0 1 1 50	92. 90. 52.	425 606 896 896 603		FE FE TI FE BR		2836.76 2836.7838 2836.92 2836.939	2835.92 2835.9497 2836.09 2836.107 2836.126	5 110 10 40 50	93. 19. 126.	288 896 488 188 606	
SI NI V NI MN	· I I		2834.525 2834.55 2834.547	3 100 30 15 5	24. 222. 2.	678 835 478 488 328		FE NI O CU O	11 11 11 11	2837.029 2837.09 2837.1241	2836.185 2836.195 2836.26 2836.2900 2836.31	70 2 250 40 10	294.	488 835 86 612 168	
AL TI FE V AS		2835.58	3 2834.7535 2834.88	D 20 10 3 100	19. 159.	826 488 896 1000 425		MN FE TI NI MN	III	2837.149 2837.23 2837.259	2836.310 2836.315 2836.40 2836.425 2836.436	20 5 10 75 3	6. 175. 19.	148 896 488 835 301	
CO FE CU NI CR	1 I 1 I	2835.773 2835.76 2835.804 2835.894 2835.99	2834.939 2834.95 2834.970 2835.060 2835.16	15 3 100 2	88.	825 229 612 835 341	F .	CR FE V TI TI	11 11 11 1	2837.342 2837.360 2837.43	2836.47 2836.509 2836.527 2836.60 2836.60	30 70 50 10 15	214. 294. 61. 19. 24.	340 488 478 488 488	
NE CR MN V	11		2835.236 2835.242 2835.32 2835.35 2835.39	50 7 0 6	55. 222.	796 341 328 478 825		NI CO CO S CU	1	2837.48 2837.48	2836.612 2836.64 2836.64 2836.64 2836.697	1 0 10 300 5		835 603 825 285 612	
CL FE V MN CU] [] []	2836.23 2836.290 2836.30 2836.319 2836.380	2835.47 2835.485	400 15 4 40 3	2. 160.	43 896 478 328 724		C V NI SI NI	11	2837.546 2837.593	2836.710 2836.714 2836.758 2836.765 2836.857	1000 3 2 1 15	6.	287 1000 835 678 835	

τ	۰.
•	٨
è	5

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	TI I	I 2837.730 V 2837.806 V 2837.854 I 2837.986 I 2838.126	2836.898 2836.972 2837.021 2837.154 2837.292	4 25 160 75 7	137.	148 721 720 603 301		V AR MN FE NA	1 11 11 11	2840.305 2840.33 2840.348	2839.43 2839.470 2839.50 2839.513 2339.554	4 10 0 30 40	94. 391.	1000 506 328 896 693	
	SC CU CU I	1 2838.133 1 2838.15 1 2838.18 1 2838.2028 1 2838.250	2837.300 2837.32 2837.34 2837.3683 2837.415	110 2 1 350 20	231. 130.	488 1030 672 612 835	M	SI GE TI FE MN	111 11 11 11 11	2840.634	2839.622 2839.679 2839.70 2839.799 2839.997	40 75 15 20 15	88. 19. 25. 380. 5.	768 676 488 896 148	
	S I CO I	I 2838.39 I 2838.40 I 2838.415 I 2838.437 I 2838.467	2837.56 2837.63 2837.580 2837.603 2837.632	30 300 3 800 3	13.	328 285 825 287 835		CR V AL NI AL	11 11 11 11	2840.93 2840.934 2841.004	2840.01 2840.10 2840.099 2840.168 2840.205	85 10 80 2 7	82. 36. 13.	340 478 198 835 198	
236	NI I AL CR I	I 2838.515 I 2838.604 I 2838.691 I 2838.71 I 2838.79	2837.680 2837.769 2837.856 2837.88 2837.96	3 30 7 20 4	13. 81. 82.	835 835 198 340 340		CR FE MN FE CR	1	2841.179 2841.191 2841.2572	2840.292 2840.344 2840.355 2840.4220 2840.43	7 6 80 12 12	14. 195. 2. 115.	341 896 328 896 340	
	y I FE	1 2838.798 1 2838.886 1 2838.9539 1 2839.050 1 2839.212	2837.963 2838.053 2838.1193 2838.215 2838.377	80 10 140 6 5	13. 35. 44. 380.	198 478 896 896 288		NI CU V FE FE	11 11 11 11	2841.3271 2841.427 2841.484	2840.472 2840.4920 2910.593 2840.649 2840.758	20 40 6 15	36. 217. 280.	835 612 478 896 896	н
	CR		2838.448 2838.491 2838.531 2838.589 2838.66	8 10 4 5 15	88. 160.	896 341 478 288 162	M	V CR CU NI FE	II I II I	2841.715 2841.76 2841.766	2840.825 2840.891 2840.92 2840.930 2840.9367	3 15 10 20 4	178. 88. 66. 123.	478 341 672 835 896	
	SE II MN I CR I FE II	I 2839.51 I 2839.543 I 2839.61 I 2839.757 I 2839.785	2838.68 2838.707 2838.78 2838.924 2838.951	120 40 65 10	250. 68.	587 328 340 188 488		FE MN V CR FE	111 I II II	2841.98	2840.98 2840.983 2841.039 2841.15 2841.354	20 1 50 2 20	61. 196.	288 148 478 340 488	
	CR CL I CR I	I 2839.84 I 2839.846 I 2839.89 I 2840.06 I 2840.188	2839.01 2839.013 2839.06 2839.23 2839.353	0 8 2 12 20	54.	431 341 345 340 835		MN P NI NI CU	111 11 11 11	2842.32 2842.331	2841.469 2841.49 2841.496 2841.611 2841.687	7 00 5 8 2		301 431 835 835 724	

SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE N	NOTES
F NA TI NI V	IV 11 11 11	2842.55 2842.555 2842.749 2842.838 2842.876	2841.72 2841.720 2841.914 2842.002 2842.043	10 120 30 40 2	7. 7. 35.	173 693 488 835 478		NI	11 2844.65 11 2844.663 11 2844.740 1 2844.7563 1 2844.8126	2843.82 2843.827 2843.904 2843.9202 2843.9766	9 30 20 0 320	221. 2. 44.	478 835 835 896 896	
FE V CR SI CO	II II II I	2842.911 2843.121 2843.15 2843.1702 2843.216	2842.076 2842.287 2842.32 2842.3345 2842.382	40 6 5 15 30	196. 228. 82. 127.	488 478 340 608 603		CO NI TI	2844.868 11 2844.87 1 2844.882 11 2844.93 11 2844.953	2844.032 2844.047 2844.09 2844.117	75 10 10 2 20	67. 24. 7.28	835 825 488 488 34	
NI CR NE MN FE	11 11 11 11	2843.252 2843.26 2843.40 2843.44 2843.512	2842.417 2842.43 2842.57 2842.61 2842.677	50 5 166 5 5	54. 250. 279.	835 340 796 328 488		V NI V	11 2844.9649 1 2844.994 11 2845.042 11 2845.05 11 2845.081	2844.1289 2844.160 2844.206 2844.22 2844.246	30 15 30 4 30	16. 37. 221.	867 672 835 478 328	
V NI CR EE BR	11 11 111 111	2843.533 2843,537 2843.61 2843.702 2843.73	2842.699 2842.701 2842.78 2842.869 2842.89	4 2 20 10 85	85. 250.	478 835 340 188 586		CR MN CR	2845.11 1 2845.21 11 2845.386 1 2845.48 1V 2845.519	2844.28 2844.38 2844.550 2844.65 2844.683	8 1. 20 2 110	88.	345 341 328 341 720	
NI FE CR NI MN	11 1 11 111	2843.742 2843.747 2843.752 2843.765 2843.864	2842.906 2842.911 2842.918 2842.929 2843.028	10 2 10 30 30	99.	835 896 341 835 301	M	NI CR V	1 2845.600 11 2845.613 11 2845.66 11 2845.667 1 2845.676	2844.764 2844.777 2844.83 2644.833 2844.842	2 20 3 3 10	181. 169. 65.	148 835 340 478 672	
SE CA NI FE CR	. III III II I	2844.004 2844.025 2844.049	2843.13 2843.169 2843.189 2843.213 2843.24	10 60 5 4 100	5.	587 64 835 896 340	M	V FE 1	2845.70 11 2845.73 1 2845.75 11 2845.793 11 2845.859	2844.86 2844.89 2844.92 2844.957 2845.023	1 10 2 5 10	94. 399.	162 328 1000 896 835	
CO FE AR FE NI	11 11 11 11	2844.08 2844.158 2844.205 2844.320 2844.356	2843.25 2843.323 2843.369 2843.485 2843.520	2 70 30 110 75	231. 294.	825 488 506 488 835		CA 11 ZN 11 CO 1	I 2845.86 I 2845.894	2845.03 2845.058 2845.08 2845.09 2845.20	2 80 1 2 15		341 64 162 825 825	
CO FE NE NI FE	111 1 111 111	2844.43 2844.4666 2844.5 2844.567 2844.613	2843.60 2843.6307 2843.7 2843.731 2843.779	7 140 1 5 40	43. 126.	825 896 1029 835 188	Q	MN I NI I FE I	1 2846.076 I 2846.17 I 2846.213 I 2846.228 I 2846.239	2845.241 2845.33 2845.377 2845.392 2845.402	50 10 75 70 0		478 328 835 488 425	

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET . /	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE
FE FE GE FE	I 1 I 1 I 1	2846.286 2846.311 2846.325	2845.425 2845.450 2845.475 2845.488	8 70 5 3	399. 399. 12.	896 488 676 896		CO AS V NI	11 11 11	2848.24 2848.3080 2848.408 2848.418 2848.470	2847.40 2847.4710 2847.573 2847.581 2847.633	5 80 100 20 0	159.	825 425 478 835 825
NI	. 11	2846.334	2845.498	5		835		CO	11	2848.470	2847.633	U	•	825
GE FE FE	1]	2846.3837 2846.4309	2845.5473 2845.5945	1000 12 100	12. 90. 43.	676 896 896		NI S FE	11 11 11	2848.543 2848.56 2848.610 2848.6565	2847.706 2847.73 2847.773	40 300 8	10. 380.	835 285 896
NI CO:	11 11		2845.601 2845.644	15 15		835 825		AR AS	11	2848.7181	2847.8195 2847.8811	30 50	16.	867 425
FE NI MN] [] []	2846.652	2845.7137 2845.815 2845.846	12 10 20	88.	896 835 328		FE FE FE	1 11 11.	2848.720 2848.889 2848.943	2847.883 2848.052 2848.106	4 8 15	196. 399.	896 896 · 896
AS NI	11	2846.774	2845.937 2845.991	50 5		425 835		cu _.	1 I 1		2848.120 2848.15	7		825 672
CR ·	1		2846.024	12	99.	341		sc	IV	2848.996	2848.159	220		720
MN TI BR	11	2846.93	2846.036 2846.09 2846.127	100 15 220	24. 12.	328 488 488		CR MN BR.	11 111 11	2849.08 2849.085 2849.149	2848.15 2848.248 2848.312	4 2 90	81. 12.	340 301 488
V	ii		2846.29	120	12.	478		FE	iI	2849.157	2848.320	15	391.	896
CR CR	11		2846.32 2846.44	25 30	296. 250.	340 340		N I MG	1 I I	2849.166 2849.179	2848.329 2848.342	2 [.] 80	5.	835 1017
CU	1	2847.313	2346.478 2846.49	15 4	38.	672 341		CR CU	11 11	2849.24 2849.3372	2848.40 2848.5001	20 90	250.	340 612
NE	1	2847.326	2846.490	2		723		co	I	2849.44	2848.61	0		603
V NI	1		2846.600 2846.562	20 50		1000 835		MN FE	- 11T	2849.460 2849.5511	2848.623 2848.7139	3 40	43.	301 896
MN	111		2846.628 2846.70	3 6		301 825		CU V	11	2849.5625	2848.7253 2848.807	90 15	6.	612 1000
CR.	11		2846.70	15	116.	340		FE	-11		2848.899	110	317.	488
MG NI	1	2847.552 2847.640	2846.716 2846.803	60 50	5.	1017 835		NI .ZN	11	2849.758 2849.80	2848.921 2848.96	· 3		835 162
FΕ	- 1	2847.6664	2846.9296	. 6	87.	896		C.	III	2849.887	2849.050	110	24 -	34
MŅ	11		2846.8685 2846.879	40 20		612 328		· v	11	2849.890 2849.921	2849.055 2849 086	40	61.	478 1000
MN	111		2846.887 •	1		301		BR V	11	2849.972 2850.032	2849.135	. 0	6.	606.
L I AR	111	2847.983	2847.022 2847.146	20		309 506		ZN	III	2850.06 ·	2849.197 2849.22	15 30	. 0.	1000 162
FE TI	I I I I I	2848.044	2847.208 2847.26	70 3	197.	488 227		· NI CR .	III I	2850.07 2850.14	2849.23 2849.30	2 8	99.	661 341

SPECT		VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR CO NI CO FE	11 1 11 11 11		2849.33 2849.38 2849.552 2849.56 2849.605	18 2 10 5 4	81.	340 603 835 825 896		CO	I I I I I	2852.498 2852.560 2852.579 2852.58 2852.59	2851.660 2851.722 2851.743 2851.74 2851.75	100 12 15 2 5	5. 391. 38.	1017 896 672 603 825	
AS AS NI CR P	11 1 1 11 11	2850.457 2850.565 2850.659 2850.67 2850.747	2849.619 2849.727 2849.822 2849.83 2849.909	0 2 5 100 1		425 425 488 340 937		V FE CU MN CU	I II II	2852.798 2852.9146	2851.784 2851.7968 2851.8950 2851.957 2852.0766	20 280 50 10 75	6. 44.	1000 896 612 328 612	
BR MN CU CO P	111 11 11 1	2850.882	2849.91 2849.945 2849.9527 2850.047 2850.16	10 15 1. 75 00	106.	586 328 612 603 431			11 111 1 1	2852.93 2852.965	2852.078 2852.09 2852.127 2852.127 2852.13	100 5 3 1000 10	1.	825 162 896 1017 825	м.
V NE FE CR CR	1V V 111 11	2851.123 2851.13	2850.160 2850.3 2850.288 2850.29 2850.46	100 120 3 2	155. 250.	829 885 188 340 341	M	CU NI CR CU NI	11 111 11 11	2853.0167 2853.02 2853.11 2853.2425 2853.271	2852.1786 2852.18 2852.27 2852.4044 2852.433	40 8 25 35 50	250.	612 661 340 612 835	
V FE FE V CR		2851.416	2850.477 2850.581 2850.641 2850.685 2850.72	1 25 1 25 7	35. 255. 184. 228.	478 188 488 478 340		V FE CR CR MN	11 11 11 11	2853.376 2853.444 2853.51 2853.59 2853.608	2852.540 2852.606 2852.67 2852.75 2852.769	30 10 20 7 3	169. 250. 180.	478 896 340 340 328	м
V FE NI CO TI		2851.711 2851.77 2851.782 2851.924	2850.765 2850.873 2850.97 2850.947 2851.087	20 40 2 30 20	85. 2. 16.	478 288 661 603 488		O NA CO FE V	111 11 11 11	2853.63 2853.649 2853.65 2853.702 2853.735	2852.79 2852.811 2852.81 2852.864 2852.899	4 650 4 20 25	1. 219. 91.	168 1019 825 488 1000	P
FE MN V CR	111 11 11	2852.095	2851.130 2851.185 2851.260 2851.35 2851.430	40 80 15 60 5	159. 82. 195.	188 328 478 340 488		FE NA NI ZN FE	I II III	2853.8035 2853.851 2853.871 2853.88 2853.957	2852.9653 2853.013 2853.032 2853.04 2853.119	1 570 10 15 5	89. 1. 294.	896 1019 835 162 488	
SI FE FE MN CR		2852.31	2851.456 2851.47 2851.5094 2851.55 2851.56	2 , 20 5 20 3		678 288 896 328 341		C AR CR FE CR	1 I I I	2853.97 2854.00 2854.02 2854.037 2854.10	2853.13 2853.16 2853.18 2853.199 2853.26	2 0 30 20 30	43. 81. 197. 296.	34 506 340 488 340	

SPECTR	UM	VACUÜM	` AIR	INTENSITY	MULTIPLET	REFERENCE	NOTEC	SPECTR	2188	VACUUM	AIR	***************************************			
4. -		WAVELENGTH	WAVELENGTH					ŞFEGIR	Ota	WAVELENGT'I	WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN NI NI CO V	11 11 11 11	2854,207 2854,245 2854,277 2854,37 2854,380	2853.369 2853.407 2853.439 2853.53 2853.579	30 50 25 6 2		328 835 835 825 1000		CR V V CU FE	I II II V	2856.06 2856.089 2856.135 2856.1595 2856.20	2855.22 2855.252 2855.298 2855.3207 2855.36	4 20 40 30	54. 6. 83.	341 1000 478 612 229	F
AR FE AS MN CU	IV II III III	2854.48 2854.523 2854.555 2854.566 2854.5789	2853.64 2853.6838 2853.717 2853.728 2853.7404	8 5 70 4	88.	108 896 425 301 612	F	CR AS NI TI V	11 11 11 11	2856.27 2856.275 2856.320 2856.33 2856.355	2855.43 2855.436 2855.481 2855.49 2855.518	8 50 8 1 6	250. 24. 77.	340 425 835 488 1000	
V CR FE V ZN	11 11 . I 1	2854.597 2854.60 2854.6130 2854.66 2854.68	2853.761 2853.76 2853.7716 2853.82 2853.84	4 8 6 3 15	132. 161. 159. 68.	478 340 896 1000 162		NI CR FE V S	11 11 11 11	2856.396 2856.51 2856.528 2856.657 2856.86	2855.557 2855.67 2855.689 2855.739 2856.02	30 100 8 2 400	5. 196. 68. 15.	835 340 896 1000 323	н
NI CR TI CR GE	II II II	2854.729 2854.73 2854.760 2854.78 2854.808	2853.890 2853.89 2853.922 2853.94 2853.970	5 8 10 8 75	99. 7. 14. 19.	835 341 488 341 676		AS CO CO FE SC	II II II IV	2856.871 2856.88 2856.98 2856.986 2857.001	2856.032 2856.04 2856.07 2856.147 2856.162	1 1 7 4 1	195.	425 603 825 896 720	
V C CR MN MN	111 111 111 111	2854.894. 2854.97 2854.98 2854.980 2854.980	2854.057 2854.13 2854.14 2854.141 2854.142	4 1 20 7 20	68. 43.	1000 34 340 301 328		CU TI MN NI CR	11 11 11 11	2857.0501 2857.08 2857.080 2857.099 2857.16	2856.2111 2856.24 2856.240 2856.260 2856.32	2 25 40 5 20	24. 81.	612 488 328 835 340	
FE NI CR NI MN	III II II II	2855.026 2855.038 2855.07 2855.098 2855.15	2854.190 2854.200 2854.23 2854.259 2854.31	40 75 3 30 40	161.	188 835 340 835 328		NI FE NI CR NA	III II II II	2857.18 2857.216 2857.237 2857.26 2857.39	2856.34 2856.377 2856.398 2856.42 2856.55	5 12 8 4 10	380. 82.	661 896 835 340 693	
V NI CR NE CR	11 11 1 1	2855.172 2855.413 2855.42 2855.45 2855.49	2854.335 2854.575 2854.58 2854.61 2854.65	120 3 5 1 3	159. 161.	478 835 340 1029 340	Q.	TI CU CR BR FE	II II II	2857.455 2857.497 2857.61 2857.627 2857.747	2856.616 2856.660 2856.77 2856.788 2856.908	2 2 40 0 30	20# 11. 399.	488 672 340 606 896	
CU MN CR CU MN	11 11 11 11	2855.8247 2855.853 2855.89 2855.932 2856.040	2854,9860 2855,014 2855,05 2855,093 2855,200	10 40 35 2 50	214.	612 328 340 612 328		P P CO C MN	111 1V 1 111 111	2857.797 2857.80 2857.82 2857.852 2857.866	2856.958 2856.96 2856.98 2857.013 2857.027	4 40 0 5	26.	936 937 603 34	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
F II FE CO	2858.014 1 2858.015 1 2858.04 1 2858.04 v 2858.07	2857.174 2857.176 2857.20 2857.21 2857.23	5 50 1 1 40	294. 123.	896 537 605 603 937		NI FE CR V CU	1 I 1 I 1 I 1 I	2859.7353 2859.75 2859.839	2858.839 2858.8956 2858.91 2859.001 2859.0053	15 12 75 4 65	2. 5. 68.	835 896 340 1000 612	
SI I AR I MN II CR I NI I	I 2858.117 I 2858.17 I 2858.24	2857.231 2857.278 2857.33 2857.40 2857.408	1 5 1 40 100	17.02	678 506 301 340 835		NI N AS FE SC	11 V 11 111	2860.00 2860.112 2860.13	2859.101 2859.16 2859.272 2859.29 2859.32	3 60 0 5 2	56.	835 313 425 288 1028	
FE 1 V 1 CU 1 ZN 11 CU 1	I 2858.28 I 2858.281 I 2858.43	2857.415 2857.44 2857.442 2857.59 2857.7485	.70 1 2 10	195.	488 478 612 162 612		FE NA NI ZN FE	111 11 111 111	2860.319 2860.352 2860.44	2859.47 2859.481 2859.492 2859.60 2859.608	5 60 20 1 20	6.	288 693 835 162 268	
FE NI I V	1 2858.63 1 2858.650 1 2858.709 1 2858.810 1 2858.82	2857.79 2857.810 2857.870 2857.972 2857.98	15 4 1 20 0	77.	601 896 835 1000 603	м	CD MN MN V	I II II I	2860,50 2860.67 2860.7593	2859.654 2859.65 2859.83 2859.9193 2859.997	40 20 1 15 25	52. 106. 6.	603 328 328 612 1000	
CO I	1 2858.83 1 2858.835 1 2858.84 1 2858.840 1 2858.843	2857.99 2857.996 2858.00 2858.000 2858.002	20 1 5 4 20	207. 55.	340 378 825 287 328		MN CD NI NE ZN	11 111 11 VIII III	2860.86 2860.868 2860.9	2859.99 2660.03 2860.028 2860.1 2860.1	1 5 5	27.	328 673 835 1011 162	
N CU FE I	I 2858.860 V 2858.87 I 2859.063 I 2859.177 I 2859.180	2858.020 2858.03 2858.225 2858.340 2858.340	50 40 50 550 25	56. 36. 279. 195.	1016 313 672 488 896	н	NI AS FE CU F	11 11 11 11	2861.039 2861.046 2861.0894	2860.126 2860.199 2860.206 2860.2494 2860.326	30 5 0 10 700		835 425 378 612 537	
SI I FE I	2859.238 1 2859.354 1 2859.356 11 2859.469 11 2859.48	2858.399 2858.514 2858.519 2858.629 2858.64	8 1 · 40 5 30	6. 17.02 354. 399.	488 678 488 896 340		AS MN CL NI AR	1 11 11 11	2861.469 2861.55 2861.572	2860.44 2860.628 2860.71 2860.732 2860.742	100 20 10 100 30	16. 106.	480 328 345 835 506	
FE II CU R I	I 2859.493 II 2859.501 I 2859.572 II 2859.59 I 2859.624	2858.655 2858.664 2858.734 2858.75 2858.75	30 120 140 0 10	5. 126. 17. 77.	148 188 672 431 1000		TI CR NA C FE	11 11 11 11	2861.76 2861.844 2861.900	2860.79 2860.92 2861.006 2861.060 2861.187	4 85 4 10 40	5. 55. 61.	601 340 693 287 488	

	SPECTR	UM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENȘITY	MULTIPLET	REFERENCE	NOTES
i	MN TI MN CO GE	11 11 11	2862.129 2862.143	2861.25 2861.291 2861.303 2861.351 2861.4	0 3 30 15 5	16. 109.	328 488 328 603 676		V N 3	1	2863.75 2863.914 2864.055 2864.06 2864.2700	2862.91 2863.076 2863.214 2863.21 2863.4292	1 12 3 5 25	77. 87.	478 1000 835 328 896	
	MN	111 11 11	2862.20 2862.225 2862.239 2862.24 2862.275	2861.36 2861.385 2861.401 2861.40 2861.435	25 2 5 10 25	84.	301 835 478 173 937		CO	1 11 I 1	2864.322 2864.322 2864.37 2864.377 2864.389	2863.482 2863.484 2863.53 2863.538 2863.548	30 4 500 3 6	99. 15.	835 341 323 603 825	
	O MN: V FE TI	II	2862.38 2862.380 2862.515 2862.741 2862.83	2861.54 2861.540 2861.677 2861.903 2861.99	25 50 1- 5 20	108. 280.	168 328 1000 488 601	P	MN	11 11 11	2864.39 2864.46 2864.51 2864.540 2864.549	2863.55 2863.62 2863.67 2863.699 2863.707	14 0 2 100 .15	26 . °	345 328 1028 835 328	
	FE MN' P P CL	1 11 111 1V	2862.837 2862.864 2862.893 2862.893 2862.90	2861.996 2862.023 2862.053 2862.053 2862.06	0 2 60 F 10		378 328 936 937 345		C V MN SE FE	11 1	2864.553 2864.63 2864.665 2864.68 2864.7044	2863.712 2863.79 2863.827 2863.84 2863.8635	70 2 2 150 15	37,	34 478 148 587 896	
	NE CU N V	111 111	2862.908 2862.91 2863.02 2863.149 2863.1639	2862.070 2862.07 2862.18 2862.310 2862.3234	8 5 250 20 20	26. 159.	723 672 521 478 612		NI FE SC FE V	11	2864.865 2864.973 2864.99 2865.206 2865.225	2864.024 2864.134 2864.15 2864.367 2864.386	220 40 1 20 30	67. 380. 195. 6.	835 488 1028 488 1000	
	TI MN FE V FE	. 1	2863.18 2863.229 2863.246 2863.255 2863.3345	2862.34 2862.408 2862.405 2862.418 2862.4939	30 40 5 10 15	16. 106. 68. 43.	498 328 258 1000 896		SE CO V AR NI	II.	2865.27 2865.29 2865.356 2865.434 2865.591	2864.43 2864.45 2864.517 2864.593 2864.750	150 2 30 5 10	158.	587 825 478 506 835	
	FE	111	2863.352 2863.41 2863.437 2863.441 2863.564	2862.511 2862.57 2862.596 2862.602 2862.723	5 125 60 50 20	1.	288 340 721 603 835		MN NI FE MN CR	11 11 11 11	2865.807 2865.853	2864.804 2864.954 2864.968 2865.012 2865.10	50 5 70 1 150	294. 109. 5.	328 835 488 328 340	
	CO MN MN F P	11 XII III	2863.606 2863.66 2863.7 2863.703 2863.723	2862.768 2862.82 2862.9 2862.862 2862.882	9 - 15 450 10		603 328 726 537 937	F	CL MN FE CR CO	11	2866.020 2866.030	2865.153 2865.182 2865.191 2865.34 2965.38	16 40 3 30 5	109. 11.	613 328 605 340 825	N

															٠	
ECTR	υM	VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	UМ	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
			400	20	391.	488 ·		ZN		2868.0	2867.2	. 0	•	162		٠
	11	2866.312 2866.337 2866.34	2865.473 2865.498 2865.50	20 5 1	26.	488 825		F FE	111	2868.130 2868.1508	2867.288 2867.3091	150 15	.93.	536 896		
	111		2865.54 2865.60	25 10	88.	188 328		CO FE	I I	2868.303 2868.4032	2867.463 2867.5614	4 10	90.	603 896		
}	ΙV	2866.45	2865.61	50		574 586		· MN CU	1 I 1	2868.45 2868.473	2867.61 2867.633	0 1 ·		328 . 672		
₹	111	2866.47 2866.49	2865.63 2865.65	30 20 300	326.	340 537		CR NI	1 I 1 I	2868.49 . 2868.616	2867.65 2867.774	100	5.	340 835		
R	111	2866.521 2866.6846	2865.680 2865.8432	40		867		FE	'n	2868.7207	2867.8788	4	91.	896		
R .	11		2865.87 2866.04	50 4	265.	340 1028		CU CR	111	2868.761 2868.78	2867.916 2867.94	3 4	180.	724 340		
C ;	111 V		2866.074 2866.10	150		936 22 9	F	MN FE	11	2868.831 2868.886	2867.989 2868.046	40-	108. 256.	328 488		
N	111		2866.16	10		162		MN	11	2868.937	2868.095	10	106.	328	,	
E	11		2866.201 2866.271	5 5	•	896 612		V FE	I III	2868.970 2868.976	2868.130 2868.136	20 60	98. 155.	1000 188	_	
U IN E	11	2867.18	2866.34 2866.385	30		328 378		AR MN	. IV	2869.00 2869.00	2868.16 2868.17	5	106.	108 328 825	. F.	
Š.		2867.291	2866.449	5		425		20	11	2869.01	2868.17	O				•
, KN	1		2866.447 2866.52	20 ⁻ 30	77.	· 1000 328		FE TI	1 11	2869.0559 2869.14	2868.2140 2868.30	. 0	142. 24.	896 488		
II CA	111	2867.368	2866.526 2866.538	3 460	11.	835 64		CL FE	11	2869.234 2869.286	2868.392 2868.446	. 67 . 70 . 6	353. 135.	613 488 896		
Ö	11		2866.548	. 2		825		FE	I	2869.2955	2868.4534	•				
/ E	I		2866.620 2866.6249	15 30	98. 43.	1000 896		CR CU	11	2869.31 2869.310	2868.47 2868.470	2 10	332.	340 672		
AN AE	111	2867.485	2866.646 2866.65	100		148 1031	м	CR TI	11	2869.47 2869.572	2868.732	4 15 5	. 332. 5. 76.	340 488 488		
io.	.1.1		2866.68	.		825		N1	I .	2869.579	2868.739		,	•		
SC CR	; il		2866.71 2866.72	2 100	5.	1028 340		CU FE	1 I I I	2869.6336 2869.714	2868.7915 2868.874	-110 7	61. 5.	612 488 148	н	
CR FE FE	111	2867.561 2867.641	2866.72 2866.719 2866.799	· 12	•	896 288	M	MN	I II		2868.880 2868.898 2868.98	40 5	106.	328 808		
NI.	1	2867.689	2866.848	5	۲,	835		AL	İV	2869.82	2800.98		÷i,			
V BR	1		2866.971 2867.002	10 300	10.	1000 488		V NI	11	2869.978	2869.131 2869.136	150 75		478 835 488		
R .	i .	2867.876	2867.037 2867.09 2867.137	° 250 65	11.	606 340 835		FE FE Mn	11 1	2870.072	2869.156 2869.230 2869.252	70 10 · 50		488 896 328	M	

:	SPECTR	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	M	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
, F	F AR FE V MN	111 I I I I I I	2870.1497 2870.324	2869.27 2869.283 2869.3075 2869.484 2869.504	1 10 50 3 3	2. 67.	537 506 896 1000 301		CR AR NA CD FE	I II VI I I	2871.863 2871.865 2871.9 2871.90 2871.900	2871.023 2871.022 2871.1 2871.06 2871.059	3 10 1 160	60. ,	341 506 108 603 488	F
N F	NI CR MN FE CR	11	2870.365 2870.45 2870.463 2870.534 2870.56	2869.522 2869.61 2869.620 2869.694 2869.72	140 3 40 20 3	332. 109. 257. 332.	835 340 328 488 340	·	FE CO	II II II II	2871.945 2871.966 2872.053 2872.111 2872.115	2871.102 2871.125 2871.213 2871.270 2871.273	5 160 25 60	230.	835 488 825 693 896	·M
F 8 M	E E E E E E E E E E E E E E E E E E E	I II II II	2870.64 2870.668 2870.675 2870.73 2870.770	2869.80 2869.826 2869.835 2869.89 2869.928	2 5 0 8 5	142.	672 896 606 328 825		F.CR	I II II II	2872.15 2872.242 2872.24/ 2872.29 2872.304	2871.31 2871.399 2871.404 2871.45 2871.463	1 10 250 20 4	174. 295. 151.	605 506 538 340 478	
N V F		III II III III	2870.787 2870.798 2870.798 2870.841 2870.85	2869.945 2869.956 2869.957 2869.999 2870.01	520 40 10 250 10	7. 12.	64 1016 478 537 341		V MN CR.	1 I 1 I I I I I	2872.371 2872.384 2872.426 2872.469 2872.521	2871.527 2871.543 2871.563 2871.628 2871.677	40 3 1 22 30	109. 131. 12. 106	328 478 148 341 328	
T V M N	N I	II II II	2870.88 2870.88 2870.929 2870.944 2870.951	2870.04. 2870.04 2870.085 2870.101 2870.111	25 5 220 10 9	67.	488 1000 328 835 478	N	FE I S I SE	I II II II.	2872.57 2872.741 2872.828 2872.84 2872.92	2871.73 2871.898 2871.985 2872.00 2872.08	1 8 5 200 50	149. 15. 19.	605 835 288 323 468	
S C F N C	R E I	111 111 111 11	2871.01 2871.016 2871.06 2871.190 2871.27	2870.17 2870.175 2870.22 2870.348 2870.43	150 10 40 10	55.	587 341 288 835 340		NI II	II 11 11 1	2872.996 2873.02 2873.051 2873.12 2873.1768	2872.153 2872.18 2872.208 2872.28 2872.3338	20 5 100 2 50	43.	835 162 835 341 896	
MI CI AI V	N D R	I I II I	2871.30 2871.305 2871.346 2871.383 2871.415	2870.46 2870.464 2870.506 2870.540 2870.575	1 1 3 10 35	6.	1030 148 603 506 1000	M	MN I CD FE BR I	II II I II II	2873.223 2873.243 2873.38 2873.3417 2873.379	2872.382 2872.400 2872.497 2872.4987 2872.538	360 40 15 0 350	230. 69. 107. 177.	488 328 603 896 488	
FI MI MI SC NI	N .	II II II II	2871.448 2871.523 2871.662 2871.74 2871.800	2870.608 2870.680 2870.818 2870.90 2870.957	40 15 50 2 5	195. 106. 106.	488 328 328 1028 835		MN NE V I	II I I II	2873.405 2873.424 2873.510 2873.647 2873.779	2872.562 2872.583 2872.666 2872.806 2872.935	3 30 25 1	5.	835 148 896 478 328	

SPECTRUM	VACUUM Wavelengt 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU I NA I NE I P II MN I	I 2873.79 I 2873.8035 I 2873.871	2872.9462 2872.95 2872.9604 2873.028 2873.128	4 1 60 25 30	108.	612 693 389 936 328		MN FE CR SI MN	11 11 111	2875.686 2875.7242 2875.87 2875.93 2876.040	2874.842 2874.8806 2875.03 2875.09 2875.196	30 8 30 7 0	142. 265. 92.	328 896 340 768 328	
BR I	I 2874.022 I 2874.022	2873.136 2873.180 2873.181 2873.216 2873.29	120 30 12 100 0	142. 60. 11. 108.	538 478 341 488 328		CU FE FE F	1 1 1 1 1 1 1 1 1	2876.081 2876.090 2876.1456 2876.17 2876.1780	2875.240 2875.246 2875.3019 2875.33 2875.33	2 4 10 1 4	86•.	672 896 896 537 612	м
CO V FE I	I 2874.134 I 2874.16 I 2874.219 I 2874.240 I 2874.30	2873.293 2873.32 2873.378 2873.399 2873.46	100 5 2 450 65	279. 5.	606 603 1000 488 340	н	FE BR TI MN CO	11 11 11 11	2876.192 2876.214 2876.23 2876.274 2876.28	2875.348 2875.372 2875.39 2875.430 2875.44	8 220 15 40 6	258. 11.	896 483 488 328 825	H N
FE II	I 2874.441 I 2874.4960 I 2874.59 I 2874.636 I 2874.65	2873.598 2873.6527 2873.75 2873.795 2873.81	20 8 4 40 50	158. 155. 11.	328 896 328 188 340		CR CO BR ZN CU	1 11 111 111	2876.28 2876.280 2876.287 2876.37 2876.51	2875.44 2875.438 2875.446 2875.53 2875.67	5 2 150 15 10	54. 66.	341 603 606 162 672	
SC I	I 2874.72 V 2874.741 I 2874.77 I 2874.91 I 2874.92	2873.88 2873.900 2873.93 2874.07 2874.08	0 160 0 8 2	229. 14.	825 720 328 340 488		ZN V FE TI MN	111 111 111 11	2876.52 2876.529 2876.553 2876.63 2876.637	2875.68 2875.687 2875.711 2875.79 2875.793	15 30 10 10 20	12.	162 478 183 601 328	
CO V	I 2875.0159 I 2875.037 I 2875.047 I 2875.052 I 2875.080	2874.1725 2874.196 2874.205 2874.208 2874.240	80 4 5 25	2. 107. 35.	896 603 478 538 34		CO F CR CU NI	II II II I	2876.71 2876.715 2876.81 2876.867 2876.932	2875.87 2875.871 2875.97 2876.025 2876.090	5 120 100 2 10	11.	825 538 340 672 488	
NI II C II CR		2874.240 2874.391 2874.430 2874.51 2874.560	160 8 5 10 20	1. 22. 66.	488 661 34 340 672		ZN P CR O CR	III II II II	2876.94 2876.997 2877.08 2877.139 2877.14	2876.10 2876.153 2876.24 2876.294 2876.30	10 15 60 100	5. 30.0 288.	162 496 340 210 340	
SI I C I	2875.4259 11 2875.470 11 2875.566 V 2875.6 11 2875.636	2874.626 2874.722 2874.8	40 25 40 70 200	92. 22.	867 768 34 885 538	M	NE MN CO CC	11 11 11 11	2877.173 2877.176 2877.225 2877.24 2877.242	2876.329 2876.331 2876.383 2876.40 2876.398	80 10 3 4 35	•	1016 328 603 825 613	

	ŞPE(CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
													,		
	NE F CU CR	11	2877.324 2877.468 2877.50	2876.468 2876.480 2876.624 2876.66	70 150 5 20	263.	1016 - 538 724 340		AS I V I CR I	2879.856 1 2879.877 1 2880.000 1 2880.01	2879.013 2879.033 2879.158 2879.17	2 1 40 10	154. 12. 56.	478 425 • 478 340	
	FE	1	2877.569	2876.725	. 1		378		FE I	2880.084	2879.241	70	278.	488	
	FE CD AL CO AR	1		2876.804 2876.82 2876.819 2876.86 2876.889	D 2 5	257.	896 603 826 603 506		CR ZN II AR I MN I NI I	2880.172 2880.22	2879.27 2879.31 2879.327 2879.37 2879.382	22 10 40 1 10	. 12	341 162 506 328 835	
	V CU CU ZN F	. 11		2876.939 2877.019 2877.101 2877.25 2877.300	9 2 5 1	82.	478 612 672 162 537		MN 1 CL I FE 1 CO	2880.3018 2880.327 2880.34 2880.386 2880.455	2879.4570 2879.482 2879.50 2879.543 2879.612	0 220 4. 20 25	136. 61. 230.	896 328 345 488 603	
246	FE TI P AS N	111	2878.1449 2878.260 2878.370 2878.3913 2878.525	2877.3007 2877.418 2877.525 2877.5470 2877.681	40 30 90 125 70	86. 14. 32.	896 488 936 425 200		CR I FE CU	2880.48 2880.52 2880.586 2880.586 2880.596	2879.64 2879.68 2879.741 2879.743 2879.751	5 3 0 2 70	32.	288 340 378 672 200	
	V CU AL CR V	II II III II II	2878.5441 2878.692 2878.81	2877.689 2877.6998 2877.815 2877.97 2878.028	60° 600 D 60° 7	82. 174. 5. 142.	478 612 826 340 478	·	CL I MN I FE I	1 2880.67 1 2880.68 1 2880.692 1 2880.692 1 2880.75	2879.83 2879.84 2879.847 2879.849 2879.90	15 6 .100 1 30	69. 293.	162 345 328 488 537	
	NI NE V AS CR	11	2878.889 2878.960 2879.141 2879.184 2879.29	2878.045 2878.116 2878.299 2878.340 2878.45	20 5 3 5 50	168.	835 1016 478 425 340		V I V I CR I	2880.78 2880.81 2880.869 2880.92 2880.936	2879.94 2879.97	3 150 2 2	82. 12.	328 488 478 340 825	P
	CO O P FE CU	1 1	2879.44 2879.474	2878.558 2878.59 2878.629 2878.762 2878.86	12 1 4 1 5	127.	603 168 936 378 672	Р	MN TI I NE	1 2880.979 2881.113 2881.12 2881.133 2881.180	2880.136 2880.270 2890.28 2880.290 2880.337	1 1 3 3 10	308. 20.	488 148 488 723 606	
	O FE O O NI	I I I	2879.776 2879.7962 2879.822 2879.835 2879.841	2878.931 2878.9516 2878.977 2878.990 2878.998	4 200 15	30.0 136. 30.0 30.0	210 896 210 210 488		CR	2881.2211 2881.256 2881.26 2881.26	2880.3761 2880.410 2880.42 2880.5791	125 - 10 - 2 - 5	43.	425 328 341 896	

					•										
PECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC1	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
			•					• • • • • • • • • • • • • • • • • • • •			hooo oo		4.0		
FE MN NI	11 11 11	2881.602 2881.604 2881.626	2880.7004 2880.757 2880.758 2880.781 2880.79	20 5 12 1	61.	612 896 328 835 825	н	CU F NI S CU	II	2883.777 2883.83 2883.841 2884. 2884.034	2882.934 2882.99 2882.996 2883. 2883.189	390 1 2	16.	672 173 835 107 612	N
						478		FE ·	111	2884.066	2883.220	5	• •	288	
V FE CR S CU	11 11 11 11	2881.676 2881.70 2881.84	2880.831 2880.86 2881.01	15 4 75 300 10	142. 258. 11. 10.	896 340 . 285 612	н	CR CO CO	I I I I	2884.14	2883.39 2883.39 2883.602 2883.603	2 4 .		341 825 603 825	
MN	11	2881.968	2881.122	80		328		F	11		2883.662	1		538	
CR NA ZN NI	1 11 111	2881.98	2881.14 2881.140 2881.19 2881.188	12 90 10 5	60. 8.	341 693 162 835		FE O	1 . 1	2884.556 2884.5533 2884.655 2884.657	2883.711 2883.7475 2883.809 2883.811	8 8 100 8	230. 167. 30.0	896 896 210 835	
NI ·	11	2882.100	2881.255	2	25.	835		P	111		2883.819	150		936	
NE FE NI FE	. I I I	2882.12 2882.34 2882.388	2881.28 2881.50 2881.543 2881.578	. 1 15 12		1029 229 835 896	F M	AS Mn O Zn	11 11 111	2884.671 2884.702	2883.820 2883.825 2883.855 2883.92	0 100 200 5	69. 30.0	. 425 328 210 162	
SI		2882.4244	2881.5792	1000	43.	608		NI	11		2883.986	1		835	
CA FE NE CR	111	2882.627 2882.645	2881.782 2881.801 2881.852 2881.86	580 1 2 55	7. 293. 302.	64 488 723 340		CL V CO TI	11 11 1. 11	2884.908	2884.022 2884.064 2884.074 2884.099	41 6 1 70	197. 14.	613 478 603 488	
co	,	2882.719	2881.876	5	137.	603		MN	11	2885.009	2884.162	. 80	60.	328	
CR MN ZN CO	11 11	2882.75 2882.89 2883.021	2881.91 2882.04 2882.177 2882.219	45 0 50 30	206. 141.	340 328 154 603		Р	11 11 111 11	2885.08	2884.1955 2884.23 2884.237 2884.246	275 0 4 70	164.	612 431 936 200	
						835		FE .	11	2885.115	2884.269	5	442.	896	
NI V FE	11 11 11	2883.337	2882.317 2882.493 2882.506	50 120 6	12. 442.	478 896		SC MN	1 1 1	2885.14 2885.154	2884.30 2884.307	1 3	* .:	1030 328	M
FE MN	11	2883.480	2882.634 2882.648	0	· · · · · · · · · · · · · · · · · · ·	378 328		AS N	11	2885.2520 2885.284	2884.4060 2884.439	340	32.	425 521	Р
P		2883.540	2882.695	120		936		CR MN	11	2885.45 2885.53	2884.61 2884.68	1 . 5		340 328	
CR NI E	11	2883.60 2883.678 2883.71	2882.76 2882.832 2882.86	3 2 12	55.	341 835 537 148		N P CR	11 11	2885.531	2884.685 2884.70 2884.74	20 0 5	32.	200 431 490	

SPECTR		VACUUM WAVELENGT:H	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM LVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES
CU FE N V C	II IV II II	2885.6022 2885.611 2885.62 2885.620 2885.654	2884.7562 2884.765 2884.77 2884.776 2884.808	2 5 70 150 40	399. 21. 12. 54.	612 896 824 478 287		MN CO	II II I	2887.49 2887.51 2887.518 2887.70 2887.76	2886.65 2886.66 2886.671 2886.86 2886.90	2 220 2 100	54. 60.	341 375 328 603 285	P
CR GA CR SC MN	II II II II	2885.67 2885.67 2885.82 2885.93 2885.979	2884.83 2884.83 2884.98 2885.09 2885.131	4 1 2 1 125	74. 69.	341 652 340 1030 328	м	CR CO BR	I I II	2887.811 2887.840 2887.99 2888.002 2888.002	2886.967 2886.995 2887.14 2887.156 2887.158	10 25 1 100 8	154. 12. 154.	478 341 603 606 478	
HE NI N CR CO	I II II I	2886. 2886.100 2886.119 2886.13 2886.151	2885. 2885.253 2885.273 2885.29 2885.307	2 8 160- 10 3	32.	126 835 200 340 603		P I FE FE,	II II I	2888.032 2888.075 2888.157 2888.2048 2888.205	2887.186 2887.228 2887.312 2887.3580 2887.358	30 40 40 2 5	257. 150. 17.01	425 936 488 896 678	
F CU MN C ZN	11 11 11 111	2886.249 2886.252 2886.30 2886.315 2886.33	2885.403 2885.408 2885.46 2885.469 2885.49	4 5 2 90 5	54.	538 672 328 287 162		TI SI AR	I I I I I I	2888.248 2888.301 2888.358 2888.378 2888.422	2887.401 2887.456 2887.511 2887.531 2887.575	110 2 10 20 600	14. 17.01	613 488 678 506 537	
MN MN MN P	11 11 11	2886.429 2886.56 2886.66 2886.729 2886.74	2885.583 2885.71 2885.82 2885.883 2885.90	10 2 0 10 4		328 328 328 496 168	м	V V CR	I II II	2888.52 2888.551 2888.59 2888.61 2888.65	2887.67 2887.707 2887.75 2887.77 2887.81	50 2 1 20 1	5. 302.	154 1000 478 340 825	
FE MN MN F F	11 11 111 111	2886.779 2886.79 2886.96 2886.96 2886.963	2885.933 2885.95 2886.11 2886.12 2886.117	2 2 0 1 1	317.	896 328 328 537 538		MN O FE	II II I	2888.6516 2888.735 2888.76 2888.8033 2888.942	2887.8048 2887.888 2887.91 2887.9565 2888.095	15 100 25 1 4	167. 61. 149. 215.	896 328 168 896 896	M
SI FE NA FE MN	II II II	2886.989 2887.079 2887.094 2887.1624 2887.18	2886.133 2886.234 2886.249 2886.3159 2886.34	1 40 40 6 3	17.01 229. 87.	678 488 693 896 328		TI I WN	I I I I I I	2888.98 2888.99 2889.089 2889.090 2889.14	2888.14 2888.14 2888.244 2888.243 2888.29	1 3 80 30	82.	468 227 478 328 606	
V CR CO GA CL	11	2887.213 2887.22 2887.289 2887.30 2887.48	2886.367 2886.38 2886.444 2886.45 2886.63	1 7 50 1 6	264. 1.	782 340 603 652 345		SC CR CR	IV . II	2889.15 2889.150 2889.17 2889.22 2889.26	2888.31 2888.304 2888.33 2888.38 2888.42	10 1 2 7	27. 160. 13.	673 720 340 341 375	Р

	ŞPECTRUM		VACUUM KAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU	M • 1	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN I V TI	11 11 11	2889.368 2889.47	2888.414 2888.52 2888.523 2888.62 2888.73	30 1 2 10 40	5. 238.	1016 301 1000 488 340	N	GE V V TI MN		2891.30 2891.398 2891.41 2891.44 2891.500	2890.45 2890.553 2890.56 2890.59 2890.652	10 5 5 8 20	142.	676 478 1000 601 328	
	V MN Ti	II II II II	2889.62 2889.662	2888.736 2888.77 2888.815 2888.923 2888.988	1 15 15 15 5	317. 107. 5. 229.	488 782 328 488 488		CR CU FE CO N	I I II II	2891.583 2891.69 2891.7038 2891.78 2891.894	2890.738 2890.84 2890.8562 2890.93 2891.046	10 50 1 1 40	74. 56. 184. 32.	341 672 896 825 200	
	CR CR MN	II	2890.064 2890.133 2890.157	2889.19 2889.219 2889.294 2889.312 2889.36	35 10 25 0 40	11. 12. 107.	340 341 341 328 721		TI CR CR NI MN	II II II II	2891.896 2891.91 2892.05 2892.078 2892.180	2891.050 2891.06 2891.20 2891.231 2891.332	15 25 20 3 140	5. 240. 238. 69.	468 340 340 835 328	
249	F I CR TI I	11 11 11 11	2890.297	2889.42 2889.450 2889.50 2889.50 2889.520	0 700 35 7 220	107. 207.	328 537 340 227 328	н	CR FE CR V NE	1 I 1 I I I I	2892.25 2892.2512 2892.27 2892.276 2892.313	2891.40 2891.4035 2891.42 2891.430 2891.465	20 1' 15 2 5	194. 89. 60.	340 896 341 1000 1016	
٠	MN V I N	II II II II	2890.447 2890.459	2889.56 2889.600 2889.614 2889.703 2889.82	M 220 100 3 25	60. 12. 160.	825 328 478 835 340	H .	N CU AR V MN	11 11 11 11	2892.333 2892.4565 2892.4602 2892.482 2892.489	2891.486 2891.6088 2891.8125 2891.636 2891.643	1 160 150 5	32. 15. 12.	512 612 867 478 328	Ρ
		I I II II	2890.711	2889.95	3 2 4 8 5	149. 142.	603 896 896 825 896	М	CU FE FE MN CR	I I I I I I	2892.49 2892.535 2892.5546 2892.61 2892.72	2891.64 2891.688 2891.7068 2891.76 2891.87	30 3 3 5 20	58. 183. 291.	672 896 896 328 340	M
	P AS V	1 Í	2890.87 2890.9874 2890.989	2890.000 2890.02 2890.1400 2890.144 2890.	25 1 310 7	142.	188 496 425 478 107		FE MN V N BR	I I I VII	2892.753 2892.791 2892.823 2892.9 2892.926	2891.905 2891.945 2891.977 2892.0 2892.079	4 2 2 150		896 148 1000 309 606	
	CR CR MN FE CO	I I I I	2891.00 2891.20	2890.16 2890.35 2890.388 2890.414 2890.436	12 1 1 1 20	74.	341 341 148 378 825		FE CO FE CO MN	11 111 111	2893.062 2893.087 2893.164 2893.18 2893.235	2892.215 2892.242 2892.318 2892.34 2892.388	25 25 M	308.	488 603 188 825 148	

	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	MN O V FE MN	11 11 1	2893,27 2893,280 2893,3259	2892.389 2892.42 2892.434 2892.4779 2892.493	220 4 150 6 5	61. 12. 142.	328 168 478 896 148	P	NE V MN FE CR	IV I II II		2894.6 2894.563 2894.625 2894.779 2894.81	43 8 10 3 18	5. 20. 230. 160.	885 1000 148 896 340	М
	FE AS V MN CR	111 11 11 1	2893,443 2893,496 2893,503	2892.524 2892.595 2892.650 2892.657 2892.74	20 10 200 20 18	12. 5.	288 425 478 148 340		V MN AS CR FE	II II II	2895.679 2895.751 2895.855 2895.87 2895.8833	2894.833 2894.901 2895.007 2895.02 2895.0347	. 3 100 8 18 40	61. 160. 87.	478 328 425 340 896	
	TI MN FE N BR	1 11 11 11	2893.629 2893.669 2893.716	2892.77 2892.781 2892.822 2892.868 2892.919	30 10 40 70 50	61. 31.	488 328 488 200 606	N	FE FE V SI V	11 111 VI VI	2895.919 2895.922 2895.94 J 2895.980 2896.01	2895.071 2895.076 2895.100 2895.131 2895.16	40 150 10 90 4	257. 125. 34.	488 138 782 767 1000	
250	O CR MG MN CR	11 111 111 111	2893.77 2893.80 2894.07 2894.08 2894.102	2892.92 2892.95 2893.22 2893.23 2893.254	10 20 7 1 30	160. 12.	168 340 2 301 341	P	MN FE P FE CO	I III II I	2896.035 2896.069 2896.089 2896.179 2896.181	2895.188 2895.220 2895.241 2095.331 2895.335	8 4 250 1 4	20. 294. 435.	148 896 936 488 603	
* .	V BR V CR NA	11 11 11 11	2894.160 2894.270 2894.32 2894.35 2894.466	2893.314 2893.423 2893.47 2893.50 2893.618	230 600 4 4 4	12. 66. 160.	478 606 1000 340 1019		CO FE F CO CR	11 111 111 1 1	2896.19 2896.310 2896.320 2896.331 2896.35	2895.34 2895.464 2895.471 2895.485 2895.50	M 25 375 20 2		825 188 537 603 341	•
	GA FE FE MN FE	11 111 11 1	2894.50 2894.61:0 2894.638 2894.689 2894.7290	2893.65 2893.7627 2893.792 2893.840 2893.8807	F 8 60 40 8	43. 88.	652 896 188 328 896		V CR CR TI SE	11 11 11 11	2896.455 2896.51 2896.521 2896.66 2896.73	2895.609 2895.66 2895.675 2895.81 \$895.88	4 5 7 M 350	167. 160. 74.	478 340 341 601 468	
	N NA AR FE N	11 11 11	2894.737 2894.793 2894.833 2894.905 2894.949	2893.889 2893.945 2893.985 2894.058 2894.101	5 90 10 20	31. 16. 293. 31.	200 693 506 488 521	P	CO CR V CR FE	1 11 11 111	2896.738 2896.911 2897.045 2897.16 2897.182	2895.891 2896.064 2896.198 2896.31 2896.333	3 6 100 30 5	74. 11. 159.	603 341 478 340 288	
	CR AL CR CR FE	I II II I	2895.014 2895.077 2895.09 2895.25 2895.3523	2894.168 2894.228 2894.24 2894.40 2894.5038	20 15 25 10 50	12. 288. 160. 134.	341 198 340 340 896		N CR AR FE NI	VI II II II	2897.2 2897.30 2897.4092 2897.444 2897.453	2896.4 2896.45 2896.5602 2896.595 2896.604	40 20 0 3	159.	97 340 867 378 835	

ŞPEC	TRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECI	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE
NI S CR AR CR	11 111 11 11	2897.59 2897.5954	2896.641 2896.71 2896.74 2896.7463 2896.756	1 0 35 100 25	15. 97. 12.	835 323 340 867 341		MN FE MN CR MN	II I II II		2898.33 2898.351 2898.531 2898.53 2898.702	5 8 1 50 220	107. 107. 95. 61.	328 896 328 340 328
CU V NE MN F	I II II II	2897.717 2897.852 2897.917	2896.83 2896.870 2897.003 2897.068 2897.118	0 2 20 140 1	50.	672 478 1016 328 538		AS O FE P	111 111 111 111	2899.587	2898.71 2898.74 2898.738 2898.745 2898.77	50 4 5 10 25	16. 352.	480 168 488 496 188
CR CU CR FE	1 11 11 11	2898.049 2898.0698 2898.09	2897.14 2897.200 2897.2207 2897.24 2897.266	2 50 15 10 5	287. 254.	341 563 612 340 896		CO V FE N	- 11 1 11 11	2899.7068	2898.77 2898.822 2898.8573 2898.875 2898.960	3 5 1 40	4. 31.	825 1000 896 521 328
AR MN N D FE	II II II I	2898.275 2898.352	2897.332 2897.428 2897.503 2897.53 2897.637	60 5 70 4 2	20. 31. 142.	506 148 200 168 896		N CR V CR V	11 -11 11 1		2899.086 2899.15 2899.165 2899.203 2899.207	5 25 50 22 20	31. 240. 12. 5.	200 340 782 341 1000
MN CR NE CR FE	I I I I I I I	2898.52 2898.523 2898.58	2897.651 2897.67 2897.674 2897.73 2897.744	1 30 80 20 20	212. 159. 323.	148 340 1016 340 488		FE SE FE NI FE	1 11 11 111 111		2899.258 2899.27 2899.284 2899.327 2899.386	2 10 5 10 40	435. 125.	896 587 488 661 188
MN CR N V CO	11 11 11 1	2898.67 2898.697 2898.746	2897.797 2897.82 2897.849 2897.899 2897.93	15 10 20 7	20. 159. 31. 197.	148 340 521 478 825	P	FE CR V V CU	II IV I	2900.33 2900.425 2900.451	2899.4152 2899.48 2899.575 2899.602 2899.63	25 35 2 30 1	133. 159. 5.	896 340 829 1000 672
NE FE MN NI CU	11 1 11	2898,837	2898.0 2897.983 2897.990 2898.050 2898.05	30 5 10 5 0	435. 20.	885 488 148 835 672	M	CR CD CA CO V	I I I I I I I I	2900.635 2900.667	2899.68 2899.73 2899.785 2899.819 2899.936	10 4 700 25 4	87. 7. 119.	341 603 64 603 478
BE BE NI CR BE	I I I I	2899.037 2899.083 2899.09	2898.127 2898.188 2898.234 2898.24 2898.254	7 3 1 4 15		333 333 835 341 333		BR BR MN BR CR	11 11 11 11	2900.921 2901.004	2899.964 2900.072 2900.154 2900.218 2900.25	350 20 170 250	11. 69. 13.	606 488 328 606 341

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH		MULTIPLET .	REFERENCE	NOTES .	ŞPEC	TRUM	VACUUM . WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	KEIEKENCE	10162
MN CR N NI AR	٧	2905.522 2905.563	2904.665 2904.674 2904.713 2904.7 2904.835	40 12	87. 31.	328 341 521 922 506	P F P	FE V O CR MN	1	2906.971 2906.984 2907.0 2907.02 2907.02	2906.120 2906.134 2906.1 2906.17 2906.17	70 40 10 3	215. 5. 227.	488 1000 309 340 328	· .
NA C V O SE	I	2905.834 2905.85	2904.912 2904.95 2904.985 2905.00 2905.07	120 E 15 10 50	7. 66. 119.	693 821 478 168 468	U	C L BÉ C CO MN	II IV II I	2907.074 2907.14	2906.217 2906.223 2906.29 2906.29 2906.340	130 170 1 4	14.	613 309 35 825 148	
CO CO FE MN F	11 11 11 11	2905.981 2906.036	2905.11 2905.132 2905.185 2905.253 2905.301	4 3 5 40 450	255.	825 603 488 328 537	•	CR MG FE F	111 1 1 11 11	2907.212	2906.34 2906.360 2906.416 2906.424 2906.448	20 7 5 4 150	4.	490 1017 896 538 478	M
V SC MG P CR	1.1 11 11 11	2906.159 2906.27 2906.28	2905.307 2905.308 2905.42 2905.43 2905.477	. 5 3 0 25	12.	478 720 2 431 341		SC MN O AS NE	IV II II II	2907.42	2906.536 2906.564 2906.57 2906.584 2906.592	220 3 25 1 80		720 328 168 425 1016	P
CD AS CR FE CO	11	2906.390 2906.42 2906.42	2905.496 2905.539 2905.57 2905.57 2905.576	1 5 3 1 1	238. 182.	603 425 340 605 603		TI FE CR NE CO	II II II II	2907.592 2907.61 2907.6682	2906.69 2906.741 2906.76 2906.8167 2906.96	20 0 2 80 4	150. 57.	601 378 340 389 825	
V TI CU F SI	1	2906.510 2906.54	2905.609 2905.649 2905.662 2905.69 2905.692	15 50 5 4 500		478 488 672 537 678	. N	AL MN CR AR SE	III	2907.847 2907.85 2907.89	2906.930 2906.994 2907.00 2907.04 2907.06	450 15 4 0 100	315.	826 328 340 506 14	
C FE NI FE MN	I I	2906.566 2906.595 2906.597 2906.65 2906.674	2905.715 2905.744 2905.746 2905.80 2905.825	10 2 5 150	435. 74. 148.	287 896 488 188 148		C CO CR MN MN	11 11 11 1	2907.95 2907.960 2908.06	2907.090 2907.10 2907.111 2907.21 2907.214	4 6 5 3 40	20.	287 825 341 328 148	
NE BR N NI C	11 11 11	2906.70 2906.722 2906.807 2906.815 2906.862	2905.85 2905.871 2905.956 2905.963 2906.011	80 100 2 10	. 31.	1031 606 521 835 287	M P	V NI BR FE FE	11 1 11 111 1	2908.308 2908.326 2908.346	2907.457 2907.457 2907.475 2907.497 2907.5170	120 15 1 250 20	10. 2. 10. 167.	478 488 606 188 896	

	ș pec 1	RUM	VACUUM WAVELENG: I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENȘITY	MULTIPLET	REFERENCE	NOTES
	NI NI CO FE CR	II II III I	2908.520 2908.550	2907.543 2907.642 2907.670 2907.701 2907.704	8 8 1 350 4	125. 87.	835 835 603 188 341		V NE B CO MN	111	2910.857 2910.9133 2910.940 2911.06 2911.092	2910.007 2910.0609 2910.090 2910.21 2910.242	140 90 10 5 3	11.	478 389 531 825 148	
	F FE CU CA MN	111 11 11 111	2908.704 2908.7681 2908.769	2907.77 2907.853 2907.9163 2907.918 2907.993	12 40 10 200 15	60. 5.	537 488 612 . 64 148		CR CO P V NE	1 111 11	2911.102 2911.16 2911.217 2911.230 2911.2599	2910.252 2910.31 2910.365 2910.380 2910.4075	3 1 40 150 90	11.	341 603 936 478 389	
	TI NI NI CR P	11 11 11 11	2909.000 2909.080 2909.14	2908.14 2908.148 2908.228 2908.29 2908.334	4 3 1 10 10	97.	488 835 835 340 496	N :	V MN AS BR CR	11	2911.285 2911.436 2911.460 2911.49 2911.49	2910.435 2910.584 2910.607 2910.64 2910.64	5 10 100 50 30	4. 211.	1000 301 425 586 340	
	BR V NI NI FE	11 11 11 111	2909.29 2909.295 2909.451	2908.408 2908.44 2908.443 2908.599 2908.651	0 20 3 3 60	154. 125	606 478 835 835 188		P FE C TI FE	11 11 11	2911.495 2911.576 2911.581 2911.61 2911.613	2910.643 2910.724 2910.729 2910.76 2910.761	1 20 25 0 40	435. 41. 27. 278.	936 488 287 488 488	
•	O V CR CO FE	11 111 11 11	2909.660 2909.68 2909.70	2908.75 2908.810 2908.83 2908.85 2908.8561	4 260 20 2 8	12.	168 478 490 825 896	P	GA BR CR FE MN	II I	2911.62 2911.632 2911.732 2911.7785 2911.87	2910.77 2910.780 2910.892 2910.9260 2911.02	30 150 25 3 1	12. 168.	652 606 341 896 301	
	CU MN C CR NI	1	2909.728 2909.809	2908.863 2908.878 2908.957 2909.049 2909.127	1 10 10 30 .3	20. 41. 12.	612 148 287 341 835		V AS O NE CR	II II	2911.901 2911.9095 2911.98 2911.991 2911.998	2911.050 2911.0569 2911.13 2911.138 2911.148	160 100 10 80 22	10.	478 425 168 563 341	P
	CR FE NI SI TI	11 11 11 V	2910.1678 2910.180 2910.23	2909.13 2909.3157 2909.328 2909.38 2909.45	2 2 5 100 1	315. 149.	340 896 835 941 601		CU NE CO V CR	I I II	2912.065 2912.313 2912.410 2912.505 2912.54	2911.215 2911.461 2911.560 2911.654 2911.69	30 25 5 7 35	56. 119. 212.	672 723 603 478 340	
	FE MN TI FE CO	1 1 11	2910.480 2910.764	2909.499 2909.630 2909.912 2909.968 2909.984	5 1 7 5	1. 256.	896 148 488 488 603	.W	F O FE MN NE	111 11 11 1	2912.63 2912.65 2912.676 2912.690 2912.719	2911.78 2911.80 2911.823 2911.839 2911.866	4 10 5 1 30	·· 441.	537 168 488 148 1016	P

•

SPECTRU		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	RÉFERENCE	NOTES	SPECTRUM	ភ 1	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	11 111 1 1 1	2912.720 2912.740 2912.820 2912.851 2912.902	2911.867 2911.888 2911.970 2912.000 2912.050	20 25 5 2 200	•	425 936 603 148 613		FE CR V P MN	1 1 1 1 1	2915.28	2914.3038 2914.38 2914.43 2914.433 2914.599	6 2 2 5 240	89. 290.	896 340 1000 496 148	
FE MN FE V	I I I 11	2913.0103 2913.076 2913.1095	2912.072 2912.1574 2912.226 2912.2566 2912.451	400 110 3 1 20	23. 1. 86.	488 896 148 896 782		CO NI B V	I I I I I I I I I	2915.460 2915.549 2915.560 2915.72 2915.74	2914.608 2914.695 2914.710 2914.87 2914.89	7 15 10 10	141. 81.	603 835 531 A78 488	N
CU CR MN P CU	11 11 11 11	2913.65 2913.726	2912.453 2912.53 2912.80 2912.872 2912.916	2 1 0 10 2	97.	612 340 328 496 672		V AR MN NE C	1 11 11 11 v1	2915.774 2915.785 2915.803 2915.976 2916.04	2914.924 2914.932 2914.953 2915.122 2915.19	50 10 2 80	112.	1000 506 328 1016 309	
SC V TI MN NE	11 11 11 11	2913.89 2913.93 2913.98	2913.04 2913.04 2913.08 2913.13 2913.174	3 3 1 60 60	1.	1028 478 488 328 896		CR	11 111 11 111	2916.07 2916.12 2916.13 2916.170 2916.18	2915.22 2915.26 2915.28 2915.316 2915.33	10 5 15 10	227. 27. 239. 4.	340 673 340 309 1000	
AL F BR TI NE	1 111 11 11 11	2914.175 2914.19	2913.267 2913.285 2913.322 2913.34 2913.417	7 ⁷ 600 100 10 2		198 537 606 488 723	N	V CO MG MN CR	1 I 1 I 1 I 1 I	2916.21 2916.306	2915.330 2915.44 2915.453 2915.454 2915.46	30 2 5 3 30	15. 112. 263.	478 825 1017 323 340	
MN MN CR AS MN	11 111 11 11 1	2914.336 2914.35 2914.362	2913.481 2913.483 2913.50 2913.508 2913.518	15 1 10 2 1		328 301 340 425 148		NI CL O AR NI	11 11 11 11	2916.374 2916.39 2916.447	2915.479 2915.520 2915.54 2915.593 2915.646	3 91 4 40 8		835 613 168 506 835	Р
NI MG CR V MN	11 111 11 11	2914.51 2914.567 2914.567	2913.590 2913.66 2913.716 2913.716 2913.724	100 3 20 2 30	26. 87. 119. 111.	835 2 341 478 328		V AR FE V CO	11 111 111 1	2916.821 2916.831 2916.85	2915.875 2915.967 2915.980 2916.00 2916.041	40 10 10 8 1	10.	478 506 188 1000 603	
NI FE CR V	1 I I I	2915.050 2915.075 2915.149	2914.006 2914.197 2914.224 2914.298 2914.299	10 3 3 40 2	1.	488 896 341 478 1000	М	CR TI MN FE CR	11 11 11 11	2916.94 2917.002 2917.004	2916.07 2916.09 2916.150 2916.150 2916.16	10 10 4 20 12	112. 60.		N

1	J
Ċ	n
C	7

	SPECTRUM	VACUÚM WAVELENGTH	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	NE I O I F II MN ZN I	V 2917.15	2916.210 2916.30 2916.344 2916.375 2916.55	40 200 800 1 20		1016 86 537 148 154		V CR CR FE CO	I I I I I I I I	2919.09 2919.14 2919.2068	2918.21 2918.24 2918.29 2918.3525 2918.370	15 4 3 10	204. 179. 134.	478 341 340 896 825	
	CR II CO I CR TI I NI	1 2917.45 1 2917.55 1 2917.55	2916.57 2916.60 2916.70 2916.70 2916.85	40 0 2 1 5		490 825 341 601 602		CO P FE MN P	11 11 11 11	2919.383 2919.430	2918.41 2918.459 2918.528 2918.576 2918.637	12 20 3 10	435.	825 496 896 328 936	,
	FE I CR I CR II AS I CR	1 2917.79 1 2917.87	2916.933 2916.94 2917.02 2917.021 2917.07	20 2 3 190 4	229. 315.	488 340 490 425 341		SC CR NE TI AS	1 V 1 I I 1 I	2919.57 2919.613 2919.62	2918.710 2918.72 2918.758 2918.77 2918.82	220 1 60 2 2	13. 30. 15.	720 341 1016 488 480	
256	FE ·I	I 2917.97 I 2918.02	2917.071 2917.087 2917.12 2917.17 2917.230	4 70 1 7	112. 336. 81	328 488 603 825 478		FE CR NI NA NI	I I I I I I I	2919.788	2918.816 2918.93 2918.934 2919.048 2919.052	4 1 3 60 75	315.	896 340 835 693 835	M
	BR 1 AS I V I CR I FE I	I 2918.211 I 2918.217 I 2918.25	2917.233. 2917.357 2917.365 2917.40 2917.465	600 125 50 1 70	11. 61.	606 425 478 340 488		MN FE MN MG CR	I I II III		2919.122 2919.214 2919.324 2919.35 2919.39	. 4 5 3 2	19. 87.	148 896 328 2 341	M ,
	NA I V NI	2918.35 1 2918.368 1 2918.37 1 2918.38 1 2918.415	2917.50 2917.516 2917.52 2917.53 2917.561	3 60 4 5 8	5.	341 693 1000 602 835		CD P V AS CR	IV II II I	2920.405 2920.497 2920.511 2920.584 2920.59	2919.552 2919.642 2919.656 2919.729 2919.74	30 40 20 1	134.	603 937 782 425 341	
	N I CU I FE 1	1 2918.6305	2917.637 2917.734 2917.7763 2917.876 2917.94	1 5 5 1 8	39. 83.	148 200 612 645		FE NA P CR V	I I I I I I	2920.695 2920.698 2920.718 2920.78 2920.783	2919.840 2919.846 2919.863 2919.93 2919.931	8 10 1 2 6	142. 274. 3.	896 693 936 340 1000	
	BE 1 N 1 SC 1 FE B 1	1 2918.831 V 2918.873 I 2918.878	2917.955 2917.979 2918.021 2918.024 2918.076	160 40 350	39. 182.	309 521 720 896 532	P	NI V FE CU V	II II I II	2920.822 2920.841 2921.14 2921.149 2921.230	2919.967 2919.989 2920.29 2920.296 2920.377	10 50 1 10	11. 136. 60. 10.	835 478 605 672 478	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
F III	2921.311 2921.373 2921.452	2920.458 2920.518 2920.599 2920.6900 2920.695	4	87.	148 537 148 896 936		MN CU	1 I I I I I I I I I I I I I I I I I I I	2923.683	2922.715 2922.71 2922.78 2922.830 2922.86	5 0 0 10 3	101.	1000 825 328 672 406	
CR I F II NA I FE	2921.64 2921.75 2921.763 2921.793 2921.837	2920.79 2920.90 2920.908 2920.941 2920.981	0 4 300 40 4		601 340 537 693 896	M	TI NE P N MN	11	2923.77 2923.855 2923.876 2923.906 2923.998	2922.92 2923.000 2923.020 2923.050 2923.145	20 10 10 5 2	22. 39. 19.	488 1016 936 200 148	
CR: I P I	2921.90 2921.95 2921.96 2921.965 2921.972	2921.05 2921.10 2921.10 2921.112 2921.117	1 5 0 1 4		341 340 431 148 937		FE CU MN CU FE	1 1 11 1	2924.066 2924.083 2924.113	2923.164 2923.212 2923.229 2923.257 2923.286	5 20 2 2 2	182.	896 672 148 612 896	
CR I MN I CR	V 2922.31	2921.18 2921.23 2921.299 2921.35 2921.45	6 50 40 8 250	101. 286. 50. 98.	1000 340 328 341 86		V V FE CR NA	11 1 11 11	2924.26 2924.286 2924.31	2923.340 2923.41 2923.430 2923.46 2923.474	20 2 12 30 25	286.	478 1000 896 340 693	
NE I CR I SE II BR I	I 2922.469 I 2922.66 I 2922.68 I 2922.727 I 2922.762	2921.614 2921.81 2921.83 2921.874 2921.907	20 40 . 30 180 100		1016 340 587 488 425		MN V TI CR	11 11 11	2924.48 2924.480 2924.50	2923.577 2923.63 2923.627 2923.65 2923.67	3 0 70 M 40	5.	148 328 1000 601 340	
MN II NE I	I 2922.778 I 2922.764 I 2922.821 I 2922.876 I 2922.97	2921.926 2921.924 2921.966 2922.023 2922.12	100 2 40 110	293.	606 301 1016 488 341		CU MN CR FE P	1	2924.557 2924.568 2924.65 2924.7085 2924.709	2923.704 2923.715 2923.80 2923.8528 2923.853	80 10 8 30 25	19. 114. 166.	672 148 340 896 936	
FE FE CO	2923.048 I 2923.067 I 2923.236 II 2923.28	2922.195 2922.211 2922.383 2922.40 2922.46	1 2 1 0 5	86.	720 896 605 825 340	M	MN FE FE TI V	11 1 1 1 1 1 1	2924.755 2924.857 2924.86	2923.87 2923.902 2924.002 2924.01 2924.017	1 150 0 8 260	102. 166.	328 188 378 601 478	
V Mn FÉ	11 2923.322 I 2923.435 II 2923.449 I 2923.479 II 2923.56	2922.582 2922.594 2922.623	100	3.	328 896		FE CA MN P FE	111	2925.013 2925.182 2925.284 2925.358 2925.46	2924.160 2924.326 2924.430 2924.502 2924.59	5 580 10 40	11. 19.	936	

Ş	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGT:1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V A	MN V AR CO CR	I II II II	2925.483 2925.486 2925.498 2925.60 2925.71	2924.629 2924.633 2924.642 2924.75 2924.86	2 230 100 6 2	19. 10.	148 · 478 506 825 340		NI BR CR MN V	II II II V	2927.94 2928.088	2926.800 2926.86 2927.09 2927.230 2927.2	2 350 50 40	256. 50.	835 586 340 328 115	
C	CU / CR AN CR	I I III III	2925.735 2925.77 2925.88 2926.056 2926.07	2924.882 2924.92 2925.03 2925.200 2925.22	10 5 4 3 3	61. 101.	672 1000 341 301 340		CU P MN CU FE	11 111 11 11	2928.252 2928.356	2927.2540 2927.289 2927.395 2927.500 2927.55	30 10 100 3 3	50.	612 936 328 612 605	N
	/ FE CU / CR	II I II I		2925.288 2925.3578 2925.439 2925.51 2925.55	15 12 30 3 5	81. 167. 59.	478 896 672 478 341		MN V MN CD P	11 11 11 111	2928.451 2928.500 2928.510 2928.522 2928.547	2927.596 2927.646 2927.652 2927.667 2927.690	20 10 20 50 10	101. 136.	328 1000 328 603 936	:
N B B	AN LE BR BR	II II II XI	2926.43 2926.4744 2926.509 2926.543 2926.6	2925.58 2925.6182 2925.655 2925.689 2925.7	220 80 120 100	10. 10.	148 389 488 606 726	F	P CR NE TI CO	IV - I I I I I	2928.547 2928.62 2928.650 2928.72 2928.825	2927.690 2927.77 2927.794 2927.87 2927.970	25 1 30 2 4	· .	937 341 1016 601 603	
A M · V	E AS AN 7	I II I I II	2926.641 2926.689 2926.73 2926.734 2926.75	2925.785 2925.833 2925.88 2925.880 2925.90	10 2 50 4 3	3. 158.	896 425 328 1000 340	М	FE CR AS CU MN	I II II II	2928.960 2928.97 2928.976 2929.048 2929.117	2928.103 2928.12 2928.119 2928.192 2928.260	3 40 20 2 10	121. 55.	896 340 425 612 329	
Ç	E U R U	I II IV II	2926.7558 2926.907 2927.00 2927.03 2927.1063	2925.8996 2926.057 2926.15 2926.17 2926.2500	10 10 18 90 2	.89. 37. 95.	896 672 340 86 612		SC F CR TI MG	III II V	2929.13 2929.167 2929.17 2929.175 2929.2	2928.28 2928.310 2928.32 2928.320 2928.3	1 12 50 300	256. 34.	1030 537 340 488 108	M
V A V F	\ S !'	111 11 11 11	2927.112 2927.17 2927.20 2927.295 2927.410	2926.258 2926.32 2926.35 2926.442 2926.553	12 110 10 40 2	4. 204. 177.	1000 404 478 478 896	М	FE CO V MG N	II II II II	2929.385 2929.450 2929.47 2929.490 2929.512	2928.530 2928.593 2928.62 2928.635 2928.655	0 10 2 80 40	2. 38.	645 825 1000 831 200	
F F	IN E E IN I	II II III II	2927.419 2927.443 2927.471 2927.590 2927.60	2926.563 2926.586 2926.614 2926.734 2926.75	50 10 4 7 10	60. 27.	328 896 896 301 488	н М	MN TI V. FE CO	I I I I I	2929.532 2929.54 2929.59 2929.6076 2929.666	2928.678 2928.69 2928.74 2928.7507 2928.812	40 15 1 3 50	17. 131	148 601 1000 896 603	

						• .											
	SPEC	TRUM		CUUM LENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTF	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE V FE CR FE	I II II I	29: 29: 29:	29.8642 29.871 29.966 30.03	2929.0072 2929.017 2929.109 2929.18 2929.239	110 4 15 2 4	1. 204. 182. 193.	896 478 896 340 896	М	NI CU CO CU FE	11 - 1 11 11	2932.480 2932.553 2932.56 2932.647 2932.6629	2931.622 2931.699 2931.70 2931.789 2931.8052	10 10 2 2 3	36. 166.	835 672 825 612 896	
	NE CO SC CR CR	11 11 11	29: 29: 29:	30.167 30.193 30.23 30.29 30.34	2929.312 2929.336 2929.38 2929.44 2929.48	15 M 4 18 4	239.	723 825 1028 340 341		CR VN ME NE	1 11 11 11	2932.71 2932.715 2932.73 2932.961 2933.053	2931.85 2931.859 2931.87 2932.103 2932.195	1 10 3 80 50	118.	341 478 328 1016 1016	
	CO FE CR MN T1	I II II IV	29: 29: 29:	30.360 30.4751 30.63 30.758 30.818	2929.505 2929.6180 2929.78 2929.903 2929.961	75 6 4 0 90	129. 87. 206.	603 896 340 328 721		CU V FE CR MN	11 11 111 1 1	2933.0831 2933.178 2933.162 2933.21 2933.239	2932.2253 2932.323 2932.337 2932.35 2932.305	10 60 60 2 40	166.	612 478 188 341 328	
. 750	V CO MN MN CU	11 - 11 11 11	29: 29: 29:	30.987 31.062 31.100 31.251 31.271	2930.132 2930.205 2930.245 2930.393 2930.416	25 150 20 5 5	81. 31. 3. 111.	478 825 148 328 672		F CR AR CR NE	111 11 11 11	2933.343 2933.43 2933.4482 2933.54 2933.584	2932.485 2932.57 2932.5903 2932.69 2932.727	600 3 60 30 10	16. 95. 14.	537 341 867 340 896	
	TI MN CR FE CO	III II I I II	29: 29: 29:	31.347 31.377 31.38 31.45	2930.490 2930.520 2930.53 2930.59 2930.68	7 60 1 1 3	141.	227 328 341 605 825		С С МИ С	11 11 1 1 1		2933.041 2933.054 2933.060 2933.234 2933.27	5 450 20 3 10	5. 35. 101. 27.	1 825 328 672 1000 673	н
	V CR NA V NI	11 11 11 1	29: 29: 29:	31.653 31.69 31.738 31.75 31.763	2930.798 2930.83 2930.883 2930.89 2930.908	50 35 4 15 5	10. 55. 101. 78.	478 340 693 1000 488		MN MN FE CR TI	II II II I	2934.33	2933.379 2933.442 2933.466 2933.47 2933.526	8 3 1 6 250	111. 17. 307.	328 148 488 341 488	
	CR P V TI CR	II IV V II I	29 29 29	31.92 32.097 32.1 32.13 32.15	2931.07 2931.240 2931.2 2931.27 2931.30	4 90 40 1	192. 30.	340 937 115 488 341		CU CR NE MN V	11 11 11 11	2934.637	2933.565 2933.60 2933.720 2933.779 2933.833	2 12 40 80 15	311. 50. 81.	612 340 1016 328 478	
	FE FE AR FE V	I II II II	29 29 29	32.2697 32.334 32.3385 32.449 32.479	2931.412 2931.479 2931.4809 2931.593 2931.624	2 5 90 70 20	148. 215.	896 488 867 488 478	N	CR CO MN LI NA	11 1 11	2934.870 2934.876 2934.880	2933.95 2934.014 2934.020 2934.022 2934.065	35 5 30 40 10	95. 17.	340 603 148 307 693	

ν

٧

κ

MG

MN

11

111

2939.116

2939.16

2939.31

2939.332

2939.353

2938.259

2938.30

2938.45

2938.473

2938.496

20

60

60

5

81.

101.

7.

з.

478

1000

488

1017

148

SPECTRUM

1

FΕ

FE

VACUUM

WAVELENGTH

2936.927

2936.9748

AIR

WAVELENGTH

2936.068

2936, 1161.

INTENSITY MULTIPLET REFERENCE NOTES

323.

89.

R

896

896

SPECTRUM

11

11

1

11

١v

11

11

FΕ

CR

2936.736

2936.742

2936.837

2936.925

2936.91

2935.880

2935.883

2935.978

2936.05

2936,066

15

2

10

3

. 50

LI

VACUUM

WAVELENGTH

2934.924

2934.926

INTENSITY

40

20

MULTIPLET REFERENCE NOTES

307

328

1000

896

937

340

825

96.

AIR

WAVELENGTH

2934,066

2934.069

SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR NI V TI° CR	111 111 11	2939.49 2939.53 2939.55	2938.59 2938.63 2938.67 2938.69 2938.83	2 1 6 30 7	° 2. 26. 50.	341 661 1000 488 341		V I CR I	I 2942.074 I 2942.08 I 2942.18 V 2942.19 I 2942.2027	2941.214 2941.22 2941.32 2941.33 2941.3426	10 3 200 60	204. 95.	612 488 340 83 896	P
CU AR FE FE V		2939.77	2938.868 2938.90 2939.066 2939.071 2939.26	15 10 10 4 2	46. : 118.	672 506 188 896 1000		MN I		2941.372 2941.39 2941.485 2941.567 2941.643	200 8 10 80 2	10.	478 601 478 328 341	
FE MN CO CR CR	111 111 111 111	2940.172 2940.26 2940.30	2939.269 2939.312 2939.34 2939.44 2939.44	5 550 7 5 20	5. 325.	288 328 825 341 340	н	MN FE ! FE II	V 2942.51 I 2942.539 I 2942.63 I 2942.677 I 2942.732	2941.65 2941.681 2941.77 2941.817 2941.874	210 5 1 20 10	4. 141. 5.	83 148 605 288 341	
CU FE FE CU	VIII 111	2940,364 2940.4 2940.41	2939.453 2939.506 2939.5 2939.55 2939.7042	110 120 10	60.	672 488 1034 188 612			1 2942.753	2941.882 2941.893 2941.96 2941.993 2941.993	12 10 35 1 50	294. 26.	537 506 340 603 488	
P CR MN FE SE	11 11 11	2940.64 2940.761 2940.974	2939.716 2939.78 2939.904 2940.114 2940.14	4 3 20 3 1	237. 17. 441.	936 340 148 896 587		MG V	I 2942.854 I 2942.855 I 2942.88 I 2942.921 I 2942.966	2941.995 2941.995 2942.02 2942.060 2942.106	600 70 00 20 0	1. 3.	488 1017 1000 328 782	
CR AS CR MN CR	I	2941.109 2941.17 2941.189 2941.28	2940.22 2940.249 2940.31 2940.331 2940.42	25 30 8 200 2	294. 10. 96.	340 425 341 148 340		٧	I 2943.12 I 2943.148 I 2943.19 I 2943.219	2942.17 2942.26 2942.287 2942.33 2942.354	40 15 2 10 10	37. 3. 3.	200 154 328 1000 1000	
FE NI MN FE NE	11	2941.324 2941.324 2941.357 2941.449	2940.467 2940.468 2940.483 2940.589 2940.653	0 3 2 10 80	10. 173.	645 661 148 896 1016			I 2943.23 I 2943.30 I 2943.482 I 2943.484	2942.37 2942.44 2942.624 2942.623 2942.624	15 0 1 2 8	118.	478 672 603 612 825	
CR CR MN V	Ī	2941.89 2941.896 2941.97	2940.97 2941.03 2941.038 2941.11 2941.182	7 3 40 1	17.	340 341 148 1000 603			I 2943.53	2942.661 2942.67 2942.691 2942.713 2942.740	4 1 30 4 8	6. 82. 6. 17.	488 693 328 488 148	

SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN NI SC AR P	11 11 11 11	2943.614 2943.648 2943.73 2943.7538 2943.760	2942.735 2942.788 2942.87 2942.8933 2942.899	40 2 1 220 4	82.	328 835 1030 867 496	м	V AS CL FE CR		2945.62 2945.815 2945.88 2945.913 2945.963	2944.76 2944.954 2945.02 2945.052 2945.104	10 125 4 10 3	76. 85.	1000 425 345 896 341	
AS CO FE CR O	11 11 111 11 11	2943.8039 2943.819 2943.848 2943.85 2943.86	2942.9434 2942.959 2942.989 2942.99 2943.00	100 100 40 3 10	31. 177.	425 825 188 340 168	м	HE P CU AS FE	1	2945.967 2946.002 2946.09 2946.112 2946.121	2945.106 2945.141 2945.23 2945.251 2945.262	100 . 4 . 3 125 20	11.	497 936 672 425 488	
CR TI MN V FE	III II III	2943.98 2943.98 2943.999 2944.055 2944.058	2943.12 2943.12 2943.139 2943.197 2943.197	1 12 140 30	30. 82. 1.	341 488 328 1000 288	. •	MN CU P TI BR	III II	2946.15 2946.228 2946.25 2946.33 2946.41	2945.29 2945.368 2945.390 2945.47 2945.55	. 20 2 40 50 A	26.	328 670 936 468 606	٠.
N CO N MN MN	11 11 11		2943.291 2943.479 2943.495 2943.528 2943.550	30 70 5 1	37. 135. 37.	521 603 200 328 148	P	ZN CO NA GE CR	I I I I	2946,5 2946,51 2946,553 2946,6 2946,60	2945.6 2945.65 2945.693 2945.7 2945.74	2 4 40 5 7	210.	154 825 693 676 340	
FE V CR GA MG	III II III	2944.434 2944.489 2944.49 2944.498 2944.56	2943.574 2943.631 2943.64 2943.639 2943.71	2 3 4 160 25	204. 177. 1.	896 478 340 488 2	М	MN FE CO · NE FE	II I II I	2946.87 2946.905	2945.862 2945.870 2946.01 2946.044 2946.095	30 0 0 90 1	•	328 373 603 563 378	
V MN CO NI SE	III II II	2944.70 2944.755 2944.768 2944.771 2944.88	2943.84 2943.894 2943.900 2943.912 2944.02	12 140 M 125 85	76. 82. 24.	1000 328 825 488 587		CO FE F V MN	11 11 11 11	2947.173 2947.198	2946.16 2946.173 2946.312 2946.337 2946.439	12 1 4 0 5	307.	825 488 538 782 328	
MN P V GA FE	. II . II . II	2944.92 2944,921 2944.979 2945.034 2945.257	2944.06 2944.060 2944.118 2944.175 2944.397	20 7 2 160 12	1. 78.	328 496 762 488 896	н	V CR V NE CR	1	2947.56 2947.581	2946.54 2946.70 2946.720 2946.732 2946.81	15 15 1 2 50	192.	1000 340 782 723 340	
CR V NE CO CR	III II I III		2944.45 2944.568 2944.575 2944.58 2944.63	20 230 2 2 2 2	10.	490 478 723 603 490		FE P SE FE F	111 11 11 11	2947.912 2947.92 2947.978	2946.864 2947.050 2947.13 2947.116 2947.140	25 7 50 0	6 182.	188 496 468 378 538	,

*

Ş [*] PEC	TRUM	VACUUM Wavelengty	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENÇE	NOTES
F AR NE CU FE	111 11 11 11	2948.137 2948.164 2948.1654	2947.246 2947.275 2947.303 2947.3038 2947.3631	110 20 60 6	11. 131.	537 506 896 612 896		CO I	I 2949.904 I 2949.92 I 2949.93 I 2949.95 I 2950.0	2949.043 2949.06 2949.07 2949.09 2949.1	10 M 2 1 100	210.	723 825 340 1000 43	
NA NI CO CR N	11 11 11	2948.300 2948.316 2948.36 2948.36 2948.380	2947.440 2947.454 2947.49 2947.50 2947.52	60 40 1 25	35. 325. 45.	693 835 825 340 521	Р	FE I CO 1 MN I	I 2950.032 I 2950.039 I 2950.04 I 2950.066 I 2950.079	2949.172 2949.178 2949.18 2949.204 2949.218	40 450 2 700 15	183. 277. 5.	478 488 825 328 488	H N
MN FE TI N SE	1 1 1 1 1 1 1 1	2948.493 2948.518 2948.58 2948.627 2948.70	2947.634 2947.658 2947.72 2947.767 2947.84	3 750 30 30	4. 78. 21. 45.	148 488 488 521 587	H	CU I CR I N I	1 2950.177 1 2950.208 1 2950.30 1 2950.469 1 2950.48	2949.316 2949.346 2949.44 2949.608 2949.62	15 5 20 25	178. 45. 3.	723 612 340 521 1000	Р
CO SC FE P AS	II IV III IV	2948.71 2948.730 2948.7376 2948.763 2948.80	2947.85 2947.870 2947.8759 2947.901 2947.94	8 1 320 1 10	1.	825 720 896 936 584		CR -1 N I F I1	I 2950.716	2949.688 2949.79 2949.855 2949.884 2949.91	0 10 150 2	117. 210. 45.	378 340 521 537 1000	Р
P V P AR CR	11 17 17 11	2948.932 2948.936 2948.953 2948.981 2949.06	2948.070 2948.076 2948.091 2946.119 2948.20	3 60 40 5 3	196. 210.	496 478 937 506 340		CR I V I V	I 2950.78 I 2950.96 I 2950.974 V 2950.995 I 2951.0	2949.92 2950.10 2950.112 2950.134 2950.1	1 10 . 0 80	178.	1028 340 782 929 108	F
fI CO S FE FE	1 1 111 111 1	2949.115 2949.16 2949.20 2949.247 2949.2947	2948.255 2948.30 2948.34 2948.388 2948.4329	600 2 200 150 40	1. 18. 9. 166.	488 603 323 188 896		S 11 FE FE 11 V 1 CL 1	I 2951.105 I 2951.155	2950.23 2950.243 2950.295 2950.344 2950.351	300 60 40 80 32	18. 120. 10.	323 896 188 478 613	
SE CR BR CO NI	I	2949.32 2949.33	2948.46 2948.47 2948.47 2948.49 2948.515	150 . 3 10 . 1	113.	587 340 586 603 835		CR I NI I MG II	I 2951.267 I 2951.55 I 2951.578 I 2951.64 I 2951.839	2950.407 2950.69 2950.716 2950.77 2950.979	1 7 15 7 3	65. 4.	672 340 835 2 148	
FE V CR FE NI	II		2948.727 2948.83 2948.87 2948.952 2948.964	3 2 6 3 4	118. 50.	896 478 341 896 835	M	NE I NE I FE I	I 2951.86 I 2951.916 I 2951.954 I 2951.956 I 2952.031	2951.00 2951.054 2951.091 2951.095 2951.168	1 10 10 20 140	: 214. 82.	825 563 563 488 328	

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECI		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	·
	CU	I 2952.07	2951.21	5		672 ·		MN	11	2955.077	2954.213	50	49.	328	
	NA 1	1 2952.096	2951.235	150	14.	693		MN	11	2955.13	2954.26	5		328	
	FE		2951.356	. 0	107	378 340		v.	I	2955.19 2955.201	2954.33 2954.338	20 80	1.	1000 537	
		I 2952.25 I 2952.42	2951.39 2951.56	10 8	177.	478		F MN	111	2955.43	2954.57	0		328	
		1 2952.423	2951.560	. 10		328		ço	11	2955.46	2954.59	M	237.	825 . 340	
		1 2952.499 1 2952.55	2951.639 2951.69	25 1	•	188 603		CR FE	II I	2955.51 2955.5155	2954.65 2954.65 22	10 12	132.	896	
		I 2952.55	2951.84	2		1000		N	11	2955.546	2954.684	•	45.	521	
		2952.746	2951.883	40	68.	328		.co	11	2955.591	2954.728	12	. *	825	
		1 2952.80	2951.94	10	177.	340 288		ŢĪ,	11	2955.62	2954.76 2954.83	60 1	34#	488 603	
		1 2952.862 1 2952.95	2951.999 2952. 07	5 150	10.	478		CO:	1 11	2955.69 2955.726	2954.863	75		835	
		1 2952.96	2952,10	40	. 26.	488		N '	ΙI	2955.889	2955.027		45.	521	
	CR	I 2953.02	2952.15	1		341		FE	111	2955.921	2955.060	40	9.	188	
		1 2953.046 1 2953.08	2952.183 2952.28	2 350	19.	835 468		CR .	11 111	2955.98 2955.988	2955.12 2955.124	10 200	177.	340 537	
		[I 2953.08 [I 2953.112	2952.250	. 330	45.	521	Р	MN	II	2956.004	2955.141	100	49.	328	
264	AS	11 2953.140	295 2.278	190		425		MN	II	2956.165	2955.302	- 10	49.	328 328	
4	NA	11 2953.255	2952.394	25		693		MN	11	2956.243	2955.379	60		328	
		2953.31	2952.45	12 [°] 5	311.	340 723		CO SC	1 1 V	2956.243 2956.250	2955.382 2955.388	30 40		603 720	
		1 2953.389 11 2953.452	2952.527 2952.590	3	45.	521	. Р	AR	11	2956.2520	2955.3884	120		867	
		11 2953.735	2952.871	100	49.	328		P	١٧	2956.377	2955.513	60	400	937	
	MN	1 2953.869	2953.008	10	4. .	148		٧	II	2956.447	2955.584	30	196.	478	
		11 2953.877	2953.014	5 35	55.	563 340		CR.	11	2956.54 2956.5890	2955.68 2955.7254	2 150	176. 8.	340 389	
		II 2954.20 II 2954.24	2953.34 2953.38	30	55.	825		NE' SE	11 111	2956.59	2955.73	50		14	
	C	IV 2954.3	2953.4	1	16.	35	Q	٧	I	2956.667	2955.806	15	3.	1000	
	v .	11 2954.31	2953.45	1		478		MN	11	2956.866	2956.002	80	49.	328	
	FE	I 2954.3493	2953.4862 2953.539	25 2	166.	896 896	м	N	II	2956.899 2956.962	2956.036 2956.101	- 20	44. 3.	521 148	
	FE CR	I 2954.402	2953.539	45	192.	340		MN CR	Ī	2956.99	2956.13	1	86.	341	
	FE	11 2954.636	2953.774	550	60.	488	H	ΤI	Ţ	2956.996	2956.133 ·	700	1.	488 726	
	FE	1 2954.8031	2953.9399	240		896		MN	X.	2957.0	2956.1		•	720	
	v .	1 2954.804	2953.943	50	3.	1000		V	I	2957.003	2956.142	1		1000 328	
		IV 2954.81 II 2954.903	2953.95 2954.041	7 50	16.	35 . 606		MN FE	11	2957.034 2957.167	2956.170 2956.303	5		288	
	FE	11 2954.912	2954.050	70	253.	488		CR	I	2957.189	2956.328	15		341	
		11 2954.97	2954.11	1		673		CO	٧I	2957.2	2956.3		•	. 108	

	SPECTRUM	VACUU WAVELEN			MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V CR	V 2957. I 2957. I 2957. II 2957. II 2957.	405 2956.54 43 2956.57 46 2956.60	. 1 10	176. 196.	1034 506 1000 340 478		O FE CR FE V	I I I I I I	2959.228 2959.326 2959.37 2959.391 2959.47	2958.365 2958.462 2958.51 2958.528 2958.61	1 2 5 20	2. 317. 226. 398. 196.	523 378 340 488 478	F P
	FE	1 2957. 1 2957. 1 2957. 1 2957. 1 2957.	568 2956.70- 626 2956.76 659 2956.79	2 5 5 2 50	118. 1. 165.	154 896 328 488 896		MN TI CR SI	111 11 11 11	2959.579 2959.807 2959.84 2959.93 2960.015	2958.715 2958.942 2958.98 2959.07 2959.150	50 100 50 7 40	49. 34. 85. 91.	328 328 488 341 768	
	MN MN V	1 2957. 1 2957. 1 2957. 1 2958. 1 2958.	833 2956.97 841 2956.97 037 2957.17	1 10 7 50	4. 49. 76. 113.	835 148 328 1000 340		CO CU FE SC CR	I II IV II	2960.02 2960.193 2960.193 2960.205 2980.40	2959.16 2959.329 2959.329 2959.341 2959.54	1 7 5 5 18	210.	603 612 896 720 340	М
265	· V	1 2958. 1 2958. 1 2958. 1 2958.	156 2957.29 16 2957.30 170 2957.30	3 8 10 5 3 50	50. 1.	341 723 1000 721 612		V AS CO FE NI	11 11 11 11	2960.41 2960.4368 2960.44 2960.467 2960.502	2959.55 2959.5722 2959.57 2959.602 2959.638	1 750 2 3 2	153. 254.	478 425 825 896 835	
*	FE MN FE	11 2958. 1 2958. 1 2958. 1 2958. 11 2958.	2284 2957.36 259 2057.39 3503 2957.48	14 155 1 10 53 6	45. 1. 132. 10.	521 896 328 896 478	P	F SI O FE TI	111 111 111 1	2960.527 2960.54 2960.54 2960.547 2960.57	2959.662 2959.67 2959.68 2959.683 2959.71	200 15 60 15 30	91. 172. 28.	537 769 168 896 488	
	CR CO N	11 2958. 11 2958. 1 2958. 11 2958. 11 2958.	41 2957.55 533 2957.67 543 2957.68	5 2 50 0	237. 134. 45.	506 340 603 521 328	P	FE FE MN CR TI	11 11 11 11	2960.702 2960.705 2960.806 2960.81 2960.84	2959.838 2959.841 2959.940 2959.95 2959.98	4 70 20 18 50	403. 439. 177. 28.	896 488 328 340 489	
	CR NI I MN	11 2958. 11 2958. 11 2958. 11 2958.	90 2958.04 913 2958.05 928 2958.06	, 4 0 5 4 40		328 340 661 328 606		V FE NA K P	I II I IV	2960.85 2960.8559 2960.974 2961.067 2961.070	2959.99 2959.9912 2960.110 2960.203 2960.205	2 80 4 4 4	316. 5.	1000 896 693 488 937	
	CR NI FE I	II 2958. II 2959. I 2959. II 2959. II 2959.	03 2958.17 146 2958.28 148 2958.28	1 3 5 5 90	158. 74. 102. 26.	936 340 488 188 488		AR FE MN MG NE	11 11 111 111 11	2961.125 2961.1608 2961.212 2961.31 2961.318	2960.260 2960.2961 2960.345 2960.45	50 6 50 7 70	134.	506 896 328 2 563	

SPECTR	UM	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	A1R WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE AR FE NE FE	V II V I		2960.47 2960.514 2960.554 2960.6 2960.6602	5 3 111 3	178.	229 506 896 885 886	F M M	V MN CR K N	11 1 1 1	2964.113 2964.113 2964.12 2964.142 2964.302	2963.249 2963.250 2963.26 2963.277 2963.437	9 10 2 4	154 4. 5. 44.	478 148 341 488 521	Þ
N V V P AL	11 11 1 V		2960.774 2960.777 2960.849 2960.997 2960.974	6 300 5	44. 130.	521 478 1000 524 826	p	CR MN MN FE CR	11 11 1	2964.32 2964.469 2964.49 2964.57 2964.60	2963.46 2963.606 2963.63 2963.71 2963.74	20 20 0 1 4	176. 3. 173. 50.	340 148 328 605 341	
AL FE V AL MN	111	2961.983 2961.990 2961.998	2961.005 2961.119 2961.127 2961.060 2961.16	1 0 10 10	403. 76.	826 488 1000 826 328		AS V V FE. P	1 I 1 I 1 I 1 I I	2964.6487 2964.671 2964.72 2964.733 2964.758	2963.7831 2963.818 2963.86 2963.868 2963.892	125 6 4 6 1	75. 439.	425 1000 478 896 936	
CU CR MN P FE	I II IV II	2962.04 2962.070 2962.107	2961.165 2961.18 2961.204 2961.242 2961.272	500 4 5 200 110	60.	672 341 328 937 488		SE CR FE FE CL	III III II	2964.77 2964.93 2964.996 2965.000 2965.054	2963.91 2964.06 2964.131 2964.140 2964.188	350 5 220 1 43	20. 252.	468 490 488 896 613	М
AL P TI AS F	IV V I 111	2962.25 2962.34 2962.477	2961.29 2961.39 2961.48 2961.611 2961.616	300 7 20 100 375	28.	888 597 488 425 537		FE MN MN CO NI	II II VI II	2965.062 2965.28 2965.376 2965.4 2965.468	2964.196 2964.41 2964.509 2964.5 2964.602	1 1 15		378 328 328 108 835	F
MN CR FE CR	II II II	2962.56 2962.56 2962.58	2961.689 2961.70 2961.70 2961.72 2961.77	100 25 1 25 4	49. 55. 119. 177. 85.	328 340 605 340 341		FE S B C F E	1 I 1 I I 1 I I I I I	2965.494 2965.66 2965.683 2965.705 2965.901	2964.629 2964.80 2964.817 2964.840 2965.035	360 400 0 1 8	78. 18. 1. 78.	488 323 606 821 896	
S V V FE CR	III II I I	2962.877 2962.93 2962.9732	2961.83 2962.014 2962.07 2962.1080 2962.40	0 5 1 1 6	18. 196. 57. 86.	323 478 1000 896 341		CR MG TI FE MN	11 11 1 1	2966.04 2966.06 2966.096 2966.1204 2966.16	2965.18 2965.19 2965.231 2965.2544 2965.30	2 0 50 125 1	176. 7. 27. 1.	340 488 488 896 301	
V FE N· FE NE	I II III III	2963.801 2963.818 2964.093	2962.784 2962.936 2962.953 2963.230 2963.2366	30 5 70 50	1. 398. 44. 9.	1000 488 200 188 389		CR FE CL V NE	111 111 111 11		2965.34 2965.395 2965.56 2965.565 2965.6	10 20 600 1 120	251. 11.	490 488 43 782 885	м

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE TI TI NA MN	111 1 1 11 11	2966.511 2966.546 2966.59 2966.611 2966.662	2965.645 2965.681 2965.72 2965.745 2965.795	40 80 150 .10	27. 27.	288 488 488 693 328		V. V	1 1 1 11 11	2969.097 2969.111 2969.15 2969.238 2969.280	2968.231 2968.243 2968.29 2968.373 2968.415	40 40 5 200	29. 76. 28.	1015 425 1000 478 328	
FE SC MN CR V	I II II II	2966.672 2966.73 2966.820 2966.89 2966.943	2965.806 2965.86 2965.954 2966.03 2966.079	15 2 40 40	147. 11. 94.	896 1015 328 340 1000		CR FE	I I I I I I I	2969.3442 2969.48 2969.54 2969.604 2969.611	2968.4774 2968.61 2968.68 2968.738 2968.745	3 0 15 20 2	135. 176. 253.	896 328 340 488 612	
C FE MG NI MN	II III II I	2967.053 2967.131 2967.20 2967.234 2967.238	2966.187 2966.264 2966.34 2966.368 2966.374	25 25 25 2 1	40. 118.	287 896 2 835 148		C NI FE] I] I] I] I] I	2969.670 2969.703 2969.759 2969.772 2969.82	2968.804 2968.836 2968.892 2968.906 2968.95	2 10 25- 20 300	40.	835 287 835 488 586	N
TI C CR C F	11 11 11 111	2967.25 2967.521 2967.71 2967.737 2967.760	2966.38 2966.655 2966.85 2966.871 2966.894	10 25 7 60 150	28. 40. 5. 40.	488 287 341 287 537		•	1 1 1 1 1	2969.84 2969.845 2969.89 2970.056 2970.11	2968.98 2968.981 2969.02 2969.190 2969.24	2 3 10 5 2	75. 6. 74.	341 1000 488 488 603	
FE P V NE C	1 111 11 11. 1	2967.7646 2967.799 2967.932 2968.0495 2968.078	2966.8982 2966.933 2967.066 2967.1831 2967.214	380 1 20 150 4	1.	896 936 782 389 821	,	NI F FE V TI	II I I I	2970.215 2970.220 2970.227 2970.228 2970.24	2969.348 2969.350 2969.360 2969.363 2969.37	120 2 110 1	11.	835 420 896 1000 488	
TI F BR NE V	I II V	2968.086 2968.140 2968.145 2968.4 2968.409	2967.220 2967.280 2967.279 2967.5 2967.545	250 2 600 185 5	60.	488 420 606 885 478	М	GA FE CR	1 I I I I I I I	2970.274 2970.28 2970.3414 2970.39 2970.450	2969.407 2969.41 2969.4743 2969.53 2969.590	40 50 50 1	30. 86. 40.	1016 652 896 341 287	
C CR C MG V	11 1 11 11	2968.496 2968.50 2968.735 2968.74 2968.88	2967.629 2967.64 2967.868 2967.87 2968.02	25 15 120 10 7	40. 11. 40. 7.	287 341 287 488 478		P	I II IV II	2970.481 2970.484 2970.505 2970.53 2970.66	2969.617 2969.617 2969.638 2969.67 2969.79	1 M - 10 15 1	192.	603 825 937 340 603	
MN FE MN CR CR	II II II II	2968.904 2968.985 2969.00 2969.06 2969.06	2968.037 2969.119 2968.14 2968.20 2968.20	2 1 2 2 3	398. 50. 225.	328 488 328 341 340		V NI V	I I I I I I I	2970.66 2970.711 2970.713 2970.733 2970.752	2969.80 2969.846 2969.846 2969.868 2969.885	0 5 30 0 30	153.	672 478 835 1000 425	

SPEC	TRUM	VACUŰM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	SPECTRUM	٧	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE MN SE NA LI	11 11 111 VI 111		2969.934 2969.95 2969.96 2970.0 2970.046	285 0 85	277.	488 328 587 108 309	F	V ! FE ! CO !		2972.77 2972.863 2972.883 2973.04 2973.128	2971.90 2971.998 2972.016 2972.17 2972.263	75 4 1 M 80	80. 141. 398. 87.	340 478 488 825 478	·
P AS FE FE NE	11 1 1 1 2 V	2970.964 2970.9667 2970.9853	2970.089 2970.097 2970.0995 2970.1181 2970.2	120 50 280 280 96	1.	937 425 896 896 885	M	NE 1 O CO	I I I I I I	2973.147 2973.152 2973.154 2973.16 2973.177	2972.280 2972.284 2972.286 2972.30 2972.309	50 80 0 1000	118.	896 1016 1005 603 606	F
SI TI V CO FE	I II II . II	2971.251 2971.291 2971.37	2970.3547 2970.384 2970.427 2970.50 2970.517	55 100 6 1 15	1. 29. 60.	608 1015 478 825 896		N I CR . CL	11 11 11 11	2973.325 2973.43 2973.44 2973.475 2973.491	2972.457 2972.56 2972.57 2972.606 2972.623	10 25 8 22 40	25. 237.	835 521 340 613 328	
TI CR NI CL FE	I II III II	2971.51 2971.518 2971.54	2970.552 2970.65 2970.651 2970.67 2970.682	40 2 1 400 110	27. 175. 11. 276.	488 340 835 43 488		FE . NE AS	II II II II	2973.54 2973.637 2973.731 2973.734 2973.781	2972.67 2972.769 2972.863 2972.867 2972.913	7 5 70 0	80. 390.	340 488 1016 425 720	
NA MN SE MN MN	II III II I	2971.703 2971.82 2971.821	2970.724 2970.835 2970.95 2970.956 2970.956	4 2 150 4 10	3.	693 328 587 148 328		NI	II II II II	2973.80 2973.867 2973.872 2973.97 2973.988	2972.93 2972.999 2973.004 2973.10 2973.123	1 100 15 12 1	113.	603 1016 835 340 603	
GA CR CD AS CO	11 1 111 11 1	2971.967 2972.17 2972.181	2971.01 2971.102 2971.30 2971.313 2971.363	10 25 5 150	11. 37.	652 341 673 425 603		MN FE F CR	I I I I I I I	2974.0002 2974.09 2974.1032 2974.12 2974.13	2973.1322 2973.23 2973.2352 2973.25 2973.26	340 1 220 1	1. 1. 59.	896 328 896 538 341	
MN CU NI CU SI	11 11 11 1 1	2972.342 2972.342 2972.37	2971.365 2971.475 2971.475 2971.50 2971.522	5 2 3 1	33.	328 612 835 672 767		MN F CL BR CR	1 I 1 I 1 I 1 I	2974.177 2974.29 2974.32 2974.330 2974.38	2973.308 2973.42 2973.46 2973.462 2973.51	20 1 4 250 1	<i>.</i> .	328 538 345 606 341	
FE V GA FE MG	VIII II II II	2972.436 2972.47	2971.5 2971.571 2971.60 2971.616 2971.70	8 50 5 10	141. 252. 6.	1034 478 652 488 488		CU CO I NI	1 I 1 I I I I I	2974.469 2974.5177 2974.54 2974.598 2974.642	2973.601 2973.6496 2973.68 2973.730 2973.774		43. 66.	200 612 673 488 538	

ș. Pec	TRUM	VACUUM WAVELENGT.I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	ı	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE MN V SC F	111 11 11 1	2974.785 2974.841 2974.874	2973.896 2973.917 2973.975 2974.006 2974.03	60 5 40 5	9. 218. 11.	188 328 478 1015 538		FE P I P	II II IV II	2976.815 2976.9969 2977.014 2977.014 2977.063	2975.947 2976.1282 2976.145 2976.145 2976.197	12 25 25 60	43.	521 896 936 937 478	P
MN V NA CR F	I II III II	2975.083 2975.102 2975.20	2974.089 2974.217 2974.234 2974.33 2974.42	20 8 10	41. 75.	148 1000 693 893 538	F P	TI NI MN	11 1 11 11 11	2977.17 2977.19 2977.260 2977.273 2977.347	2976.30 2976.32 2976.391 2976.405 2976.477	5 20 40 20 125	20. 81. 81.	782 488 835 328	
MN N NI CU	11 V 11 11 I	2975.38 2975.52 2975.524	2974.450 2974.52 2974.65 2974.655 2974.675	5 90 20 3 10	59. 43. 46.	328 313 200 835 672		V V NE, 1	I I I I I	2977.3658 2977.383 2977.393 2977.431 2977.454	2976.4970 2976.517 2976.527 2976.562 2976.588	3 100 8 80 1	56. 28. 75.	896 478 1000 1016 148	
NE NI GA FE MN	I I I I I I I I	2975.590 2975.597 2975.64 2975.649 2975.664	2974.722 2974.729 2974.77 2974.780 2974.795	125 20 120 0 5	335.	896 835 652 896 328		NE :	1 I 1 I 1 I I V I I	2977.467 2977.486 2977.50 2977.518 2977.57	2976.598 2976.617 2976.63 2976.649 2976.70	10 50 1 60 35	55.	661 1016 538 937 340	
NE CR TI NA V	V II II I		2974.8 2974.83 2974.926 2974.988 2975.077	4 40 90 8	27. 9. 82.	108 340 488 693 1000	F	MN 1 FE N 1	II II II II	2977.59 2977.734 2977.778 2977.840 2977.854	2976.72 2976.865 2976.909 2976.971 2976.987	100 2 70 1	153. 81. 172. 43.	488 328 896 200 148	Р
CU CL CO CR	VIII VIII I I		2975.272 2975.3 2975.35 2975.464 2975.478	3 1 4 30	11.	612 111 603 603 341		F I	I I I I I I I I	2977.877 2977.91 2977.999 2978.00 2978.016	2977.008 2977.04 2977.130 2977.13 2977.147	2 1 25 1		612 538 693 538 328	
CU NE CU V	111 V 11 11	2976.4 2976.4980	2975.508 2975.523 2975.5 2975.6295 2975.650	100 32 120 12 50	28.	724 796 885 612 478	M	FE II P II N II	II	2978.056 2978.088 2978.111 2978.16 2978.162	2977.190 2977.222 2977.242 2977.29 2977.292	1 90 10 10	9.	148 188 936 521 328	
FE NI CR FE	1 11 11 11	2976.524 2976.578 2976.593 2976.67 2976.806	2975.655 2975.710 2975.725 2975.80 2975.938	0 10 - 4 110	43. 321. 60.	378 835 521 340 488	P	NE N I FE I	I V II II	2978.170 2978.2 2978.20 2978.295 2978.328	2977.303 2977.3 2977.33 2977.428 2977.462	3 107 M 1	43.	148 885 521 645 603	⁻ М Р

SPECTRU		VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTRUM	1	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR	I II II III	2978.415 2978.438 2978.52 2978.545 2978.559	2977.550 2977.572 2977.65 2977.676 2977.690	25 60 2 10 2	1. 102. 112.	1000 188 340 936 328		TI I V AS I	1 I 1 I 1 I 1 I	2979.969 2980.068 2980.08 2980.1190 2980.225	2979.102 2979.199 2979.21 2979.2496 2979.355	5 10 2 30 6	44. 123.	478 1015 1000 425 896	
MN TÍ F MN MN	I I I I I I I	2978.622 2978.67 2978.69 2978.692 2978.789	2977.755 2977.80 2977.82 2977.823 2977.922	1 7 10 60 1	81.	148 488 538 328 148	N	CU NE I V	li II II	2980.24 2980.247 2980.330 2980.34 2980.529	2979.37 2979.380 2979.461 2979.47 2979.660	1 25 100 4 90	57.	538 672 1016 478 693	
MN FE	.I III II I	2978.877 2978.88 2978.903 2978.929 2978.961	2978.010 2978.01 2978.036 2978.060 2978.091	30 10 20 1	37. 81.	603 673 326 378 288		CR I	1 1 1 1 1 1 1 1	2980.553 2980.60 2980.681 2980.741 2980.861	2979.683 2979.73 2979.812 2979.871 2979.994	5 80 3- 4 8	44. 80. 41.	1015 340 896 936 148	
	II I III I	2978.981 2979.019 2979.092 2979.162 2979.19	2978.114 2978.150 2978.226 2978.295 2978.32	8 300 20 30 1	41. 87. 58.	148 537 478 672 328		F II	I I I I I I I I	2980.908 2980.97 2981.025 2981.15 2981.306	2980.038 2980.10 2980.155 2980.28 2980.436	90 4 1 0 12	. 27.	1016 538 936 488 613	
MN N CL P MN	II II V I	2979.200 2979.284 2979.35 2979.423 2979.432	2978.333 2978.415 2978.48 2978.554 2978.566	14 450 15	43. 3.	148 521 345 524 148	P	V MN SI 11	I I I I I I I I	2981.316 2981.35 2981.360 2981.389 2981.4039	2980.446 2980.48 2980.493 2980.519 2980.5341	2 0 2 G	41. 34. 317.	328 782 148 768 896	
P N NI SC N	V II IV III	2979.45 2979.507 2979.565 2979.680 2979.70	2978.58 2978.638 2978.695 2978.811 2978.83	15 2 1 10	43. 25.	52 521 835 720 521	ρ	NA NE NE	I I I I I I I I I I I I I I I I I I I	2981.480 2981.490 2981.5 2981.518 2981.586	2980.610 2980.623 2980.6 2980.649 2980.716	12 25 80 20		537 693 885 896 288	м
FE CU V CO CR	III III I I	2979.719 2979.735 2979.803 2979.817 2979.85	2978.850 2978.866 2978.936 2978.950 2978.98	20 100 4 1	276. 65.	488 724 1000 603 341		SC N CR	II V I	2981.593 2981.619 2981.65 2981.651 2981.724	2980.722 2980.752 2980.78 2980.784 2980.857	40 6 150 25	11. 61. 11.	328 1015 313 341 645	
	II II III II	2979.861 2979.9197 2979.96 2979.965 2979.965	2978.990 2979.0503 2979.09 2979.096 2979.096	80 200 30 40 40	81. 15. 306. 403.	328 867 587 488 488		NE FE NI	1 I I I I I I I	2981.754 2981.789 2981.830 2981.912 2982.068	2980.884 2980.922 2980.963 2981.042 2981.200	14 84 70 25 70	253. 87.	613 796 488 835 478	

						•		•						INTENSITY	MINTIDIET	REFERENCE	NOTES
	SPECTRUM	VACU WAVELE		AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES		SPECTR	UM W	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MOETTPLE:	·	
	B CR TI	V 2982 V 2982 I 2982 I 2982 I 2982	. 23	2981.31 2981.36 2981.42 2981.448 2981.4451	250 4 20 240	64. 59. 29.	313 309 341 1015 896			NI TI MN NI CO	II II I	2984.067 2984.174 2984.287 2984.294 2984.37	2983.197 2983.306 2983.416 2983.426 2983.50	10 200 3 20 2	29. 66.	835 1015 328 488 603	
	V NI CU BR	I 2982 I 2982 II 2982	.405 .512 .6569 .679	2981.537 2981.645 2981.7868 2981.812 2981.820	0 100 15 250 5	65. 24. 9.	1000 488 6 12 488 328			NÎ V FE N	11 11 111 111	2984.414 2984.426 2984.4403 2984.51 2984.53	2983.544 2983.558 2983.5698 2983.64 2983.66	10 80 320 F	28. 9. 25. 7.	835 478 896 521 1015	
	V.	11 2983 11 2983	2.7 2.722 2.757 2.792 2.815	2981.8 2981.852 2981.890 2981.924 2981.945	25 350 15 15	118. 153.	922 896 606 478 612	F P		CO BR CU O MN	I I I I I I I I I I I I I I I I I I I	2984.55 2984.627 2984.6533 2984.65 2984.871	2983.68 2983.759 2983.7677 2983.78 2984.002	0 50 12 200 2	18. 41.	603 606 612 168 148	
271	AS I FE N I	II 298 II 298 II 298	2.86 2.87 2.926 2.94 2.976	2981.99 2982.00 2982.059 2982.07 2982.106	2 250 285 4 285	335.	825 404 488 2 46 34	N	ì	CR NI NA CU FE	II I I	2984.886 2984,999 2985.051 2985.135 2985.141	2984.014 2984.131 2984.183 2984.267 2984.273	7 60 120 5 0	59. 12. 5. 322.	341 1015 693 672 488	
	CU S V FE FE	298 1 298 1 298	2.992 3. 3.05 3.0990 3.106	2982.123 2982. 2982.18 2982.2288 2982.239	3 2 2 40	178. 277.	672 107 1000 896 488	1	N	TI F FE MN CR	111 111 11 11	2985.22 2985.353 2985.430 2985.465 2985.56	2984.35 2984.482 2984.559 2984.593 2984.69	M 375 5 60 10		1015 537 896 328 340	M
	CO NI V NE NE	II 298 II 298 II 298	3.130 3.161 3.19 3.408 3.542	2982.262 2982.291 2982.32 2982.538 2982.672	1 10 0 70 110	٠.	603 835 782 1016 896			TI FE CO CR FE	111 11 11 1-1	2985.617 2985.638 2985.64 2985.69 2985.695	2984.747 2984.767 2984.77 2984.82 2984.824	775 60 10 3 50	29. 3.	227 696 825 341 896	н
	CR V CU CL NE	11 298 1 298 11 298	33.56 33.62 33.633 33.646	2982.69 2982.75 2982.765 2982.776 2982.9	2 40 8 148 72	28. 53.	340 478 672 613 885		M	FE CR MN V CR	Î 1 I I I I I I I	2985.992 2986.052	2984.960 2985.01 2985.120 2985.184 2985.32	3 7 15 60 75	174. 218.	896 340 328 478 340	М
	NI CA V CU S	I 29	33.813 33.843 33.877 83.906	2982.943 2982.972 2983.009 2983.038		60.				TI CO FE NI CR	I II II II	2986.413 2986.482	2985.477 2985.51 2985.545 2985.611 2985.849	30 1 750 10 20	78.	1015 825 488 835 341	н

SPEC	CTRUM	VACÚUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
•											•				
BR		2986.766	2985.897	350		606		SI	I	2988.5169	2987.6453	150	1.	608	
V		2986.79	2985.92	2		782		٧	ΙI	2988.562	2987.690	. 0		782	
CU		2986.794 2986.83	2985.926 2985.96	10 2	45.	672		CA	ΙΙ	2988.59	2987.72	4	11.	1015	
S		2986.85	2985.98	600	18.	825 323		CU V	III		2988.000	2		724	
٠,	;	. 2300.03	2303.30	,000	10.	323		V	11	2988.896	2988.027	80	27.	478	
· MN		2986.861	2985.992	20	a 3.	148		CR	11		2988.04	12	80.	340	
CR BE	:	2986.88	2986.01 2986.062	25 · 7		341		NE	II	2988.942	2988.070	10	•	1016	
NE	1	2986.933 2986.933	2986.062	· 80	4.	333 1016		NI	11		2988.075	60		835	
CO		2986.97	2986.10	ő		603		FE NI	1 11		2988.113 2988.166	3 2		896	M
	•					0.00			1.	2969.036	2988.100	2,		835	
CO CR	11	1 2987.00 1 2987.00	2986.13 2986.13	2 15	37.	673		F	11		2988.403	150		538	
NI 1		2987.006	2986.135	15	11.	341 835		MN FE	1 I I	2989.299	2988.426 2988.4716	5		328	
F	11	2987.041	2986.170	30		537		MN	11	2989.3434	2988.4716	8 2	56.	896 328	
K .		1 2987.07	2986.20	60	` 7.	488		F	ii	2989.364 2989.463	2988.591	120		538 ·	
			•				٠.							350	
NE CU	,	2987.2	2986.3 2986.3346	91		885	M	CA ·	III.		2988.630	640	7.	64	
FE		2987.2058 2987.234	2986.3346	100		612 645		CR	· I	2989.507	2988.638	40	4.	341	
MN	i	2987.264	2986.393	5		328		NE FE	II		2988.883 2988.942	. 80	24.0	1016	
MN		2987.275	2986.407	2	41.	148		sc	Ī		2988.952	M 10	316. 11.	605 1015	
88	;	1 2987.289	2986.418	3	4.	333					·				
FE		2987.3270	2986.4557	15	11.	896		SC CA	I I I		2988.952	10	34.	1015	
CR		2987.334	2986.466	. 50	11.	341		čû	i	2989.880	2988.955 2989.010	2		1018 672	
BE		2987.48	2986.61	1	4.	.333		CU		2989.942	2989.070	30		724	
FE	11	2987.486	2986.617	70	254.	488		FE	ΙΙ	2989.948	2989.079	ō	390.	488	
FE	• 1	2987.530	2986.650	4	200.	896		CR	11.	2990.05	2989.18	70	80.	242	
MN	13	2987.530 2987.550 2987.668	2986.679	1		328		CA	111		2989.274	520	٥٠.	340 64	
MN	I	2987.668	2986.797	0		328		V	II	2990.176	2989.306	15	87.	478	
CR FE	1 7	2987.74 2987.78	2986.87 2986.91	D 8 ·	300. 291.	340 488		FE		2990.237	2989.367	o o	291.	488	
		2907.70	2900.51		291.	400		FE	I		2989.39	. 1	85.	605	
MN	1	2987.920 2987.94 2988.035	2987.052	1	41.	148		CA	11	2990.29	2989.42	4	11.	1015	
CO	11	2987.94	2987.07	.2		825	•	AS	III	2990.41	2989.54	5		404	
CO CU	1	2988.035 2988.1066	2987.166 2987.2352	15 15	11.	603 612		co ·	I	2990.459	2989.590	15	13.	603	
FE		2988.1617	2987.2902	30	30.	896		v co	I I	2990.464 2990.6	2989.594 2989.7	40	28.	478	_
-	•			30					A 1	2350.0	2303.1			. 108	F
TI		2988.27 2988.32	2987.40	1	28.	1015		FE	11	2990.601	2989.731	1	291.	488	
SE '	111	2988.32 2988.39	2987.45 2987.52	30 3	225.	587 340		MN		2990.605	2989.732	60		328	
FÉ	, 11	2988.39	2987.542	. 5	437.	340 488		V CU	I I	2990.61	2989.74	10	87.	478	
ŽÑ	îi	2988.51	2987.64	10		154		TI	7	2990.872 2990.90	2990.002 2990.03	1 30	33.	672 488	
			•	•				• -	•		2550.00	50	33.	488	

OTES	IOTES		М				F M	м	
DESCRENCE	REFERENCE	488 612 835 478 328	340 885 896 488 325	340 825 1015 287 612	1000 328 538 524 652	340 478 612 83 613	108 896 612 328 488	538 340 328 538 896	586
MULTINI ET	MULTIPLET	7.	80. 8. 8.	300. 25. 8.		321. 22.	335.	321.	
INTENSITY	INTENSITY	90 2 1 2 20	10 48 60 60 2	7 M 100. 800 5	00 3 1 4 10	10 4 5 7 160	5 10 30 5	1 7 50 4 6	300
AIR	WAVELENGTH	2992.24 2992.283 2992.343 2992.378 2992.410	2992.42 2992.4 2992.432 2992.457 2992.56	2992.59 2992.590 2992.595 2992.618 2992.670	2992.79 2992.82 2992.820 2992.833 2992.84	2992.96 2992.99 2993.024 2993.00 2993.111	2993.1 2993.181 2993.2668 2993.303 2993.366	2993.447 2993.54 2993.611 2993.718 2993.793	2993.93
VACUUM	AVELENGTH	2993.11 2993.155 2993.215 2993.248 2993.283	2993.29 2993.3 2993.304 2993.329 2993.43	2993.46 2993.463 2993.465 2993.491 2993.542	2993.66 2993.69 2993.693 2993.706 2993.71	2993.83 2993.86 2993.897 2993.90 2993.984	2994.0 2994.054 2994.1397 2994.176 2994.237	2994.320 2994.41 2994.484 2994.591 2994.666	2994.80 2994.804
CTRUM		111 11 11 11	11 V I I	II II II II	1 11 11 V 11	11 11 11 V	V II II	II II II II	111
S D S	ŞPE	K CU NI V MN	CR NE NE V	CR CO NI C	V MN F P GA	CR V CU O CL	MG FE CU MN FE	F CR MN F FE	8R
MOTES	NUTES				•		M	P	
GEEEBENCE	REFERENCE	673 148 1015 1000 896	488 603 506 1000 835	488 480 835 606 488	488 1000 1016 936 488	1016 148 341 896 478	896 672 488 488 43	341 673 720 115 1015	148
MULTIPLET	MULTIPLET	37. 123. 316.	33. 58.	33. 15. 75.	1. 252.	97.	55. 20. 398. 11.	11. 37.	. 3.
INTENSITY	INTENSITY	2 1 10 1 40	30 4 20 8 2	30 20 20 1 20	20 2 30 4 1	50 1 6 3 3	15 15 10 20 500	30 20 40	5
AIR	WAVELENGTH	2990.04 2990.135 2990.16 2990.31 2990.3913	2990.48 2990.51 2990.843 2990.93 2990.964	2990.98 2990.99 2991.071 2991.081 2991.106	2991.106 2991.14 2991.207 2991.222 2991.244	2991.276 2991.387 2991.403 2991.632 2991.737	2991.762 2991.780 2991.79 2991.817 2991.82	2991.877 2991.89 2991.980 2992.0 2992.07	2992.190 2992.12
VACUUM	WAVELENGTH	2991.005 2991.03 2991.18	2991.38 2991.715 2991.80	2991.86 2991.944 2991.951	2992.01 2992.080 2992.095	2992.257 2992.273 2992.504	2992.650 2992.66 2992.687 2992.69	2992.76 2992.850 2992.9	2992.979 2992.99
SPECTRUM	SPECIRUM	CO 111 MN 1 71 11 V 1 FE 1	TI I CO I AR III V I NI II	TI I I AS I I NI IY BR II NI I	NI I V I NE II P III FE II	NE II MN I CR I FF II V II	FE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CR I CO III SC IV V V	MN i

SPEC	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR MN CU F NE	II II II I	2994.97 2995.00 2995.088	2994.06 2994.11 2994.13 2994.143 2994.250	25 1 5 10 3	4.	341 328 672 538 723		BR MN FE MN V	· II II I I	2997.149 2997.21 2997.2587 2997.341 2997.35	2996.278 2996.34 2996.3850 2996.470 2996.48	10 0 10 10	134. 3. 82.	606 328 896 148 1000	
AL F MN FE NI	. 1 11 111 111	2995.156 2995.27 2995.3002	2994.26 2994.283 2994.40 2994.4269 2994.460	10 600 0 320 125	9. 27.	1015 537 328 896 1015		O . CO CR MN CA	III I II II	2997.38 2997.420 2997.442 2997.477 2997.514	2996.51 2996.549 2996.571 2996.603 2996.641	25 1 40 8 2	10. 77. 11.	1015 603 341 328 1018	
V FE GE V	. II II II	2995.3751 2995.38 2995.411	2994.50 2994.5019 2994.51 2994.540 2994.61	1 155 2 60 2	11. 218.	1000 896 676 478		CL V CO AS CU	II II II II	2997.520 2997.57 2997.63 2997.685 2997.715	2996.646 2996.70 2996.76 2996.811 2996.841	310 3 2 50 8	22. 28.	613 478 603 425 612	
CR NE NE CA GE	11 11 11 1	2995.706 2995.783 2995.831	2994.74 2994.833 2994.909 2994.958 2994.97	20 80 50 33 10	80. 17.	340 1016 563 1018 676		T1 BR CO FE V	III	2997.75 2997.774 2997.816 2997.916 2997.95	2996.88 2996.902 2996.945 2997.042 2997.08	M 250 1 5 3	116.	1015 606 603 288 1000	-
CR V CO NE NE	11 11 111 V	2995.993 2996.021 2996.1	2995.094 2995.119 2995.150 2995.2 2995.2	30 5 50 56 46	3. 129.	341 782 603 885 885	M M	MN F FE F	111 111 11 11	2998.030 2998.082 2998.089 2998.13 2998.170	2997.156 2997.208 2997.216 2997.26 2997.298	30 1 3 10 220	335.	328 537 896 538 488	
CO F MN CR V	I II II I	2996.134 2996.181 2996.29	2995.248 2995.260 2995.307 2995.42 2995.44	1 4 5 2 0	97.	603 538 328 341 782		CA CU T O	1 111 111 111	2998.188 2998.235 2998.399 2998.58 2998.61	2997.314 2997.364 2997.525 2997.71 2997.74	25 450 520 10	17. 17. 10.	1018 672 537 1015 168	M
V FE TI FE O	11 11 11	2996.549 2996.62 2996.712	2995.617 2995.676 2995.75 2995.838 2995.94	4 5 5 1 4	64. 178.	1000 896 601 605 168	M	FE MN ZN V	11 11 11 11	2998.621 2998.698 2998.7 2998.74 2998.816	2997.749 2997.826 2997.8 2997.87 2997.945	0 6 50 5 6	292. 42. 116. 141.	488 148 154 1000 478	
V NI SC MN MN	11 11 1V 1	2996.881 2996.945 2997.054	2995.999 2996.008 2996.074 2996.183 2996.223	60 5 40 2 20	27.	478 835 720 148 328	A. C.	NI MN CO CR S	1 I I I I I I I	2998.928 2998.928 2998.95 2998.989 2999.	2998.054 2998.056 2998.08 2998.118 2998.	, 5 1 3 8	97.	835 148 603 341 107	

SPECTRU		VACUUM NAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
AL	11	2999.03	2998.16	30	14.	1015	_		ΙΙ	3001.212	3000.337	2		835	
CO F.E	۷I	2999.1 2999.139	2998.2 2998.265	5		. 108 896	F M	AR FE	ΙΙ Ι	3001.3198 3001.3255	3000.4450 3000.4508	110 110	72. 56.	867 896	
CIJ	I	2999.255	2998.384	125	14.	672		CO	I	3001.418	3000.545	. 7	13.	603	
N .	٧.	2999.30	2998.43	60	9.01	313		٧	Ι.	3001.438	3000.556	00		1000	
AS	11	2999.337	2998.463	1		425			11	3001.52	3000.65	2	321.	340	
B MN	V	2999.36 2999.472	2998.48 2998.600	1		309 148		SC B	IV V	3001.627 3001.63	3000.754 3000.76	5		720 309	
v	1	2999.49	2998.62	4	64.	1000		FE I	11	3001.714	3000.839	20	88.	288	
FE	II	2999.534	2998.662	0	422.	488		CA	, I	3001.738	3000.863	33	17.	1018	
MN	11	2999.652	2998.778	. 10		328		ŢĬ	I	3001.741	3000.868	200	28.	1015	
CR FE	I	2999.655 2999.727	2998.783 2998.855	40 20-	4. 252.	341 488		CR FE	I	3001.75 3001.8226	3000.88 3000.9477	50 280	11. 9.	341 896	
cu	ii	2999.767	2998.893	2		612		F .	11	3001.89	3001.02	10	3. ,	538	
CR	.11	2999.88	2999.00	1	321.	340		V	I	3001.92	3001.05	1		1000	
NE	٧	2999.9	2999.0	67		885	М		11	3002.075	3001.203	200	27.	478	
AR FE	11	2999.985 3000.066	2999.110 2999.191	20 [.] 8		506 896	M	CU - CR	I I	3002.11 3002.42	3001.24 3001.55	5 1	97.	672 341	
v	Ī	3000.07	2999.20	- 12	58.	1000			ΙÎ	3002.461	3001.589	350	87.	188	
CR	11	3000.17	2999.30	8	94,	340		FE I	11	3002.492	3001.617	650	9.	288	
AS	11	3000.174	2999.299	50		425			ı	3002.5304	3001.6554	60	506.	896	
	11	3000.332 3000.347	2999.457 2999.472	10 . 450		1016 537			II II	3002.5432 3002.627	3001.6681 3001.754	150 30	8. 141.	389 478	
FE	111	3000.347	2999.5118	220	30.	896		CR	I	3002.63	3001.76	1	141.	341	
NE	II	3000.422	2999.547	10		1016		cu	I	3002.647	3001.774	2		672	
SE	111	3000.49	2999.62	30		587		v	ı	3002.77	3001.90	10	116.	1000	
CA	I	3000.516	2999.641 2999.699	25 10	17.	1018 896	М		11	3002.776 3002.80	3001.901 3001.93 -	250 2	43.	537 478	
FE CO	I	3000.573 3000.586	2999.699	10		603	IVI		11		3001.93	20	43.	478 328	
	ijĪ	3000.59	2999.71	3		2			H		3002.199	6		896	
BR	ΙI	3000.656	2999.783	10		606		cu	1	3003.154	3002.281	10		672	
CU	11	3000.746	2999.871	M 6	25	612 1015		FE MN	11	3003.203 3003.251	3002.330 3002.378	5 2	98.	1015	
TI CR	1 I I I	3000.79 3000.83	2999.92 2999.96	м 25	28. 137.	340		CR	I I	3003.251	3002.378	1	42.	148 341	
NI	ii.	3000.852	2999.977	2		835		v .	Ī	3003.321	3002.450	6		1000	
FE	. 11	3000.932	3000.059	110	276.	488		CD	ΙΙ	3003.35	3002.48	2		825	
F	III	3000.971	3000.096	300		537		NI	I	3003.357	3002.484	500	24.	488	
AR MN	11 111	3000.983 3001.168	3000.110 3000.293	50 1	72.	506 301		MN CO	I I I	3003.489 3003.49	3002.616 3002.61	20 2	3.	148 825	
MN SC	IV	3001.188	3000.293	5		720		v	i	3003.49	3002.65	8	47.	1000	

•

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VAČUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
TI CR O I		3002.650 3002.728 3002.757 3002.93 3002.961	750 30 2 4 60	78. 29.	488 1015 341 168 506	н м	CU V CO F CR	I I II II	3005.67 3005.70 3005.73 3005.73 3005.93	3004.73 3004.82 3004.85 3004.85 3005.06	1 10 4 25 40	47.	672 1000 825 538 341	
F I CR FE II	I 3003.842 I 3003.85 I 3003.86 I 3003.86 I 3003.899	3002.967 3002.98 3002.99 3002.99 3003.022	13 60 2 70 5	9.	613 538 341 288 328		MN AR I FE	11 11 11 1	3005.958 3006.018 3006.10 3006.181 3006.49	3005.082 3005.142 3005.23 3005.305 3005.62	3 10 8 10	199.	835 328 108 896 168	F M
F 11	I 3003.993 I 3004.156	3003.0302 3003.070 3003.125 3003.282 3003.288	25 200 2 1 5	30. 89.	896 537 148 1015 1000	•	V CO V F CO	II II II I	3006.558 3006.640 3006.687 3006.76 3006.847	3005.682 3005.766 3005.813 3005.88 3005.974	8 3 30 10 2	77. 86.	782 603 478 538 603	
V I NI NE	I 3004.24 I 3004.334 I 3004.496 V 3004.6 I 3004.66	3003.37 3003.461 3003.622 3003.7 3003.79	M 80 300 33 7	28. 27. 24.	1015 478 488 885 341	 M		V II III	3006.9 3006.935 3006.94 3006.995 3007.018	3006.0 3006.060 3006.07 3006.122 3006.142	220 10 40 70	22.	922 - 613 169 188 288	F P
FE FE I CR I	I 3004.6947 I 3004.739 I 3004.780 I 3004.79 I 3004.93	3003.8192 3003.863 3003.907 3003.92 3004.06	340 4 1 35 40	94.	425 896 645 340 538	M	CA V V FE V	I 1 1 1	3007.072 3007.12 3007.22 3007.324 3007.376	3006.196 3006.24 3006.34 3006.448 3006.502	2 5 6 4 20	116. 75. 141.	1018 1000 1000 896 478	м ,
FE II	V 3005.1	3004.058 3004.1157 3004.13 3004.2 3004.249	3 6 40 20	199. 21. 276.	612 896 288 115 488		CO FE FE MN SI	I I I I	3007.397 3007.419 3007.474 3007.503 3007.6150	3006.523 3006.543 3006.598 3006.629 3006.7387	1 5 0 4 50	3.	603 896 378 148 608	M
V O II CL I CR I	1 3005.18 1 3005.21	3004.30 3004.33 3004.35 3004.409 3004.47	10 4 40 145 3	47. 10. 22. 88.	538 1000 1015 -613 340		O N CR CA V	II II I I	3007.740	3006.82 3006.830 3006.86 3006.863 3006.90	25 220 1 40 5	18. 17. 116.	168 200 341 1018 1000	м
FE II NI I FE	I 3005.362 I 3005.364 I 3005.410 I 3005.505 I 3005.64	3004.486 3004.490 3004.534 3004.630 3004.77	1 3 3	57. 321.	506 1015 835 896 340		FE I	II III II III	3007.849 3007.86 3007.905 3007.909 3007.93	3006.973 3006.99 3007.029 3007.035 3007.06	170 20 10 1 220	53. 21. 141.	613 288 1016 478 288	

SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC1		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
O MN	II II III I	3007.95 3007.976 3008.02	3007.08 3007.102 3007.14	60 25 7 40 40	12. 74. 42. 55.	1015 168 148 288 896		BR CR F CO	11 11 11 111 111	3009.506 3009.54 3009.56 3009.588 3009.65	3008.630 3008.67 3008.69 3008.711 3008.67	100 4 10 12 M	75.	606 340 538 537 825	
FE 'I FE V	111 111 11 11 11	3008.10 3008.152 3008.1588 3008.170 3008.177	3007.22 3007.275 3007.2823 3007.296 3007.300	110 650 140 15 50	116. 11. 27.	288 288 896 478 425		O . S MN O CO	11 11 111 111	3009.67 3009.69 3009.696 3009.71 3009.72	3008.79 3008.82 3008.822 3008.83 3008.84	25 0 4 25 4	10. 3.	1015 598 148 168 825	
CO NA FE I P I	II II III III	3008.18 3008.24 3008.316 3008.338 3008.359	3007.30 3007.37 3007.441 3007.461 3007.483	3 5 40 160 1	1.	825 825 693 288 936		FE V ZN NA CR	III II II I	3009.9702 3009.99 3010.0 3010.013 3010.03	3009.0933 3009.11 3009.1 3009.138 3009.16	10 0 10 40 2	198.	896 325 154 693 341	
TI CO FE I MN	I I I I I	3008.362 3008.47 3008.477 3008.524 3008.65	3007.487 3007.59 3007.600 3007.650 3007.78	40 1 110 80 25	35. 74.	1015 603 288 148 168	P	CA MN NI FE V	I I I I	3010.082 3010.253 3010.310 3010.4460 3010.54	3009.205 3009.378 3009.433 3009.5689 3009.66	33 5 3 110 1	30.	1018 148 835 896 1000	
CU NE F NE	III II II II	3008.670 3008.68 3008.709 3008.76 3008.809	3007.793 3007.80 3007.832 3007.88 3007.933	285 1 80 1 70	10.	288 672 1016 538 1016		O AS SC O FE	11 11 17 11 11	3010.57 3010.628 3010.716 3010.72 3010.874	3009.69 3009.751 3009.841 3009.84 3009.998	4 5 20 4	74. 74. 41.	168 425 720 168 1015	
CR CR	II I I I	3008.819 3008.85 3008.924 3008.99 3009.0157	3007.945 3007.98 3008.050 3008.12 3008.1390	2 6 3 5 220	321. 9.	341 340 148 672 896		CO AR AS FE CR	I II II II I	3010.88 3010.90 3010.917 3011.051 3011.09	3010.01 3010.02 3010.040 3010.174 3010.22	0 100 30 4 2	181.	603 79 425 896 341	
CR I MN CR	II III II	3009.02 3009.11 3009.132 3009.17 3009.197	3008.14 3008.26 3008.258 3008.30 3008.322	4 2 40 6 2	35. 174. 85.	538 490 148 340		AS TI NE CU CR	I I I I		3010.368 3010.42 3010.451 3010.592 3010.64	100 10 20 10	170.	425 1015 1016 612 340	
0 TI 1 V FE 1	II III III III		3008.35 3008.4 3008.508 3008.511 3008.610	4 15 160 70	74. 141. 9. 26.	168 227 478 288 478	F P	BR CU V CD CR	II I III		3010.713 3010.838 3010.84 3010.92 3010.92	1 , 450 1 25 4	14. 37. 321.	606 672 1000 673 340	

SPECTR	UM	VACUUM WAVELENGTI	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
MN FE CR MN V	III III I	3011.80 3011.936 3011.984 3012.040 3012.133	3010.93 3011.060 3011.109 3011.165 3011.258	0 1 7 50 1	31. 35.	328 1015 341 148 478		BR NI AS HE NI	1 I I I I I V	3014.591 3014.592 3014.596 3014.6 3014.6	3013.714 3013.713 3013.718 3013.7 3013.7	1 5 60 100		606 935 425 126 922	FΡ	
MN V CR FE BR	I II II	3012.251 3012.28 3012.29 3012.3592 3012.405	3011.376 3011.40 3011.42 3011.4817 3011.529	70 2 7 50 100	35. 55. 316.	148 1000 340 896 606		CR FE MN NE FE	I I I I I	3014.60 3014.679 3014.809 3014.853 3014.9839	3013.72 3013.802 3013.933 3013.975 3014.1057	40 0 1 20 3	26. 124. 458.	341 1015 148 1016 896		
V AS FE GA MN	I I I II	3012.46 3012.623 3012.761 3012.78 3012.85	3011.58 3011.745 3011.883 3011.90 3011.97	1 30 2 30 10	135.	1000 425 378 652 328		FE V V O AR	I I I I I I	3015.0514 3015.07 3015.21 3015.25 3015.3604	3014.1732 3014.19 3014.33 3014.38 3014.4822	4 4 15 4 80	31. 116. 72.	896 1000 1000 168 867	Þ	
CR NI CU V NE	11 - I I II I	3012.88 3012.880 3012.880 3012.895 3013.015	3012.01 3012.004 3012.005 3012.020 3012.137	2 375 160 30 25	87. 41. 43.	340 1015 672 478 896		CU MN CR V CU	1 I I I I I	3015.4228 3015.541 3015.632 3015.698 3015.723	3014.5446 3014.666 3014.756 3014.822 3014.848	75 70 50 100 30	35. 27. 27. 45.	612 148 341 478 672		
CU CR FE CR FE	11 12 1 11 11	3013.155 3013.21 3013.320 3013.35 3013.47	3012.277 3012.33 3012.443 3012.47 3012.59	2 3 5 5	137. 276.	612 340 896 340 488	M	MN SI CR V MN	1 I 1 I 1 1	3015.726 3015.798 3015.908 3015.848 3016.059	3014.848 3014.920 3014.932 3014.972 3015.183	20 3 75 1	14. 27.	328 678 341 1000 148		
O FE MN CU NE	11 111 1 1		3012.82 3012.847 3012.854 3012.775 3012.959	4 2 8 1 30	74. 10. 3.	168 1015 148 672 896		CR NI FE SC F	III III III	3016.073 3016.116 3016.139 3016.241 3016.275	3015.197 3015.238 3015.260 3015.364 3015.396	50 5 160 8 30	27. 9. 10.	341 835 288 1015 537		
CR SI V FE CU	1 111 111 111 11	3013.908 3013.969 3013.977 3014.045 3014.1676	3013.033 3013.091 3013.102 3013.167 3013.2897	20 40 80 1000 2	26. 10. 26. 9.	341 768 478 288 612		NA CR CO S MN	11 11 11 11	3016.276 3016.39 3016.562 3016.6 3016.733	3015.398 3015.51 3015.686 3015.7 3015.854	90 50 3 200 15	5. 87. 76.	693 340 603 322 328		
O CU NI CO MN	11 11 1	3014.21 3014.385 3014.445 3014.467 3014.500	3013.33 3013.510 3013.567 3013.592 3013.622	40 2 5 8 20	56.	168 672 835 603 328	P	MN FE NI O	I I I I I I I	3016.791 3016.7991 3016.826 3016.84 3016.859	3015.915 3015.9205 3015.947 3015.96 3015.980	2 6 20 4 3	198. 72. 14.	148 896 835 168 678	р	

:	SPECTRUI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		WUUDAV HTDMBJBVAW	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
1	/ BR / AR	I I I I I I I V I	3016.86 3016.862 3017.02 3017.03 3017.05	3015.98 3015.984 3016.14 3016.15 3016.17	10 50 15 50 20	42. 26. 1. 58.	478 - 606 478 1015 1000			I II I I I	3019.704 3019.724 3019.84 3019.8620 3019.894	3018.827 3018.844 3018.96 3018.9826 3019.018	40 150 3 60 2	26. 22. 30.	341 613 478 896 148	
(FE CU CR V.	I I I I	3017.0602 3017.12 3017.17 3017.268 3017.330	3016.1815 3016.24 3016.29 3016.392 3016.454	12 0 3 1	30. 35.	896 672 341 1000 148		V NI FE FE BE	1 I 1 1 1 1	3019.97 3020.021 3020.113 3020.1693 3020.212	3019.09 3019.143 3019.234 3019.2898 3019.333	3 100 25 4 40	86. 11. 199.	478 1015 896 896 333	М
. ,	BR AS V NI	11 11 11	3017.405 3017.4201 3017.652 3017.875 3018.065	3016.528 3016.5414 3016.775 3016.996 3017.187	350 60 120 20 50	27. 85.	606 425 478 835 1015		SC FE CR BE BE	I I I I	3020.228 3020.261 3020.27 3020.371 3020.406	3019.350 3019.381 3019.39 3019.492 3019.526	10 20 3 25 25	10.	1015 896 341 333 333	М
1	CO FE NE FE NE	I III III	3018.131 3018.138 3018.188 3018.19 3018.235	3017.254 3017.259 3017.310 3017.31 3017.356	3 3 120 20 80	78. 8.	603 896 1016 288 896	N.	BE FE	I I I I I I I I I I I I I I I I I I I	3020.459 3020.479 3020.532 3020.597 3020.684	3019.580 3019.599 3019.652 3019.717 3019.804	20 15 5 40 30		835 333 896 328 896	м . м
((FE NI CO CR FE	I I I I I	3018.297 3018.410 3018.424 3018.468 3018.5062	3017.418 3017.531 3017.548 3017.591 3017.6272	4 10 15 100 60	11. 27. 9.	896 835 603 341 896	М	SI FE CA	11 11 11 1	3020.802 3020.8840 3020.889 3021.112 3021.13	3019.923 3020.0044 3020.009 3020.232 3020.25	170 75 60 2 4	0.0 110.	328 608 896 1018 478	
		111 11 11 1 1	3018.51 3018.539 3018.66 3018.735 3018.825	3017.63 3017.659 3017.78 3017.856 3017.947	60 20 10 5 5	10. 95. 74.	1015 328 340 896 488	М	MN FE MN	II II II	3021.15 3021.365 3021.3704 3021.490 3021.513	3020.27 3020.485 3020.4907 3020.610 3020.630	10 30 220 15 1	9,	587 328 896 328 538	
	SI FE CU FE ZN	IÍ I I I I	3018.91 3018.928 3018.97 3019.0151 3019.234	3018.04 3018.047 3018.09 3018.1359 3018.355	2 4 2 5 60	14. 199. 5.	678 896 672 896 830	М	v co	1 1 I 1 I 1 I	. 3021.5189 3021.53 3021.53 3021.73 3021.782	3020.6391 3020.65 3020.65 3020.85 3020.902	380 200 6 2	9. 26.	896 586 478 603 835	
1	CR Mn Ca	111 1 11 1 1 111	3019.29 3019.369 3019.431 3019.474 3019.668	3018.41 3018.492 3018.552 3018.595 3018.789	3 50 2 2 160	26.	673 341 328 1018 288		NI FÉ	I I I I I I I	3021.84 3021.847 3021.895 3021.9526 3021.98	3020.96 3020.967 3021.015 3021.0727 3021.10	1 20 20 240 1	9.	603 328 835 896 328	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI X	I 3022.15 I 3022.159 I 3022.2 I 3022.211 I 3022.286	3021.27 3021.279 3021.3 3021.331 3021.407	5 0 5 5	251.	328 425 806 896 488	H M	FE TI V FE MN	!! !! !! !!!	3024.739 3024.74 3024.760 3024.764 3024.871	3023.859 3023.86 3023.882 3023.883 3023.993	1 12 20 220 1	84. 126. 41. 10.	1015 1015 478 288 148	
CU SI I CR	I 3022.295 I 3022.421 I 3022.43 I 3022.453 I 3022.551	3021.415 3021.544 3021.55 3021.576 3021.673	3 170 20 200 2	45. 14. 27.	835 672 678 341 148		F FE AR AL CU	11 111 11 11	3024.88 3024.9131 3024.93 3024.99 3025.062	3024.00 3024.0325 3024.05 3024.11 3024.182	4 220 120 10 3	11. 4. 13.	538 896 79 1015 612	
FE 11	3022.602 1 3022.629 1 3022.66 11 3022.88 11 3023.024	3021.722 3021.749 3021.78 3022.00 3022.146	100 25 6 40 4	75. 76. 86.	328 896 1000 288 478	M	FE CR D CO ZN	II III I	3025.164 3025.237 3025.24 3025.278 3025.33	3024.283 3024.359 3024.36 3024.400 3024.45	10 125 4 1	26. 10. 52.	896 341 1015 603 154	· M
FE CO NI	3023.17 I 3023.211 I 3023.232 II 3023.287 II 3023.45	3022.29 3022.330 3022.355 3022.407 3022.57	1 6 3 10 40	26.	538 896 603 835 478	M	MN D FE CR P	11 111 1 1 1	3025.37 3025.45 3025.463 3025.567 3025.647	3024.49 3024.57 3024.582 3024.689 3024.766	15 40 3 12 10	4. 117.	328 1015 896 341 936	M
CU CO MN	II 3023.47 I 3023.486 II 3023.49 I 3023.621 I 3023.65	3022.59 3022.608 3022.61 3022.743 3022.77	1 170 3 110 10	35.	538 672 825 148 1000		FE FE CR CO CA	I I III III I	3025.679 3025.752 3025.78 3025.80 3025.817	3024.798 3024.871 3024.90 3024.92 3024.937	5 [°] 5 3 2 3		896 896 340 673 1018	M M
TI CL	I 3023.654 II 3023.68 II 3023.699 II 3023.795 II 3023.80	3022.773 3022.80 3022.820 3022.915 3022.92	4 5 15 168 1	13. 126. 57.	896 1015 1015 613 538	. M	V CU NI MN AS	I I I I I I I I	3025.860 3025.872 3025.935 3026.079 3026.114	3024.981 3024.994 3025.054 3025.198 3025.233	50 100 2 40	85.	478 672 835 328 425	
0 1	I 3023.99 I 3024.072 II 3024.16 II 3024.33 II 3024.41	3023.11 3023.192 3023.28 3023.45 3023.53	0 5 2 60 10	4.	603 896 328 1015 154	М	FE NI FE V F	1 11 11 11	3026.161 3026.516 3026.5194 3026.56 3026.60	3025.280 3025.635 3025.6384 3025.68 3025.72	15 30 125 1	29. 198. 75.	896 835 896 478 538	
	I 3024.461 I 3024.468 II 3024.549 V1 3024.6 I 3024.66		M 1 70	103. 35.	605 603 200 108 341	F	O FE CR FF CU	111 111 1	3026.66 3026.7235 3026.75 3027.010 3027.252	3025.78 3025.8425 3025.87 3026.129 3026.373	4 220 3 20 6	84. 9. 77.	168 896 341 288 603	

SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERÊNCE	NOTES
FE CR F	11 11 11 11 11	3027.26 3027.3426 3027.52 3027.53 3027.626	3026.38 3026.4614 3026.64 3026.65 3026.745	7 30 100 4 50	30. 95.	340 893 340 538 506		BR NI MN NA LI	11 11 11 11	3029.838 3029.912 3029.925 3029.947 3030.003	3028.957 3029.030 3029.043 3029.066 3029.121	250 2 140 90 60	10.	606 835 328 693 307	
AL CR MN	II II II II	3027.630 3027.66 3027.74 3027.74 3027.785	3026.748 3026.78 3026.86 3026.86 3026.904	0 15 20 10 15	13. 41.	425 1015 340 328 496	·	LI CR FE NI MN	11 1 1 1	3030.018 3030.043 3030.1156 3030.174 3030.329	3029.136 3029.165 3029.2337 3029.293 3029.446	60 50 8 15 60	26. 56. 74.	307 341 896 488 328	
NE SE 1 V	I II II II	3027.79 3027.888 3027.8972 3027.92 3027.95	3026.91 3027.006 3027.0159 3027.04 3027.07	8 160 100- 50 2	21. 8.	1029 288 389 14 1000	Q :	V CU FE NE TI	1	3030.44 3030.48 3030.562 3030.595 3030.611	3029.56 3029.60 3029.681 3029.713 3029.730	7 2 0 60 35	26. 124. 85.	478 672 1015 1016 1015	
AR I AR I NI NI	1 I 1 I 1 I 1 I 1 I	3028.04 3028.04 3028.148 3028.265 3028.270	3027.16 3027.16 3027.267 3027.383 3027.388	50 50 1 50 1	4. 4.	79 79 835 835 612		CL SI FE CR CU	11 11 1 1	3030.882 3030.882 3031.0306 3031.13 3031.138	3030.000 3030.000 3030.1484 3030.25 3030.258	1 100 80 100 10	14. 198. 27.	613 678 896 341 672	
FE I	II II II II	3028.30 3028.373 3028.479 3028.65 3028.70	3027.42 3027.491 3027.600 3027.76 3027.82	1 20 . 15 1 5	10. 85	538 288 478 288 672		NE NI FE SC FE	III	3031.204 3031.272 3031.4856 3031.651 3031.669	3030.322 3030.390 3030.6033 3030.769 3030.787	4 2 4 3 10	†45. 10. 459.	896 835 896 1015 896	
V CR CO	I I V I I I I	3028.715 3028.92 3028.922 3029.00 3029.063	3027.836 3028.04 3028.042 3028.15 3028.184	1 120 50 75	5. 85. 18.	148 86 478 340 603		NE V NE V MN	II II II	3031.676 3031.81 3031.813 3031.888 3031.921	3030.794 3030.93 3030.930 3031.009 3031.038	100 5 10 10 170	17.	1016 1000 1016 1000 328	
NE CA I NE	II II II II	3029.066 3029.30 3029.468 3029.581 3029.603	3028.184 3028.42 3028.586 3028.700 3028.721	M 2 360 90 30	7. 8. 84.	825 1029 64 1016 506	0	BR FE CO FE MN	II I I I	3032.041 3032.0969 3032.168 3032.206 3032.208	3031.160 3031.2144 3031.288 3031.324 3031.324	0 60 2 5 5	198.	606 896 603 896 328	м
P NE SC	11 11 11 1V 11	3029.64 3029.68 3029.744 3029.781 3029.7956	3028.76 3028.80 3028.862 3028.900 3028.9137	4 0 120 20 140	73. 4.	168 431 1016 720 867		CR CD	I I I II	3032.225 3032.36 3032.378 3032.39 3032.51	3031.346 3031.48 3031.498 3031.51 3031.63	50 1 20 0 3	27. 117. 87.	341 587 341 603 340	

ŞPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM NAVELENGT'I	-AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE NI I NI	I 3032.516 I 3032.600 I 3032.618 I 3032.752 I 3032.89	1 3031.6336 3031.718 3031.735 3031.870 3032.00	25 3 20 50	30.	896 896 835 1015 328	M	NE FE F CR	11 1 111 11	3035.343 3035.3675 3035.408 3035.42 3035.426	3034.460 3034.4842 3034.525 3034.54 3034.543	120 60 300 25 3	8. 57. 3. 94.	1016 896 537 340 1018	
B I	I 3032.97 I 3033.067 I 3033.140 I 3033.215 I 3033.341	3032.332	25 3 250 0 5	83. 75.	168 478 532 782 835		CU BR CO FE SI	I 1I 1I 1I 1II.	3035.436 3035.541 3035.58 3035.595 3035.615	3034.555 3034.658 3034.70 3034.712 3034.732	3 0. M 0 60	84. 10.	672 606 825 1015 768	
CR I SI II AS	1 3033.35 1 3033.53 1 3033.55 1 3033.73 1 3033.73	3032.47 3032.65 3032.66 3032.85 3032.85	10 4 25 40 2	83. 10.1 15. 14.	168 340 768 480 678		K MN K CR NI	I I I I I I I	3035.644 3035.690 3035.803 3035.87 3036.001	3034.761 3034.807 3034.920 3034.99 3035.117	40 100 40 20 20	3. 21. 3. 137.	1019 328 1019 340 835	•
FE MN. I	3033.80 3033.82 1 3033.98 1 3034.12 1 3034.20	3033.24	1 50 5 2 1	15. 131.	325 340 896 328 148		V MN O CR FE	1 I I I I I I	3036.02 3036.235 3036.31 3036.43 3036.621	3035.14 3035.350 3035.43 3035.55 3035.737	3 170 40 2 5	245. 4.	478 328 1015 341 896	M
V I FE I	i 3034.27 ii 3034.32 ii 3034.32 ii 3034.36 ii 3034.39	3033.445 3033.445 3033.480	200 2 2 2 180	123. 181.	896 478 1015 672 867	M	ZN FE P NE V	1 111 111 11	3036.661 3036.672 3036.793 3036.8055 3036.95	3035.777 3035.788 3035.909 3035.9219 3036.07	70 20 1 100 2	5. 30. 17. 40.	830 288 936 389 478	
SE 1:	3034.40 II 3034.45 II 3034.46 I 3034.63	3033.58 3033.75	85 100 10 1 260	21. 34.	586 328 587 1000 478		CU NI FE AS CO	I V I I I I I	3036.982 3037.0 3037.007 3037.091 3037.10	3036.101 3036.1 3036.123 3036.208 3036.22	500 5 1	17.	672 922 896 425 825	F P M
CO MN CR	II 3034.94 I 3034.97 II 3035.03 I 3035.07 IV 3035.15		5 1 40 50 10	74.	. 340 . 603 . 328 . 341 . 829		CL NE CR TI AR	11 11 11 11	3037.243 3037.510 3037.588 3037.667 3037.771	3036.359 3036.626 3036.707 3036.784 3036.887	3 80 6 1 20	78.	613 1016 341 1015 506	
NE IAN	11 3035.20 11 3035.22 1 3035.28 11 3035.29 1 3035.31	3034.408 3034.41	1 60 1 4 6	20.	1015 1016 148 478 603		AR FE CR NA SI	111 11 11 11 111	3037.84 3037.848 3037.930 3037.951 3038.171	3036.96 3036.964 3037.049 3037.068 3037.287	30 40 75 60 100	181. 27.	79 896 341 693 768	

	SPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V FE CU NE FE	I II II I	3038.253 3038.2726 3038.492 3038.6039 3038.6633	3037.372 3037.3887 3037.608 3037.7199 3037.7793	2 280 2 100 50	9. 8. 31.	1000 896 612 389 896		NI CU MN CO FE	II II II III	3040.405 3040.426 3040.435 3040.444 3040.460	3039.521 3039.488 3039.550 3039.563 3039.576	10 10 125 3 20	10. 52.	835 672 328 603 288	
	CU NI P CL AR	11 111 11 11 VI	3038.685 3038.819 3038.821 3038.844 3038.86	3037.801 3037.935 3037.937 3037.960 3037.98	10 300 40 200 60	25. 53. 2.	612 1015 936 613 1015		NE AS C CR F	11 11 11 11	3040.4702 3040.519 3040.599 3040.61 3040.630	3039.5857 3039.634 3039.714 3039.73 3039.746	100 0 25 15 450	17. 29. 117. 3.	389 425 287 341 537	
	V CR V MN CO	11 11 11 11	3038.88 3038.92 3038.94 3038.976 3039.184	3038.00 3038.04 3038.06 3038.092 3038.302	2 8 1 155 2	246. 154.	478 340 1000 328 603		SC V CR SC D	1 11 1 11 11	3040.64 3040.649 3040.65 3040.80	3039.76 3039.767 3039.77 3039.92 3040.01	0 2 25 10 4	153. 26. 47. 72.	1028 478 341 1015 1015	, P
283	FE CR MN V MN	I I I I I I I I I I I I I I I I I I I	3039.198 3039.39 3039.392 3039.402 3039.498	3038.314 3038.51 3038.507 3038.520 3038.616	5 4 140 30 3	41. 96.	896 340 328 478 148		NI V CR FE CU	11 11 11 1	3040.905 3041.01 3041.06 3041.3119 3041.350	3040.020 3040.13 3040.18 3040.4271 3040.467	5 1 8 50 1	30.	835 1000 340 896 672	
	FE SE TI V FE	I II I I I	3039.537 3039.54 3039.590 3039.591 3039.661	3038.653 3038.66 3038.706 3038.710 3038.777	500 6 10 3	18. 85.	896 468 1015 1000 1015	M	C TI MN CO FE	11 111 1 1 1.	3041.397 3041.398 3041.482 3041.694 3041.713	3040.512 3040.513 3040.600 3040.812 3040.829	10 1 100 1 0	29. 34. 50. 123.	287 227 148 603 1015	
	CR MN C GE CO	11 111 111 VI	3039.68 3039.776 3039.790 3039.9515 3040.0	3038.80 3038.892 3038.910 3039.0671 3039.1	4 40 5 1000	²⁵ .	340 328 34 7 108	F	CR CR SI FE CA	I II III I I	3041.719 3041.79 3041.818 3041.847 3041.942	3040.837 3040.91 3040.933 3040.962 3041.057	100 70 130 4 2	27. 65. 10.	341 340 768 896 1018	M
	MN CA MN SI F	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3040.050 3040.070 3040.076 3040.09 3040.134	3039.169 3039.186 3039.192 3039.21 3039.250	1 1 30 3 520	17. 3.	148 1018 328 678 537		BR MN NI AL SE	I V I I I I I I I I I I I I I I I I I I	3042.07 3042.103 3042.146 3042.163 3042.19	3041.18 3041.220 3041.261 3041.278 3041.31	100 30 5 150 500	34. 28. 20.	574 148 835 1015 468	
	V CR FE O V	I I I I I		3039.305 3039.32 3039.3182 3039.45 3039.46	1 4 4 4 1	199. 72.	1000 340 896 168 1000		V MN SI NI CU	11 11 11 11	3042.30 3042.366 3042.458 3042.504 3042.51	3041.42 3041.483 3041.573 3041.619 3041.62	60 1 20 5	40.	478 148 678 835 672	

SPECT	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	W	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE CU CR FE V	I II I I I	3042.5638 3042.61 3042.6234	3041.6372 3041.6788 3041.73 3041.7384 3041.83	80 65 50 50	56. 95. 30.	896 612 340 896 1000	•	V II SI I CR	I I I I	3044.437 3044.559 3044.578 3044.597 3044.651	3043.553 3043.673 3043.692 3043.714 3043.768	50 5 100 3 20	17. 17. 34.	1000 325 678 341 148	
BR FE NI SI CR	111 1 11 11	3042.9043 3042.934. 3043.076	3041.93 3042.0192 3042.049 3042.191 3042.24	30 15 2 30 1	30. 14.	586 896 835 678 341		SI I CR I SI II	II II II II	3044.736 3044.74 3044.77 3044.817 3044.887	3043.851 3043.85 3043.89 3043.932 3044.004	5 10 18 80 30	78. 17. 48. 8.0	1015 678 340 768 603	
CL V MN MN SE	1 I 1 I 1 I 1 I I	3043.141 3043.15 3043.202 3043.3	3042.256 3042.27 3042.319 3042.4 3042.45	23 80 3.	40.	613 478 148 909 587	F	CR MN I NE I	I I I I I I	3044.911 3044.92 3044.95 3044.9727 3045.11	3044.028 3044.04 3044.06 3044.0868 3044.23	20 1 20 100 10	45. 17. 154.	672 341 328 389 340	
AR CO MN FE V	I I . I I I I	3043.364 3043.5 3043.5497	3042.463 3042.481 3042.6 3042.6644 3042.672	10 8 25 15	10. 30.	506 603 909 896 1000	F	MN 1 FE 11 MN	I I I I I I I I	3045.208 3045.3 3045.324 3045.449 3045.729	3044.323 3044.5 3044.438 3044.566 3044.843	5 220 5	15. 98.	896 909 1015 148 1015	F M
MN CR F FE CU	11 111 111	3043.67 3043.687 3043.728	3042.734 3042.79 3042.802 3042.843 3042.8556	, 25 .800 . 4	34. 47.	148 340 537 896 612	М	V II V NI	1 I 1 I I I I	3045.812 3045.82 3045.821 3045.892 3045.908	3044.926 3044.93 3044.938 3045.006 3045.023	2 15 50 50 105	17. 12. 21.	425 325 1000 1015 613	
MN V NI P	11 11 11 11	1 3043.79 I 3043.800 V 3043.867	3042.905 3042.90 3042.915 3042.980 3043.02	2 1 3 4 60	4.	148 782 835 937 1015		FE TI	I 1 I 1 I 1 I	3045.908 3045.962 3045.9642 3045.971 3045.982	3045.025 3045.076 3045.0783 3045.085 3045.096	1 40 40 5 50	8.0 29.	672 768 896 1015 425	
V FE V MN	111 111	1 3043.952 1 3044.007	3043.059 3043.067 3043.123 3043.128 3043.139	5 2 50 125 15	91. 17. 21. 34.	325 1015 1000 328 148		CR FE CR	1 I 1 1 1 I 1 I	3046.196 3046.207 3046.389 3046.41 3046.4418	3045.313 3045.324 3045.503 3045.52 3045.5558	0 2 3 4 100	179. 48. 8.	645 341 896 340 389	M
FE MN FE CR V	. 11	I 3044.237 I 3044.324	3043.31 3043.355 3043.439 3043.46 3043.54	60 1 2 40	-	1015 148 1015 341 478		CR	I I II II .	3046.473 3046.4734 3046.476 3046.50 3046.600	3045.590 3045.5874 3045.590 3045.62 3045.714	80 12 60 3 15	34. 198. 11. 37.	148 896 693 340 1015	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SI I MN FE II	1 3046.688	3045.740 3045.77 3045.804 3045.877 3045.889	3 10 30 40 2	17. 34. 76.	1018 678 148 288 1018		CR ! CU AS 1	I 3048.62 I 3048.65 I 3048.678 I 3048.725 I 3048.76	3047.74 3047.77 3047.795 3047.838 3047.88	1 25 1 1 6	82. 15.	168 340 672 425 341	P
AR I CR FE II	1 3046.98	3045.949 3046.079 3046.10 3046.194 3046.24	7 50 2 5 150	18.	723 506 341 298 468		CO V I	3048.908 1 3048.992 1 3049.097 1 3049.156	3048.021 3048.108 3048.214 3048.2 3048.270	20 2 200 35 150	77. 123.	506 603 478 885 425	М
MN I SI 11 V II		3046.27 3046.271 3046.284 3046.328 3046.337	1 125 15 10 5	10. 8.0	340 328 768 325 896	, M	MN !	3049.19 3049.19 3049.28 3049.339 3049.53	3048.30 3048.30 3048.39 3048.452 3048.65	10 50 3- 6 4	17. 67.	676 678 328 896 478	M
	I 3047.410 I 3047.45 I 3047.471	3046.399 3046.524 3046.57 3046.588 3046.675	00 7 3 4	78. 179.	1015 332 341 148 1015		TI AR	3049.580 3049.653 3049.671 3049.743 1 3049.744	3048.690 3048.766 3048.784 3048.856 3048.860	1 6 20 200 40	43.01 78. 34.	287 1015 506 537 148	
BE I FE II FE	1 3047.571 1 3047.577 1 3047.60 1 3047.703 1 3047.75	3046.685 3046.691 3046.71 3046.819 3046.86	30 25 20 M	47. 92. 315.	1015 332 288 605 328		C .	I 3049.763 I 3049.772 II 3049.775 II 3049.820 II 3049.881	3048.876 3048.888 3048.891 3048.933 3048.994	5 12 70 10 4	11. 40. 43.01 181.	896 603 478 287 896	М
NI I MN FE	1 3047.8129 1 3047.895 1 3047.915 1 3047.936 1 3047.939	3047.009 3047.032	. 2 125	198. 34. 457.	896 835 148 896 506		MN V I F I	I 3049.891 II 3049.912 II 3049.978 II 3050.026 II 3050.170	3049.139	100 2 700 2	21.	1018 328 325 537 612	
FE III O III FE V	3048.005 3048.02 3048.084 3048.09 3048.104	3047.119 3047.13 3047.201 3047.21 3047.217	1 150 M 1 50	382.	1015 1015 605 1000 328		CR	I 3050.241 1I 3050.285 1I 3050.37 1I 3050.558 I 3050.762	3049.354 3049.398 3049.49 3049.671 3049.878	3 25 10 25 8	43. 43. 27.	896 287 340 287 341	
CR . NE FE	11 3048.12 I 3048.329 II 3048.444 I 3048.490 II 3048.50			164. 8. 9.	676 341 389 896 340		AR AL MN	I 3050.852 II 3050.930 I 3050.960 I 3050.984 II 3051.02	3050.043 3050.073	2 10 270 3 100	7. 65.	148 506 198 148 340	

SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WÄVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V V FE I	II I II II	3051.096 3051.21 3051.280- 3051.354 3051.361	3050.211 3050.33 3050.396 3050.467 3050.474	40 1 25 40 90	74. 10.	693 1000 1000 289 1016		AR SI MN	1 I I I I I I I	3053.960 3054.039 3054.072 3054.181 3054.250	3053.072 3053.151 3053.184 3053.296 3053.362	25 50 150 2 310	17.	425 506 678 148 425	
CR V	II II II	3051.381 3051.542 3051.62 3051.620 3051.651	3050.496 3050.654 3050.74 3050.735 3050.763	3 170 6 15 70	77. 21. 95. 66.	603 328 340 478 1016		CU V FE FE FE	I I I I I	3054.27 3054.28 3054.317 3054.343 3054.426	3053.38 3053.39 3053.429 3053.455 3053.538	10 200 8 6 3	45. 34. 398. 31.	672 478 896 896 896	,М
SE I	I I II II	3051.703 3051.767 3051.816 3051.92 3052.193	3050.819 3050.883 3050.932 3051.04 3051.308	500 35 60 10 3	25. 16. 51. 228.	1015 1000 603 587 478		V V CR	11 11 11 11	3054.4618 3054.524 3054.52 3054.54 3054.54	3053.5738 3053.637 3053.65 3053.65 3053.663	3 6 80 10 90	17. 64. 15.	612 782 1000 340 693	
CR V MN	11 11 1 11 11	3052.20 3052.25 3052.27 3052.313 3052.48	3051.32 3051.37 3051.39 3051.426 3051.60	M 2 00 140 6		825 340 1000 328 340		CL CR FE	Iİ II I I	3054.647	3053.7204 3053.758 3053.87 3053.878 3053.394	40 122 100 3 80	14. 26. 40.	425 613 341 896 478	М
V I CU U	1 I 1 I 1 I 1 I	3052.548 3052.74 3052.786 3052.835 3052.95	3051.660 3051.85 3051.901 3051.947 3052.07	10 1 2 2 90	7.	496 325 672 612 488		FE I V NI	1 11 11 1	3055.017 3055.026 3055.13 3055.201 3055.234	3054.132 3054.138 3054.24 3054.316 3054.346	18 ⁻ 110 7 250 100	10. 67. 25.	603 288 478 1015	
CU MN V	II II II I	3053.03 3053.04/ 3053.07 3053.080 3053.103	3052.15 3052.160 3052.18 3052.195 3052.218	1 2 2 20 18	15. 164.	825 612 328 1000 341		NE NE AL	II II II II	3055.248 3055.309 3055.5642 3055.567 3055.57	3054,362 3054,421 3054,6759 3054,679 3054,68	200 90 100 40 5	15. 8. 7.	148 1016 389 198 328	
V 11	11 V 11 V I	3053.234 3053.234 3053.356 3053.42 3053.439	3052.346 3052.468 3052.53 3052.554	10 10 10 150 15	5. 45.	325 829 325 86 672		AR I NI V	II II II I	3055.610 3055.70 3055.710 3055.78 3055.83	3054.724 3054.82 3054.82 3054.89 3054.94	120 10 1 3	13. 4. 16.	603 79 835 1000 341	
CR I BR I FE	II II II I	3053.814 3053.86 3053.901 3053.950 3053.9549	3052.929 3052.97 3053.016 3053.065 3053.0670	20 3 50 110 10	37. 131. 131.	1015 340 606 488 896		FE AR	I I I I I I	3055,835 3055,941 3056,1505 3056,169 3056,182	3054.949 3055.055 3055.2620 3055.281 3055.294	м [°] 50 54	263. 164. 55.	605 341 896 506 896	м

ş	PECTRUM	١	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	FRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
C N	R I	I II II II	3056.209 3056.21 3056.232 3056.240 3056.297	3055.321 3055.32 3055.346 3055.351 3055.409	5 5 4 5 2	181.	1018 340 693 896 782		NI MN MN FE FE	I I I I I	3058.53 3058.619 3058.678	3057.638 3057.64 3057.735 3057.789 3057.812	250 10 1 6 5	24. 29. 29.	488 328 148 896		
. C	E 11	II I II I	3056.33 3056.442 3056.483 3056.5020 3056.599	3055.44 3055.554 3055.595 3055.6135 3055.710	15 20 2 10 4	33. 10.	340 288 1018 612 896	м	CR NE AS CL FE	II II II II	3058.753 3058.8341 3058.852	3057.86 3057.864 3057.9450 3057.963 3058.034	12 90 310 310 8	65.	340 1016 425 613 896	M	
M M V	N I	IV I I I I I	3056.752 3056.775 3056.801 3056.828 3057.043	3055.864 3055.885 3055.915 3055.942 3056.157	5 5 2 7 90	123. 1.	829 328 148 478 693		TI F CR MN CR	11 11 1 1	3059.049 3059.051 3059.191	3058.090 3058.160 3058.164 3058.305 3058.36	50 300 6 2 12	47. 164. 48.	1015 538 341 148 340		
С	R I E C	I I I I	3057.061 3057.09 3057.130 3057.19 3057.223	3056.173 3056.20 3056.242 3056.30 3056.339	4 3 8 1 100	17.	896 340 896 1030 1000	. м	FE C FE O CO	I V V VI	3059.383 3059.57	3058.364 3058.450 3058.493 3058.68 3058.7	5 10 20	47.	896 287 896 168 108	M M F.	
M V C	N R· 1	I I I I	3057.321 3057.357 3057.48 3057.55 3057.554	3056.435 3056.471 3056.59 3056.66 3056.668	3 4 1 8 2	48.	341 148 1000 340 603		NA V AL MN FE	11 111 11 11	3059.82 3059.918 3059.949	3058.726 3058.93 3059.029 3059.060 3059.0856	4 0 25 100 320	7. 21. 9.	693 325 199 328 896		
M T F K C	I 1 E I	I I I I	3057.598 3057.626 3057.688 3057.73 3057.7380	3056.709 3056.740 3056.802 3056.84 3056.8491	30 15 5 60 .5	47. 109. 7.	328 1015 1015 489 612		C NE V MN CU	11 11 11 1	3059.9943 3060.081 3050.104	3059.091 3059.1049 3059.191 3059.217 3059.287	25 100 10 5	47. 17.	287 389 782 148 612		
C M V F	I I N	I I I I	3057.740 3057.874 3057.879, 3057.97 3057.991	3056.850 3056.985 3056.992 3057.08 3057.102	4 8 4 2 250	47. 95.	287 835 148 478 538	Q	O FE CR CR NE	111 111 11 11	3060.258 3060.27 3060.42	3059.30 3059.368 3059.38 3059.53 3059.724	90 5 10 25 80	4. 15. 15.	1015 288 340 340 1016		
A C N T F	U E İ 1	I I I I	3058.033 3058.25 3058.274 3058.281 3058.3346	3057.144 3057.36 3057.388 3057.395 3057.4456	315 8 190 10 240	7. 5. 28.	198 672 723 1015		TI TI MN C	1 1 1 1 1 1 1 1	3060.628 3060.663 3060.720	3059.741 3059.741 3059.772 3059.830 3059.8638	6 6 20 1 7	5. 47. 47.	1015 1015 328 287 612		

	SPEC	TRUM	VACUÙM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	AL F FE FE CO	I II III II I	3060.881 3060.903 3060.910	3059.924 3059.991 3060.013 3060.023 3060.048	25 350 5 0	7. 109. 77.	198 538 288 1015 603		FE CU LI CO NE	11 11 111 1	3063.242 3063.35	3062.234 3062.2814 3062.352 3062.46 3062.491	9 10 1 100	108.	1015 612 309 603 1016	
	V FE BR FE V	IV III II I	3061.049 3061.193 3061.249	3060.146 3060.159 3060.306 3060.359 3060.457	5 5 1 5 125	17.	829 288 606 896 1000	М	MN SE AS AR V	11 111 11 11 11	3063.444 3063.533	3062.511 3062.55 3062.554 3062.643 3062.702	40 100 30 30 20	34.	328 14 425 506 478	
	SC FE GE FE CR	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	3061.4272 3061.45 3061.511	3060.531 3060.5375 3060.56 3060.621 3060.624	3 5 20 4 2	37. 457.	1015 896 676 896 341	M.	N V FE CL FE	11 111 1 1V 1	3063.759 3064.02	3062.83 3062.842 3062.872 3063.13 3063.149	10 1 500 1	2. 456. 102.	521 325 605 43 605	·F
288	C V FE CU AR	11 1 1 1 1 1 1	3061.638 3061.667 3061.73	3060.640 3060.748 3060.777 3060.84 3060.9057	4 5 4 2 110	47.01	287 325 896 672 867	M	P V CO CR TI	111 11 11 11	3064.135 3064.14 3064.14	3063.170 3063.247 3063.25 3063.25 3063.280	4 200 1 6 2	123. 50. 119.	936 478 603 340 1015	
	AS V FE SC CR	II I I I	3061.82 3061.8731 3061.89	3060.928. 3060.93 3060.9832 3061.00 3061.01	0 2 5 0 2	15. 55. 164.	425 1000 896 1028 341		NE MN CU NI O	1 I 1 I 1 1 1 V	3064.299 3064.31	3063.301 3063.31 3063.411 3063.42 3063.42	100 3 .500 15 700	16. 1.	1016 328 672 602 86	
	CO V V NA CR	1 11 11 11	3061.904 3062.128 3062.220	3061.013 3061.014 3061.238 3061.332 3061.58	1 2 5 40 8	41.	603 782 782 693 340		AS TI CR NE V	11 11 1 1	3064.53 3064.587	3063.469 3063.502 3063.64 3063.696 3063.725	0 4 1 5	47. 16.	425 1015 341 896 1000	
	CR CR CD NE CO	1 1 1 1 1	3062.702 3062.709 3062.744	3061.64 3061.814 3061.822 3061.854 3061.983	15 10 20 50	55. 11. 52.	341 341 603 1016 603		SC SE FE CR CR	I III II II	3064.64 3064.702 3064.71	3063.74 3063.75 3063.814 3063.82 3063.83	0 - 85 1 7 2	32.	1030 587 645 340 341	M
	CR CR MN V CO	11 1 11	3062.94 3063.008 3063.066	3062.02 3062.05 3062.120 3062.178 3062.199	5 2 140 3 5	55. 15. 113.	340 341 148 478 603		V FE NI FE MN	III I II I	3064.8212 3064.833 3064.909	3063.92 3063.9306 3063.942 3064.018 3064.045	2 5 5 4 2	132. 3.	325 896 835 896 148	M

SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	JM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
AL CR CO NA NE	II II II	3065.181 3065.21 3065.258 3065.260 3065.447	3064.290 3064.32 3064.370 3064.372 3064.556	80 3 5 40 10	7. 13. 6.	198 340 603 693 1016		AR CA FE GE CA	11 I I I	3067.780 3067.850 3067.891 3067.9128 3067.974	. 3066.889 3066.958 3066.999 3067.0214 3067.083	60 2 4 40 2	5.	506 1018 896 7 1018	M
NI AR FE CR SC	111 111 111 11	3065.507 3065.66 3065.914 3065.953 3065.995	3064.619 3064.77 3065.023 3065.065 3065.106	125 100 5 25 30	24. 4. 184. 37.	488 79 288 341 1015		V V FE CR CR	II I II II	3068.07	3067.104 3067.117 3067.1182 3067.18 3067.20	200 6 30 20 10	34 56. 15. 55.	478 1000 896 340 341	
O AR FE AR V	111 11 11 11	3066.01 3066.011 3066.207 3066.291 3066.50	3065.13 3065.120 3065.316 3065.400 3065.61	0 30 4 5 50	26. 97. 112.	1015 506 896 506 478	P	NE FE NE SC NI	I I IV II	3068.10 3068.1355 3068.34. 3068.371 3068.449	3067.21 3067.2441 3067.450 3067.482 3067.558	14 155 80 1 15	28.	1029 896 1016 720 835	. Q
NE MN CU MN AR	II I I II	3066.600 3066.900 3066.910	3065.67 3065.709 3066.011 3066.022 3066.114	3 10 3 155 5	15.	1029 328 672 148 506	Q	V MN V FE FE	111 1V 1 111	3068.50 3068.747 3068.75 3068.8398 3068.924	3067.61 3067.858 3067.85 3067.9482 3068.032	1 1 0 5 5	315.	325 148 829 896 288	
AL MN TI NI P	1 11 11 11	3067.036 3067.10 3067.109 3067.128 3067.21	3066.145 3066.21 3066.220 3066.237 3066.32	40 2 30 8 0	7. 5.	198 328 1015 835 431		O SC FE SI FE	111 1 1 111 111	3068.95 3069.06 3069.0649 3069.130 3069.616	3068.06 3068.17 3068.1732 3068.238 3068.724	0 1 25 80 3	26. 55. 10.1 122.	1015 1028 896 768 896	
TI V NI FE V	II I I I		3066.51	20 125 15 6 20	313. 17.	1015 1000 602 896 1000		O CU FE CR CO	111 1 11 11	3069.816 3069.91	3068.79 3068.906 3068.927 3069.02 3069.032	1 15 M 1	26. 16. 53.	1015 672 605 340 603	Р
TI V NA TI CU	11 111 111 111	3067.403 3067.41 3067.424 3067.48 3067.4931	3066.514 3066.52 3066.535 3066.51 3066.6019	3 3 40 G	47. 18.	1015 325 693 227 612		V MN FE FE V	11 11 1 1 1	3070.12 3070.225 3070.335	3069.085 3069.23 3069.335 3069.443 3069.648	8 2 4 3 30	1.	782 328 1015 896 1000	М
V NE F V FE	11 111 111 111		3066.669 3066.683 3066.730 3066.80 3066.817	5 10 200 4 5	123.	782 1016 537 478 288		FE CL MN AS SE	111 11 11 11 111	3070.54 3070.561 3070.62 3070.699 3070.82	3069.65 3069.669 3069.73 3069.807 3069.93	1 138 2 20 250	14.	288 613 328 . 425	·

	SPECT	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE V MN CO N	111 11 1 1		3070.091 3070.12 3070.270 3070.34 3070.55	40 25 170 1	30. 228. 15.	288 478 148 603 521	F	CO CU CA FE FE	I I I XII I	3072.847 3072.85 3072.892 3072.9	3071.957 3071.96 3072.000 3072.0 3072.045	6 2 2 3	12.	603 672 1018 726 896	FH M
	CO FE FE CD MN	1 11 1 1	3071.582 3071.642	3070.550 3070.591 3070.692 3070.752 3070.821	1 00 4 5 80	83 68	603 1015 1015 603 328		ZN TI CR FE NE	I II II II	3072.954 3072.998 3073.08 3073.182 3073.195	3072.061 3072.107 3072.19 3072.290 3072.302	140 30 2 4 20	5. 5. 64.	830 1015 340 896 1016	м
	NA CO V V- NE	11 11 11	3071.746 3071.747 3071.77	3070.83 3070.857 3070.855 3070.88 3070.895	1 1 4. 2 100		693 603 782 1000 1016		CO CR MN V TI	I II III III	3073.231 3073.36 3073.39 3073.41 3073.43	3072.341 3072.47 3072.50 3072.50 3072.54	15 8 1 5 0	11. 32.	603 340 328 325 1015	
290	CU CR AS NE FE	1 11 11 11	3071.962 3071.9796	3070.97 3071.02 3071.070 3071.0872 3071.124	5 30 90 5	41. 17. 181.	672 340 425 389 896		NE CO V MN TT	11 1 11 11	3073.544 3073.554 3073.62 3073.769 3073.862	3072.651 3072.664 3072.73 3072.875 3072.971	90 20 2 2 2	125.	1016 603 1000 328 1015	٠
	FE TI FE CR CL	II II III	3072.168 3072.187	3071.238 3071.242 3071.276 3071.297 3071.320	5 15 1 10 360	1. 47. 456. 55. 14.	1015 1015 378 341 613		MN FE CR SC CO	I I I I	3074.020 3074.126 3074.13 3074.22 3074.411	3073.180 3073.233 3073.24 3073.33 3073.520	170 3 15 1 3	15. 549. 47. 51.	148 896 340 1028 603	. •
	CL CR NE FE CR	1 I I I I I I I I I I I I I I I I I I I	3072.30 3072.422 3072.45	3071.36 3071.41 3071.530 3071.56 3071.57	300 2 100 - 7	55. 47.	43 341 1016 229 340	F	CR P CU AS NE	II II II	3074.714	3073.68 3073.72 3073.798 3073.815 3073.821	25 0 370 30 70	184. 15.	341 431 672 425 1016	
	CA O FE AR V	I VI II II	3072.50 3072.544 3072.553	3071.568 3071.61 3071.653 3071.660 3071.77	3 650 2 5 2	1. 123. 250.	1018 86 1015 506 478		V FE SE MN AS	I III II II	3074.718 3074.8714 3074.92 3074.93 3074.93	3073.825 3073.9783 3074.03 3074.04 3074.040	60 4 150 10 5	17. 313.	1000 896 14 328 425	
	P MN GE CR	VI VI VI VI VI VI VI VI VI VI VI VI VI V	3072.677 3072.73 3072.74	3071.778 3071.784 3071.84 3071.85 3071.868	150 5 5 3 - 10		937 328 406 340 325		V CR FE MG	I I I I I I I I I I I I I I I I I I I	3074.95 3075.02 3075.0404 3075.2 3075.20	3074.06 3074.13 3074.1473 3074.2 3074.31	10 2 5 G	55. 457. 26.	1000 341 896 2 1015	P

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NA FE CR AL V	I I I I		3074.333 3074.437 3074.465 3074.635 3074.66	90 5 7 150 12	• 1	693 896 341 1015 478	M	FE V CR N V	111 1 11	3077.329 3077.389 3077.46 3077.465 3077.52	3076.435 3076.495 3076.57 3076.573 3076.63	3 100 6	181. .55. 55.0	896 325 341 521 1000	. Ъ
CR V O CR P	111 111	3075.56 3075.72 3075.76 3075.79 3075.801	3074.67 3074.83 3074.87 3074.90 3074.90	3 8 0 3 10	26. 73.	340 1000 1015 . 340 936	P	CL V V MN CA		3077.619. 3077.727		600 5 10 10 3		43 1000 325 328 1018	
MN V NE MN TI	11 11 11	3075.89 3075.934 3075.97J 3076.000 3076.117	3075.00 3075.043 3075.077 3075.106 3075.225	3 10 20		328 478 1016 328 1015		NE SC FE CR AR	I I I I I	3077.870 3077.93 3078.064 3078.13 3078.29	3076.976 3077.04 3077.170 3077.24 3077.40	20 1 4 18 80	108.	896 1030 896 340 1015	М
FE O V AS SC	. 111 1 1 11	3076.120 3076.15 3076.158 3076.21 3076.280	3075.228 3075.26 3075.269 3075.32 3075.388	2 1 10 20 3	105.	1015 1015 1000 480 1015	· p	V SI CR FE V	1 V 1 I I 1 I 1 I	3078.417 3078.48 3078.530	3077.476 3077.523 3077.59 3077.636 3077.73	15 25 5 4 6	10.1	829 768 340 896 1000	M
V V AS FE FE	II II V.	3076.365 3076.47 3076.521 3076.54 3076.6128	3075.474 3075.58 3075.627 3075.65 3075.7193	5	67. 228. 28.	478 478 425 229 896	F .	CR CR NE V MN	11 11 1 1	3078.727 3078.732 3078.75	3077.78 3077.835 3077.838 3077.86 3077.91	25 30 80 5 10	103.	340 341 1016 1000 328	
NE V CO ZN P	111 111 1	3076.625 3076.705 3076.78 3076.789 3076.795	3075.731 3075.806 3075.89 3075.895 3075.902	5 180 20	1.	1016 325 673 830 496		V FE N AR N	I I I I I I	3078.901 3078.9096 3079.000 3079.05 3079.14	3078.007 3078.0155 3078.108 3078.15 3078.25	20 15 .00 ;60	29. 34.0 4. 19.		P
NI V FE NI V	I I II	3076.80	3075.91 3075.935 3075.950 3076.0 3076.016	10 8 4	57.	602 1000 896 909 478	M F	FE BR NA SC FE	1 11 11 1V 1	3079.153 3079.196 3079.206 3079.248 3079.3267	3078.259 3078.304 3078.314 3078.356 3078.4324	3 50 150 5 6	2. 131.	896 606 693 720 896	M
O CR N MN NE .	I II II	3076.96 3077.042 3077.196 3077.224 3077.251	3076.07 3076.151 3076.304 3076.330 3076.357	1 6 30 90	55.0	1015 341 521 328 1016	P P	SC NE TI V FE	II	3079.35 3079.482 3079.538 3079.56 3079.575	3078.46 3078.588 3078.645 3078.66 3078.681			1030 1016 1015 782 896	·M

SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NA V NE NI V	11 111 11 11	3079.625 3079.694 3079.772 3079.825 3079.839	3078.732 3078.800 3078.878 3078.930 3078.948	4 50 4 15 5	66.	693 325 896 835 478		V MN NE	1 1 1 1 1 1 1	3082.173 3082.19 3082.232 3082.237 3082.3431	3081.278 3081.30 3081.340 3081.342 3081.4481	1 10 100 90 3	457. 164. 15.	378 478 148 1016 612	
O NE CR FE AS	V I I I I I	3079.84 3080.075 3080.23 3080.249 3080.253	3078.95 3079.181 3079.34 3079.356 3079.358	7 4 15 0 170	102. 122.	83 896 340 1015 425		N SC TI	I I I I I I I I	3082.35 3082.380 3082.45 3082.468 3082.483	3081.46 3081.485 3081.56 3081.575 3081.588	10 20 1 5	55.0 119.	1015 200 1028 1015 1018	M
V MN CO V MN	1 1 1 1 1	3080.256 3080.28 3080.286 3080.48 3080.527	3079.365 3079.38 3079.394 3079.59 3079.635	4 20 5 8 140	10.	1000 328 603 325 148		FE FE CR V MN	I I I I	3082.629 3082.727 3082.81 3082.903 3082.952	3081.734 3081.832 3081.92 3082.010 3082.060	3 1 1 6 40	53. 105. 15.	896 378 341 1000 148	, M
V SC FE V FE	III I I II	3080.64 3080.84 3080.885 3080.919 3081.005	3079.75 3079.95 3079.990 3080.024 3080.110	1 1 1 10 4	113.	478 1030 896 325 896	М М	AL CR	I I I.I	3083.002 3083.048 3083.0481 3083.049 3083.086	3082.109 3082.153 3082.1529 3082.157 3082.191	50 3 850 40 70	17. 3. 55.0	1000 896 198 341 200	M
V MG CR SC NA	1 111 11 1	3081.05 3081.10 3081.12 3081.12 3081.142	3080.16 3080.21 3080.23 3080.23 3080.249	6 3 4 1 25	15.	1000 2 340 1030 693	М	MN V I BR	I I I I I I I	3083.139 3083.188 3083.26 3083.275 3083.276	3082.246 3082.292 3082.36 3082.381 3082.381	2 20 50 50 10	33.04	148 328 325 606 287	
P CU V FE MN	11 11 11 11		3080.30 3080.320 3080.34 3080,405 3080.50	0 8 12 2 0	57. 108.	431 612 1000 1015 328		MN V CU	II II II II	3083.31 3083.399 3083.416 3083.43 3083.45	3082.41 3082.507 3082.524 3082.53 3082.56	15 2 40 1 2	39.	782 148 478 672 1015	
MN CR NI CA FE	11 1 1 1	3081.604 3081.647 3081.685	3080.688 3080.712 3080.754 3080.790 3081.002	10 6 100 3 4	184. 24.	328 341 488 1018 896	м		II II I I	3083.507 3083.509 3083.602 3083.605 3083.737	3082.614 3082.613 3082.706 3082.713 3082.844	12 80 70 15 2	10.	603 1016 1016 148 603	
V P MN N	11 111 11 11	3081.904 3082.043 3082.117	3081.01 3081.010 3081.148 3081.222 3081.254	20 1 5 20 25	112. 55.0 66.	478 936 328 200 478		AR FE CR	11 11 11 11	3083.830 3083.874 3083.918 3083.93 3083.947	3082.935 3082.979 3083.024 3083.04 3083.052	2 50 3 3 10	120. 97. 33.04	612 506 1015 340 287	

	SPECTRUM	VACUUM WAVELENGT		INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECI	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE AR V	3083.96 3084.045 3084.089 3084.101 3084.17	3083.193	1 10 40 1	37. 197. 112.	1015 605 506 478 1030	М	SC CR CU V FE	I II II II	3086.19 3086.24 3086.330 3086.36 3086.469	3085.30 3085.35 3085.434 3085.47	1 10 2 1 3	47. 34.	1030 340 612 478 896	M M
	FE		2 3083.3678 3083.53	3 7 15 30	10.1 57.	325 768 612 229 1000	F	CU CO AS MN V	II II II I	3086.54 3086.558 3086.615	3085.582 3085.65 3085.662 3085.719 3085.923	2 3 0 20 1		612 603 425 328 1000	
	AR II MN : FE II	3084.50 3084.53 3084.55 3084.6 1 3084.636	3083.61 3083.64 3083.66 3083.7 8	10 30 0 0	47. 39. 28.	340 79 328 288 896		NE NE V SI F	11 11 111 111	3086.976 3087.078 3087.104 3087.132 3087.150	3086.080 3086.182 3086.210 3086.236 3086.254	70 10 10 1000 120	66. 1.	1016 1016 478 768 538	
293	CO O II	1 3084.641 3084.69 1 3084.915 1 3084.918 1 3084.94	3083.80 3084.019	1 4: 30 1 2	26.	603 1015 1016 148 341	P	FE CD SI CU V	III III II	3087.287 3087.35	3086.311 3086.393 3086.46 3086.47 3086.507	6 4 60 2 30	50. 1. 39.	1015 603 768 672 478	
•	CR I	3084.96 11 3085.01 11 3085.051 11 3085.14 1V 3085.26	3084.24	40 1 20 3	40. 55.0	288 490 200 328 829		F SI CO CR N	II III I I	3087.670 3087.679	3086.511 3086.666 3086.777 3086.785 3086.78	120 G 15 8 20	1. 11. 55.0	538 768 603 341 200	
	V CR FE	3085.272 1 3085.276 11 3085.34 1 3085.357 11 3085.468	3084.384 3084.45 3084.461	1 20 15 4	71.	606 1000 340 896 328	м	ED FE C MN MN	I III III II	3087.799	3086.83 3086.880 3086.903 3086.9 3086.972	1 00 4 40	76. 81. 38.02	603 1015 287 909 328	F
	NI MN	I 3085.472 II 3085.474 II 3085.608 II 3085.64	3084.579 3084.578 3084.712 3084.75	6 4 30 1 40	184. 26C 93.	341 835 328 1015 1015	P	MN AL NA V NI	111 11 11 11	3087.91 3087.91 3087.940 3087.965 3087.966	3087.0 3087.02 3087.045 3087.072 3087.069	40 10 15 75	19. 57. 35.	909 1015 693 1000 835	F
	NE CU GE	1 3085.772 11 3085.814 1 3085.86 11 3085.871 11 3085.922	3084.918 3084.96 3084.975	2 80 2 20 50	***	148 1016 672 676 506	•	V CD SC MN FE	111 1 1 1 1	3088.25 3088.272	3087.20 3087.35 3087.35 3087.378 3087.420	100 2 1 1	•	325 603 1030 148 378	м

SPECTRU	JM.	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V V CR FE MN	III I III I	3088.38 3088.428 3088.554	3087.48 3087.49 3087.534 3087.659 3087.791	40 2 10 1 3	77.	325 1000 341 1015 148	•	AS I	I 3090.926	3089.943 3090.023 3090.051	3 0 7 8 2	119.	330 425 330 1015 425	
CO C CR NI MN	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	3088.79 3088.800	3087.806 3087.90 3087.90 3087.904 3087.944	3 1 20 4 2	77. 38.02 102.	603 287 340 835 148		TI FE CO	1 3091.02 1 3091.03 1 3091.10 1 3091.14 1 3091.29	3 3090.137 23 3090.2051 5 3090.251	7 80 2 4 1	93. 313. 77. 15.	330 1015 896 603 1000	
V V CU	11 11. 111 1	3089.012 3089.015 3089.02	3088.027 3088.119 3088.118 3088.12 3088.132	75 30 15 100 112	5. 56.	1015 1000 782 325 672		V AS 1 FE 11 V V 11	I 3091.65 I 3091.70	3090.539 1 3090.754 3090.81	3 0 20. 4 20	:	1000 425 288 1000 325	
O NE AR V CR	111 11 11 111 111	3089.062 3089.106	3088.16 3088.165 3088.209 3088.219 3088.22	10 120 70 20	26. 24. 119.	168 1016 506 782 893	P F P	AS I MG MN	I 3091.80 I 3091.96 I 3091.96 I 3091.99 I 3092.31	15 3091.0641 2 3091.065 3 3091.098	2 50 160 3 20	126. 5. 15.	340 425 1017 148 1000	
NE MN AL MN	11 111 11 11	3089,418 3089,43	3088.276 3088.4 3088.523 3088.53 3088.585	80° 50 5	20.	1016 909 1015 328 782	F	FE II	1 . 3092.56	45 3091.5769 3091.63 8 3091.673 1 3092.094	15 110 70 4 100	15. 28.	1000 896 288 143 1016	
FE CO CU AR AS	I I I I I I	3089.569 3089.6458 3089.807 3089.959	3038.665 3088.676 3088.7489 3088.910 3089.062	20 1 12 30 2		896 603 612 506 425	М	SC I	I 3093.18 I 3093.33	3092.28 3092.43 6 3092.519	370 2 2 2 2 7	14. 36.	613 490 1030 1015 148	M
V FE TI MN CO	II II II II	3090.284 3090.297 3090.30	3089.134 3089.388 3089.401 3089.40 3089.596	25 4 15 0 10	37. 158. 90. 10.	1000 1015 1015 328 603		CR AL FE	3093.53 1 3093.60 1 3093.60 1 3093.60 1 3093.62	2 3092.708 77 3092.7099 8 3092.710	40 50 1000 10 8	3.	929 341 198 896 1000	N
V FE MN CR	II III II	3090.545 3090.581	3089.633 3089.649 3089.686 3089.72	4 1	112. 40. 195.	478 1015 148 340			I 3093.62 I 3093.67 I 3093.72	89 3092.7811	250 , 10 20	1. 29. 3.	693 896 341	

	SPECTRUM	W	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
•	MN NE CL	11 11 11 11	3093.742 3093.767 3093.800 3093.824 3093.84	3092.844 3092.872 3092.902 3092.926 3092.94	80 10 120 48 1	44.	425 148 1016 613 328		MN I FE CR I AR I NE I	3095.798 3095.83 3095.858	3094.82 3094.900 3094.93 3094.960 3095.103	1 10 10 40 100	315. 86. 118.	328 896 340 506 563	٠.,
	MN CR	I I I I I I I	3093.882 3094.003 3094.016 3094.07 3094.118	3092.984 3093.108 3093.121 3093.17 3093.220	195 1000 2 3 3	5. 1. 47.	1017 478 148 340 724		NE I CR I CA MN FE	3096.10 3096.112 3096.139	3095.175 3095.20 3095.214 3095.244 3095.2668	90 3 2 1 6	86 314.	1016 340 1018 148 896	
		I I II II	3094.14 3094.247 3094.253 3094.2999 3094.32	3093.24 3093.352 3093.355 3093.4019 3093.42	6 4 6 180 5	15.	1000 148 896 867 328	М	SC	3096.25 3096.260 3096.38	3095.35 3095.36 3095.385 3095.48 3095.614	1 0 15 12 1		1028 325 341 340 936	·
	MN CR AS	11 11 11 11	3094.322 3094.362 3094.37 3094.487 3094.55	3093.424 3093.467 3093.47 3093.589 3093.65	640 1 40 10 40	125.	768 148 340 425 768	•	CO : : : : : : : : : : : : : : : : : : :	3096.75 3096.80 3096.85	3095.716 3095.85 3095.90 3095.96 3095.992	3 15 5 0 20	49. 57. 26.	603 . 341 . 1000 1015 . 328	P
	MN V V FE FE	1 1 1 1 1	3094.584 3094.69 3094.698 3094.7025 3094.776	3093.689 3093.79 3093.800 3093.8044 3093.878	2 25 3 8 30	57. 55. 261.	148 1000 782 896 896		V	3096.943 3097.01 3097.125	3096.04 3096.044 3096.11 3096.226 3096.253	2 1 35 2 4	126.	1000 378 340 329 782	
	CU NE V I	11 11 11 11	3094.87 3094.864 3094.9040 3094.987 3095.053	3093.97 3093.989 3094.0058 3094.089 3094.156	15 390 100 -100	47. 14. 24. 78.	340 672 389 325 1015		FE 11 MN 11 MN 1 CO 1	3097.195 3097.280 3097.298	3096.296 3096.296 3096.384 3096.402 3096.424	5 30 6 3	97. 52. 77.	1015 328 148 603 1015	
	SE I CR FE I	II I I II II	3095.092 3095.17 3095.178 3095.201 3095.21	3094.196 3094.27 3094.283 3094.303 3094.31	100 150 1 20 1	39.	478 14 341 288 496		CR 11 CL 11 CR 11 CO 1	3097.488 3097.594 3097.600	3096.516 3096.589 3096.695 3096.704 3096.705	10 80 290 10 2	31 .	341 325 613 341 603	
	SC V	III I III III	3095.3 3095.53 3095.594 3095.659	3094.4 3094.63 3094.699 3094.761 3094.818	1 20 5 1	56.	909 1030 1000 288 148	F M	SI 111 SI 111	3097.67 3097.69 3097.72	3096.763 3096.77 3096.80 3096.82 3096.826	5 1 410	6. 65.	1000 1015 602 288 768	P

SF	PECTRUM		VACUUM WAVELENGTH	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM AVELENGTH	AIR Wavelength	INTENSITY	MULTIPLET	REFERÊNCE	NOTES
CC MC F.E MI	G E . :	11 111 1 1	3097.87 3097.906	3096.83 3096.890 3096.97 3097.010	M 230 5 20 30	5.	825 1017 288 148 148		CA MN	III III III	3100.018 3100.184 3100.197 3100.197 3100.274	3099.118 3099.285 3099.298 3099.301 3099.303	0 0 3 1 20	•	378 425 1018 148 328	
· NI NI V TI	E I	I II II II	3098.030 3098.05 3098.084	3097.118 3097.131 3097.15 3097.186 3097.28	75 100 2 25 0	11. 44. 67.	1015 1016 782 1015 431		SC CO CR V	1 1 1 1 1		3099.44 3099.49 3099.497 3099.59 3099.667	1 M 4 2 2	75.	1030 825 341 1000 603	М
F F! S F!	E E	11 11 1V 1	3098.399	3097.35 3097.415 3097.46 3097.500 3097.52	10 2 500 0	96. 1. 165.	538 1015 1015 378 168		V I AR	II III II II	3100.758 3100.78	3099.71 3099.77 3099.858 3099.88 3099.8951	1 2 10 2 100	28.	328 325 506 340 896	
NI T V CI MI	0	11 11 11 111	3098.524 3098.53 3098.63	3097.535 3097.626 3097.63 3097.74 3097.758	40 1 2 2 5	77.	1016 1015 782 673 148		CU FE NE	II I II II		3099.923 3099.928 3099.9679 3100.005 3100.15	50 350 100 10 6	28.	506 672 896 1016 603	
FI CI FI MI	U E		3098.75 3098.7642 3098.783	3097.775 3097.85 3097.8651 3097.884 3098.092	6 1 10 5 10	्र क	896 325 612 896 148	M	V 1	1 11 11 1	3101.119 3101.13 3101.150 3101.164 3101.2028	3100.220 3100.23 3100.260 3100.267 3100.3031	2 5 10 8 60	28.	1018 325 782 148 896	
C	R E O R	I I	3099.06 3099.0883 3099.091 3099.16	3098.194 3098.26	10 18 80 10	86. 313. 10.	340		FE 1 CO MN I	1 1 1 11 11	3101.207 3101.21 3101.23 3101.333 3101.346	3100.310 3100.31 3100.33 3100.433 3100.447	10 5 1	51.	148 1015 603 301 425	P
A V S A N	C S		3099.50 3099.5199	3098.309 3098.553 3098.60	0		425 325 1030 425 1016	. М	FE I V I C	1 111 11 11	3101.36 3101.370 3101.40 3101.470 3101.540	3100.46 3100.470 3100.50 3100.570 3100.641	1 40 1 10 100	29. 7.01	341 288 325 287 606	
F F	E	11 111 1 111 1	3099.83 3099.862 3099.91	3098.88 3098.93 3098.963 3099.01 3099.115	4 1 5 60	86. 51. 102. 65. 13.	340 1015 378 288 1015	P	TI FE	I I I I	3101.565 3101.7361	3100.6651 3100.666 3100.666 3100.8363 3100.938	100 120 120 10 100	28. 93. 92. 196.	896 1015 1015 696 478	

SPECT	'RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU	M	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE AR CO V NE	I I I V I I I	3101.9089 3102.2 3102.3	3101.0017 3101.0090 3101.3 3101.4 3101.41	0 20 1 4	313.	896 867 108 1000 1029	F Q	TI MN CO V MN	11 11 1 1	3104.704 3104.860 3104.881 3104.89 3105.024	3103.804 3103.958 3103.983 3103.99 3104.122	50 0 5 6 30	90. 48. 56.	1015 328 603 1000 328	•
TI TI MN NI V	111 1 1 1 1 1 1	3102,425 3102,426 3102,453	3101.52 3101.526 3101.529 3101.554 3101.59	M 40 30 500 100	58. 181. 25.	1015 1015 148 1015 325	·	MN CR AR NA MN]	3105.164 3105.19 3105.260 3105.294 3105.339	3104.262 3104.29 3104.359 3104.394 3104.438	15 3 50 40 50	102. 119. 17.	328 340 506 693 328	
TI K MN NI K	I I I I	3102.690 3102.753 3102.778	3101.77 3101.790 3101.836 3101.879 3102.043	10 40 .2 200 25	181. 2. 40. 2.	1015 1019 148 1015 1019		CL V TI CR MG	111 11 11 11 11	3105.36 3105.419 3105.493 3105.604 3105.623	3104.46 3104.518 3104.593 3104.706 3104.722	600 8 3- 7 360	3. 90. 163. 6.	38 782 1015 341 592	
SC V AS CA SC	1 11 11 1 1	3103,192 3103,209 3103,254	3102.15 3102.295 3102.309 3102.354 3102.36	1 925 0 2 1	1.	1028 478 425 1018 1030	M	CO MG V TI FE	II II II II	3105.69 3105.711 3105.804 3105.984 3106.066	3104.79 3104.809 3104.906 3105.084 3105.166	4 285 25 20 5	6. 39. 67. 82.	825 592 478 1015	
CO TI FE CR	1 111 11 11	3103.416 3103.448 3103.45	3102.405 3102.517 3102.548 3102.55 3102.564	4 30 5 3 15	49. 181. 29. 116.	603 1015 288 340 328		FE TI V NI V	II II II	3106.066 3106.120 3106.264 3106.369 3106.399	3105.166 3105.220 3105.363 3105.469 3105.498	5 20 15 75 8	122. 181. 12.	1015 1015 782 1015 782	
AR FE FE SE AR	11 1 111 111	3103.537 3103.61 3103.66 3103.853	3102.585 3102.637 3102.71 3102.76 3102.953	40 5 4 120 10	29.	506 896 605 587 506	N	FE CR		3106.40 3106.40 3106.448 3106.473 3106.53	3105.50 3105.50 3105.548 3105.574 3105.63	100 15 5 5	82. 163.	468 325 1015 341 325	
TI MN FE F MN	II V II I	3103.875 3103.89 3103.91 3104.17	3102.975 3102.99 3103.01 3103.27 3103.280	2 1 4 1	58. 38.	538	· F	SC CR MN CD V	I II II	3106,827	3105.67 3105.84 3105.883 3105.929 3105.973	1 1 50 3 5	26. 140.	1028 341 328 603 478	
CR V CO FE CL	11 1 1 1	3104.50 3104.633 3104.661	3103.47 3103.60 3103.735 3103.760 3103.777	30 1 5 1 43	71. 56. 73.	340 1000 603 378 613		SC MN CL V	I IV I I	3106.91 3106.98 3106.99 3107.02 3107.040	3106.01 3106.08 3106.09 3106.12 3106.142	1 4 100 5	56.	1030 328 43 1000 603	'М

SPECTR	IUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		.VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
F TI MN MN MN	11 11 11 1	3107.057 3107.135 3107.192 3107.234 3107.27	3106.156 3106.234 3106.290 3106.336 3106.37	60 35 20 2	67.	538 1015 328 148 328		V AS	I I I ! I I V I I	3109.533 3109.55 3109.603 3109.70 3109.7071	3108.634 3108.65 3108.704 3108.81 3108.8052	10 10 30 600 20	38. 55. 39.	148 340 478 584 867	
V FE SC FE MN	111 1 11 11 11	3107.41 3107.4396 3107.44 3107.460 3107.647	3106.51 3106.5383 3106.54 3106.559 3106.748	10 4 1 4 10	196. 68.	325 896 1030 1015 148	M ·	FE I V TI	I I I I I I I I I I	3109.719 3109.75 3109.81 3109.828 3109.88	3108.816 3108.85 3108.91 3108.927 3108.98	60 40 2 0	12. 77.	328 288 782 1015 340	
TI V F CU MN	I 11 11 1	3107.707 3107.728 3107.73 3107.811 3107.897	3106.806 3106.829 3106.83 3106.912 3106.995	80 3 1 1 5	92. 139.	1015 478 538 672 328		NI . MN	I II II II	3109.9395 3110.06 3110.05J 3110.160 3110.222	3109.0376 3109.16 3109.196 3109.257 3109.321	5 8 80 1	165.	896 108 835 328 1015	F
CO V FE BR SC	I V II II	3107.943 3108.041 3106.09 3108.093 3108.288	3107.044 3107.142 3107.19 3107.192 3107.387	3 5 100 1	49. 57.	603 1000 229 606 1015	F		I II I I	3110.24 3110.25 3110.274 3110.32 3110.334	3109.34 3109.35 3109.375 3109.42 3109.435	20 2 20 1 • 4	163. 186.	341 1030 478 489 148	M
CA T1 SC CO CR	I !! I !!	3108.439	3107.391 3107.468 3107.529 3107.540 3107.57	3 120 6 1 50	16. 181. 33. 125.	1018 1015 1015 603 340		· AR	I II II II	3110.405 3110.407 3110.49 3110.613 3110.676	3109.506 3109.505 3109.59 3109.711 3109.774	4 2. 1 40 12	50. 1.	603 1018 1015 506 782	
NA NI MN V FE	11 1 1 11 111	3108.615 3108.675 3108.861	3107.69 3107.714 3107.776 3107.959 3107.977	0 20 20 8 160	12. 38. 29.	40 1015 148 782 288		TI SE I	I II II II	3110.71 3110.719 3110.82 3110.83 3110.88	3109.81 3109.816 3109.92 3109.93 3109.98	1 10 M 30 5	58.	341 328 1015 587 506	
FE CO V CU CO	I I I I I	3109.29 3109.349	3107.978 3108.223 3108.39 3108.452 3108.48	2 1 30 240 1		378 603 325 672 603		FE I	1 11 11 11	3110.920 3110.97 3110.976 3110.997	3110.021 3110.07 3110.074 3110.095 3110.	5 3 285 8	109. 139. 39. 77.	603 478 288 1015 107	N
SC SE CA V CU	11 11 1 1	3109.44 3109.455 3109.46	3108.511 3108.54 3108.535 3108.56 3108.605	3 100 5 1 450	36. . 19.	1015 468 1018 1000 672		MN SC AR I	II II I IV	3111.016 3111.08 3111.14 3111.31 3111.318	3110.114 3110.18 3110.24 3110.41 3110.416	0 40 1 70 30	·	425 328 1028 79 829	•

ŞPECTE	RUM	VACUUM WAVELENGT.1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V CO TI MN CU	11 11 11 11		3110.4745 3110.62 3110.620 3110.681 3110.708	2 5 20 50 700	67. 1.	612 603 1015 148 478		MN CR	I IV I II	3113.862 3113.925 3114.018 3114.07 3114 13	3112.962 3113.022 3113.118 3113.17 3113.23	5 25 10 3 10		341 829 148 340 328	
CR BE CO CR FE	I I I I III	3111.65 3111.716 3111.721 3111.765 3111.78	3110.75 3110.814 3110.821 3110.866 3110.88	5 7 5 15 40	11. 163. 29.	341 333 603 341 288		SC MN CD CU AS	I I I I T	3114.26 3114.263 3114.373 3114.382 3114.397	3113.36 3113.362 3113.473 3113.482 3113.494	1 4 6 50 5	48.	1030 148 603 672 425	М
V BE CR BE P	1 I I III	3111.8 3111.820 3111.885 3111.886 3111.896	3110.9 3110.918 3110.986 3110.986 3110.994	1 7 8 15		1000 333 341 333 936		CR FE F I	II II II II	3114.460 3114.49 3114.495 3114.519 3114.61	3113.560 3113.59 3113.592 3113.616 3113.71	100 5 2 600	174. 186. 1. 14.	478 340 378 537 1015	
SE BE MN MN BE	111 1 11 1		3111.05 3111.068 3111.08 3111.147 3111.235	85 1 10 2 1		587 330 328 148 330			1 11 11 1	3114.701 3114.742 3114.753 3114.957 3114.995	3113.800 3113.839 3113.850 3114.054 3114.092	15 5 6 1 200	13. 53. 181.	148 288 782 378	
MN TI ZN CR	11 11 11 1	3112.157 3112.185 3112.2 3112.212 3112.239	3111.256 3111.283 3111.3 3111.312 3111.339	50 100 20 2 2	73.	328 1015 154 341 603		CR MN CO NI N	I I I I I	3115.00 3115.015 3115.019 3115.027 3115.189	3114.10 3114.115 3114.118 3114.124 3114.286	1 3 10 100	49. 24. 17.0	341 148 603 1015 521	Ρ
BE FE V FE CR	1 111 111 1	3112.322 3112.519 3112.573 3112.5873 3112.84	3111.420 3111.616 3111.671 3111.6847 3111.94	3 220 20 6 15	260. 55.	330 288 325 896 340		AR P 1	1 I 1 I I I I I	3115.198 3115.20 3115.210 3115.2848 3115.340	3114.295 3114.29 3114.307 3114.3815 3114.440	7 5 1 50 1	82.	1015 506 936 867 148	
V TI FE SC V	11 11 1 1		3111.94 3112.050 3112.0775 3112.11 3112.13	0 10 4 1 3	67. 455.	782 1015 896 1030 1000	М		I I I I I	3115.355 3115.583 3115.644 3115.678 3115.68	3114.455 3114.680 3114.741 3114.778 3114.78	6 4 10 3 1	82.	341 1015 325 672 1030	M
F TI AS NE V	1 I 1 I 1 I	3113.10 3113.384 3113.500 3113.721 3113.83	3112.20 3112.482 3112.596 3112.818 3112.93	1 80 40 20 8	92. 56.	538 1015 425 1016 1000		F	I I I I I V	3115.736 3115.991 3116.00 3116.06 3116.13	3114.835 3115.088 3115.10 3115.16 3115.23	. 10 1 10 2	58. 111.	341 1015 538 478 229	F

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERÊNCE	NOTES	SPECTRU		VACUUM WAVELENG† 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR II MN I P III FE II CR I	3116.363 3116.365 3116.395	3115.27 3115.462 3115.461 3115.492 3115.505	12 40 1 1 5	54. 96. 163.	340 · 148 936 1015 341		TI MN FE FE CA	I I I I	3118.359 3118.407 3118.409 3118.5436 3118.554	3117.455 3117.505 3117.505 3117.6395 3117.650	60 3 0 5 5	92. 226. 29. 16.	1015 148 1015 896 1018	
CR 11 FE 1 NE 11 F 111	3116.560 3116.576 3116.602	3115.65 3115.656 3115.672 3115.698 3115.73	20 2 80 800 40	1. 12.	340 378 1016 537 1015		TI S F NE SC	II IV II 11	3118.573 3118.65 3118.660 3118.699 3118.72	3117.669 3117.75 3117.756 3117.795 3117.82	20 300 25 30 2	67.	1015 1015 538 1016 1028	
MN · 1	3116.766 3116.92 3117.01	3115.754 3115.862 3116.02 3116.11 3116.251	3 1 3 2 4	456. 139. 139. 165.	148 378 478 478 896	•.	TI NE NI MN CR	I II I I	3118.803 3118.885 3118.916 3119.001 3119.03	3117.899 3117.981 3118.012 3118.099 3118.13	50 100 2- 8 3	92. 16.	1015 1016 835 148 341	
	3117,25 3117,283 3117,410	3116.348 3116.35 3116.379 3116.510 3116.5163	200 1 1 5 340	261. 261.	672 1000 378 896 425	•	TI CR NE CD FF	III III	3119.034 3119.04 3119.064 3119.151 3119.17	3118.130 3118.14 3118.160 3118.249 3118.26	150 10 120 5 20	181. 55.	1015 340 563 603 288	
FE 1 1 1 FE CO 11 NE 1	1 3117.52 1 3117.5352 1 3117.59	3116.590 3116.61 3116.6313 3116.68 3116.695	6 1 8 10 90	82. 28.	1015 782 896 673 1016		CU V AS NI ZN	II II II	3119.257 3119.277 3119.370 3119.46 3119.5	3118.355 3118.376 3118.466 3118.56 3118.6	5 550 10 K· 10	94.	672 478 425 1015 154	
NI AS I CO CR I NE I	3117.630 3117.65 3117.65 3117.666	3116.714 3116.726 3116.75 3116.75 3116.762	10 40 1 20 90	95. 126.	1015 425 603 340 1016		CD CR CL F	1 I I I I I I I I I I I I I I I I I I I	3119.537 3119.54 3119.56 3119.572 3119.658	3118.636 3118.64 3118.66 3118.668 3118.754	1 60 40 70	12. 5.	603 340 108 538 288	
V I MN F I FE AS I	3117.68 3117.724 3117.78 3117.888	3116.78 3116.822 3116.88 3116.984 3117.048	40 2 1 1	237. 578.	478 148 538 378 425		V N CR TI MN	111 1V I 11 11	3119.692 3119.70 3119.70 3119.728 3119.826	3118.780 3118.79 3118.80 3118.824 3118.922	20 5 4 2 50	12.01	325 824 341 1015 328	
NE I V II SC CR I MN I	I 3118.08 I 3118.10 I 3118.18	3117.153 3117.18 3117.20 3117.28 3117.422	50 10 0 15 50	46.	1016 325 1030 340 328	M	V FE CO CR CR	III I I I	3119.858 3119.936 3120.056 3120.08 3120.154	3118.954 3119.032 3119.154 3119.18 3119.252	30 0 1 3 20	315. 163	325 378 603 341 341	

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULŤIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE V F NE FE	III	3120.164 3120.22 3120.35 3120.377 3120.3989	3119.259 3119.32 3119.44 3119.472 3119.4944	20 4 10 20 20	13. 110.	288 478 538 1016 896		CR V V CU CO	11 111 1V 11	3122.11 3122.209 3122.210 3122.3010 3122.317	3121.21 3121.304 3121.304 3121.3959 3121.415	6 10 10 5	9.	340 325 829 612 603	
AS V SC CA TI	iii Iii	3120.50 3120.51 3120.57 3120.570 3120.629	3119.60 3119.61 3119.67 3119.665 3119.725	50 2 1 580 150	7. 137.	480 325 1028 64 1015		V F CO CR CL	111 111 1 1	3122.386 3122.445 3122.468 3122.50 3122.501	3121.481 3121.540 3121.566 3121.60 3121.596	20 1000 10 3 245	1. 11. 20.	325 537 603 341 613	
CR TI CL BE CL	II II II	3120.642 3120.704 3120.719 3120.755 3120.779	3119.704 3119.800 3119.814 3119.850 3119.875	20 15 132 1 160	183. 67. 20.	341 1015 613 330 613	. •	TI CU D FE V	II III I	3122.504 3122.5479 3122.61 3122.6614 3122.68	3121.599 3121.6428 3121.71 3121.7563 3121.78	1 8 60 5 4	4. 12. 102. 56.	1015 612 1015 896 1000	-
BE BE FE FE	1 11 111 111	3120.873 3120.924 3120.928 3120.93 3120.964	3119.968 3120.020 3120.023 3120.03 3120.059	1 3 1 20 60	96. 29.	330 330 1015 288 538		V CR CU MN MN	II II II	3122.728 3122.73 3122.776 3122.78 3122.816	3121.823 3121.83 3121.871 3121.87 3121.914	5 10 3 10 1	72.	782 340 612 328 148	
CO AS FE FE MN	111 111 1	3121.00 3121.095 3121.125 3121.14 3121.239	3120.10 3120.190 3120.220 3120.24 3120.337	3 10 2 1 30	74. 1.	603 425 378 1015 148		CU CR TI AS C	I II II II	3122.970	3121.93 3121.95 3122.065 3122.076 3122.086	0 7 2 80 4	55. 58. •28.02	672 340 1015 425 287	
CR V CU FE MN	11 1 1 1 1 1	3121.26 3121.31 3121.336 3121.3394 3121.489	3120.36 3120.40 3120.435 3120.4346 3120.584	• 10 50 15 30	5. 194.	340 325 672 896 328		F BR SC CR	II II II II	3123.00 3123.430 3123.447 3123.49 3123.53	3122.09 3122.524 3122.542 3122.59 3122.62	10 10 1 30 90	46. 54. 14.	538 606 1015 340 1015	
CR NE V FE CR	I II II III II	3121.53 3121.540 3121.628 3121.767 3121.94	3120.63 3120.635 3120.726 3120.862 3121.04	10 20 50 40 8	138. 29. 72.	341 1016 478 268 340		FE MN V SC CR	1 1 11 11 1	3123.5728 3123.783 3123.790 3123.859 3123.901	3122.6674 3122.880 3122.887 3122.954 3122.998	3 10 100 3 4	314. 173. 39.	896 148 478 1015 341	
MN FE V FE BR	III II II II	3121.974 3121.98 3122.040 3122.056 3122.070	3121.072 3121.08 3121.138 3121.151 3121.165	6 10 80 1 150	1. 163.	148 1015 478 378 606		CU TI MN FE V	I I I I I I	3123.91 3123.979 3124.040 3124.058 3124.15	3123.00 3123.074 3123.134 3123.152 3123.25	1 150 50 285 1	67. 13.	672 1015 328 288 1000	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		ACUUM ELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CA II FE II NE II NE I	3124.2536 3124.273 3124.382	3123.29 3123.3481 3123.367 3123.476 3123.500	25 4 10 70 70	10. 164.	1015 896 1016 1016 1016		MN SI V	II 31 II 31 II 31	126.111 126.134 126.17 126.185 126.346	3125.208 3125.228 3125.26 3125.282 3125.441	4 80 1 400 160	18. 1. 20.	693 328 678 478 613	
FE MN I CL I CL II	3124.595 3124.622 3124.64	3123.545 3123.688 3123.717 3123.74 3123.769	1 40 340 100 200	20. 181.	378 328 613 . 43 1015		F I	II 31 II 31 I 31	126.36 126.402 126.415 126.456 126.490	3125.46 3125.496 3125.509 3125.553 3125.584	7 10 10 20 4	192.	340 538 936 1015 538	
V 11 SC 1 FE 1	I 3124.85 I 3124.92 I 3125.002	3123.867 3123.95 3124.02 3124.096 3124.133	3 1 10 3 10	14. 165. 28.02	325 1030 1015 896 287	M	FE V	I 31 I 31 II 31	126.5570 126.559 126.5616 126.621 126.656	3125.6509 3125.656 3125.6555 3125.715 3125.750	40 20 40 15 4	28. 192. 160.	896 1015 896 782 538	
F 1 P 11 NE 1 CL 1 CR 1	I 3125.053 I 3125.095 I 3125.111	3124.140 3124.147 3124.189 3124.206 3124.23	40 40 90 230 3	20.	538 936 1016 613 340		CR N CL	I 31 II 31 II 31	126.69 126.815 126.823 126.896 126.96	3125.79 3125.911 3125.920 3125.990 3126.06	5 8 125 1	186. 17.0 20. 39.	340 341 521 613 1015	P
AR I V 1 CU NA I BR 1	I 3125.213 I 3125.276 I 3125.316	3124.268 3124.307 3124.373 3124.414 3124.680	10 10 1 25 50		506 782 672 693 606		CU FE MN NE V	I 3:	127.012 127.09 127.095 127.1051 127.119	3126.109 3126.15 3126.192 3126.1986 3126.215	370 40 2 100 150	1.	672 896 148 896 478	
CR I	I 3125.694 I 3125.7223	3124.788	10 600 100 40	1.	612 537 7 340 1030	м	SI I MG I	II 3: II 3:	127.15 127.155 127.173 127.29 127.31	3126.25 3126.249 3126.267 3126.38 3126.40	1 60 130 40	11. 58.0	229 538 768 2 200	F .
V I MN	I 3125.899	3124.948 3124.993 3125.01 3125.013 3125.012	40 3 20 8 1	84. 53.	1016 330 478 148 378		CO MN	II 3: I 3:	127.391 127.400 127.628 127.641 127.69	3126.488 3126.494 3126.725 3126.734 3126.79	1 20 4 30 2	122.	603 325 603 328 478	
BE F I	I 3125.93 I 3126.025	3125.02 3125.03 3125.119 3125.127 3125.15	60 3 25 60	70. 53.	340 1015 330 538 1015	P		I 3: II 3:	127.728 127.749 127.7674 128.043 128.156	3126.822 3126.846 3126.8610 3127.136 3127.252	1 10 100 12 7	260. 26.	378 148 425 782 603	

SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	Ş PECTR		VACUUM WAVELENG* I	·AIR wavelength	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI N N CR TI	II IV I	3128.183 3128.277 3128.31 3128.492 3128.588	3127.276 3127.373 3127.41 3127.589 3127.684	5 20 5 80	34.0 12.01 180.	835 521 824 341 1015	Р	FE CR FE MN CO	V II II II	3131.42 3131.45 3131.466 3131.528 3131.64	3130.52 3130.55 3130.561 3130.624 3130.74	7 2 2 8	175. .66.	229 340 1015 148 825	F
SC AS TI AR MN	I II III III	3128.60 3128.678 3128.787 3128.80 3128.853	3127.70 3127.772 3127.883 3127.90 3127.946	1 0 10 70 20	121	1030 425 1015 79 328	М	CO TI AR FE CU	II II III III	3131.70 3131.709 3131.716 3131.765 3131.8971	3130.79 3130.804 3130.809 3130.858 3130.9897	M 15 60 20 2	4.	825 1015 517 288 612	
CR SC V MN TI	1 I 1 I 1 I 1 I	3129.190 3129.162 3129.539	3128.08 3128.286 3128.288 3128.631 3128.640	4 5 10 30 80	39. 84. 92.	340 1015 478 328 1015		N MN BE CR FE	11 11 1 1	3131.901 3131.928 3131.973 3132.118 3132.145	3130.996 3131.020 3131.066 3131.213 3131.238	20 750- 20 0	17.0 1. 183.	521 328 332 341 378	P
TI TI CR V	I I I I I I I	3129,544 3129,59 3129,590	3128.640 3128.640 3128.69 3128.686 3128.701	80 10 40 20 250	192. 121. 5. 83.	1015 1015 340 478 672		V CU P CR AS	I III II II	3132.2 3132.23 3132.412 3132.43 3132.596	3131.3 3131.33 3131.504 3131.53 3131.687	1 5 10 5 0	55.	1000 672 936 340 425	
SI FE CO FE FE	11 1 11 111	3129.8046 3129.910 3129.917	3128.77 3128.8977 3129.006 3129.013 3129.04	1 [°] 5 3 1	7.27 54. 96. 8.	678 896 603 1015 1015		FE CO V CR NE	11 1 1 11 11	3132.624 3132.734 3132.8 3132.95 3133.0961	3131.719 3131.829 3131.9 3132.05 3132.1884	4 1 1 100 90	107. 48. 5.	1015 603 1000 .340 389	
TI FE NI FE NA	I I I II	3130.082 3130.218 3130.2402	3129.075 3129.178 3129.314 3129.3331 3129.368	70 11 35 5	192. 161. 12. 52.	1015 605 1015 896 693		CO MN FE V MN	I I I I I	3133.4256 3133.497	3132.218 3132.284 3132.5178 3132.589 3132.789	4 15 5 30 10	7. 578.	603 148 896 782 148	
P CC V CR	111 11 11 11 11	3130.34 3130.385 3130.390	3129.382 3129.44 3129.481 3129.484 3129.76	4 120 3 10 2	14. 74.	936 1015 603 782 341		V CR O V FE	11 111 1 1	3133.9	3132.793 3132.816 3132.86 3133.0 3133.048	3 18 90 1 4	122 183 12 82.	478 341 1015 1000 1015	
MN TI V P BE	I I I I I I I I	3131.080 3131.166 3131.208	3129.971 3130.175 3130.262 3130.300 3130.420	3 80 100 120 900	180 . 1	148 1015 478 936 332		SC FE NE SC V	11 V1 I II	3134.082 3134.1 3134.22	3133.096 3133.174 3133.2 3133.31 3133.329	. 8 0 30 2 150	39.	1015 378 885 1030 478	M M

SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V CR NE NI FE	II II I	3134.875 3134.974 3135.014	3133.612 3133.969 3134.066 3134.108 3134.1097	6 5 40 300 10	25. 28.	782 341 1016 1015 896		FE I NE	11 11 11 11	3136.65 3136.706 3136.7235 3136.7568 3136.7683	3135.74 3135.800 3135.8148 3135.8507 3135.8596	80 60	94. 77. 3. 19.	340 1015 389 379 896	
NE F O CR FE	11 111 11 11	3135.23 3135.24	3134.132 3134.233 3134.32 3134.33 3134.401	70 600 25 25 1	1. 14. 94.	1016 537 1015 340 378		CR S I CA	II I II I	3136.815 3136.823 3136.90 3136.926 3136.934	3135.906 3135.917 3136.00 3136.018 3136.028	15 7 150 10 20	11. 183. 13. 15. 91.	768 341 323 1018 1015	
SE V CO FE TI	I I I I I I	3135.53 3135.549	3134.42 3134.54 3134.62 3134.641 3134.654	350 1 2 0 10	91.	468 1000 603 378 1015	•	BE FE Mn	II I II VI	3136.947 3136.97 3137.06 3137.22 3137.3	3136.038 3136.06 3136.17 3136.31 3136.4	. 20 15 3 8 64	15.	325 333 605 328 885	N M
MN MN BE MN O	11 11 11 11	3135.62 3135.671 3135.73	3134.666 3134.72 3134.763 3134.82 3134.82	40 3 7 15 250	15. 15. 14.	328 328 330 328 1015		MN NE FE I	1 I 1 I 1 I 1 I 1 I	3137.33 3137.38 3137.385 3137.39 3137.390	3136.43 3136.47 3136.476 3136.49 3136.481	450 5 50 70 30	39. 15. 3. 39.	288 326 1016 288 506	
AR MN V CR NE	1V 1 11 1 VI		3134.90 3134.922 3134.928 3134.97 3135.0	30 4 200 8 64	1.	1015 148 478 341 885	М	CR CO 1 I	II II II II	3137.409 3137.59 3137.632 3137.68 3137.85	3136.503 3136.68 3136.726 3136.77 3136.94	160 45 5 0 7	122. 5. 8. 27. 15.	478 340 603 1015 328	
CU TI V CR MN	I I I I	3135.975 3136.08 3136.09	3135.01 3135.069 3135.17 3135.18 3135.188	1 80 2 1 2	180.	672 1015 1000 341 148		CR '	I I I I I I I I	3137.863 3137.905 3137.96 3138.01 3138.21	3136.958 3136.999 3137.05 3137.10 3137.30	10 1 3 10 3	48. 15. 15.	148 603 328 340 328	
CL V CR FE NA	VI IV II II	3136.1 3136.101 3136.25 3136.266 3136.389	3135.2 3135.192 3135.34 3135.360 3135.483	. 20 20 9 60	124. 82. 3.	111 829 340 1015 693		CO TI NI CR CO	1 I I I I I	3138.235 3138.259 3138.272 3138.35 3138.360	3137.328 3137.352 3137.363 3137.44 3137.454	10 10 2 2 3	10. 91. 125. 108.	603 1015 835 340 603	
FE MN FE MN MN	VI 11 I 11		3135.5 3135.51 3135.590 3135.66 3135.735	10 1 5 40	15. 15.	1034 328 378 328 328		CR	II II II I	3138.44 3138.53 3138.5419 3138.62 3138.661	3137.53 3137.62 3137.6328 3137.72 3137.755	8 3 50 5 4	54. 71. 49.	340 341 867 672 603	

ŞPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERÊNCE	NOTES
C 11	3138.799 3138.830	3137.852 3137.890 3137.920 3138.05 3138.061	25 15 4 20 80		693 782 287 478 1016		AS TI	I 3140.853 I 3140.88 II 3140.908 II 3140.95 II 3140.99	3139.947 3139.97 3139.998 3140.04 3140.08	12 4 1 M	9. 27. 94.	603 1000 425 1015 1015	
S CR I FE II CR II	3139.114. 3139.12	3138. 3138.20 3138.207 3138.21 3138.21	15 · · 7 3	183. 227. 18.	107 341 1015 340 678	N	CU P NE	II 3141.12 I 3141.219 IV 3141.238 II 3141.268 'I 3141.27	3140.21 3140.312 3140.328 3140.358 3140.36	25 200 60 50 5	124.	340 672 937 1016 341	
NI II CR I CO I	3139.128 3139.148 3139.22 3139.27 3139.27	3138.222 3138.238 3138.31 3138.36 3138.36	5 8 8 2 2		148 835 341 603 1030	М	ĊR	I 3141.300 II 3141.317 II 3141.57 II 3141.600 I 3141.622		6 3 1 1 2	578. 124. 227. 75.	896 612 340 1015 603	
sc 11	3139.309 3139.35 3139.37 3139.41 3139.55	3138.400 3138.44 3138.46 3138.50 3138.64	0 150 1 3	53. 14. 39.	378 1015 1015 1000 309	•	V	I 3141.65 I 3141.696 II 3141.873 II 3141.98 II 3142.04	3140.74 3140.786 3140.963 3141.07 3141.13	. 15 20 2 500	15. 205.	1030 1018 506 478 468	M
CO 1		3138.685 3138.715 3138.877 3138.893 3139.0176	15 2 8 1 140	47.	330 420 835 603 867		CA NE	IV 3142.06 I 3142.066 II 3142.242 II 3142.393 I 3142.445	3141.16 3141.156 1 3141.3320 3141.486 3141.537	40 7 120 40 150	12.01 15. 47. 152. 66.	824 1018 389 478 1015	
	3140.08 3140.167 3140.25 3140.5675	3139.34	3 0 40 800 5	3. 155.	38 896	•	MN TI CR MN CR	I 3142.462 I 3142.578 II 3142.71 I 3142.728 I 3142.792	3141.670 3141.80 3141.821	1 100 4 5 12	192. 175.	148 1015 340 148 341	
SC I V I O I	3140.6 3140.636 3140.639 3140.68 3140.6982	3139.7 3139.729 3139.733 3139.77 3139.7885	37 10 160 40 8	14.	885 1015 478 1015 612	M	C V FE	II 3142.905 II 3142.950 II 3143.090 II 3143.128 III 3143.13	3141.995 3142.040 3142.183 3142.220 3142.22	3 1 20 0 2	16.07 172. 7.	782 287 478 1015	
-CR I	3140.754 3140.78 3140.81 3140.815 3140.85	3139.844 3139.87 3139.90 3139.908 3139.94	40 100 10 4 80		328 1015 340 605 929	N		II 3143.213 II 3143.215 I 3143.309 I 3143.351 I 3143.363	3142.401 3142.444	50 10 1 270 8	164.	328 1016 148 672 896	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN CR I F II	I 3143.391 I 3143.577 I 3143.64 I 3143.679 I 3143.703	3142.484 3142.669 3142.73 3142.769 3142.797	150 20 10 250 8	52. 85. 4.	478 148 340 537 672		FE I	3145.780 3145.835 3145.930 3145.9625 3145.985	3144.872 3144.924 3145.022 3145.0565 3145.074	3 1 3 5 2	195. 50. 455.	148 378 603 896 782	
FÉ CR I CU I	I 3143.7990 V 3143.86 I 3143.88 I 3143.923 I 3144.07	3142.8885 3142.95 3142.97 3143.013 3143 16	10 8 2 J	125.	896 229 340 612 1015	F	NI I V II TI II	3146.02 3146.030 3146.245 3146.311	3145.11 3145.121 3145.337 3145.402 3145.402	15 15 30 0	5. 7. 1. 10. 111.	340 1015 478 1015 1015	
FE TI FE 11	I 3144.1 I 3144.1531 I 3144.253 I 3144.297 I 3144.356	3143.2 3143.2425 3143.350 3143.386 3143.448	1 10 120 20	7. 180. 13.	1000 896 1015 288 606		BE I NE II MN I CO I V III	3146.40 3146.420	3145.425 3145.425 3145.458 3145.49 3145.510	7 10 2- 15 2		330 1016 148 603 325	·
BR I CR I II I	1 3144.385 1 3144.398 1 3144.58 1 3144.59 1 3144.6313	3143.68	15 50 7 M	122. 10. 53. 37. 24.	478 488 340 1015 369		TI I F III CR I V I	3146.424 3146.449 3146.53 3146.56 3146.591	3145.515 3145.538 3145.62 3145.65 3145.679	10 300 10 1 80	91. 1.	1015 537 341 1000 328	
TI I CO AR 1 CR I	1 3144.65 1 3144.664 1 3144.72 1 3144.802 1 3144.81	3143.74 3143.756 3143.81 3143.891 3143.90	2 10 2 30 7	4.	341 1015 603 506 340		NI I MN I	3146.635 3146.67	3145.696 3145.719 3145.727 3145.76 3145.865	25 40 1 15 2	11. 85.	693 1015 148 .340 782	
MN' FE 'II	3144.859 3144.901 3144.991 3145.027 3145.091	3143.948 3143.990 3144.080 3144.119 3144.180	8 15 2 1 5	578.	835 896 325 148 288		V II CU II MN II V II		3145.900 3145.971 3146.0122 3146.116 3146.226	20 20 5 30 40	1.	506 478 612 328 478	
CR MN I	1 3145.130 1 3145.152 1 3145.30 1 3145.37 3145.3946	3144.222 3144.241 3144.39 3144.45	40 6	92. 161.	148 936 341 328 896		AS 11 NA 11 MN 1 BR 11 AR 11	3147.202 3147.232 3147.324	3146.269 3146.292 3146.324 3146.415 3146.4264	0 60 6 10 40	49.	425 693 148 606 867	
TI I		3144.66 3144.700 3144.730 3144.74	160 20 1 M	122. 111. 10. 82.	83 478 1015 1015 1015		FE 1 FE 11 V 1 V 11 CU 1	3147.3790 3147.657 3147.7 3147.727 3147.730	3146.4676 3146.748 3146.8 3146.818 3146.821	0 2 1 10 210	160. 67. 138.	896 1015 1000 478 -672	

SPEC	TRUM	VACUUM WAVELENGTH	. AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	I SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SC F CO CR V	111	3147.82 3147.898 3147.968 3148.13 3148.163	3146.91 3146.987 3147.060 3147.22 3147.255	1 600 15 50 8		1015 537 603 340 1000		CU NI MN NA SI		3150.47	3149.508 3149.525 3149.529 3149.51 3149.561	30 5 6 400 500	2.	672 · 835 148 40 767	
F FE SI F F	1 111 11	3148.183 3148.202 3148.283 3148.340 3148.437	3147.271 3147.291 3147.371 3147.428 3147.525	10 4 80 4 1	11.	538 896 768 538 538	M	CU NI P CR SI	11 11 11 11 11	3150.613	3149.681 3149.700 3149.716 3149.82 3149.92	3 10 4 20 2	54. 26.	612 835 936 340 678	
FE NE HE FE CL	I I I	3148.515 3148.611 3148.690 3148.7070 3148.748	3147.603 3147.701 3147.779 3147.7954 3147.837	5 25 M 4 190	455. 10.	896 723 497 896 613	M	MN WN V BE CR	. I . I . I	3150.837 3150.844 3150.94 3150.99 3151.02	3149.928 3149.931 3150.03 3150.08 3150.11	5 30 2 25 20	54.	148 328 1000 333 340	
CR F V TI FE	11 1 11	3148.75 3148.869 3148.88 3148.943 3149.090	3147.84 3147.957 3147.97 3148.033 3148.178	. 200 3 12 1	93. 4.	340 538 1000 1015 378		CU N FE TI MN	II	3151.2196	3150.2634 3150.276 3150.3073 3150.317 3150.426	1 4 7 30	58.0 578.1	612 521 896 227 328	Р
MN AR NI V CU	11	3149.091 3149.114 3149.118 3149.230 3149.242	3148.182 3148.202 3148.207 3148.318 3148.333	140 50 4 2 3	19.	148 506 835 782 672		AR V MN CU CR	I I II.	3151.422 3151.50 3151.525 3151.5546 3151.56	3150.510 3150.59 3150.616 3150.6422 3150.65	40 5 2 25 4		506 1000 148 612 341	
FE CR CU NE NE	I I II:	3149.3182 3149.35 3149.48 3149.5229 3149.583	3148.4064 3148.44 3148.57 3148.6107 3148.672	. 2	115.	896 341 672 896 . 1016		CO HE CA FE MN	I I I	3151.565 3151.625 3151.663 3151.674 3151.710	3150.655 3150.751 3150.751 3150.762 3150.800	2 M 20 1	15. 813.	603 497 1018 378 148	
FE V CU MN NI	II II II	3149.588 3149.647 3149.6989 3149.766 3149.782		0 15 2 8 10	249.	378 478 612 148 835		CO BR CU TI NE	I I I I I I		3150 819	2 10 75 J	28. 16.	603 606 612 1015 389	
CR CR NA CO FE	II II I	3150.02 3150.12 3150.177 3150.219 3150.404	3149.11 3149.21 3149.267 3149.310 3149.492	4 1 60 10	84. - 4. 9.	340 341 1015 603 378		NI CA V FE CD	11	3152.170 3152.179 3152.228 3152.264 3152.31	3151.259 3151.266 3151.319 3151.352 3151.40	20 7 100 20 2	15. 138. 311.	1015 1018 478 896 673	N

PECTRUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NUTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE
II. IE I	3152.325 3152.342 3152.509 3152.53 3152.550	3151.415 3151.429 3151.596 3151.62 3151.638	10 25 40 8 2	15.	148 936 1016 672 1018		FE I	3155.01 3155.019 3155.069 3155.106 3155.115	3154.10 3154.106 3154.156 3154.195 3154.201	3 1 M 12 6	69. 53. 10. 66.	340 378 497 1015 896
E 11	3152.640 3152.760 3152.77 3152.7786 3153.029	3151.703 3151.850 3151.86 3151.8658 3152.120	· 1 · 5	5.01 7.	341 34 1015 896 603		AR 11 MG 111 F 111 FE 1	3155.25 3155.325 3155.3288	3154.289 3154.34 3154.412 3154.4155 3154.4960	20 100 300 6 3	4. 100. 161.	506 2 537 896 896
R I N I	3153.05 3153.12 3153.158 3153.162 3153.20	3152.14 3152.21 3152.248 3152.251 3152.29	M 40 5-15 1	27. 71. 10.	1015 340 148 1015 672		CR 1		3154.518 3154.585 3154.607 3154.62 3154.678	15 10 4 1 5	78. 108.	. 227 1015 936 341 603
R I O	3153.427 3153.526 3153.617 3153.66 3153.785	3152.517 3152.613 3152.707 3152.75 3152.872	P 4 30 6 2 2	73.	148 506 603 1000 782		NE II V II CR II	3155.704 3155.7070 3155.71 3155.72 3155.906	3154.7936 3154.80 3154.81		73. 13. 249.	603 389 478 490 896
U I R R	I 3153.798 I 3153.8129 I 3153.90 I 3153.93 I 3153.9632	3152.888 3152.9000 3152.99 3153.02 3153.0502	12 30 10 4 4	116.	341 612 - 341 341 896		C II MN FE CR CR	3156.005 3156.0304 3156.072	3155.090 3155.094 3155.1169 3155.161 3155.25	5 1 3 20 3	5.01 161. 115.	34 148 896 341 341
E E N E	3154.008 3154.1125 1 3154.2275 1 3154.303 1 3154.3241	3153.095 3153.1994 3153.3144 3153.393 3153.4017	4 10 4 7 - 6	161. 160.	936 896 896 148 896		LI II	3156.2072 3156.222 3156.244 3156.2896 3156.320	3155.308 3155.330	60	193.	896 307 307 612 478
R IE I	3154.406 I 3154.45 I 3154.458 I 3154.591 I 3154.602	3153.493 3153.54 3153.547 3153.678 3153.692	500 5 10 70 1	200.	538 1000 341 1016 603		TI I	3156.36 3156.41 3156.54 3156.582 3156.692	3155.44 3155.50 3155.63 3155.670 3155.781	10 M M 12 10	27. 37.	328 1015 1015 1015 148
R I R I R I	I 3154.665 I 3154.695 I 3154.860 I 3154.95 I 3155.0068	3153.751 3153.782 3153.947 3154.04 3154.0935	. 40		896 506 506 340 612	M	CU II	3156.710 3156.746 3156.82 3156.832 3156.862	3155.796 3155.832 3155.91 3155.918 3155.950	4 2 M 4 2	192.1 121. 67.	896 612 1015 936 1015

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR I O V F III V I MN I	3157.02 3157.041 3157.10	3156.094 3156.11 3156.127 3156.19 3156.245	2 80 50 10 2	° 4.	341 83 537 1000 148		CO SC	I 3159.148 I 3159.204 I 3159.369 I 3159.45 I 3159.5873	3158.234 3158.293 3158.458 3158.54 3158.6729	M 1 1 1 30	12.	497 603 603 1030 612	· м
FE I CU II NE II MN I	3157.1958 3157.246 3157.303	3156.2734 3156.2820 3156.333 3156.392 3156.43	10 20 10 1 25	578.	896 612 1016 148 328		V CO CR	I 3159.646 I 3159.68 I 3159.683 I 3159.725 I 3159.783	3158.723 3158.77 3158.772 3158.814 3158.869	10 1 12 4 460	10. 4.	148 1000 603 341 186	н
FE I I MG I I I I I I I I I I I I I I I I	3157.42 3157.54J 3157.632	3156.4631 3156.51 3156.629 3156.718 3156.89	4 7 210 4 2	454. 14.	896 2 672 721 1000		CR I FE MN I	I 3159.90 I 3160.01 I 3160.163 I 3160.22 I 3160.277	3158.99 3159.10 3159.248 3159.30 3159.365	2 7 1 30 20	452. 5. 259. 83.	605 340 378 329 478	
FE I CO I C II FE I SI III	3158,001 3158.040 3158.057	3157.0358 3157.090 3157.130 3157.143 3157.159	20 1 1 4 3	38.01 144. 11.	896 603 287 896 768		NI NA I CR	I 3160.351 I 3160.434 I 3160.45 I 3160.49 I 3160.573	3159.437 3159.521 3159.53 3159.58 3159.662	1 15 1 20 10	11. 92. 9.	378 1015 693 341 603	
TI II AR III SC II CR II MN II	3158.33 3158.35 3158.43	3157.397 3157.42 3157.44 3157.52 3157.61	2 50 2 1	4. 32. 93.	1015 79 1015 340 328	P	MN CR I V	V 3160.67 I 3160.737 I 3160.77 I 3160.78 I 3160.821	3159.75 3159.825 3159.86 3159.87 3159.909	10 4 3 2. 3	2. 54.	313 148 340 1000 341	
P 111 MN I V 11 MN I AS 11	3158.570 3158.61 3158.722	3157.629 3157.658 3157.70 3157.811 3157.8264	60 3 3 3 80	•	936 148 478 148 425	e e	MN CU TI	1 3160.852 I 3160.864 I 3160.956 I 3161.00 I 3161.02	3159.937 3159.952 3160.047 3160.09 3160.11	30 20 25 J 5	28. 54.	1016 148 672 1015 340	
FE 1 CU 11 V 11 FE 1 CU 1	3158.8043 3158.811 3158.9012	3157.8858 3157.8901 3157.900 3157.9869 3158.02	12 0 40 3 1	164. 50. 159.	896 612 478 896 672	•	FE FE	I 3161.067 I 3161.1119 I 3161.2568 I 3161.450 I 3161.526	3160.155 3160.1971 3160.3420 3160.535 3160.611	6 20 110 15	578. 192.1	148 896 896 613 613	
CR II FE III GA II FE I AR II	3159.06 3159.09	3158.03 3158.14 3158.18 3158.183 3158.208	10 1 10 4 5	. 70.	340 288 652 896 506		, BE	I 3161.528 I 3161.5725 I 3161.682 I 3161.693 I 3161.962	3160.617 3160.6575 3160.768 3160.781 3161.050	8 25 25 15 140	115. 155. 138. 19.	341 896 330 478 148	

													,	`	
SPECT	: RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NA TI V FE AR	1 II 1 II 1 II 1 II	3162.08 3162.118 3162.225 3162.2863 3162.2877	3161.16 3161.205 3161.313 3161.3712 3161.3726	1 25 30 5 130	10. 151. 52. 97.	693 1015 478 896 867		MN AR NE CU NA	I I I I I I I	3164.447 3164.451 3164.494 3164.5995 3164.644	3163.534 3163.535 3163.578 3163.6838 3163.730	1 20 30 5 90	118. 7.	148 506 1016 612 693	
N CL AR FE SI	11 11 11 111	3162.30 3162.340 3162.371 3162.473 3162.525	3161.38 3161.425 3161.456 3161.558 3161.610	25 220 80 1	2. 11. 195. 8.1	313 613 506 378 768		P V CR BE FE	111 11 1 1 1	3164.661 3164.67 3164.677 3164.76 3164.787	3163.745 3163.76 3163.764 3163.84 3163.871	120 10 25 3 6	249. 115. 79.	936 478 341 333 896	
CO TI TI V V	III III III	3162.564 3162.57 3162.669 3162.72 3162.8	3161.652 3161.66 3161.755 3161.79 3161.9	5 M 30 30 3	73. 27. 10.	603 1015 1015 325 1000	•.	V CR CR NA NI	I II II I	3164.80 3164.84 3164.943 3165.07 3165.080	3163.89 3163.93 3164.055 3164.16 3164.166	4 10 3 500 10	69. 200. 79.	1000 340 341 40 1015	
C FE FE CU FE	111 11 11 111	3162.830 3162.859 3162.8620 3162.9587 3162.99	3161.920 3161.945 3161.9467 3162.0434 3162.07	20 5 12 15	5.01 7. 160.	34 1015 896 612 288		NE CR FE FE NE	11 11 11 1	3165.144 3165.19 3165.191 3165.2122 3165.3453	3164.228 3164.28 3164.275 3164.2963 3164.4294	20 4 5 4 100	46. 79. 163. 14.	1016 340 896 896 389	
MN P FE F	111 111 11 11	3163.123 3163.195 3163.2458 3163.278 3163.280	3162.210 3162.279 3162.3305 3162.363 3162.367	1 90 5 25 10	. 159.	148 936 896 538 478		CR V CR CA NE	11 1 1 1	3165.39 3165.4 3165.405 3165.520 3165.5798	3164.48 3164.5 3164.492 3164.604 3164.6638	1 1 4 3 120	118. 14. 47.	340 1000 341 1018 389	
CR P TI AS V	II III II II	3163.37 3163.438 3163.484 3163.523 3163.627	3162.46 3162.522 3162.570 3162.608 3162.714	10 10 35 150 30	46. 10. 83.	340 936 1015 425 478		FE MN V TI FE	111 11 11 11	3165.603 3165.69 3165.73 3165.82 3165.9152	3164.687 3164.77 3164.82 3164.91 3164.9992	70 5 40 8 5	8. 8. 162.	288 328 478 1015 896	
FE V FE HE V	11 11 11 11		3162.799 3163.024 3163.091 3163.114 3163.187	8 30 5 M 4	120. 84. 7.	1015 478 1015 497 782		FE O TI MN AR	1 11 11 11	3165.9176 3166.0 3166.15 3166.166 3166.204	3165.0016 3165.1 3165.24 3165.253 3165.288	5 4 M 1 60	155. 37.	896 168 1015 148 506	
NA SI MN CR AS	11 111 11 11	3164.197 3164.278 3164.28	3163.245 3163.281 3163.365 3163.37 3163.524	4 7 1 3 0		693 768 148 340 425		SI MN C NI V	111 11 11 11	3166.29 3166.357 3166.383 3166.423 3166.50	3165.38 3165.440 3165.467 3165.508 3165.59	7 30 200 15 3	9. · 21	768 328 287 1015 1000	

Cī	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	. INTENSITY	MULTIPLET	REFERENCE	NOTES
E I R E	11 11 11 111	3166.5651 3166.626 3166.757 3166.7740 3166.799	3165.6489 3165.710 3165.842 3165.8578 3165.883	100 850 10 6 200	14. 2. 160. 1.	389 767 606 896 537		V FE C MN MN	II II II	3168.808 3168.840 3168.848 3168.849 3168.97	3167.891 3167.923 3167.931 3167.935 3168.05	3 6 150 1 4	578. 9.	782 896 287 148 328	
IG E ;	11 11 11	3166.80 3166.85 3166.853 3166.890 3167.0967	3165.89 3165.94 3165.936 3165.974 3166.1803	30 20 · 3 40 70	84. 14. 9.	478 1015 896 287 389		CO O V FE MN	I V II II 1I	3168.973 3169.02 3169.041 3169.13 3169.133	3168.060 3168.10 3168.127 3168.21 3168.216	6 60 40 1 30	108. 8. 94.	603 83 478 1015 328	
S E E U	11 11 1 1	3167.3517	3166.1857 3166.259 3166.39 3166.4353 3166.5879	°100 2 8- 15 20	155. 84. 259	425 378 478 896 612		MN CR FE TI FE	I I I I I	3169.168 3169.30 3169.379 3169.435 3169.517	3168.254 3168.39 3168.462 3168.519 3168.600	4 7 3 40 3	10.	148 340 896 1015 896	W
E E E	11 1 1 1X 11	3167.898 3167.9	3166.670 3166.827 3166.982 3167.0 3167.084	4 10 1 20	6. 455.	1015 148 378 806 835	н	BE MN CR FE MN	I I I II	3169.519 3169.594 3169.660 3169.7708 3169.82	3168.602 3168.680 3168.745 3168.8538 3168.91	3 2 5 3 2	160.	330 148 341 896 328	
AS AN CR /	11 1 1 11 111	3168.070 3168.157	3167.150 3167.153 3167.156 3167.240 3167.25	1 2 2 10 7		425 148 341 782 2		MG HE MN O CR	11 11 11 11	3169.867 3169.938 3169.96 3170.1 3170.11	3168.951 3169.021 3169.05 3169.2 3169.20	160 M 0 4 25	14.	592 497 328 168 340	
/ CR AR /	11 11 11 11	3168.35 3168.381 3168.40	3167.420 3167.44 3167.464 3167.49 3167.486	40 5 30 30	217.	478 341 506 478 693		V NE MN FE CI	11 11 11 111	3170.12 3170.225 3170.269 3170.35 3170.380	3169.21 3169.308 3169.356 3169.43 3160 463	2 5 4 40 79	65. 16.	478 1016 148 288 613	
AN FE VE AN	111 1 1	3168.493	3167.52 3167.553 3167.5762 3167.619 3167.74	2 5 4 3 4	28.	328 288 896 148 173	٠	CR V AR CU CO	I I I I	3170.493 3170.5 3170.5856 3170.596 3170.681	3169.578 3169.6 3169.5685 3169.681 3169.766	8 1 140 220 9	115. 47. 109.	341 1000 867 672 603	
FE IN FE CL	I I III II IV	3168.745 3168.774	3167.792 3167.827 3167.828 3167.857 3167.87	1 8 25 6 200	99.	378 148 227 896 43		CA OR MN G	I I I I I I	3170.755 3170.77 3170.831 3170.933 3171.117	3169.838 3169.86 3169.914 3170.016 3170.200	7 2 50 70	14. 173.	1018 340 328 34	

SPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT 1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V FE SC SI MN	11 11 11 11	3171.122 3171.253 3171.32 3171.32 3171.341	3170.208 3170.337 3170.40 3170.40 3170.427	8 6 1 1 4	217. 6. 32.	478 1015 1015 678 148		MN I MG I	I 3173.624 I 3173.648	3172.577 3172.685 3172.706 3172.731 3172.8614	70 10 160 40 40	13. 65.	613 328 592 1015 867	
CR AS CR CU CR	111 111 111 11	3171.43 3171.596 3171.61 3171.6111 3171.62	3170.52 3170.678 3170.70 3170.6936 3170.71	5 5 20 5 2		490 425 490 612 340		MN II N III CO FE MN I	I 3173.89 I 3174.055 I 3174.329	3172.937 3172.97 3173.140 3173.410 3173.463	80 10 1 4 40	48. 333.	328 246 603 896 328	N
NI MN MN FE TI	: II III III IV	3171.631 3171.65 3171.71/ 3171.87 3171.872	3170.715 3170.74 3170.800 3170.95 3170.955	10 3 50 5 10	78.	1015 328 328 288 721		NE I CR I	I 3174.47 I 3174.492	3173.512 3173.56 3173.574 3173.58 3173.6078	17 1 90 15 6	138. 13. 83. 333.	613 603 1016 340 896	
N FE FE AR ZN	111 1 11 11	3172.06 3172.2606 3172.2689 3172.321 3172.37		4 10 10 30 100	52. 548.	246 896 896 506 154	, N	FE		3173.6092 3173.647 3173.671 3173.690 3173.845	3 190 80 8 3	101.	612 613 563 896 148	
CU AR CU FE CO	11 111 1 1.	3172.578 3172.5810	3171.64 3171.663	20 5	160.	612 79 672 896 825		CR I MN I V I FE 11	1 3174.95 1 3174.992 1 3175.007	3173.93 3174.03 3174.077 3174.089 3174.140	2 0 30 450 2	175. 84. 38.	340 328 478 288 603	
V P FE CR FE	11 111 11 11		3171.774 3172.067 3172.08	9 120 2 40 5	217. 99. 71. 99.	478 936 605 340 896		F II V I FE II V I FE II V I I I I I I I I I I I I I I I I I	I 3175.127 I 3175.249 I 3175.447	3174.170 3174.209 3174.331 3174.531 3174.61	1000 2 5 60	2.	537 782 288 478 288	
V MN V ZN FE	111 11 11 11 1		3172.107 3172.13 3172.230 3172.23 3172.292	20 1 7 100	249. 312.	325 328 478 154 378		BR I MN F II TI I	I 3175.57 I 3175.662	3174.66 3174.746 3174.764 3174.80 3174.905	10 20 900 5 4	2. 71.	606 148 537 1015 603	
O AS CR NE FE	V 111 111 V	3173.26 · 3173.389	3172.31 3172.308 3172.35 3172.471 3172.56	40 1 2 80		83 425 490 1016 229	F	CR P I	I 3175.846 I 3175.8865 I 3175.95 I 3175.954 I 3175.994	3174.928 3174.9680 3175.03 3175.035 3175.077	80 10 2 25 4	157.	425 612 341 496 1015	

	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NA P P FE CL	, v v I	3176.004 3176.010 3176.06 3176.233 3176.234	3175.086 3175.091 3175.14 3175.314 3175.315	25 700 40 5 163		693 524 597 896 613		FE FE MN CR CL	1	3178.455 3178.46 3178.532 3178.576 3178.60	3177.536 3177.54 3177.616 3177.659 3177.68	2 5 3	82. 159.	896 605 148 341 613	
MN P FE MN AS	III	3176.270 3176.320 3176.3641 3176.491 3176.506	3175.355 3175.402 3175.4454 3175.576 3175.587	3 10 80 12 2	155.	148 936 896 148 425		V CU NE CR V	1 I 1 I X I	3178.612 3178.6584 3178.659 3178.7 3178.75	3177.696 3177.7392 3177.740 3177.8 3177.83	6 15 50	217.	478 612 563 726 1000	F
CR TI CU MN MG	I	3176.514 3176.58 3176.59 3176.629 3176.702	3175.598 3175.66 3175.67 3175.713 3175.783	4 2 60 10 220	120.	341 1015 672 148 592	. •	O CR FE CU FE	1V 11 11 111	3178.82 3178.8733	3177.89 3177.90 3177.9590 3177.9692 3178.01	90 1 20 15 450	7. 40. 159.	86 340 896 612 288	
FE FE F NE V	IV	3176.89 3176.912 3177.00 3177.0389 3177.046	3175.97 3175.993 3176.08 3176.1201 3176.127	1 450 10 90 60	333. 38. 16.	288 173 389		CL FE MN FE	1 1 I 1	3179,04 3179,231	3178.0133 3178.13 3178.312 3178.501 3178.5375	20 4 3 140 4	156. 19. 454.	896 613 896 148 896	M
CU	1 1 11	3177.186 3177.197 3177.210 3177.2283 3177.28	3176.267 3176.278 3176.292 3176.3094 3176.36	M 1 10 2 5	578. 77.	497 378 1015 612 490			11 1 11	3179.503 3179.549 3179.647 3179.72 3179.8823	3178.585 3178.630 3178.730 3178.80 3178.9627	20 3 2 7 15	120. 173. 192.1	154 1015 148 340 896	
FE NE CR SC P	I I	3177.2801 3177.471 3177.52 3177.62 3177.672	3176.3612 3176.552 3176.60 3176.70 3176.753	4 90 4 10	258. : 32.	896 1016 340 1015 936	P	NA FE CR TI CU	111 1 1 -11	3179.972 3180.00 3180.200 3180.210 3180.237	3179.053 3179.08 3179.283 3179.291 3179.317	60 1 10 30 2	7. 38. 92. 65.	693 1015 341 1015 612	
FE N O FE CL	11 V V	3177.757 3177.79 3177.79 3177.84 3177.884	3176.838 3176.87 3176.97 3176.92 3176.964	40 60 19	38.	288 521 83 229 613	P	B CA CU V CR	1 I 1 1 I	3180.251 3180.252 3180.260 3180.333 3180.38	3179.331 3179.332 3179.343 3179.416 3179.46	150 520 2 8 8	4. 217. 82.	532 186 672 478 340	н
MN FE CO CO CR	11 1 11	3177.961 3178.176 3178.182 3178.21 3178.42	3177.044 3177.260 3177.266 3177.29 3177.50	10 1 8 15 1	7 9.	148 645 603 825 340		FE FE FE NI CU	1 I	3180.396 3180.423 3180.45 3180.540 3180.7044	3179.479 3179.504 3179.53 3179.620 3179.7846	1 8 6 20 50	, 157. 52.	605 1015 896 835 612	•

SPECT	RUM	VACUUM WAVELENGTH	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTE
CO V V AL FE	II III III	3181.01	3179.828 3180.029 3180.09 3180.111 3180.164	1 1 1 40 7	157.	603 782 1000 826 1015		AS MN TI	1 I 1 1 I		3182.1717 3182.385 3182.498 3182.57 3182.59	75 2 2 6 20	122. 217.	612 425 148 1015 478	
FE FE TI CO CU	111 1 11 11 11	3181-1434 3181-144	3180.225 3180.290	50 · 2 2 4	38. 155. 120. 106.	1015 896 1015 603 612	P	V FE NI	1 I 1 1 1 1 1	3183.591 3183.68 3183.8980 3183.958 3184.01	3182.674 3182.76 3182.9774 3183.038 3183.09	20 1 10 15 2	150. 100. 78.	478 1000 896 1015 328	
CL CA V ZN CO	. I	3181.357 3181.438 3181.48 3181.54 3181.55	3180.437 3180.518 3180.56 3180.62 3180.64	66 10 1 5 2	14.	613 1018 1000 154 673		NI CR	II II II II	3184.035 3184.171 3184.25 3184.266 3184.330	3183.115 3183.251 3183.33 3183.373 3183.415	8 20 40 40 150	7. 78. 82.	1015 1015 340 328 1000	
BE CR FE AS CU	11 11 111 111	3181.6754 3181.70	3180.7 3180.70 3180.7554 3180.78 3180.793	75 50 30 2	9.	862 340 896 404 612		MN FE V I		3184.371 3184.481 3184.499 3184.63 3184.745	3183.450 3183.560 3183.578 3183.71 3183.824	5 80 3 50 70	192.1	896 328 896 325 826	
O P AR CL MN	IV III II I	3181.819 3181.9576 3182.173	3180.87 3180.899 3181.0376 3181.253 3181.269	150 25 130 18 1	7. 47	86 936 867 613 148		V V CR	1 I 1 1 1 1	3184.88	3183.93 3183.96 3183.995 3184.02 3184.035	5 125 150 2 20	14. 14.	613 1000 1000 341 328	
CA P CR GE FE	11 111 11 11	3182.198 3182.34 3182.41	3181.275 3181.278 3181.42 3181.49 5 3181.5213	360 40 20 5 8	4. 9. 258.	186 936 340 676 896	н	FE V AR	II II II II	3185.162 3185.189	3184.09 3184.112 3184.241 3184.268 3184.36	1 5 10 15	3. 711. 123.	1015 378 782 506 340	
V CL NI TI FE	11 1	3182.55 3182.565 3182.659 3182.76 3182.766	3181.740 3181.84	1 - 85 25 8	78. 122. 333.	1000 613 1015 1015 896		P 1	I I II II	3185.5426	3184.367 3184.6216 3184.6224 3184.814 3184.818	40 5 4 150 40	11. 155.	1015 896 612 936 328	
FE MN FE CO		1 3182.832 1 3182.894 1 3182.907 1 3182.976 1 3183.036	3181.974 3181.990 3182.0558	5 6 1	155. 159. 73.	896 896 148 896 603	м	TI I CU FE V I	I I I I	3185.760 3185.7614 3185.8157 3185.983 3186.014	3184.839 3184.8404 3184.8947 3185.062 3185.096	130 90 125 8 10	· . 7.	227 612 896 325 148	

SPEC1	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES .	SPECTRU		VACUUM WAVELENGT'	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE SI S F HE	11 111 111 1	3186.015 3186.046 3186.08 3186.081 3186.215	3185.095 3185.125 3185.16 3185.160 3185.293	1 410 150 12 M	67. 8. 13.	1015 768 323 537 497		CO BE CL NE CO	I II II II	3188.25 3188.26 3188.344 3188.4979 3188.52	3187.34 3187.34 3187.423 3187.5762 3187.60	4 15 27 90 3		603 333 613 389 603	
FE V SE CU ZN	11 111 11 111	3186.235 3186.320 3186.43 3186.6462 3186.68	3185.315 3185.404 3185.51 3185.7249 3185.76	5 40 250 50 5	7. 14.	1015 1000 14 612 162		V HE . AR ! CR FE	II I III I	3188.635 3188.667 3188.80 3188.93 3188.947	3187.717 3187.745 3187.90 3188.02 3188.026	200 200 60 15 2	8. 3. 92.	478 497 79 341 378	
AR ZN O CO FE	11 VI I I I	3186.685 3186.692 3186.7£ 3186.866 3186.87	3185.734 3185.771 3185.86 3185.948 3185.95	30 5 120 2 5	7.	506 154 86 603 288	•	V V O SC AR	I II IV I	3189.015 3189.02 3189.17 3189.21 3189.291	3188.096 3188.10 3188.25 3188.29 3188.369	3 30 90 1 10	49. 7. 48.	1000 478 86 1030 506	M
SI CU SI V AR	11 11 111 11 11	3186.92 3186.9361 3186.943 3187.02 3187.090	3185.99 3186.0148 3186.022 3186.10 3186.169	10 50 270 1 50	11. 8.0 64. 48.	678 612 768 478 506		FE	I II IV II	3189.296 3189.441 3189.4901 3189.58 3189.645	3188.377 3188.522 3188.5681 3188.66 3188.723	7 260 10 90 4	74. 8. 159. 7.	603 478 896 86 612	
P CU CO TI TI	III II I I	3187.107 3187.2625 3187.268 3187.369 3187.372	3186.186 3186.3411 3186.350 3186.451 3186.451	250 25 5 60 600	8. 27. 27.	936 612 603 1025 1015		NE FE MN SI ZN	1 I 1 I I 1 I I 1 I I	3189.6635 3189.742 3189.84 3189.89 3189.89	3188.7414 3188.820 3188.92 3188.97 3188.97	100 15 0 150 15	13. 159.	389 896 328 678 154	
MN AR GE MN P	1 11 11 V	3187.426 3187.563 3187.637 3187.645 3187.652	3186.507 3186.642 3186.715 3186.724 3186.731	1 25 50 15 30		148 517 676 328 524		V MN TI	I I I I I I I I	3189.928 3189.997 3190.156 3190.44 3190.552	3189.006 3189.078 3189.233 3189.52 3189.630	140 1 40 5 30	65. 120.	613 1000 328 1015 835	
FE CR FE V CU	11 11 11 11	3187.662 3187.67 3187.736 3187.78 3187.9643	3186.741 3186.75 3186.814 3186.86 3187.0427	4 18 1 10 10	6. 69. 100. 63.	896 340 378 478 612		LI 1 FE 1 CO V	II II II II	3190.656 3190.667 3190.671 3190.68 3190.702	3189.733 3189.745 3189.752 3189.76 3189.780	40 5 3 90	55. 9. 83. 4.	309 288 603 478 693	
MN FE MN P FE	11 1 111 111	3187.976 3188.092 3188.132 3188.141 3188.215	3187.054 3187.171 3187.213 3187.219 3187.294	100 1 2 25 8	333. 120.	328 378 148 936 1015		AS MN FE	II IV I I	3190.77 3190.86 3190.879 3190.9385 3191.116	3189.85 3189.94 3189.959 3190.0162 3190.194	12 350 15 1	123. 259. 22.0	340 584 148 896 521	

u	
_	
0	

	SPECTRUM	VACUUM WAVELENGTH	AIR 1 WAVELENGTI	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
												_			
		11 3191.325		2	42.	1015		FE	1		3192.563 3192.582	5 4		896 835	M
	FE II	11 3191.436		5		288		N I MA	I I I I	3193.505 3193.57	3192.582	5		328	
		11 3191.45	3190.53	5 400		328 43		TI	11		3192.68	4	120.	1015	
		II 3191.50 II 3191.502				227		v.	11		3192.699	15	83.	478	
	FE	I 3191.572	21 3190.6496			896		FE	I		3192.8009	6	155.	896	
	CR 1	11 3191.60	3190.68	6	174.	340		FE	1		3192.8426 3192.90	6 40	452.	896 325	
	V 1	11 3191.606	3190.686	360		478		V FE	111	3193.82 3193.840	3192.90 3192.917	40 9	6.	1015	
		I 3191.720		20 8		1025 1015	N	BR	11		3193.040	10	= :	606	
	FE	1 3191.738	85 3190.8159	9 5		896		SI	11		3193.09	150	13.	678	
		11 3191.786	3190.864	90	14.	1016		co	1	3194.084	3193.164	5	26.	603	
	TI :	II 3191.796	6 3190.874	30		1015		V F E	II I	3194.12J 3194.1490	3193.200 3193.2258	20 220	83. 7.	478 896	
		I 3191.830 II 3191.842				603 563		FE	I	3194.1490	3193.2992	280	159.	896	
	sc	11 3191.927	7 3191.005	<u>,</u> 5	42.	1015		CR	11	3194.33	3193.41	2	52.	340	
		11 3192.019				670		AR	11	3194,435	3193.512	10		506	
•	FE	I 3192.035	57 3191.1131	1 1		896		MN N I	11		3193.578 3193.677	10 2		328 835	
316	FE	I 3192.100 I 3192.216			452. 7.	605 603		FE	II	3194.649	3193.726	0		378	
<u>.</u>	CO	I 3192.216	6 3191.297	**	••	045								•	
	FE	II 3192.296	6 3191.374	• 1	79.	1015		NI	. 1		3193.75	ĸ	92.	1015	
		111 3192.37	3191.45	900	3.	38			111	3194.694	3193.771	40		227	
	BR	II 3192.538	8 3191.616			606		MN CL	1 1 I		3193.788 3193.795	1 10	_	148 613	
	FE	I 3192.581				896 1015		FÉ	11		3193.795	11	6	1015	
	NI	I 3192.797	7 3191.875	10	1291	1015		` -	•						
	AR	11 3192.87	3191.95	5		506			. 1		3193.830	15		330	
	TI	I 3192.914	4 3191.994	80	27.	1025		CF	111		3193.84 3193.84	0		43 825	
	ĬĬ	I 3192.916				1015		FE	1 1 1 1		3193.84	4		825 896	
	FE CR	II 3192.981 I 3193.039				1015 341		٧	11		3193.919	6		1000	
	cu	I 3193.14	3192.22	2	,	672		V	1 Í		3193.97	10		478	
	CO	1 3193.140		3	72.	603		cu	I	3195.019	3194.099	390		672	
	SI	II 3193.17	3192.25	50	13.	678		N'I S I	1 1 1 1		3194.183 3194.21	10 50		835 678	
	TI	II 3193.18		. 2		1015 341		AR	II		3194.21	80		867	
	CR	I 3193.207	7 3192.287	5		371		••••	• •	• • • • • • • • • • • • • • • • • • • •	••••				
		II 3193.225				612 506		T I MN	I I	3195.263	3194.26 3194.339	5 20		1015 328	
	AR FE	II 3193.286 I 3193.335	6 3192.363 56 3192.4127			896		V	I	3195.32	3194.40	2		1000	
	MN.	I 3193.347	7 3192.426	10)	148		FE	İ	3195.3478	3194.4244	6		896	
	FE	I 3193.430				896	•	TI	11	3195.48	3194.56	8	120.	1015	

•

,	ن	3
•	_	
•	٠.	1

•

	SPECTRL		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE		SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V NE P AR CR	11 111 11-	3195.49 3195.5007 3195.505 3195.521 3195.54	3194.57 3194.5773 3194.581 3194.598 3194.62	10 40 10	16. 70.	1000 389 936 506 340		CR	11	3197.666 3197.75 3197.85 3197.8522 3197.86	3196.742 3196.83 3196.93 3196.9281 3196.93	2 3 20 140 2	9. 155.	497 341 340 896 603	
	MN SI NI TI	11 1 11	3195.583 3195.61 3195.68 3195.68 3195.72	3194.663 3194.69 3194.76 3194.76 3194.79	1 50 K 6 200	12. 108. 7.	148 678 1015 1015 86		FE MN CR ZN BE	11	3197.9110 3197.929 3198.01 3198.024 3198.027	3196.9869 3197.006 3197.08 3197.100 3197.103	50 80 75 100 15		896 328 340 154 332	
	V NI NI SI	I I I I I	3195.775 3195.84 3196.100 3196.218 3196.33	3194.855 3194.92 3195.177 3195.294 3195.41	1 1 8. 5 100		148 1000 835 835 678		BE Mn Ti Fe	1 I 1 I	3198.037 3198.073 3198.08 3198.442 3198.444	3197.113 3197.149 3197.15 3197.518 3197.520	50 25 0 2 5	3. 711.	1015 332 328 1015 896	
317	V NI AR TI AR	II II II	3196.42 3196.496 3196.498 3196.640 3196.676	3195.50 3195.573 3195.574 3195.717 3195.752	15 30 20 3 50		782 1015 506 1015 506		MN GE V MG CR	1:1 I 1 I 1	3198.489 3198.49 3198.495 3198.550 3198.92	3197.565 3197.56 3197.574 3197.625 3198.00	40 25 7 3 15	150.	328 406 478 1017 340	
	FE MN TI AS FE	1 11 11	3196.892 3196.908 3196.918 3196.9527 3196.999	3195.968 3195.988 3195.994 3196.0289 3196.076	1 2 M 50 12	192. 46. 7.	378 148 1015 425 896		V CU CR MN MN	11	3198.932 3199.0295 3199.039 3199.069 3199.185	3198.012 3198.1052 3198.116 3198.145 3198.261	20 8 20 20	14. 91.	1000 612 341 328 328	
	MN AS	11	3197.0461 3197.168 3197.173 3197.187 3197.235	3196.1223 3196.244 3196.249 3196.264 3196.311	5 40 5 20 300	333.	896 328 425 307 154		FE CR V NE CO	111 111 11	3199.187 3199.23 3199.232 3199.5106 3199.581	3198.266 3198.31 3198.306 3198.5861 3198.660	1 50 150 5	258. 26.	605 893 325 389 603	FΡ
	LI CR LI CR N	I I I I I I	3197.254 3197.27 3197.279 3197.31 3197.315	3196.330 3196.35 3196.356 3196.39 3196.391	5	9. 115. 22.0	521	P	TI CR FE MN NE	II III II	3199.650 3199.66 3199.837 3199.8403	3198.726 3198.74 3198.922 3198.913 3198.9157	10 2 110 80 60	191. 6. 13.	1015 340 288 328 389	
	SI V CR	111 11 1	3197.344 3197.428 3197.495 3197.59 3197.66	3196.423 3196.504 3196.574 3196.67 3196.74	1 315 20 1 1	8:0 62:	603 768 478 341 603		AR CO LI NI TI	II II I	3199.844 3200.244 3200.257 3200.266 3200.270	3198.920 3199.322 3199.332 3199.342 3199.346	20 4 100 15 10	9.	506 603 307 1015 1015	N

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR	UM .	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SC I TI LI I FE MN I	1 3200.35 1 3200.359 1 3200.4243	3199.370 3199.43 3199.434 3199.4996 3199.522	10 10 40 80 20	42. 191. 7.	1015 1015 307 896 328		FE K CL NI MN		3202.818 3202.88 3203.035 3203.067 3203.127	3201.893 3201.95 3202.110 3202.142 3202.205	20 150 93 25 4	6. 5. 94.	288 1015 613 1015 148	
SI 1 O I BR I	v 3200.47	3199.5309 3199.514 3199.55 3199.783 3199.819	80 200 120 150 6	156. 13. 7.	896 678 86 606 1000		NI V P CR SI	II 111 111 11	3203.237 3203.305 3203.379 3203.39 3203.42	3202.312 3202.383 3202.453 3202.47 3202.49	10 25 60 7 20	14. 46. 13.	835 1000 936 340 678	
	1 3200.78	3199.828 3199.86 3199.858 3199.915 3199.915	13 10 25 100 1000	101 27. 27.	613 340 937 1025 1015		CR TI FE SC MN	11 1 1 1	3203.43 3203.460 3203.4830 3203.49 3203.543	3202.51 3202.535 3202.5575 3202.56 3202.617	15 40 6 00 30	173. 26. 547.	340 1015 896 1028 328	•
P II P I		3199.920 3200.134 3200.216 3200.317 3200.332	1 10 40 4 90	156.	378 936 937 896 937	М	V F BE FE CO	11 11 1V 1	3203.634 3203.684 3203.755 3203.787 3203.948	3202.711 3202.759 3202.829 3202.862 3203.026	2 700 3 4	62. 8.	478 538 309 896 603	M
NI CR I FE	I 3201.291 I 3201.348 I 3201.36 I 3201.396 I 3201.610	3200.423 3200.44 3200.471	150 25 10 60 20	23. 114. 155. 61.0	517 1015 340 896 200		CL HE MN F AR	II II II II	3203.950 3204.027 3204.053 3204.16 3204.3190	3203.024 3203.102 3203.131 3203.24 3203.3933	190 4 1 30	, · i.	613 309 148 538 867	
TI II	I 3201.85 I 3202.035	3200.888 3200.93	12 15 50 10 4	31.	896 227 468 148 1015	Р	AL P TI FE CR	1 111 11 11 11	3204.32 3204.332 3204.361 3204.435 3204.45	3203.39 3203.407 3203.435 3203.509 3203.53	25 40 3 1	20. 3. 79. 46.	1015 936 1015 1015 340	
CR 1	1 3202.068 I 3202.149 I 3202.18 I 3202.50 I 3202.519	3201.227 3201.26 3201.58	25 2 25 15 50	114.	538 1000 340 782 1015	•	TI CL F AR FE	I IV 11 1	3204.584	3203.58 3203.60 3203.65 3203.658 3203.741	20 1 40 0	26. 196.	1015 108 538 517 1015	F
MG		3201.643 3201.658 3201.796	20 25 100 5 M	159.	288 936 328 1017 605		TI SI CU P	1 11 V V	3204.754 3204.798 3204.862 3204.96 3204.963	3203.828 3203.872 3203.939 3204.04 3204.037	150 .100 0 15 520	27. 7.	1015 678 670 597	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
· .	I 3205.116 I 3205.232 I 3205.2470	3204.12 3204.193 3204.306 3204.3210 3204.5231	10 3 1 120 5	13. 71.	328 1000 378 867 612		NI	1 1 1 11 11	3207.847 3207.87 3207.876 3207.878 3207.93	3206.923 3206.95 3206.952 3206.951 3207.01	1 7 20 . 40 0	94. 6.	1000 · 2 1015 288 1028	
SE I MN I FE II CO	1 3205.676 I 3205.689 I 3205.69	3204.58 3204.749 3204.763 3204.77 3204.870	250 15 160 1 60	18. 6. 90.	468 328 288 603 1015		FE O 1: CR TI V	I I I I I I I I I I I I I I I I I I I	3208.0016 3208.04 3208.09 3208.261 3208.338	3207.0749 3207.12 3207.17 3207.337 3207.415	5 4 1 50 20	, 159. 31. 90. 14.	896 1015 341 1015 1000	
MN I AR I CR I TI V II	I 3205.922 I 3206.03 I 3206.091	3204.874 3204.996 3205.11 3205.168 3205.18	140 80 25 20 10	133. 114. 26.	328 506 340 1015 325	•	FE .	I II II II	3208.43 3208.504 3208.572 3208.582 3208.74	3207.51 3207.577 3207.649 3207.655 3207.81	1 40 1 20 5	132. 382.	341 506 605 506 325	. •
MN I CR I FE		3205.257 3205.259 3205.35 3205.3985 3205.40	. 30 2 50 0	155.	1000 328 340 896 603	·	CF	I II VI L	3208.821 3208.83 3208.93 3209.12 3209.155	3207.897 3207.91 3208.01 3208.20 3208.231	50 6 8 500 370	179. 114. 14.	1015 1029 340 888 672	Q
V TI I ZN II CR II SI I	I 3206.56 I 3206.6 I 3206.64	3205.581 3205.64 3205.7 3205.72 3205.77	15 M 30 1	73. 46.	1000 1015 162 893 678	FP	CU BR V	II II II II	3209.18 3209.2295 3209.255 3209.269 3209.36	3208.25 3208.3026 3208.331 3208.345 3208.42	2 12 120 100 2	12. 9. 8.	678 612 488 478 328	
CR TI CO	I 3206.709 I 3206.73 I 3206.771 I 3206.807 I 3206.913	3205.782 3205.81 3205.848 3205.883 3205.990	1 1 50 1	252. 26. 26.	378 341 1015 603 1015		FE CR BE	11 1 11 1 1	3209.388 3209.397 3209.52 3209.527 3209.531	3208.442 3208.470 3208.60 3208.600 3208.607	6 8 20 40 1	711. 9.	496 896 340 330 1015	
NE FE · II TI	I 3207.08 I 3207.12 I 3207.22 I 3207.267 I 3207.395	3206.16 3206.20 3206.29 3206.344 3206.467	15 1 5 50 100	179.	782 1029 288 1015 328	Q	MN CD NI	11 11 1 11 11	3209.601 3209.769 3209.77 3209.83 3209.8929	3208.674 3208.842 3208.85 3208.91 3208.9655	10 10 1 1 1	2. 13.	328 328 603 1015 389	
N I F I TI	I 3207.6113 I 3207.636 I 3207.69 I 3207.749 I 3207.833	3206.6848 3206.709 3206.76 3206.825 3206.910	40 20 1 50 80	61.0 179. 14.	612 200 538 1015 148		F I CR	1 1 11 11 1	3209.954 3210.039 3210.065 3210.11 3210.225	3209.030 3209.115 3209.138 3209.19 3209.298	40 3 30 50 40	179. 97. 9. 333.	1015 1015 537 340 896	

SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
K II P II NE I F I CU I	I 3210.275 I 3210.2832	3209.34 3209.348 3209.3560 3209.43	150 4 120 1	16.	1015 936 389 538 612		GE FE FE NE CO	III I II II	3212.79 3212.804 3212.9138 3212.916 3212.94	3211.86 3211.876 3211.9859 3211.989 3212.02	35 100 6 10	98. 158.	406 896 896 1016 825	
FE I O I CO	I 3210.422 I 3210.527 V 3210.59 I 3210.73 I 3210.836	3209.498 3209.603 3209.66 3209.80 3209.912	4 1 250 1 25	137. 7. 70. 94.	672 1015 86 603 1015		FE FE NA V AR	1 11 11 1 1	3213.089 3213.109 3213.111 3213.361 3213.4466	3212.161 3212.181 3212.185 3212.437 3212.5186	4 20 90 15 60	4. 73. 47.	896 288 693 1000 867	М
SI I	1 3210.875 I 3210.882 I 3210.953 I 3211.020 I 3211.143	3209.948 3209.955 3210.025 3210.096 3210.219	20 20 200 4 5	13. 7. 106.	328 1018 678 1000 603		CR TI MN CR MN	1 I 1 I 1 I 1 I	3213.45 3213.63 3213.812 3213.83 3214.018	3212.52 3212.70 3212.887 3212.90 3213.090	20 M 140 18 20	81. 9. 14. 114.	340 1015 148 340 328	
V FE I SI II		3210.2293 3210.427 3210.449 3210.554 3210.633	30 2 10 360 7	159. 6. 8.0 13.	896 1000 1015 768 341		TI TI TI NI	111 1 11 11	3214.039 3214.070 3214.070 3214.070 3214.100	3213.111 3213.145 3213.145 3213.145 3213.172	10 80 80 1	90. 191. 3.	936 1015 1015 1015 835	
CO		3210.81 . 3210.8280 3210.85 3211.01 3211.07	1 40 3 4 10	156. 154. 191.	328 896 603 603 1015		FE CO NI CR MN	11 11 11 11	3214.239 3214.29 3214.348 3214.39 3214.46	3213.310 3213.36 3213.423 3213.46 3213.54	6 1 25 3 15	91. 153.	896 825 1015 340 328	
MN		3211.062 3211.072 3211.191 3211.270 3211.316	5 1 40 4 20	95. 220.	835 1015 328 148 341		TI NE FE NI SC	11 11 11 11	3214.52 3214.6620 3214.664 3214.699 3214.71	3213.59 3213.7336 3213.735 3213.771 3213.78	M 120 40 8 0	120. 13. 452.	1015 389 896 835 1028	
P II CU CR I	I 3212.248 I 3212.253 I 3212.36 I 3212.41 I 3212.4129	3211.323 3211.325 3211.43 3211.49 3211.4851	0 1 30 12 12	162.	1000 936 672 340 896		MG V F FE NI	111 111 1	3214.77 3214.863 3214.932 3214.9395 3214.985	3213.85 3213.939 3214.003 3214.0111 3214.059	15 2 450 140 35	2. 156. 93.	2 1000 537 896 1015	
HE FE FÉ	I 3212.493 I 3212.496 I 3212.536 I 3212.603 I 3212.663	3211.569 3211.568 3211.608 3211.675 3211.735	1 2 5 50 80	711.	1000 497 896 896 328	M	AL TI TI GE NE	1 V 1 I 1 I 1 I	3215.06 3215.07 3215.166 3215.21 3215.2563	3214.13 3214.14 3214.240 3214.28 3214.3278	10 1 120 2 150	84. 27. 13.	888 1015 1015 676 389	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI I F I FE	I 3215.3241 I 3215.427 I 3215.439 I 3215.550 I 3215.59	3214.3956 3214.498 3214.510 3214.624 3214.66	140 10 10 1 1	7. 143. 16.	896 835 538 605 678		V V K	1 1 1 1 1 1 1 1	3217, 983 3218,040 3218,047 3218,084 3218,242	3217.056 3217.113 3217.121 3217.155 3217.312	30 10 310 120 5	2. 14. 38. 1.	1015 1000 478 1019 612	
	1 3215.850	3214.750 3214.750 3214.751 3214.921 3214.95	4 120 80 80 25	3. 8. 29.	1015 478 563 1016 406			I II I I	3218.3063 3218.33 3218.47 3218.550 3218.57	3217.3770 3217.40 3217.54 3217.621 3217.64	50 50 3 90 10	157. 9. 1.	896 340 328 1019 672	
CA SE IN NI I		3215.000 3215.169 3215.28 3215.299 3215.332	25 25 250 4 1	13.	538 1018 14 835 603		AR NI TI	II II I	3218.570 3218.598 3218.757 3218.869 3218.92	3217.641 3217.669 3217.830 3217.942 3217.99	3 50 40 80 15	133. 91. 179. 16.	612 506 1015 1015 678	
V FE FE II	1 3216.267 I 3216.304 I 3216.340 I 3216.562 I 3216.562	3215.338 3215.379 3215.411 3215.633 3215.637	15 4 5 285 3	13. 13. 6. 332.	1018 1000 896 288 605	M	P I CR	II II II II	3218.97 3219.091 3219.10 3219.1221 3219.130	3218.04 3218.162 3218.17 3218.1926 3218.204	10 10 2 150 5	107.	1015 936 341 389 672	Р
AR I FE	1 3216.61 1 3216.617 1 3216.8669 1 3217.01 1 3217.05	3215.68 3215.688 3215.9380 3216.08 3216.12	2 30 60 1 4	156. 107. 31.	1030 506 896 1015 1015	M P	CU TI	II II II III	3219.19 3219.1959 3219.197 3219.270 3219.281	3218.26 3218.2664 3218.270 3218.340 3218.355	M 2 . 25 . 160 . 1	46. 84. 87.	1015 612 1015 .288 1000	
TI SI II NA I O 1	1 3217.210 V 3217.23	3216.14 3216.203 3216.249 3216.284 3216.30	150 30 80 10 F	90. 8.1 7.	584 1015 768 693 86	н	TI CU TI CR CU	11 11 1 1 1	3219.37 3219.5574 3219.610 3219.63 3219.6938	3218.44 3218.6278 3218.683 3218.70 3218.7642	M 3 J .7 10	46. 90.	1015 612 1015 341 612	
CR GE I CR I AR I	3217.30 3217.40 3217.48 3217.659 3217.69	3216.37 3216.47 3216.55 3216.7302 3216.76	2 2 20 80 4	82. 107.	341 676 340 867 1015		V CO CR CO FE	I II I I	3219.800 3219.89 3220.06 3220.076 3220.116	3218.874 3218.96 3219.13 3219.150 3219.187	5 3 18 5 1	72. 140. 8. 141.	1000 825 340 603 378	
TI I MN CU I	1 3217.747 11 3217.81 1 3217.874 11 3217.918 1 3217.923		25 M 100 4 1	93. 36. 3.	1015 1015 148 . 612 603		TI P FE CR FE	III I I I I	3220.5120 3220.55	3219.62	80 300 80 20 60	179. 4. 156. 220. 8.	1015 936 896 341 896	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM VAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR II FE I NI I SC I CR I	3220.7343 3220.738 3220.88	3219.79 3219.8044 3219.811 3219.95 3219.97	10 60 15 0 2	. 63. 158. 94.	340 896 1015 1028 341	-	FE CO FE ZN I	I I I I	3224.010 3224.075 3224.203 3224.34 3224.363	3223.080 3223.147 3223.272 3223.41 3223.435	0 1 4 3 4	682. 51.	378 603 896 162 672	· .
BE 111 CO ,1	3221.37 3221.395 3221.486	3220.39 3220.44 3220.467 3220.555 3220.62	25 10 1 10 4	15. 9. 152.	333 678 1015 936 603		FE TI NI NI GE	I I I I	3224.411 3224.447 3224.462 3224.462 3224.605	3223.480 3223.519 3223.534 3223.534 3223.674	1 100 15 15 5	179. 94. 92.	378 1015 1015 1015 676	
CU I SC I CR III FE II TI I	3221.70 3221.73 3221.763	3220.65 3220.77 3220.81 3220.835 3221.151	8 3 1 0 20	106. 26.	672 1030 490 1015 1015	M	P TI .	I II V II	3224.7714 3225.06 3225.05, 3225.170 3225.18	3223.8405 3224.13 3224.160 3224.241 3224.25	3 1 25 35 A	27. 16. 84.	896 678 937 1015 532	
NI I CU I V II TI I CR II	3222.28 3222.308 3222.309	3221.273 3221.35 3221.380 3221.381 3221.39	25 8 2 100 1	185. 109. 179.	1015 672 478 1015 340		CU MN NE	III I II IV	3225.22 3225.592 3225.687 3225.747 3225.779	3224.30 3224.664 3224.758 3224.816 3224.850	1 4 125 120 1	3. 43.	490 672 148 1016 720	
P 111 AR 11 GE 11 NI 1 TI 11	3222.5556 3222.570 3222.580	3221.420 3221.6253 3221.640 3221.652 3221.76	40 40 100 50 M	46. 8. 46.	936 867 676 1015		NI CU F I	IV I II II	3225.886 3225.949 3226.015 3226.175 3226.20	3224.954 3225.020 3225.088 3225.244 3225.27	90 50 2 4 A	39.	937 1015 672 537 532	
FE I I FE I B II	3222.901 3222.9757 3222.9971	3221.9153 3221.970 3222.0452 3222.0666 3222.08	6 2 170 170 A	156. 451. 156.	896 612 896 896 532		CU CR CR	11 11 11 11	3226.2480 3226.2701 3226.31 3226.37 3226.418	3225.3167 3225.3388 3225.38 3225.44 3225.490	5 30 12 8 1	. 140. 45.	425 612 340 340 1000	
CR I NI II AR II CL II TI I	3223.266 3223.324 3223.472	3222.33 3222.336 3222.393 3222.541 3222.741	2 10 60 25 30	133. 26.	341 835 506 613 1015		AR .FE .MN .V .CU	I I I I	3226.484 3226.5385 3226.559 3226.56 3226.627	3225.553 3225.6071 3225.628 3225.63 3225.698	60 6 30 1 5	192.	517 896 328 1000 672	
S1 11 CR 111	3223.855	3222.843 3222.924 3223.01 3223.04 3223.1	35 8 20 1	2. - 16.	1015 896 678 490 909	F .	FE CA NA	II I II II	3226.659 3226.716 3226.834 3226.905 3226.9060	3225.727 3225.785 3225.902 3225.976 3225.9746	5 240 33 40 30	155. 13. 46.	328 896 1018 693 867	~
												•		

SPECTRUM		CUUM LENGT:1	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE MN V. TI CA	I 32 I 32 I 32	26.943 26.976 27.035 27.057	3226.012 3226.048 3226.106 3226.128 3226.149	2 100 4 120 15	14. 14. 179. 13.	378 148 1000 1015 1018		TI FE F FE CR	III II III	3229.819 3229.833 3229.909 3230.0530 3230.11	3228.887 3228.901 3228.978 3229.1207 3229.18	40 6 4 40 5	157.	227 896 538 896 490	
CR	I 32 II 32 II 32	27.169 27.249 27.2605 27.28 27.307	3226.240 3226.318 3226.3290 3226.35 3226.378	10 3 2 4 2	27. 13. 114. 178.	1015 1018 612 . 340 1015		TI CR F CR TI	II II II II	3230.123 3230.135 3230.222 3230.31 3230.327	3229.193 3229.206 3229.290 3229.38 3229.397	40 25 10 8 35	2. 220. 46. 36.	1015 341 538 340 1015	
CU CR	I 32 I 32 II 32	27.3710 27.469 27.484 27.5128 27.531	3226.4394 3226.541 3226.555 3226.5812 3226.602	5 50 15 40 125		612 672 341 612 672		NE CU NE FE V	11 11 11 1	3230.390 3230.4849 3230.505 3230.527 3230.533	3229.458 3229.5526 3229.573 3229.595 3229.604	90 12 120 2	43. 43. 333. 134.	1016 612 1016 378 1000	
	II 32 II 32 I 32	27.6449 227.700 227.852 227.913 227.968	3226.7133 3226.771 3226.924 3226.984 3227.039	6 2 40 25 2	8. 3. 185. 7.	896 1015 478 1015 148		BE NI AR FE CR	11 11 1 1	3230.552 3230.567 3230.696 3230.729 3230.81	3229.620 3229.634 3229.764 3229.797 3229.88	160 40 10 10	247. 114.	333 835 506 896 340	
FE V CR V CR	I 32 I 32 I 32	227.991 228.045 228.161 228.336 228.41	3227.063 3227.117 3227.232 3227.408 3227.48	3 3 7 4 3	156. 162. 134. 153.	605 1000 341 1000 340		P V FE AR TI	1V 1 11 111	3230.842 3230.85 3230.927 3230.954 3230.979	3229.910 3229.92 3229.994 3230.021 3230.047	25 0 0 40 25	546.	937 829 896 506 227	
MN FE FE	II 32 II 32 I 32	228.439 228.55 228.662 228.7278 228.877	3227.7959 3227.945	15 3 13 80 25	6. 157.	829 328 1015 896 227		NE FE FE FE MN	III	3231.0011 3231.018 3231.09 3231.1401 3231.160	3230.0686 3230.085 3230.16 3230.2076 3230.231	200 1 20 20 10	11. 27. 158.	389 378 288 896 148	•
	1 3: 11 3: 11 3:	228.9276 229.024 229.057 229.10 229.111	3227.9956 3228.092 3228.125 3228.17 3228.182	5 320 10 50 3	379. 14.	896 148 538 468 1000		NI NE FE V F	11 11 11 11	3231.169 3231.3519 3231.352 3231.371 3231.389	3230.237 3230.4193 3230.420 3230.441 3230.457	2 120 20 1 40	11.	835 389 896 1000 538	
FE TI TI	I 3: II 3: II 3:	229.113 229.1810 229.29 229.535 229.769	3228.183 3228.2490 3228.36 3228.605 3228.837	20	179. 157. 46. 24.	1015 896 1015 1015 538		FE SI V AR MN	1	3231.426 3231.432 3231.574 3231.613 3231.646	3230.496 3230.499 3230.645 3230.680 3230.716	1 230 6 20 220	95. 6. 13.	1015 768 1000 506 148	

	ŞPECTR	NUM	VACUUM WAVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	CL CR V FE NI	1 I 1 I 1	3231.71 3231.76 3231.849 3231.8958 3232.02	3230.78 3230.83 3230.919 3230.9631 3231.09	100 2 4 40 K	122. 48. 157. 106.	43 340 478 896 1015		CR S F.E CU CR	111 1 11	3234.17 3234.17 3234.234 3234.3087 3234.32	3233.24 3233.24 3233.304 3233.3754 3233.39	18 150 1 8 40	25. 3. 142.	341 323 605 612 490	
	MN S CU HE TI	III	3232.03 3232.03 3232.108 3232.199 3232.246	3231.10 3231.10 3231.178 3231.266 3231.315	1 150 250 3 4	3. 9.	328 323 672 497 1015		V P V P	III II III	3234.427 3234.470 3234.476 3234.536 3234.702	3233.497 3233.536 3233.546 3233.602 3233.772	1 150 40 400 80	4. 61. 4. 61.	1000 936 478 936 478	•
	FE CR MN FE CR	,1 I I	3232.289 3232.31 3232.363 3232.506 3232.56	3231.356 3231.38 3231.453 3231.576 3231.63	· 1 2 80 1 8	220. 50. 122.	378 341 328 605 340		NI CU MN SI FE	I I III	3234.81 3234.830 3234.872 3234.887 3234.9010	3233.88 3233.899 3233.939 3233.954 3233.9675	.10 210 85 315 50	6. 158.	1015 672 148 768 896	N
304	FE TI CL CL V	11 11 11	3232.633 3232.64 3232.648 3232.70 3232.882	3231.702 3231.71 3231.716 3231.77 3231.952	5 M 37 41 80	80. 46. 73. 61.	613		F MN CR MN S	I II I	3234.91 3234.920 3234.99 3235.046 3235.09	3233.97 3233.997 3234.06 3234.112 3234.17	4 110 50 80 200	63.	538 148 340 148 323	
	MN NE FE CO FE	11 11 111	3232.94 3232.9544 3232.956 3233.04 3233.088	3232.01. 3232.0214 3232.023 3232.11 3232.155	30 120 4 20	11. 44. 258.	896		V NI TI V	11 11 11	3235.184 3235.213 3235.43 3235.436 3235.449	3234.251 3234.279 3234.50 3234.504 3234.517	20 20 M. 10 75	46. 61. 2.	829 835 1015 478 1015	
	TI NE CR CR P	11	3233.211 3233.3046 3233.31 3233.39 3233.656	3232.280 3232.3715 3232.38 3232.46 3232.723	150	36. 11. 52.	340		FE NI CU V	I I I I	3235.487 3235.5466 3235.581 3235.6046 3235.66		8 110 50 4 2	8. 21.	341 896 1015 612 1000	
	CA FE TI NI V	II	3233.667 3233.722 3233.722 3233.894 3233.95	3232.734 3232.791 3232.791 3232.963 3233.02	30	119. 179. 7.	. 64 1015 1015 1015 325		MN CU MN FE NA	II I II	3235.667 3235.6672 3235.846 3235.855 3235.856	3234.737 3234.7335 3234.912 3234.923 3234.925	4 12 10 0 40	1.	148 612 148 1015 693	
	FE NI NI V SC	1 I	3233.984 3234.105 3234.105 3234.114 3234.15	3233.051 3233.174 3233.174 3233.183 3233.22		620. 184. 91. 72.	896 1015 1015 1000 1030	·	MN CR AR CR TI	I I I	3235.959 3236.06 3236.109 3236.17 3236.216	3235.025 3235.13 3235.175 3235.24 3235.282	140 6 30 4 25	139.	148 341 506 340 227	
					•.	• ধ							:		. •	

SPECTRUM	W	VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
P. 11	I I II II	3236.241 3236.246 3236.27 3236.313 3236.409	3235.307 3235.312 3235.34 3235.379 3235.475	170 1 . 1 1 5	309.	148 378 341 936 288		V SE CR CR FE	III II II II	3239.316 3239.36 3239.435 3239.44 3239.467	3238.383 3238.43 3238.504 3238.51 3238.535	60 100 10 10 M	162. 397.	325 468 341 340 605	
NI NI	1 1 1 1 • 1	3236.522 3236.603 3236.644 3236.685 3236.767	3235.592 3235.669 3235.713 3235.753 3235.833	1 5 250 20 1	308.	605 328 672 1015 378		O CU MN FE CR	III II III III	3239.50 3239.6506 3239.652 3239.67 3239.69	3238.57 3238.7160 3238.720 3238.74 3238.76	60 15 5 10 50	9. 64. 63.	1015 612 148 188 340	
	II II II I	3236.85 3236.88 3237.054 3237.1562 3237.18	3235.92 3235.95 3236.122 3236.2222 3236.25	20 170 3	7.10 47. 24. 7.	678 1015 1015 896 341		CU V CR FE FE	11 1 1 1 111	3239.7579 3239.825 3239.864 3239.9473 3239.97	3238.8232 3238.894 3238.953 3239.0125 3239.04	50 1 6 5 10	141. 63.	612 1000 341 896 188	
·F I	I II II I	3237.446 3237.505 3237.583 3237.677 3237.709	3236.515 3236.573 3236.649 3236.743 3236.778	5 70 4 120 320	2. 14.	148 1015 537 835 148		TI FE CU GR FE	II I I I	3239.970 3239.9775 3240.09 3240.11 3240.3676	3239.037 3239.0427 3239.16 3239.18 3239.4328	60 5 125 4 100	92. 157.	1015 896 672 341 896	
AS MN CU	11 11 11 11	3237.7448 3237.7543 3237.950 3238.0772 3238.161	3236.8200 3237.019	80 1 1. 2 4	256.	867 425 148 612 896		FE CR CU TI FE	1 111 11 11 111	3240.3920 3240.47 3240.5848 3240.597 3240.6	3239.4572 3239.54 3239.6499 3239.664 3239.7	100 10 2 30	157.	896 490 612 1015 108	F
CU CR FE MN CU	II II II II	3238.5080	3237.27 3237.402 3237.443 3237.5736	6 5 220	81•	612 341 1015 148 612	·	MN TI V F FE	111 111 11 11	3240.6 3240.71 3240.765 3240.844 3240.945	3239.7 3239.77 3239.833 3239.909 3240.013	15 8 40 1	61. 545.	726 227 478 538 605	F.
CR FE V NI NI	1 11 11 11	3238.659 3238.748 3238.808 3238.866 3238.951	3237.727 3237.815 3237.876 3237.932 3238.017	30 8 290 5 100	114. 81. 38.	341 1015 478 835 835		CR .FE MN MN TI	11 1 1 1 1	3241.331 3241.545	3240.06 3240.145 3240.408 3240.613 3240.71	7 0 125 100 1	140. 158. 13. 14. 9.	340 378 148 148 1015	
CR # II IN FE	I I I III I	3239.019 3239.03 3239.157 3239.21 3239.247	3238.088 3238.10 3238.224 3238.28 3238.313	20 1 40 5 0	179.	341 174 1015 162 378		TI V TI MN CR	III II I I	3241.717 3241.77 3241.814	3240.71 3240.785 3240.84 3240.882 3240.95	3 1 3 6 18	61. 47. 25.	227 478 1015 148 341	

SPECTRU	JM .	VACUUM WAVELENGT.H	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTEN	SITY	MULTIPLET	REFERENCE	NOTE
AR V AL CR V	I V II	3242.058 3242.099 3242.277 3242.30 3242.395	3241.123 3241.167 3241.343 3241.37 3241.460	10 4 20 4 40	153.	506 1000 888 340 829		CR SC FE SI AS	11 1 VI	3245.054 3245.10 3245.1230 3245.128 3245.142	3244.121 3244.17 3244.1869 3244.192 3244.206		20 80 10 50	25. 5. 156. 5.0	341 1015 896 767 425	
SI SI	IV IV	3242,437 3242,507 3242,518 3242,557 3242,61	3241.502 3241.572 3241.583 3241.622 3241.68	· A ·	27. 5.0 5.0 6.	767 . 768	F	CL TI CR MN CL	111 1 11 111		3244.44 3244.53 3244.713 3244.715 3245.05	J	500 4 10 200	6. 47. 114.	38 1015 341 328 43	
FE AR CU CR TI	II	3242.619 3242.643 3242.7493 3242.91 3242.918	3241.685 3241.708 3241.8138 3241.98 3241.984	20 10-	80.	1015 506 612 340 1015		CR NI CR CR TI	7	3246.22 3246.305 3246.43 3246.476 3246.526	3245.29 3245.370 3245.50 3245.543 3245.589		5 20 12 25 15	62. 108. 25. 113.	340 1015 341 341 227	
V MN SE FE P	I II IV	3242.965 3243.071 3243.12 3243.200 3243.203	3242.033 3242.139 3242.19 3242.268 3242.267	1 150 1 90	255.	1000 148 468 605 937		CU FE FE AL MN	II I IV I	3246.8767 3246.9018 3246.9412 3247.078 3247.086	3245.9402 3245.9653 3246.0047 3246.143 3246.153		12 4 80 100 3	27. 8.	612 896 896 888 148	
CU V MN CR AS	11 1 1 11	3243.3609 3243.372 3243.395 3243.51 3243.736	3242.4253 3242.440 3242.463 3242.58 3242.800	2 0 . 2 2 2		612 489 148 341 425		MN FE TI	11 1	3247.565 3247.727	3246.37 3246.4802 3246.628 3246.790 3246.83		8 6 80 5	252.	328 896 227 612 1000	
NI FE CU V NE	- 1	3243.992 3244.0435 3244.097 3244.207 3244.3326	3243.058 3243.1077 3243.164 3243.274 3243.3968	125 4 390 3	22. 192. 15.	1015 896 672 1000 389		FE CR NI FE FE	11 11 11	3247.8970 3247.93 3248.048 3248.113 3248.146	3246.9602 3247.00 3247.111 3247.177 3247.210		12 4 5 4 5	62. 81.	896 340 835 896 896	
FE TI AR FE MN	I II II	3244.340 3244.447 3244.6246 3244.657 3244.710	3243.404 3243.513 3243.6887 3243.723 3243.777	8 - 30 150 8	710. 179. 47. 119.	896 1015		CR FE CR FE AR	I I I I I	3248.212 3248.2159 3248.26 3248.327 3248.418	3247.278 3247.2790 3247.33 3247.392 3247.481		15 10 3 3	119.	341 896 340 1015 506	
TI NI V NE P	11 1 11	3244.737 3244.830 3244.890 3245.0317 3245.035	3243.957 3244.0957	40 - 10 1 100	26.	1015 835 1000 389 937	•	CU V SE NE CR	11 111 11	3248.474 3248.842 3248.99 3249.0687 3249.10	3247.540 ° 3247.908 3248.06 3248.1317 3248.16		1000 4 150 90 20	15.	672 478 14 389 490	

				•		•										
FE NE		11	3249.1417 3249.282	3248.2047 3248.345	100	157.	896 1016		CR FE	I I	3251.52 3251.5605	3250.59 3250.6229	1	95. 39.	340	
NI		I	3249.393	3248.345 3248.457 3248.512	40	21.	1015		NI	Ī	3251.679	3250.743	12 45	39.	896 1015	
MN Ti			3249.446 3249.538	3248.512 3248.602	260 150	14. 89.	148 1015		FE	Ţ	3251.679 3251.698	3250.760	5 200		896	· M
••		•	3243.556						V .		3251.709	3250.775	•	171.	478	
ŢĮ		11	3249.538 3249.630	3248.602 3248.696	50	66. 9.	1015 1000		CR	11	3251.71 3251.73 3251.8116 3251.818 3251.883	3250.78	10	61. 9.0	340 .	
ĪĪ		11	3249.64	3248.70 3248.703	M	9.	1015		CU SI	111	3251.73 3251.8116	3250.79 3250.8739	3 10	9.0	768 612	
NI		11	22/0 6/0	3248.703	10		835		BR	· ii	3251.818	3250.882	1		606	
CR.		1	3249.83	3248.90	. 1		341	•	NA	ΙI	3251.883	3250.947	25		693	
F	. ;	11	3249.91	3248.90 3248.97 3248.98 3249.037 3249.1918 3249.223	4		537		CR	I	3251.998	3251.063	3	21. 14. 93.	341	
FE	:	1	3249.91 3249.912	3248.98 3249.037	2	308.	341 605		SI MN	111	3252.03	3251.07 3251.134	1 125	21.	768	
FE		Ĩ	3250, 129, 3250, 157	3249.1918	, 6	253.	896		FE	i	3252.068 3252.1713 3252.187	3251.134	15	14. 93.	148 896	
CR	•	I	3250, 157	3249.223	01	•	341						20		835	
co	1	ıί	3250.17 3250,306	3249.24	2		- 673		MN SC SI CR	11	3252.258	3251.319	30	5. 21.	328	
II Vi		·II	3250,306 3250 376	3249.370	. 2	23.	1015 1015		SC.	11	3252.26	3251.32	3	5.	1015	
ZN.	1	11	3250.376 3250.39	3249.440 3249.45	10	,	162		CR	111	3252.321 3252.517	3251.383 3251.582	2 18	21.	768 341	
,		11	3250.398	3249.464	· 4	23. 10. 82.	478		cü	ΙΙ	3252.702	3251.764	2			
CR		ΊΪ	3250.44	3249.51	12 1 10 40 4		340		CR	ī	3252.766 3252.804 3252.809 3252.848	3251.831	40	113.	341	
FE V		1.	3250,442 3250,501	3249.504	1	51.	378 1000		y .	11	3252,804	3251.869	200	108.	478	
į		11.	3250,552	3249.617	40	38.	478		51 T1	. 11	3252,809	3251.871 3251.911	. 3 30	21. 2.	768 1015	
E		11	3250.593			81.	1015		NI	11	3252.904	3251.966	30			
I			3250.684 3250.724	3249.746 3249.790 3249.8003	15		835		CU	٠ .	3253.155	3252.220		78.	672	
V AR		I	3250,724 3250,7378	3249.790	13	47.	1000 867		MN	11	3253.319	3252.380	10		328	
I I		11	3250.773	3249.836	20	47.	835		FE CR	11	3253.368 3253.42	3252.430 3252.49	. 6 25	78.	896 340	
. I	٠.	H	3250.805	3249.868			307		NI	İI	3253.577	3252.639	250 10 6 25 5		835	
MN		1	3250.827	3249.894	· 6		148		MN	11	3253.659	3252.720 3252.7829 3252.86 3252.914	30		328	
E /		11	3250.847 3250.864	3249.894 3249.911 3249.930	6 1 3 2	78.	1015 1000		CU	11	3253.7212	3252.7829	20		612	
,		Ť	3250.967	3250.033	. 2		1000		V T 1	1 1	3253.80 3253.851	3252.86 3252.914	1 40	•	1000 1015	
E		11	3251.290	3250.353	100	•	1016		FE	i	3253.8525		8	2. 252.		
FE.		1	3251.3092	3250.3716	15	142.	896		F	זזל	3253.870 3253.88 3253.88 3253.884 3254.0461	3252.931	12		537	
E U		I	3251.3335	3250.3959	15	379.	896		ò	iii	3253.88	3252.94	. 10	9.	1015	
: U	1	11	3251.4029 3251.49	3250.4652 3250.56	95 3	9.0	612 768		TI	ΙΙ	3253.88	3252.94	М	23.	1015	
R	•	Ī	3251.51	3250.3716 3250.3959 3250.4652 3250.56 3250.58	10	114.	341		CU	11	3254.0461	3252.949 3253.1078	220 10	14.		

1	١
~	,

. 3							•					•		
SPEC	FRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SI CR SI AL	111 1 111 1V 111	3254.198 3254.339 3254.363	3253.117 3253.262 3253.401 3253.426 3253.478	25 10 80 15	9.0 114. 12.	768 341 768 888 936		AS 11 V 1 FE 111 CR 111 MN 11	3257.40 3257.48 3257.53	3256.385 3256.46 3256.54 3256.60 3256.62	2 1 10 5 20	75.	425 1000 188 490 328	
FE SI V FE AR	111	3254.5387 3254.679 3254.687 3254.7634 3254.8573	3253.6003 3253.741 3253.749 3253.8249 3253.9188	10 40 20 8 30	681. 9.0 250. 46.	896 768 325 896 867		V 1 CU 1 FE 1 O 111 FE 1	3258.0627 3258.1513 3258.174	3256.779 3257.1234 3257.2119 3257.236 3257.2358	5	138. 27. 451.	1000 612 896 1032 896	
FE MN MN TI FE	111	3254.8817 3254.972 3255.00 3255.187 3255.197	3253.9431 3254.037 3254.06 3254.250 3254.261		257. 13. 2. 249.	896 148 301 1015 605		P 1		3257.53	1 20 12 120 200	90.	1015 328 896 937 285	
FE O Mn FE FE		3255.517 3255.597 3255.6	3254.3608 3254.579 3254.658 3254.7 3254.7265	60 1 2 5	620. 308.	896 1032 301 108 896	F	V I FE I NA I	3258.762 I 3258.829 I 3258.832 I 3258.902 I 3258.94	3257.826 3257.893 3257.894 3257.964 3258.00	40 100 3 90 3	113. 108. 178.	341 , 478 1015 693 340	
V V SI P TI	111	3255.719	3254.773 3254.783 3254.800 3254.876 3254.881	260 10 80 40 7	9.0	768		HE MN	1 3258.940 1 3259.214 1 3259.350 1 3259.567 1 3259.604	3258.000 3258.275 3258.414 3258.627 3258.664	5 200 1 230	6. 14. 157. 12.	34 497 148 378 768	• .
CR GE MN CR NE	11 1	3255.87 3256.00 3256.16 3256.24 3256.3627	3254.94 3255.05 3255.22 3255.30 3255.4238	2 40 2 15 60		341 406 328 340 389		FE I O II AR I	I 3259.70 I 3259.714 I 3259.765 I 3259.8386 I 3259.98	3258.76 3258.774 3258.826 3258.8988 3259.04	30 5 1 20 10	81.	340 896 1032 867 1015	
FE MN CR V SC	I	I 3256.43 I 3256.443 I 3256.54 I 3256.584 I 3256.616	3255.49 3255.508 3255.60 3255.649 3255.678	10 5 3 9 6		188 148 340 1000 1015		P II CL I	1 3259.992 I 3260.012 I 3260.091 I 3260.26 I 3260.276	3259.052 3259.073 3259.151 3259.32 3259.336	3 25 195 600 5	6.	896 936 613 38 506	
AS FE CR V MN	11	I 3256.63 I 3256.822 I 3257.01 I 3257.012 I 3257.072	3255.69 3255.884 3256.08 3256.073 3256.137	70 8 20 15 220	1.	404 1015 490 782 148		C II	I 3260.36 I 3260.468 I 3260.481 I 3260.55 I 3260.596	3259.42 3259.531 3259.541 3259.61 3259.656	20 5 20 2 60	6.	1015 1000 34 341 506	
				•										

·	
Ý	

	ŞPECTI	Rum	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	٨
	CO V NI GE NI	111 11 111 111	3260.718	3259.68 3259.684 3259.778 3259.90 3259.947	20 3 5 20 30	44. 48.	673 478 835 406 835		NI NI TI CR MN	I I I	3263.57	3262.481 3262.615 3262.63 3262.77 3263.037	1 15 10 1 2	88.	835 835 1015 341 148	
	CR FE CU CU NA	11		3259.976 3259.9894 3260.0248 3260.1696 3260.216	25 8 20 2 25	114. 157.	341 896 612 612 693		FE GE V NI V	111 111 11 11 11	3264.12	3263.04 3263.18 3263.238 3263.309 3263.33	4 3 15 10 20	64. 12. 38.	188 406 1000 835 478	
	MN NI TI TI FE	I II I II I	3261.174 3261.186 3261.198 3261.198 3261.2069	3260.238 3260.246 3260.259 3260.259 3260.2668	170 10 30 3 6		148 835 1015 1015 896		FE NE TI ZN FE	111	3264.3087 3264.3521 3264.367 3264.4 3264.428	3263.3678 3263.4112 3263.426 3263.5 3263.487	6 70 3 15 0	144. 15.	896 389 227 154 378	
329	V V O V NI	1 111 1	3261.319 3261.824 3261.92 3262.017 3262.027	3260.382 3260.889 3260.98 3261.080 3261.086	150 6 2	8.	1000 1000 1015 1000 835		CU AR FE TI AR	11 11 11 11	3264.4956 3264.5121 3264.624 3264.626 3264.713	3263.5546 3263.5712 3263.683 3263.686 3263.772	3 90 0 4 10	46. 680. 45.	612 867 378 1015 517	
	MN FE FE CR TI	II I II II	3262.446	3261.180 3261.3255 3261.509 3261.54 3261.596	140 4 1 4 60	712. 195. 159. 89.	328 896 645 .340 1015		CU V F MN FE	11 11 11 11	3264.988 3265.025 3265.112	3263.9176 3264.047 3264.084 3264.171 3264.22	30 15 500 125 10	64.	612 782 538 328 188	
	TI CU NI MN V	11 11 11 11	3262.5469 3262.694 3262.70	3261.596 3261.6469 3261.753 3261.75 3261.80	60 25 40 1 5	66.	1015 612 835 328 478	,	CR AR NI P NI	II II IV I	3265.231 3265.305 3265.365	3264.26 3264.291 3264.364 3264.424 3264.44	35 10 100 60 10	61.	340 517 835 937 1015	
	FE MN CR FE V	1 11 11 .I	3262.82	3261.801 3261.869 3261.88 3262.0086 3262.063	0 20 4 5 5	710.	378 328 340 896 1000		FE FE MN NI FE	I I I I I		3264.5121 3264.6957 3264.710 3264.980 3265.0465	8 4 170 20 80	90. 157. 8.	896 896 148 835	
	AR C FE MN FE	11 111 1 1	3263.213 3263.214	3262.083 3262.272 3262.274 3262.333 3262.44	20 40 3 3 90	6. 74.	506 34 896 148 188		NI NI CR CU CL	11 11 11 11 11	3266.3362	3265.173 3265.306 3265.34 3265.3948 3265.45	8 20 1 10 0		835 835 341 612 43	

ŞPECI	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT'	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
O· NI TI FE NI	111 11 1 1	3266.420 3266.5580	3265.46 3265.466 3265.480 3265.6166 3265.730	250 30 20 50 100	8. 123. 91.	1015 835 1015 896 835		FE T.I	11 11 1 11	3269.41 3269.453 3269.55 3269.596 3269.659	3268.47 3268.512 3268.61 3268.654 3268.720	10 3 10 5 70	62. 118. .88.	340 1015 1015 835 148	
V V NI CR FE	I II I I	3266.832 3266.838 3266.86	3265.887 3265.893 3265.896 3265.93 3265.923	5 100 30 1 4	13B. 74.	1000 478 835 341 896	·M		I I I I I I I I	3269.7013 3269.88 3269.912 3269.9333 3269.930	3268.7591 3268.94 3268.971 3268.9910 3269.038	12 2 10 50 7	91. 46.	612 478 1015 867 330	
NE CU V CR TI	V I II II	3266.951 3267.013 3267.19	3266.0 3266.023 3266.078 3266.25 3266.43	58 250 4 8	121. 57.	885 672 1000 340 1015	M	CA CR	II III III	3269.995 3270.022 3270.04 3270.16 3270.1709	3269.053 3269.080 3269.10 3269.23 3269.2285	50 7 30 2 3	710.	606 1018 340 673 896	
NI CR V FE V	11 111 111 111	3267,569 3267.59	3266.546 3266.631 3266.65 3266.88 3266.91	10 15 1 1000	25. 7. 137.	835 341 325 188 478		V FE NI GE V	11 1 11 1	3270.229 3270.358 3270.374 3270.4313 3270.505	3269.287 3269.416 3269.432 3269.4889 3269.563	30 2' 15 1000 30		782 378 835 7 782	
FE FE CR P AL	11 11 11 11 1V	3267.976 3267.977 3268.098	3266.938 3267.035 3267.038 3267.156 3267.213	4 3 3 5 500	65. 80.	1015 1015 341 496 888		F I CR TI FE NE	111 11 11 11	3270.59 3270.70 3270.71 3270.714 3270.8139	3269.65 3269.76 3269.77 3269.772 3269.8713	4 15 1 2 90	138. 57. 118. 15.	537 340 1015 1015 389	
O NI TI NE V	111 11 1 V	3268.271 3268.35 3268.4 3268.648	3267.31 3267.329 3267.41 3267.5 3267.709	60 40 J 19 550	8. 64. 7.	1015 835 1015 885 478	M	SC NI AR FE CL	I II I VI	3270.846 3270.867 3270.876 3270.8863 3271.0	3269.904 3269.925 3269.934 3269.9437 3270.1	15 20 10 3	90.	1015 835 506 896 111	
F MN NI NI V	11 11 11 1V	3268.688 3268.728 3268.904 3269.005	3267.747 3267.789 3267.962 3268.064 3268.077	1 80 3 20 15		538 148 835 1015 829	N	CU V CR FE NI	II 11 11 11 111	3271.0530 3271.055 3271.07 3271.17 3271.260	3270.1104 3270.115 3270.13 3270.23 3270.317	9 10 40 10 140	94. 61. 63.	612 478 340 188 835	
CU F CU FE CU .	11 11 11 1	3269.093 3269.1316 3269.1748	3268.0990 3268.151 3268.1895 3268.2326 3268.278	2 4 4 8 250	95.	612 538 612 896 672			1 111 11 1 1	3271.292 3271.399 3271.417 3271.504 3271.597	3270.353 3270.456 3270.474 3270.562 3270.655	60 60 50 30 100	12.	148 768 506 1015 328	

•

	SPECTR	: RUM	VACUUM Wavelength	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
N N	V CR KN KN NE	. II I II II	3271.598 3271.648 3271.720 3271.728 3271.7428	3270.656 3270.708 3270.781 3270.784 3270.8000	2 8 5 30 90	219.	782 341 148 328 389		CR AR	I I I I I I I	3273.965 3274.13 3274.2606 3274.332 3274.44	3273.025 3273.19 3273.3172 3273.389 3273.50	7 3 80 2 5	71. 71. 108.	1000 340 867 835 1015	
Ņ C	D FE MN CR NI	1 I 1 I 1 I 1 I	3271.86 3271.9425 3271.954 3271.97 3272.060	3270.92 3270.9997 3271.010 3271.03 3271.118	120 50 10 1 50	39. 91. 23.	1015 896 328 340 1015	P	O NI FE 1	I I I I I I I I	3274.442 3274.46 3274.463 3274.47 3274.562	3273.499 3273.52 3273.519 3273.53 3273.619	3 120 4 90 20	118. 39. 7. 9.	1015 1015 835 188 1015	
N A	V NI AR NI	11 11 11	3272.064 3272.11 3272.117 3272.134 3272.142	3271.124 3271.17 3271.174 3271.188 3271.199	620 K 40 40 5	7. 108.	478 1015 328 517 835		V MN CU	1 I 1 I 1 I 1 I	3274.568 3274.643 3274.751 3274.898 3274.94	3273.624 3273.700 3273.791 3273.957 3274.00	10 2 15 1000 1	1.	328 782 329 672 490	
٧	E	11 111 1 1 1	3272.291 3272.33 3272.33 3272.4278 3272.575	3271.347 3271.38 3271.39 3271.4848 3271.635	20 0 3 5	680. 12.	328 325 1000 896 1000		TI NI CR I	1 1 1 1 1 1 1 1 1	3274.987 3274.990 3275.091 3275.10 3275.161	3274.043 3274.047 3274.148 3274.16 3274.218	30 50 15 1 60	123.	328 1015 835 490 693	
F C N	TI EE CR NI TI	I 1 I I I I I I	3272.594 3272.6260 3272.87 3272.985 3273.022	3271.652 3271.6829 3271.93 3272.042 3272.080	25 5 4 20 25	66. 66.	1015 896 341 835 1015		FE V CU	II II II II	3275.253 3275.394 3275.44 3275.446 3275.460	3274.310 3274.450 3274.50 3274.503 3274.517	10 5 10 9 100	710. 163.	835 896 478 612 835	
V	11	11 11 11 11	3273.079 3273.10 3273.127 3273.166 3273.19	3272.138 3272.16 3272.188 3272.223 3272.25	20 1 1 5 0	17.	328 490 1000 835 285		CA NI V	1 1 1 1 1 1 1 V 1 I	3275.554 3275.611 3275.861 3275.874 3275.89	3274.610 3274.667 3274.917 3274.931 3274.95	100 10 100 5 25	12. 96.	328 1018 835 829 188	
F M	E E IN CR	IV I II II	3273.44 3273.539 3273.649 3273.67 3273.67	3272.50 3272.596 3272.710 3272.72 3272.73	1 2 1 20 1	95. 712.	721 378 605 328 340		NE V' TI	1 1 1 1 1 1 1 1 1 1	3275.953 3276.1235 3276.199 3276.236 3276.54	3275.009 3275.1796 3275.254 3275.293 3275.60	10 90 3 3	29. 23. 107.	328 389 782 1015 1015	
C	I I I I I I I I I	VI	3273.675 3273.716 3273.8 3273.81 3273.956	3272.732 3272.773 3272.9 3272.87 3273.016	30 4 4 50		782 721 108 340 148	F	F E CR	V 11 1 1	3276.57 3276.5876 3276.6158 3276.67 3276.7118	3275.63 3275.6436 3275.6718 3275.73 3275.7683	3 40 3 2 40	308. 5.	83 867 895 341 379	

•

SPECTRUM	¥ACUUM WAVELENGT∷	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
C FE CU CR I	I 3276.7846 I 3276.8467 I 3276.85		3 3 20 10 120	450.1 151.	341 896 612 340 835		TI TI MN FE FE	II III I I I	3279.234 3279.25 3279.493 3279.6751 3279.6851	3278.290 3278.31 3278.551 3278.7303 3278.7403	30 G 100 8 8	66. 250. 144.	1015 227 148 896 896	
GE I CR II FE 11 AR 1 TI 11	I 3276.97 I 3277.02 I 3277.029	3276.016 3276.02 3276.08 3276.085 3276.114	2 30 570 30 3	7.	676 490 188 506 227			111 111 11 11 11	3279.690 3279.698 3279.72 3279.866 3279.866	3278.745 3278.754 3278.78 3278.922 3278.922	10 7 2 120 35	113. 63. 23.	325 227 340 1015 1015	
V I CR I SI II NI I FE	I 3277.18 I 3277.208	3276, 12 3276, 24 3276, 264 3276, 331 3276, 4696	700 1 160 2 5	7. 172. 12.	478 340 768 835 896			11 11 11 111 111	3279.910 3280.086 3280.106 3280.203 3280.240	3278.965 3279.141 3279.161 3279.258 3279.295	2 50 25 80 5	12.	612 835 835 768 301	
NI I MN I	3277.537 3277.550 1 3277.691 21 3277.698 3277.718	3276.592 3276.606 3276.747 3276.753 3276.774	4 5 2 140 5	9 2. 45.	936 1015 835 328 1015		CR BR CR NI FE	I I I I I I I	3280.287 3280.409 3280.48 3280.501 3280.594	3279.344 3279.465 3279.54 3279.556 3279.649	2 0 5 2 2	121.	341 606 340 835 1015	
FE .T1 1	3277.726 1 3277.922 11 3277.942 11 3278.023 1 3278.17	3276.781 3276.979 3276.998 3277.082 3277.23	210 0 0 10 5	30. 51. 8. 137. 90.	613 378 1015 478 1015		FE MN CU V	1 1 1 1 1 1 1	3280.6750 3280.692 3280.757 3280.786 3280.86	3279.7299 3279.751 3279.815 3279.844 3279.92	4 5 440 260 4	449. 15. 73. 29.	896 148 672 478 1015	P
CU AS FE	71 3278.2 1 3278.251 11 3278.258 11 3278.291 11 3278.390	3277.3 3277.310 3277.313 3277.347 3277.448	250 2 9 15	1. 194.	108 672 425 1015 478	F	AR CR TI TI MN	1 I I I I I I	3280.8864 3280.89 3280.91 3280.940 3281.023	3279.9413 3279.95 3279.97 3279.995 3280.078	20 1 M 4 50	57. 35.	867 341 1015 1015 328	
٧ .	3278.46 11 3278.63 11 3278.65 11 3278.655 11 3278.733		50 120 30 75 0	23. 137.	490 1015 478 835 1000		NI CR P FE CR	11 111 111 1	3281.030 3281.05 3281.131 3281.2045 3281.30	3280.085 3280.11 3280.185 3280.2593 3280.36	2 2 40 50 2	620.	835 341 936 896 341	
	3278.759 II 3278.797 I 3278.815 I 3278.880 I 3279.004	3277.853 3277.873 3277.939	120 0 8 5 15	65. 219. 12.	936 1015 341 1000 148		V MN TI NI NI	1 1 1 1 1 1 1 1 1 1	3281.31 3281.311 3281.336 3281.352 3281.414	3280.36 3280.370 3280.391 3280.407 3280.469	2 5 20 50 3	88.	325 148 1015 835 835	

\$PE	CTRUM .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ș [*] PEC		VACUUM WAVELENGT'I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE NI V FE MN	111 11 11 1	3281.606 3281.659 3281.6927	3280.58 3280.661 3280.714 3280.7473 3280.763	90 30 8 4 100	7. 451.	188 835 782 896 148		AS CR CU NI P	1 I 1 I 1 I 1 I	3283.9625 3283.98 3284.0417 3284.059 3284.083	3283.0166 3283.04 3283.0958 3283.113 3283.137	20 20 2 75 15	159.	425 340 612 835 496	
GE CU V CU NI	II II III III	3282.062	3280.837 3281.076 3281.120 3281.123 3281.269	2 2 40 1 20	136.	676 612 478 724 835		TI CU P FE V	11 111 111 111	3284.09 3284.1891 3284.217 3284.24 3284.253	3283.14 3283.2431 3283.271 3283.30 3293.311	M 9 60 10 15	57. 14. 12.	1015 612 936 .188 1000	
FE MN MN NI CR	11 1 11 111	3282.238 3282.357 3282.47 3282.537 3282.61	3281.293 3281.415 3281.532 3281.592 3281.66	7 1 2 2 2	1.	1015 148 148 835 490		AL MN CR CL FE	111 111 111 111	3284.262 3284.27 3284.35 3284.36 3284.3640	3283.316 3283.32 3283.41 3283.41 3283.4180	20 2 5. 600 4	10. 2. 27.	826 328 490 38 896	
CU AR V FE NI	11 11 1 1 1.1	3282.6419 3282.6472 3282.697 3282.770 3282.770	3281.6963 3281.7016 3281.755 3281.824 3281.824	70 130 10 1	47. 136. 50.	612 867 478 378 835		MN NI FE FE CR	11 11 111 111	3284.402 3284.483 3284.489 3284.69 3284.70	3283.456 3283.537 3283.543 3283.75 3283.76	20 30 4 10 5	7.	328 835 896 188 490	M
NI NI CU NI	11 111 111 11	3282.825 3282.883 3282.89 3282.9563 3282.990	3281.880 3281.938 3281.94 3282.0106 3282.044	25 100 25 10 20	106.	1015 835 1015 612 835		MN V V NI	11 1-1 111 1	3284.97 3285.08 3285.304 3285.31 3285.378	3284.02 3284.12 3284.361 3264.36 3284.432	5 2 6 20 20	71. 96.	328 329 1000 325 1015	
NI BR ZN TI V	11 11 11	3283.182 3283.205 3283.273 3283.274 3283.476	3282,236 3282,260 3282,328 3282,329 3285,534	10 50 200 25 150	4. 66. 72.	835 606 830 1015 478		P: V O FE NI	111 1V 111 1	3285.446 3285.506 3285.52 3285.5335 3285.607	3284.499 3284.560 3284.57 3284.5872 3284.660	4 50 40 8 180	8. 91.	936 829 1015 896 835	
CR CU NE NI CU	III III I	3283.50 3283.5480 3283.6 3283.641 3283.658	3282.56 3282.6022 3282.7 3282.696 3282.716	2 5 M 40 370	7.	341 612 885 1015 672	м	V CR CR V MN	11 111 1 11 11	3285.624 3285.65 3285.78 3285.780 3285.891	3284.678 3284.70 3284.84 3284.834 3284.945	3 2 2 80 40		782 490 341 782 328	
FE NI FE BE AS	I I I II	3283.6623 3283.772 3283.8361 3283.851 3283.9325	3282.7165 3282.827 3282.890 3282.905 3282.9866	3 25 10 7 100	449. 106. 680.	896 1015 896 333 425		FE CU V CR AL	11 1 11 111 1V	3285.942 3285.961 3285.965 3286.06 3286.08	3284.996 3285.017 3285.022 3285.12 3285.13	0 1 50 10 600	93. 108.	1015 672 478 490 888	

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECTF		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE NI I FE 1	I 3286.13 I 3286.1401 I 3286.227 I 3286.363 I 3286.425	3285.18 3285.1936 3285.281 3285.417 3285.482	2 5 20 8 1	396. 1.	328 896 835 896 148		CR MN NI TI MN	11 11 11 11	3289.089	3288.04 3288.035 3288.050 3288.142 3288.288	15 50 3 0 20	62. :	340 328 835 1015 328	
	NA I		3285.6 3285.600 3285.672 3285.85 3285.92	150 3 250 30	162. 1.	108 693 478 1015 490	F	V T I V MN T I	11 1 1 1	3289.375 3289.378 3289.492	3288.324 3288.428 3288.435 3288.548 3288.575	20 5 2 1 5	89. 66.	478 1015 1000 148 1015	
	FE MN CA	3286.89 I 3286.9625 II 3286.986 I 3287.012	3286.040 3286.065 3286.2	20 5 10 15	137. 90. 12.	340 896 328 1018 108	F	TI ZN MN FE FE	I I I I I I	3289.55 3289.553 3289.5962	3288.59 3288.60 3288.644 3288.6488 3288.690	10 2 4 3	63. 144. 144.	1015 162 148 896 896	
334	CR FE	1 3287.136 11 3287.28 1 3287.298 1 3287.3918 11 3287.561	3286.193 3286.34 3286.355 3286.4450 3286.613	2 1 15 4 20	172. 710.	672 340 341 896 328		FE NI NI FE MN	111 11 11 11	3289,797 3289,901 3289,9122	3288,81 3288,850 3288,954 3288,9648 3289,002	570 15 30 5 40	7. 90.	188 835 835 896 32 8	
	CR I	1 3287.6977 11 3287.703 11 3287.82 1 3287.893 1 3287.93	3286.7508 3286.756 3296.88 3286.946 3286.98	125 0 5 40 K	91. 89. 19. 107.	896 1015 490 1015 1015		NI MN BR FE FE	11 1 11 11	3290.051 3290.227 3290.294	3289.043 3289.106 3289.280 3289.347 3289.4327	50 1 50 7 2	65. 380.	835 148 606 1015 896	
	FE MN NI	11 3288.02 1 3288.036 11 3288.08 1 3288.168 11 3288.169	3287.08 3287.0900 3287.13 3297.221 3287.222	6 8 20 10 80	396. 55.	782 896 328 1015 328		V NI CL AR NI	1 11 111 1 1	3290.728 3290.75 3290.892	3289.525 3289.781 3289.80 3289.946 3289.976	M 100 700 10 140	2. .	1000 835 38 517 835	
	CR I FE AS	3288.249 II 3288.31 II 3288.415 II 3288.429 II 3288.436	3287.302 3287.36 3287.468 3287.481 3287.489	40 10 1 20 100	118.	826 490 1015 425 301		MN CU CU FE	11 11 11 1	3291.08 3291.3652 3291.485	3290.070 3290.13 3290.4175 3290.541 3290.7104	10 60 400 390 4	23. 90.	328 1015 612 672 896	
	TI AS CO I	1I 3288.54 1I 3288.604 1I 3288.613 1I 3288.63 1 3288.66	3287.59 3287.657 3287.666 3287.68 3287.72	200 40 2 10 2	23. 89. 44.	1015 1015 425 673 341		CR MN FE CU CR	I I II II	3291.914 3291.9358 3292.0077		1 25 12 25 6	95.	341 148 896 612 340	

(ند	
(
¢	7	

	SPECTI	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT.	Rum	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	V CR FE MN AR	11 1 1 1 1 1	· 3292,221 3292,33 3292,358 3292,369 3292,389	3291,273 3291,39 3291,410 3291,420 3291,441	4 2 0 10 60	161. 954.	762 341 378 328 506		CR CU D FE FE	11 11 11 11	3295.90 3296.0508 3296.08 3296.186 3296.19	3294.95 3295.1018 3295.13 3295.240 3295.24	6 90 40 4 6	23. 79.	340 612 -1015 1015 1015	N
	V MN CR CU FE	1 11 11 11	3292.622 3292.671 3292.69 3292.7571 3292.9688	3291.678 3291.723 3291.75 3291.8090 3292.0207	4 10 40 20 40	12. 68. 680.	1000 328 340 612 896		CO MN CR V	V1 11 11 1 1	3296.3 3296.30 3296.37 3296.411 3296.450	3295.4 3295.36 3295.42 3295.465 3295.501	5 50 1 10	51.	108 328 340 1000 829	F
	FE CR TI CU MG	111 1 1 11 11	3292.98 3293.01 3293.026 3293.0714 3293.29	3292.04 3292.07 3292.078 3292.1231 3292.34	150 2 200- 60 80	7. 62.	188 341 1015 612 861		MN TI V FE MN	11 111 1 11 11	3296.482 3296.713 3296.734 3296.760 3296.786	3295.533 3295.764 3295.788 3295.814 3295.840	20 15 0 6	1.	328 227 1000 1015 148	
335	CU V FE CU CU	1 1 1 1 1 1	3293.338 3293.506 3293.5376 3293.6673 3293.772	3292.393 3292.561 3292.5893 3292.7189 3292.827	112 0 20 35 250	91.	672 1000 896 612 672		MN MN F NI V		3296.970 3296.985 3297.193 3297.21 3297.290	3296.025 3296.036 3296.244 3296.26 3296.341	. 40 7 120 5 20		148 301 538 602 325	
	CU CU FE F CU	I I I I I I I	3293.910 3293.9449 3294.0887 3294.275 3294.2811	3292.965 3292.9964 3293.1402 3293.326 3293.3325	. 6	51,	672 612 896 538 612		FE F HE FE FE	1 1 1 1 1 1	3297.7525	3296.4640 3296.538 3296.773 3296.8031 3296.826	200 7 3 2	250. 619. 92.	896 538 497 896 1015	
	TI AR NI CU CR	1 I 1 I 1 1 1	3294.623 3294.760	3293.48 3293.6403 3293.674 3293.815 3293.83	M 160 20 2 10	57. 90. 219.	1015 867 1015 672 341		CR CR MN MN AR	111 I 11 11	3297.826 3297.92	3296.84 3296.837 3296.879 3296.97 3297.0307	20 3 125 5 20		490 341 148 328 867	
	CR AR MN CU V	1 1 I 1 1 1 V	3294.975 3295,113	3293.91 3293.9246 3294.030 3294.168 3294.259	1 120 1 5 40		341 867 148 672 829		CU CR CU CU	1 1 1 1 1 1	3298.037 3298.1478 3298.28 3298.2956 3298.5184	3297.093 3297.1983 3297.33 3297.3461 3297.5687	0 90 2 15 15		672 612 341 612 612	
	F CU CU FÉ	11 11 111 111	3295.2841 3295.405	3294.319 3294.3353 3294.457 3294.50 3294.934	150 30 5 40		538 612 724 188 148		TI NE FE CR AL		3298.6753	3297.68 3297.7256 3297.888 3297.95 3297.943	J 150 5 20 100	91.	1015 389 1015 490 888	

	•									•					
ŚPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI MN FE V	1 I I I I I I I I I I I I I I I I I I I	3298.979 3299.0814 3299.092	3298.02 3298.029 3298.1316 3298.147 3298.21	K B0 15 . 15	91. 90. 12. 44.	1015 328 896 1000 1015		SC CR FE CU MN	IV II II II	3301.986 3302.16 3302.1681 3302.1791 3302.20	3301.038 3301.21 3301.2176 3301.2286 3301.25	1 15 4 250 5	137. 380.	720 340 896 612 328	
MN CR CR V CR	I I I I I V	3299.260 3299.30 3299.321	3298.228 3298.313 3298.37 3298.371 3298.39	110 20 1 20	161.	148 341 490 829 341		NA CR F FE MN	II IX II I	3302.294 3302.3 3302.383 3302.392 3302.46	3301.346 3301.4 3301.432 3301.441 3301.50	10 120 4 2		693 726 538 896 328	F M
FE AR MG FE V	1 1 1 1 1	3299.94 3300.00 3300.026	3298.537 3298.99 3299.05 3299.076 3299.089	1 4 230 3 3	710. 710. 55.	378 517 2 896 1000		O TI	111 11 11 111	3302.5 3302.51 3302.66 3302.73 3302.80	3301.6 3301.56 3301.71 3301.79 3301.85	25 2 10 1	23. 44.	108 1015 1015 490 613	F
MN V AR O SC	11 1 111 [13	3300, 203 3300, 21 3300, 31	3299.11 3299.256 3299.26 3299.36 3299.41	10 1 4 25 M	3. 35.	328 1000 517 1015 1015	P	FE TI	1 I I I I I I I I I	3302.83 3302.8635 3303.044 3303.11 3303.14	3301.88 3301.9128 3302.096 3302.16 3302.19	200 4 0 5 5	1. 617. 8.	1015 896 1015 490 341	
TI ZN TI FE V	11	3300.364 3300.39 3300.4563	3299.413 3299.417 3299.44 3299.5062 3299.588	100° 50 M 3	61. 8. 49.	1015 154 1015 896 1000		MN NA B ZN CU	111 1 11 1 1	3303.223 3303.319 3303.39 3303.535 3303.734	3302.272 3302.369 3302.44 3302.584 3302.787	90 900 10 300 4	2. 4.	301 1019 532 830 672	
CO V NE FE F	V 1 1 1 1 :	3300.919 3301.0 3301.003	3299.8 3299.972 3300.1 3300.056 3300.093	00 150	228.	108 1000 109 1015 538	F.	FE CR CR ZN ZN	II III III II	3303.809 3303.821 3303.84 3303.869 3303.891	3302.861 3302.874 3302.89 3302.921 3302.941	4 18 7 50 250	1, 161,	1015 341 490 154 830	
FE CU AR CU FE		3301.1626 3301.352 3301.3873 3301.4	3300.20 3300.2123 3300.402	40 4 60 80	96.	188 612 517 612 108	F	FE NA CU MN CR	IIV II I		3303.0 3302.979 3303.1817 3303.280 3303.32	800 15 100	2.	1034 1019 612 148 341	
CU CR CU MN CL		3301.5913 3301.74 3301.8319 3301.891	3300.6409 3300.79 3300.8814 3300.943 3300.95	90 4 110 10 300	2.	612 341 612 148 38		MN V	111 11 111 11 11		3303.36 3303.427 3303.448 3303.466 3303.5132	3 10 30 4 75	1.	490 328 325 1015 612	

SPECTRUM		ACUUM ELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPECI	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE FE MN V FE	1 3 1 3 1 3	3304.481 3304.5196 3304.629 3304.670	3303.529 3303.5684 3303.681 3303.719 3303.774	4 5 1 5 4	449	896 896 148 829 896	M	O N FE TI FE	11 111 1 1 1	3307.55 3307.58 3307.652 3307.828 3307.89	3306.60 3306.63 3306.706 3306.879 3306.94	90 60 M 100 40	23. 12.0 396. 190. 73.	1015 521 605 1015 188	
F N I FE I	11 3 11 3 11 3	3304.8210 3304.830 3304.98 3305.26 3305.292	3303.8698 3303.879 3304.03 3304.31 3304.341	25 250 40 9 10	12.0	612 538 521 1015 676	N	CO CR MN FE NI	VI 1 I 1 I		3307.0 3306.95 3306.998 3307.0055 3307.013	15 40 5 10	150. 450. 107.	108 340 148 896 1015	F
	1 3 11 3 11 3	3305.298 3305.34 3305.382 3305.68 3305.846	3304.346 3304.39 3304.433 3304.73 3304.898	1 1 1 5 15	710. 93. 120.	378 341 1015 340 148		CR S FE AR FE	I I I I I	3307.97 3308.090 3308.1804 3308.1852	3307.02 3307. 3307.144 3307.2283 3307.2331	50 5 150 25	51. 617.	340 107 896 867 896	N . M
NI V N V	I 3 I 3	3305.899 3305.899 3306.050 3306.1	3304.950 3304.950 3305.101 3305.1 3305.15	25 30 0 90	108.	693 1015 1000 309 1015		FE NE CU FE TI	111 VI 11 11	3308.48 3308.5 3308.6097 3308.638 3308.666	3307.53 3307.6 3307.6576 3307.685 3307.717	60 38 35 5 0	7.	188 885 612 896 1015	M M
CR CL V	I 3	3306.17 3306.181 3306.2 3306.32 3306.478	3305.22 3305.232 3305.3 3305.38 3305.530	250 5 15 4	7.	188 341 111 673 672		CR MN CU CL CU	1 11 11 11 1	3308.703 3308.762 3308.8249 3308.831 3308.897	3307.754 3307.810 3307.8726 3307.879 3307.948	30 100 35 255 25	78. 37.	341 328 612 613 672	
O I FE Mn	11 3 1 3 1 3	3306.583 3306.79 3306.9217 3306.953 3306.959	3305.634 3305.84 3305.9700 3306.004 3306.010	1 1 110 2 75	79. 8. 91.	1015 1015 896 148 154	P	MN CL CU V CR	1 1 1 1 1 1 1	3309.014 3309.04 3309.0574 3309.061 3309.10	3308.065 3308.09 3308.1051 3308.129 3308.15	8 3 25 10 18	137.	148 613 612 782 340	
LI FE FE	II 3 I 3 I 3	3307.002 3307.236 3307.2949 3307.3090 3307.3408	3306.053 3306.284 3306.3430 3306.3571 3306.3890	M I 140 140 2	44. 544. 91.	1015 307 896 896 612		V CU TI CU MN	II II II	3309.199 3309.2049 3309.341 3309.3861 3309.413	3308.250 3308.2526 3308.391 3308.4337 3308.461	3 2 100 4 40	87.	1000 612 1015 612 328	
CL Mn FE	11 3 11 3 1 3	3307.35 3307.377 3307.416 3307.4329 3307.532	3306.39 3306.425 3306.464 3306.4810 3306.583	270 240 20 6 0	37. 680.	2 613 328 896 603		MN TI V NI P	I I I I I I I	3309.727 3309.756 3309.84 3309.86 3309.877	3308.778 3308.806 3308.89 3308.91 3308.925	40 8 1 K	107.	148 1015 1000 1015 496	

SPECTRUM	VACUUM WAVELENGTY	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
V CR NI TI FE I	I 3310.128 I 3310.187 I 3310.27 I 3310.27 II 3310.35	3309.179 3309.238 3309.32 3309.32 3309.40	8 1 K J	55. 105. 122.	1000 341 1015 1015 1015	N	O NI GE CU TI	111 11 11 11	3313.25 3313.271 3313.516 3313.6305 3313.641	3312.30 3312.320 3312.563 3312.6770 3312.690	60 50 50 7 50	3. 106.	1015 1015 676 612 1015	
MN NI TI TI	I 3310.377 I 3310.378 I 3310.451 II 3310.48 I 3310.507	3309.428 3309.428 3309.501 3309.53 3309.558	2 10 150 M	87. 44.	148 1015 1015 1015 672	N	CR FE SC CL MN	11 11 11 11	3313.657 3313.658 3313.687 3313.723 3313.736	3312.707 3312.707 3312.736 3312.769 3312.783	3 1 5 148 20	1. 41. 8.	341 1015 1015 613 328	
T I	II 3310.670 I 3310.680 II 3310.6904 I 3310.78 I 3311.152	3309.717 3309.730 3309.7377 3309.83 3310.202	5 60 150, 15 25	190. 7. 161. 38.	301 1015 389 341 1015		TI NI V TI CR	II I III I	3313.85 3313.943 3313.95 3313.961 3313.973	3312.90 3312.992 3313.00 3313.008 3313.023	M 20 2 80 7	56. 106.	1015 1015 1000 227 341	
V	II 3311.23 II 3311.283 II 3311.291 I 3311.2944 I 3311.4432		10 5 1 10 4	449. 679.	606 782 612 896 896		MN CR CU MN AL	I I I II	3314.001 3314.02 3314.149 3314.150 3314.295	3313.050 3313.07 3313.199 3313.200 3313.344	1 20 0 50 50	119.	148 340 672 148 1015	
CR TI I CU	II 3311.452 II 3311.60 II 3311.857 II 3311.935 II 3312.20	3310.499 3310.65 3310.904 3310.987 3311.25	30 35 60 8 150	23. 120.	1016 340 227 672 1015		MN AL MN CR SC	11 111 111 111	3314.408 3314.421 3314.427 3314.48 3314.490	3313.458 3313.470 3213.473 3313.53 3313.539	10 5 70 2 0	8. 35.	148 1015 301 340 1015	
NE CR N FE	II 3312.204 II 3312.2245 I 3312.25 II 3312.369 I 3312.4022	3311.30 3311.418	20 90 4 3	2. 78. 22. 27.	154 389 341 521 896	. p	FE MN FE CR MN	1 1 1 1	3314.509 3314.511 3314.6683 3314.678 3314.75	3313.555 3313.560 3313.7146 3313.728 3313.79	0 40 3 12 5	50. 161.	378 148 896 341 328	
MN F SC MN	I 3312.536 II 3312.592 II 3312.659 I 3312.844 II 3312.86	3311.586 3311.639 3311.708 3311.895 3311.91	6 40 3 100 40	41. 51.	148 538 1015 148 340		MN V FE CR FE	11 11 11 1	3314.871 3314.92 3314.947 3315.00 3315.0185	3313.916 3313.97 3313.996 3314.05 3314.0647	20 3 1 18 3	1. 158. 736.	328 1000 1015 340 896	
CR CU	II 3312.9910 I 3313.024 II 3313.0684 II 3313.13 I 3313.1759	3312.1151 3312.18	9 10 11 40 3	78. 51. 450.1	612 341 612 340 896		MN V CR ZN CR	I I III I	3315.097 3315.129 3315.14 3315.20 3315.27	3314.146 3314.175 3314.19 3314.25 3314.32	10 2 8 0 2	78.	148 829 341 162 341	

ŞPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ș PECTRUM	VACUUM WAVELENGT'I	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN TI FE TI CR	I I I II	3315.365 3315.373 3315.3970 3315.474 3315.52	3314.415 3314.422 3314.4431 3314.523 3314.57	50 100 3 80 35	87. 250. 87. 150.	148 1015 896 1015 340	· ·		3317.990		250 1 2 5 75	37. 41.	613 1015 341 896 612	
NE FE AL CR CU	II II II	3315.754	3314.675 3314.7412 3314.756 3314.804 3314.82	20 40 5 10	22. 680. 8. 161.	1016 896 1015 341 672	F .	MN SC I	I 3318.10 I 3318.169 I 3318.240 I 3318.645 I 3318.976	3317.15 3317.218 3317.289 3317.693 3318.024	40 270 140 1	41. 7.		
AL MN AL FE CR	11 1 11 1 1	3316.118	3314.883 3314.889 3314.981 3315.164 3315.20	30 100 1 1 4	8. 618. 78.	1015 148 1015 378 341		CR N I P I	I 3318.983 I 3319.05 I 3319.053 I 3319.263 I 3319.270	3318.031 3318.10 3318.098 3318.308 3318.315	40 5 110 25 1	22.	693 341 200 496 612	
TI CR TI MN CL	I II II IJ	3316.276 3316.294	3315.237 3315.28 3315.324 3315.343 3315.434	20 12 10 4 430	190. 51. 65.	1015 340 1015 148 613		CR V I FE I	I 3319.315 I 3319.68 V 3319.742 I 3319.815 I 3319.824	3318.362 3318.73 3318.788 3318.862 3318.874	40 2 5 0 1	135.	1015 341 829 1015 148	
AL AL NI TI CU	11 11 111 111	3316.560 3316.615 3316.696	3315.516 3315.608 3315.663 3315.742 3315.7440	2 10 150 3 15	8. 8. 22.	1015 1015 1015 227 612	F	V CU 1	I 3319.87 I 3319.91 I 3319.963 I 3319.9753 I 3319.986		2 1 4 10 5		490 341 1000 612 896	М
FE V MN CR CU	111 1 1 1	3316.82 3316.926 3317.180	3315.80 3315.87 3315.975 3316.229 3316.2756	25 1 7 5 200	73. 78.	188 1000 148 341 612	• .	AS FE FE II	1 3320.4	3319.083 3319.210 4 3319.2522 3319.3 3319.4	1 125 8 38	8. 449.	1015 425 896 108 885	F M
MN V' CR CU	1 1 V 1 11	3317.425 3317.447	3316.319 3316.459 3316.470 3316.496 3316.5116		255.	148 148 929 341 612		NE MN I					490 672 389 301 1000	
AL FE CR FE SC	1 V 1 I 1 I I	3317.512 3317.55	3316.546 3316.558 3316.60 3316.704 3316.79	4	86.	888 378 341 896 1015	М	CR I CR	I 3320.825 II 3320.86 I 3320.90 II 3320.991 I 3321.026	3319.91 3319.95 3320.039	3 . 2 3 1 25		148 490 341 670 517	

V		SPECTRUM		VACUUM AVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PEC'	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
FE 1 3321.732 320.7786 5 396. 867		CF 1	I I I I	3321.068 3321.092 3321.13	3320.112 3320.140 3320.17	133 3 1 80		613 1000 325		CU CR AS	11 11 11	3323.5922 3323.64 3323.666	3322.6362 3322.69	50 12 100		612 340 425		
FE 1 3321.601 3320.6447 5 190. 896 CR II 3224.94 3223.59 90 799 SC II 3321.604 3320.6447 5 190. 896 CR II 3224.55 3223.59 90 799 SC II 3321.604 3320.6447 5 190. 896 CR III 3224.55 3223.59 90 799 SC II 3321.604 3320.692 100 140 AR III 3224.55 3223.59 90 799 SC II 3321.692 3320.779 30 108. 1015 GE II 3224.606 3223.633 6 148 FE II 3224.606 3223.644 75 676 676 11 3224.606 3223.644 75 676 676 11 11 11 11 11 11 11 11 11 11 11 11 11		AR I	1	3321.3280 3321.370 3321.375	3320.3726 3320.415 3320.422	20 3 3	35.	867 896 1015	М	TI FE B	1 I 1 I I I	3323.93 3324.020 3324.134	3322.98 3323.066 3323.178	M . 8 250	44.	1015 1015 532		
HAT I 3321,732 3320,779 30 108. 1015 GE 11 3324,666 3323,644 75 676 775 771 11 3321,898 3320,943 80 227 TI 1 3324,666 3323,660 20 255. 1015 8 11 3321,968 3321,968 3321,011 500 431 NE 11 3324,6903 3323,7340 1000 77. 389 8 1 3321,967 3321,011 500 1. 3333 AR 1 3324,6903 3323,350 90 77. 389 8 1 3321,967 3321,011 500 1. 3333 AR 1 3324,696 3323,896 20 255. 1015 8 1 3322,035 3321,079 600 1. 3333 CO 11 3324,93 3323,97 M 825		MN I FE MN	I I I I	3321.53 3321.6001 3321.644	3320.57 3320.6447 3320.692	60 5 100		328 896 148		TI CR AR	11 11 111	3324.34 3324.47 3324.55	3323.39 3323.52 3323.59	M 8 90		1015 · 340 79		
CU II 3322.069 321.114 6 612 5 111 324.94 323.99 400 2. 323 CR I 3322.141 321.188 8 341 CR II 324.98 324.03 25 4. 340 NI I 3322.195 3321.242 10 92. 1015 CR I 3325.01 3324.06 20 341 CR II 3322.25 3321.30 5 340 CR II 3325.04 3324.09 20 120. 340 F II 3322.26 3321.30 10 538 MN II 3325.07 3324.116 100 328 BE I 3322.296 3321.340 750 1. 333 F II 325.08 3324.12 4 538 FE II 3322.443 3321.491 1 194. 645 FE I 3325.140 3324.184 5 896 CU II 3322.541 3321.588 80 87. 1015 CR II 3325.29 3324.34 50 80. 340 V I 3322.637 3321.684 5 1000 FE I 3325.347 3324.389 1 1000 CU II 3322.654 3321.7168 5 65. 105 V I 3325.347 3324.389 1 1000 CU II 3322.6725 3321.7168 5 612 FE I 3325.347 3324.389 1 1000 MMN II 3322.987 3321.7168 5 612 FE I 3325.441 3324.885 4 896 M MN II 3322.987 3321.7168 5 612 FE I 3325.441 3324.489 1 1000 MMN II 3322.987 3321.7168 5 612 FE I 3325.441 3324.489 1 1000 MMN III 3322.987 3321.7168 5 612 FE I 3325.441 3324.489 1 1000 MMN III 3322.987 3321.7168 5 612 FE I 3325.441 3324.489 1 1000 MMN III 3322.987 3321.7168 5 612 FE I 3325.441 3324.489 1 1000 MMN III 3322.987 3322.331 50 328 V II 3325.529 3324.573 110 22. 200 NI 1 3323.264 3322.310 75 39. 1015 II I 3325.67 3324.573 110 22. 200 NI 1 3323.264 3322.310 75 39. 1015 II I 3325.67 3324.573 110 22. 200 NI 1 3323.264 3322.310 75 39. 1015 II I 3325.67 3324.573 110 60. 1015 CL II 3323.322 3322.366 9 . 613 FE III 3325.67 3324.573 25 96. 188	340	NI TI II P I	I II II	3321.732 3321.898 3321.96	3320.779 3320.943 3321.01 3321.011	. 30 80 00	108.	1015 227 431		GE TI NE	1 t I I I	3324,606 3324,614 3324,6903	3323.644 3323.660 3323.7340	75 20 1000		676 1015 389		
F II 3322.26 3321.30 10 538 MN II 3325.073 3324.116 100 328 BE I 3322.296 3321.340 750 1. 333 F II 3325.08 3324.12 4 538 FE II 3322.296 3321.491 1 194. 645 FE I 3325.140 3324.184 5 896 M CU II 3322.5083 3321.5526 25 612 V II 3325.29 3324.208 1 1000 M CU II 3322.5083 3321.5526 25 65. 1015 V II 3325.29 3324.34 50 80. 340 V II 3322.654 3321.700 25 65. 1015 V II 3325.325 3324.345 1 896 M MN II 3322.6725 3321.7168 5 612 FE I 3325.347 3324.895 1 1000 M CU II 3322.6725 3321.7168 5 612 FE I 3325.441 3324.485 4 896 M MN II 3322.955 3321.999 40 328 V II 3325.442 3324.485 4 896 M MN II 3322.955 3321.999 40 328 V II 3325.442 3324.485 1 1000 M CU II 3323.326 3324.347 3322.295 6 148 N II 3325.59 3324.573 110 22. 200 MI II 3323.326 3322.310 75 39. 1015 II II 3325.67 3324.57 10 60. 1015 CL II 3323.322 3322.366 9 . 613 FE III 3325.67 3324.72 25 96. 188		BE CU I CR	I I I	3322.035 3322.069 3322.141	3321.079 3321.114 - 3321.188	600 6. 8	1.	333 612 341		CO S · CR	11 111 11	3324,94 3324,98	3323.97 3323.99 3324.03	M 400 25	2.	825 323 340		
TI I 3322.541 3321.588 80 87. 1015 CR 11 3325.29 3324.34 50 80. 340 V I 3322.637 3321.684 5 1000 FE I 3325.3259 3324.3695 15 617. 896 TI II 3322.654 3321.700 25 65. 1015 V I 3325.347 3324.393 3 1000 CU II 3322.6725 3321.7168 5 612 FE I 3325.441 3324.485 4 896 M MN II 3322.955 3321.999 40 328 V I 3325.442 3324.489 1 1000 MN III 3322.987 3322.031 50 301 FE I 3325.4934 3324.5369 12 191. 896 MN I 3323.247 3322.295 6 148 N II 3325.529 3324.573 110 22. 200 NI I 3323.264 3322.310 75 39. 1015 II I 3325.569 3324.61 10 60. 1015 CL 11 3323.22 332 332 332 332 366 9 . 613 FE III 3325.67 3324.72 25 96. 188		F I BE FE I	II. I	3322.26 3322.296 3322.443 3322.5083	3321.30 3321.340 3321.491 3321.5526	10 750 1	194.	538 333 645		MN F FE	1 I 1 I 1	3325.073 3325.08 3325.140 3325.161	3324.116 3324.12 3324.184	100 4 5	120.	328 538 896	М.	
MN 111 3322.987 3322.031 50 301 FE I 3325.4934 3324.5369 12 191. 896 MN I 3323.247 3322.295 6 148 N II 3325.529 3324.573 110 22. 200 NI I 3323.264 3322.310 75 39. 1015 II I 3325.56 3324.61 10 60. 1015 CL 11 3323.322 3322.366 9 . 613 FE III 3325.67 3324.72 25 96. 188		V TI I	I I I I I	3322.541 3322.637 3322.654 3322.6725	3321.588 3321.684 3321.700 3321.7168	5 25 5	. 65.	1000 1015 612 328		FE V FE	II I I I	3325, 29 3325, 3259 3325, 347 3325, 441	3324.3695 3324.393 3324.485	15 3 4		896 1000 896	М	
	÷	MN NI CL I	I I	3323.247 3323.264 3323.322 3323.386	3322,295 3322,310 3322,366 3322,430	6 75 9	•	301 148 1015 613		FE N II FE	I II III	3325.529 3325.56 3325.67	3324.573 3324.61 3324.72	110 10 25	22. 60. 96.	200 1015 188		

SPECT	RUM	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR . WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU FE S CR FE	II III II	3325.792 3325.81 3325.81	3324.8295 3324.838 3324.85 3324.86 3325.012	15 1 600 1 1	194. 2. 93.	612 645 323 341 1015		CR MN CA AR NI	I 11 111 111	3328. 21 3328. 23 3328. 3 3328. 30 3328. 347	3327.26 3327.27 3327.3 3327.34 3327.392	3 20 40 20	90.	341 328 1003 79 1015	F .
CU TI TI BR BR	11 1 11 11	3326.110 3326.184 3326.236	3325.0234 3325.155 3325.229 3325.282 3325.307	9 30 30 10	190. 190.	612 1015 1015 606 757		FE FE NA V CU	I II III III	3328.4525 3328.625 3328.639 3328.819 3328.8702	3327.4953 3327.667 3327.684 3327.863 3327.9129	5 4 40 5 2	190. 64.	896 896 693 325 612	
FE CU CR MN	111 11 11	3326.4214 3326.585 3326.618	3325.365 3325.4647 3325.628 3325.664 3325.799	10 6 2. 4 1	255. 191.	1015 896 612 341 301		FE V Mn FE TI	I II I I	3328.9089 3328.937 3328.960 3329.245 3329.281	3327.9516 3327.983 3328.003 3328.287 3328.326	5 2 140 4 10	86. 255.	896 1000 328 896 1015	M .
CU MN CU MN	11 11 11	3326.7755 3326.79 3326.8804	3325.812 3325.8187 3325.83 3325.9236 3326.069	3 15 10 5 30		672 612 328 612 328	·	CR V MN V CR	II II IV I	3329.29 3329.358 3329.368 3329.451 3329.59	3328.34 3328.404 3328.411 3328.527 3328.64	25 2 100 30 2	4.	340 1000 328 829 341	
CR O MN CU V	III II I I	3327.123 3327.281	3326.1 3326.16 3326.166 3326.328 3326.38	1 10 3 1	28.	726 1015 328 672 1000	F	FE NI N CR FE	1 1 1 1	3329.653 3329.670 3329.687 3329.762 3329.8233	3328.696 3328.714 3328.730 3328.807 3328.8658	5 25 220 15 25	20. 22. 160. 617.	896 1015 200 341 896	· M
MN FE CR TI NI	11 1 1 1	3327.539 3327.542 3327.594	3326.42 3326.582 3326.588 3326.639 3326.670	30 4 30 20 20	87. 108.	328 896 341 1015 1015	М	CL FE CR CL CL	11 11 11 111		3328.959 3329.045 3329.058 3329.06 3329.103	200 4 40 800 340	182. 2. 37.	613 896 341 38 613	
TI SC TI CU CO	11 11 11 VI	3327.717 3327.7691	3326.68 3326.74 3326.762 3326.8120 3327.0	M M 20 2	56. 41. 7.	1015 1015 1015 1015 612 108	P F	NE CR TI CU FE	11 11 11 11	3330.1153 3330.40 3330.411 3330.448 3330.4806	3329.1577 3329.45 3329.455 3329.490 3329.5229	100 4 70 2 5	12. 150. 7. 542.1	389 340 1015 612 896	
CR V NE CR .	I I II I	3328.09 3328.1093	3327.10 3327.14 3327.1522 3327.23 3327.23	2 00 150 3	2.	341 1000 389 341 490		CU F N V FE	1 11 11 1	3330.590 3330.620 3330.662 3330.812 3330.84	3329.636 3329.662 3329.704 3329.858 3329.89	150 1 110 12 120	1.0 55. 18.	672 538 200 1000	

SPECTI			AIR WAVELENGTH		MOLITPLET	HEFERENCE	NUTES	ŞPEC	IRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NUTES
FE FE	I I II	3330.877 3330.927 3331.164 3331.272 3331.273	3329.919 3329.970 3330.206 3330.314 3330.316	115 1 1 110 1	* 378. 22.	1017 378 378 200 378	•	CR SI FE TI CR	11 111 111	3334.08 3334.098 3334.22 3334.416 3334.46	3333.12 3333.139 3333.27 3333.457 3333.50	2 300 25 15 4			
O V CR MN NE	111	3331.36 3331.46 3331.551 3331.618 3331.6930	3330.40 3330.49 3330.596 3330.663 3330.7350	40 0 7 100 60	22.	168 325 341 148 389		SC V CR CL	I	3334.56 3334.573	3333.53 3333.573 3333.61 3333.614 3333.912	1 2 12 265	45	1030 1000 341 613 1015	М
CR SC TI	11 11 111	3331.73 3331.94 3332.05 3332.063 3332.14	3330.75 3330.98 3331.07 3331.105 3331.19	450 1 3 60 1	53. 35.	328 340 1015 227 341		FE V V V FE	IV III I	3334.9 3334.945 3334.949 3335.10	3333.9 3333.986 3333.990 3334.14 3334.141	15 8 00 6		108 829 325 1000 896	F M
NI N V MN FE	11 111 11	3332.22 3332.268 3332.27 3332.479 3332.57	3331.26 3331.310 3331.31 3331.521 3331.62		107. 22.	1015 200 325	•	FE FE TI CU	II I I	3335.1777 3335.216 3335.2323 3335.31 3335.438	3334.257	8 3 5 10 1	190. 617. 190.	896 612 896 1015 612	
FE FE TI CR MG	1 11 11	3332.5700 3332.7343 3333.068 3333.09 3333.104	3331.6117 3331.7760 3332.111 3332.13 3332.146	6 5 30 2 145	144. 65.	896 896 1015 340 1017	· .	P CR CR	11 I 1	3335.513 3335.57 3335.64 3335.74 3335.75	3334.557 3334.61 3334.68 3334.78 3334.79	8 0 10 5 60		148 431 341 341 829	
NI TI MN CU MN	111 11 11	3333.137 3333.210 3333.233 3333.2347 3333.320	3332.180 3332.252 3332.274 3332.2762 3332.361	30 80 30 2 40	•	1015 227 328 612 328	N	NE ZN CR FE MN	111 1 111	3335.7952 3335.81 3335.877 3335.9 3335.995	3334.85 3334.922 3334.9	200 100 12		389 162 341 108 148	F
CL V CU D CR	11 1 11 111	3333.359 3333.404 3333.438 3333.45 3333.50	3332.401 3332.449 3332.479 3332.49 3332.54	150 00 2 4 3	28.	613 1000 612 1015 341		TI CU CR FE CU	i ii i	3336.149 3336.171 3336.23 3336.3512 3336.3666	3335.192 3335.215 3335.27 3335.3920 3335.4074	40 200 40 4 7	7. 80. 246.	1015 672 340 896 612	
AL O	I IV III	3333.519 3333.84 3333.919 3333.96 3334.075	3332.560 3332.88 3332.962 3333.00 3333.115	40	182.	612 341 888 1015 328		CR FE NI FÈ CR	II I I	3336.41 3336.4689 3336.55 3336.674 3336.727	3335.45 3335.5097 3335.59 3335.714 3335.771	10 5	49.	340 896 1015 896	N

	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	FE I I I I I I I I I I I I I I I I I I I	3336.89 3337.0519	3335.7680 3335.91 3335.93 3336.0925 3336.13	6 230 4 90 250	379. 119. 46. 3.	896 2 340 389 1015		FE FE CU AS CR	11 11 11 1	3339.480 3339.5809 3339.6076 3339.626 3339.634	3338.522 3338.6208 3338.6475 3338.666 3338.677	3 5 150 2 7	76. 396.	1015 896 612 425 341	
	CL 111 CR 11 MG 111 V 1 FE 1	3337.12 3337.15 3337.168	3336.16 3336.16 3336.19 3336.212 3336.2567	500 2 40 1 5	6. 14. 618.	38 340 2 1000 896	.•	FE NI CR CU NI	111 11 11 11	3339.68 3339.716 3339.85 3339.8961 3340.008	3338.72 3338.758 3338.89 3338.9360 3339.050	7 15 10 65 20	54. 104.	1015 1015 340 612 1015	N
	CR II V I MN II MG I CR I	3337.306 3337.355 3337.634	3336.32 3336.350 3336.394 3336.674 3336.72	40 2 320 160 1	4.	340 1000 328 1017 341		CU MG FE FE TI	II IV . I III	3340.0452 3340.12 3340.1548 3340.32 3340.50	3339.0850 3339.16 3339.1946 3339.36 3339.54	65 100 5 250	190. 7. 178.	612 861 896 188 1015	
343	MN II P III O III V I ZN III	3337.721 3337.74 3337.75	3336.757 3336.761 3336.78 3336.79 3336.83	100 4 25 2 15	28.	328 936 1015 1000 162		FE MN CR SI CR	1 11 11 11	3340.5380 3340.55 3340.77 3340.779 3340.86	3339.5777 3339.59 3339.81 3339.819 3339.90	4 10 50 500 20	502. 4. 6. 92.	896 328 340 678 340	
	CR I CO VI CR I TI II NI I	3337.9 3337.94 3337.956	3336.855 3336.9 3336.98 3336.998 3337.014	5 18 M 20	255. 43. 17.	341 108 341 1015 1015	. F	V TI TI MN CL	I III II III	3341.13 3341.163 3341.303 3341.36 3341.38	3340.17 3340.202 3340.344 3340.40 3340.42	1 80 35 10 900	7. 2.	1000 227 1015 328 38	
	CL II CR I NI I MN II TI I	3338.176 3338.32 3338.348	3337.188 3337.219 3337.36 3337.387 3337.40	12 5 K 280 10	8. 122. 190.	613 341 1015 328 1015		FE CR D TI CU	I III I II	3341.5248 3341.598 3341.70 3341.73 3341.7914	3340.5643 3340.641 3340.74 3340.77 3340.8308	8 10 90 10	139. 3. 190.	896 341 1015 1015 612	
	CU II FE I CU II MN II CU I	3338.6240 3338.677 3338.8	3337.6642	40 12 5	304.	612 896 612 909 672	F	FE V MN CR CO	111 111 11 11	3341.8 3342.108 3342.406 3342.411 3342.42	3340.8 3341.145 3341.445 3341.454 3341.46	50 170 7 M		108 325 328 341 825	F
	CR I TI II FE I CU II BR II	3338.81	3337.85 3337.85 3337.915 3338.0368 3338.495	1 2 1 125 0	. 55 .	341 1015 378 612 606	•	CO TI TI AR CU	VI I II II	3342.5 3342.513 3342.513 3342.7017 3342.7218	3341.5 3341.554 3341.554 3341.7409 3341.7610	10 10 40 8	60. 178.	108 1015 1015 867 612	F

•

SPEC	TRUM	VACUUM . AVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CL MN T.I TI FE	11 11 1 1		3341.81 3341.82 3341.875 3341.875 3341.9060	11 80 100 500	16. 24. 303.	613 328 1015 1007 896		FE TI CO FE O	11	3344.721 3344.730 3344.93 3345.040 3345.22	3343.760 3343.770 3343.97 3344.078 3344.26	4 10 M 0 10	7. 450.	896 1015 825 378 1015	M
BR CR TI CR FE	11 11 11 1	3342.93 3342.932 3342.982	3341.954 3341.97 3341.971 3342.025 3342.140	10 5 J 5 4	119. 160.	606 340 1007 341 896	м	NE AL CR CA TI	11 1v 1	3345.42 3345.465 3345.475	3344.3961 3344.46 3344.507 3344.513 3344.62	150 400 10 40 J	2. 160. 11. 25.	389 888 341 1018 1015	
TI FE CR V' FE	I I I I	3343.191 3343.24	3342.233 3342.28	60	23. 137. 378.	1015 896 341 1000 896	. :	TI AR MN MG TI	1 111 111 111	3345.7 3345.86	3344.630 3344.72 3344.7 3344.90 3344.931	200 7 10	178. 3. 178.	1015 1015 909 2 1015	F .
MN CU CR CR MG	11 1 11 111	3343.411 3343.415 3343.53	3342.330 3342.454 3342.457 3342.57 3342.58	30 5 5 50 200	. 4.	328 672 341 340 2		FE V ZN CR CR	I I I	3345.900 3345.97 3345.977 3346.102 3346.32	3344.938 3345.01 3345.015 3345.144 3345.36	6 00 300 9 8	4. 218. 218.	896 1000 314 341 341	М
CU CU CU	I I I II III	3343.67 3343.73 3343.7615	3342.707 3342.71 3342.77 3342.8004 3342.9	20 25 5 10	25. 7.	1015 521 672 612 108	F .	BE NE ZN FE KR	I I I I	3346.639	3345.430 3345.4538 3345.570 3345.679 3345.6946	15 300 200 3 4	10. 4. 141.	330 389 314 1015	
CU MN S CU CR	, I		3342.9640 3343.01 3343. 3343.214 3343.221	25 25 4 12	159.	612 328 107 612 341	· N	NE NE ZN CR CR	I 1		3345.83 3345.8289 3345.936 3346.008 3346.15	150 60 40 7	10. 4. 112.	108 389 314 341 341	F
FE SC CR TI	I II I I	3344.339	3343.2361 3343.27 3343.344 3343.379 3343.508	4 4 20 J	88. 35. 159. 178.	896 1015 341 1015 896	M	TI F CR TI CR	11 1 11	3347.144 3347.388 3347.68 3347.685 3347.75	3346.182 3346.426 3346.72 3346.724 3346.79	130 10 30 15	112. 7. 112.	227 538 341 1015 341	
BR FE CU CR CU	11 11 1 1	3344.638 3344.6827 3344.71	3343.7214 3343.75	1 3 150 5 150	449.	606 1015 612 341 612		TI TI FE CA BR	11 1	3347.78 3347.87 3347.8968 3347.95 3347.953	3346.82 3346.91 3346.9346 3346.99	130 M 8 250 180	43. 87. 9. 9.	227 1015 896 1015 488	

SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
BR 11 V 11 CR 1 CU 1	I 3348.09 I 3348.10 I 3348.189	3347.100 3347.13 3347.14 3347.227 3347.377	100 10 5 2 10		606 325 340 612 325	CR CA	I 3351.174 I 3351.2194 I 3351.26 I 3351.320 I 3351.510	3350.211 3350.2564 3350.30 3350.357 3350.548	60 4 4 33 20	191. 159. 11. 178.	325 896 341 1018 1015	
FE 1	1 3348.6377	3347.467 3347.4982 3347.6754 3347.70 3347.736	7 4 10 150 650	449. 18. 1.	341 896 612 188 937	TI I CR II O II CR AL II	I 3351.64 . I 3351.68	3350.548 3350.63 3350.68 3350.72 3350.885	1 10 25 1 285	43.	1015 490 1015 341 826	
FE BR O II	1 3348.79 1 3348.8875 1 3348.9£1 1 3349.01 V 3349.04	3347.83 3347.9251 3347.990 3348.05 3348.08	40 8 4 10 350	4. 138. 28. 4.	340 896 1020 1015 86		I 3351.8875	3350.917 3350.9243 3350.99 3351.20 3351.456	30 160 40 1 50	22. 26.	325 867 1015 1028 1015	
0 MN 1	I 3349.140 I 3349.196 I 3349.21 I 3349.237 I 3349.362	3348.177 3348.233 3348.24 3348.273 3348.399	285 220 40 160 25	3.0 3.0	1009 1009 328 1009 538	FE CR TI I	I 3352.45 I 3352.4852 I 3352.550 I 3352.63 I 3352.7067	3351.591 3351.67	3 6 25 1 8	89. 160. 124. 304.	341	
BR V II	1 3349.480 1 3349.496 1 3349.528 1 3349.601 1 3349.7581	3348.517 3348.535 3348.566 3348.639 3348.7954	360 50 15 80 6	25.	826 1015 757 325 612	CR CU I SC I	I 3352.7126 I 3352.926 I 3352.9959 I 3353.010 I 3353.033	3351.7492 3351.966 3352.0324 3352.048 3352.071	5 40 90 3 5	5. 4. 54.	389 341 612 1015 1015	
CU I TI I CR	1 3349.805 I 3349.8451 I 3349.996 I 3350.027 V 3350.07	3348.844 3348.8824 3349.035 3349.067 3349.11	10 8 75 20 400	7. 16.	1015 612 1015 341 86	CR CO I	I 3353.39 I 3353.52 I 3353.66 I 3353.76 I 3353.8848	3352.43 3352.56 3352.70 3352.79 3352.9211	3 1 30 4	169. 2. 190.	1015 340 341 825 896	
CU CR CR I	I 3350.18 I 3350.239 I 3350.281 I 3350.30 I 3350.360	3349.22 3349.279 3349.322 3349.34 3349.399	1 45 20 6 125	159. 4. 1.	1028 672 341 340 1015	TI CR CR I	1 3353.899 1 3353.983 1 3354.08 1 3354.2245 2 3354.29	3352.937 3353.022 3353.12 3353.2607 3353.33	60 15 20 3	25. 255. 4. 190.	1015 341 340 896 108	F
MN I CR I FE	I 3350.4195 I 3350.47 I 3350.61 I 3350.6901 I 3351.172	3349.4566 3349.50 3349.65 3349.7273 3350.209	60 100 3 4 50	14. 377. 11.	612 328 340 896 1018	BR 1 CU NE I	I 3354.312 I 3354.352 I 3354.426 I 3354.5306 I 3354.586	3353.349 3353.389 3353.466 3353.5667 3353.626	500 0 10 70 7	4. 23.	613 606 672 389 341	
					-							

SPECT	FRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET .	REFERENCE	NOTES	ŞPECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOT
SE MG N FE CU	11 111 111 1	3354.69 3354.92 3355.0238	3353.67 3353.73 3353.96 3354.0598 3354.0671	100 80 40 6 5	5. 378.	468 2 521 896 612		NE FE F CR TI	11 111 111		3357.8190 3357.823 3357.830 3357.86 3357.922	120 0 110 2 60	12. 448. 160.	389 378 537 341 227	•
N O BR F CU	111 1V 11 111 • 1	3355.23 3355.246 3355.329	3354.27 3354.27 3354.284 3354.365 3354.474	40 250 0 150 60	5. 8.	521 86 606 537 672		CU FE TI FE CU	11 11 11 11 . 1	3358.9017 3358.929 3359.066 3359.216 3359.23	3357.9368 3357.965 3358.101 3358.252 3358.27	8 0 5 3 2	117. 77.	612 1015 227 1015 672	
TI HE TI CP	III I I III	3355.514 3355.595 3355.61	3354.54 3354.550 3354.631 3354.65 3354.71	M 600 1 230	64. 24.	1015 497 1007 341 227		TI F CU MN AR			3358.271 3358.358 3358.407 3358.411 3358.49	100 250 2 100 150	23. 3.	1015 537 612 328 1015	
FE NE FE CU N	111 -11 -11 11	3355.9817 3356.1918 3356.2749	3354.79 3355.0175 3355.2275 3355.3106 3355.49	10 200 200 2 40	2. 617. 7.	188 389 896 612 521		CR TI CO CU	11 11 111 1		3358.49 3358.56 3358.58 3358.730 3358.74	75 J 10 3 2	4. 169. 2.	340 1015 825 724 672	
FE FE CU CR	111 111 111 111	3356.6 3356.610 3356.85	3355.5173 3355.6 3355.649 3355.89 3355.92	80 2 2 25	25.	896 108 670 340 1015	F	CU N CU FE CU	11 111 11 11		3358.779 3358.79 3358.8822 3358.911 3359.0586	1 10 2 2 2 15	5.	612 521 612 378 612	
F MN TI NE FE	111 11 1 11 1	3357.064 3357.159 3357.2729	3355.982 3356.100 3356.196 3356.3084 3356.3196	200 140 20 90 5	178. 25.	537 328 1015 389 896		NI CR AR FE MN	1 1 1 1 -11	3360.070 3360.137 3360.447 3360.4523 3360.581	3359.106 3359.176 3359.482 3359.4870 3359.614	40 6 40 4 10	108. 159. 25.	1015 341 517 896 328	
V CR FE FE	I I III I	3357.34 3357.3657 3357.6	3356.358 3356.38 3356.4011 3356.6 3356.685	10 3 5	54. 137.	1000 341 896 108 896	F	SC CU FE FE CR	II II II I		3359.679 3359.7216 3359.8077 3360.103 3360.145	10 17 4 3 6	4. 617. 105.	1015 612 896 1015 341	
CR CU CR CU CR	11 11 11	3357.72 3357.8524 3358.35 3358.4370 3358.68	3356.76 3356.8876 3357.39 3357.4721 3357.72	1 1 40 10	79. 91.	341 612 340 612 340		O TI SC FE NE	II II II II	3361.11 3361.12 3361.22 3361.237 3361.2372	3360.15 3360.16 3360.26 3360.272 3360.2716	M 1 4 90	52. 54. 46.	1015 1015 1028 896 389	

SPECTRUM	VACUUM WAVELENGT.I	'AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CR II CU !I P 11I FE I NE II	3361.408 3361.426	3360.30 3360.3185 3360.442 3360.461 3360.595	100 3 40 5 200	21.	340 612 936 896 1016	. м	FE NI NE MN FE	II II II II	3363.729 3363.771 3363.906 3363.986 3364.371	3362.764 3362.806 3362.939 3363.019 3363.405	0 30 90 170 4	78. 23. 12.	1015 1015 1016 328 896	M
P IV FE I N 111 TI I CU II	3361.8929 3361.91 3361.955	3360.718 3360.9272 3360.95 3360.990 3360.9941	60 4 25 100 3	142. 5. 24.	937 896 521 1015 612		AR SC V V NI	1 V 1 I	3364.441 3364.467 3364.484 3364.515 3364.579	3363,475 3363,501 3363,517 3363,551 3363,613	60 1 60 4 20	38.	517 1015 929 1000 1015	
TI 11 TI 11 NI 1 TI 1 SC 11	3362.178 3362.206 3362.228	3361.07 3361.213 3361.241 3361.263 3361.270	M 125 25 400 10	64. 1. 107. 23. 4.	1015 1015 1015 1015 1015		CR FE CU O TI	11 1 11 111 1	3364.66 3364.7770 3364.7952 3364.80 3365.07	3363.70 3363.8105 3363.8287 3363.83 3364.10	12 4 5 4 J	3. 307. 11. 169.	340 896 612 1015 1015	
MG 111 T1 I NI I CU 11 AR II	3362.46 3362.521 3362.684	3361.41 3361.50 3361.556 3361.718 3361.7448	230 10 100 2 50	178. 19.	2 1015 1015 612 867		FE TI FE P NI	II I IV I	3365.231 3365.27 3365.368 3365.434 3365.557	3364.264 3364.30 3364.402 3364.467 3364.591	4 M 1 570 25	5. 43. 1. 107.	896 1015 378 937 1015	
CR 11 TI 1 N 111 CA 1 SC 11	3362.800 3362.87 3362.884	3361.77 3361.835 3361.90 3361.918 3361.935	30 :00 10 60 12	21. 25. 11. 4.	340 1015 246 1018 1015	N	FE CR TI SC CR	I II I I I		3364.6326 3364.67 3364.86 3364.87 3365.03	4 7 1 1	245.	896 340 601 1030 341	М
FE I CU I V I CA I NE I I	3363.09 3363.1 3363.101	3361.9489 3362.12 3362.1 3362.135 3362.161	10 2 1 33 120	377. 11.	896 672 1000 1018 1016		CU FE CU CR AR	I II II I	3366.305 3366.379 3366.4083 3366.48 3366.4876	3365.342 3365.413 3365.4414 3365.52 3365.5207	7 10 10 10 80	78.	672 1015 612 341 867	
CR I FE I CA I	3363.233	3362.20 3362.216 3362.267 3362.278 3362.412	25 4 7 40	54. 11.	108 341 896 1018 328	F M		1 11 11 1	3366.519 3366.603 3366.6144 3366.734 3366.78	3365.556 3365.640 3365.6475 3365.768 3365.81	10 0 200 75 40	54. 194. 38. 5.	1000 645 612 1015 - 521	
O IV TI II FE V CR I NE II	3363.618 3363.64 3363.66	3362.56 3362.653 3362.67 3362.70 3362.7075	F 10 100	8. 64. 54.	86 1015 229 341 389	F	MN MN BR NI	ΙI	3367.134	3366.03 3366.116 3366.147 3366.168 3366.176	30 80 50 100 8	8. 54.	328 328 606 1015	

Şİ	PECTI		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	TRUM	VACUUM WAVELENGT I	A1R WAVELENGTH	INTENSITY		REFERENCE	NOTES
P FE CL	I E J	IV I III II I	3367.143 3367.143 3367.2 3367.2367 3367.24	3366.176 3366.176 3366.2 3366.2696 3366.28	60 50 200 1	178. 159.	937 1015 108 612 341	F	SC FE V CR TI	II I II I	3369.913 3369.9390 3370.0 3370.01	3368.946 3368.9712 3369.0 3369.05 3369.054	15 5 1 18 10	4. 376. 68. 25.	1015 896 1000 340 1015	
SC CL AF F	U R E	11 11 11 1	3367.43 3367.5290 3367.5473 3367.7532 3367.773	3366.46 3366.5618 3366.5801 3366.7860 3366.807	1 150 90 30 50	38. 302. 108.	1015 612 867 896 1015		FE TI FE O CO	II II II II	3370.1074 3370.179 3370.314 3370.37 3370.41	3369.1395 3369.212 3369.349 3369.40	5 2 3 0	191. 64. 76. 11.	896 1015 645 1015 825	
AS CI FE V	E	11 11 1 1 1	3367.8320 3367.838	3366.8267 3366.856 3366.8647 3366.875 3366.95	125 2 30 4 0	87. 52.	425 612 896 1000 1015	P	S FE GE NI GE	III III II	3370.43 3370.5142 3370.53 3370.540 3370.587	3369.47 3369.5463 3369.57 3369.573 3369.620	300 60 5 400 20	2. 304. 6.	323 896 406 1015 676	
FE NE FE V	E E	11 111 111 1	3367.949 3367.949 3367.99 3368.00 3368.1238	3366.981 3366.982 3367.02 3367.04 3367.1564	5 30 6 1 5	177.	896 1016 1015 1000 896	N	TI NE NE FE CU	11 1 1 1	3370.64 3370.7760 3370.8758 3371.049 3371.1189	3369.67 3369.8080 3369.9078 3370.081 3370.1507	0 70 200 5 15	124. 2. 2.	1015 389 389 896 612	M
S NI NI FE	E L	111 11 111 111	3368.15 3368.1839 3368.26 3368.3 3368.31	3367.18 3367.2166 3367.29 3367.3	400 120 K	2. 12. 96. 5.	323 389 1015 108 521	F	V CR O FE S	I II III	3371.161 3371.18 3371.20 3371.223 3371.34	3370.196 3370.22 3370.23 3370.254 3370.37	1 8 - 0 0 400	52. 542. 2.	1000 341 1015 378 323	
CF CF BE	5 .	II VI I III	3368.38 3368.5 3368.50 3368.600 3368.614	3367.42 3367.55 3367.54 3367.633 3367.647	12 10 40 110	79. 54.	340 108 341 333 537	F	TI CU FE FE TI	1 11 1 1 111	3371.401 3371.4220 3371.528 3371.581 3371.593	3370.433 3370.4538 3370.560 3370.613 3370.625	400 450 3 3 80	23.	1007 612 896 896 227	M M
MN CA N1 CF	¥ 1 ₹	II III I II I	3368.69 3368.754 3368.859 3369.00 3369.140	3367.72 3367.786 3367.892 3368.04 3368.172	10 360 40 150 5	20. 4. 678.	328 64 1015 340 896		CU FE CU CO CR		3371.6254 3371.7512 3371.7528 3371.91 3371.94	3370.6572 3370.7829 3370.7845 3370.94 3370.98	25 110 100 50	304. 2.	612 896 612 825 341	
CF FE		I II II V	3369.593 3369.68	3368.45 3368.447 3368.626 3368.72 3368.87	2 00 0 10	134. 177. 91.	341 1015 - 1015 340		CR V V P	V I	3372.04 3372.058 3372.082 3372.090	3371.07 3371.089 3371.118 3371.122	6 10 3 400	1.	341 929 1000 937	

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	•
CU TI FE BR TI	11 1 11 11	3372.3759 3372.422 3372.454 3372.561 3372.591	3371.4075 3371.453 3371.485 3371.593 3371.623	100 800 4 10 130	24.	612 1007 896 606 227	M	FE TI CR CU FE	V II II I	3375.30 3375.321 3375.371 3375.4114 3375.412	3374.33 3374.352 3374.406 3374.4422 3374.443	8 4 3 3	54.	229 1015 341 612 896	F _.	
CU O NE TI NI	, I III II II	3372.6700 3372.71 3372.7655 3372.940 3372.961	3371.7015 3371.74 3371.7969 3371.971 3371.993	15 10 100 15 75	52. 17. 7.	612 1015 389 227 1015	P .	O BR CR NI CR	11 11 1 1	3375.44 3375.524 3375.55 3375.611 3375.71	3374.47 3374.555 3374.58 3374.642 3374.74	0 10 12 75 3	96. 106.	1015 606 341 1015 341	Ρ.	
HE FE CR SC TI	1 11 11 11	3373. 3373.0409 3373.09 3373.119 3373.176	3372. 3372.0723 3372.12 3372.151 3372.208	3 6 15 20 10	83. 91. 4. 16.	126 896 340 1015 1015		V CR GA CR	111 11. 11. 11	3375.753 3375.892 3375.91 3375.92 3375.9208	3374.784 3374.927 3374.94 3374.95 3374.9515	1 10 85 4 300	181.	325 341 652 340 612		
F CR FE CA F	III.	3373.194 3373.28 3373.3118 3373.639 3373.688	3372.225 3372.31 3372.3432 3372.671 3372.719	110 2 4 580 10	447. 1.	537 341 896 64 538	÷ .	CR MN CR CU	11 11 1 1 1	3375.96 3375.983 3376.05 3376.14 3376.1915	3374.99 3374.919 3375.08 3375.18 3375.2221	3 30 2 8 25	149.	340 328 341 672 612		
P V TI FE CR	111 12 11 11	3373.726 3373.76 3373.768 3373.825 3374.05	3372.757 3372.80 3372.800 3372.856 3373.08	90 00 100 4 3	1.	936 1000 1015 896 340	М	CR O NI ĈR NE	I I I I	3376.29 3376.37 3376.530 3376.559 3376.6185	3375.32 3375.40 3375.561 3375.593 3375.6490	10 300 10 5	8. 108.	341 86 1015 341 389		
NA F SC CU ZN	II II II III	3374.23 3374.448 3374.54 3374.5603 3374.71	3373.26 3373.479 3373.57 3373.5914 3373.74	0 120 1 175 1	38.	40 538 1015 612 162		CU FE D GA TI	I II II III	3376.638 3376.693 3376.74 3376.92 3376.976	3375.672 3375.724 3375.77 3375.95 3376.007	3 1 1 1 3	52.	672 378 1015 652 227		
AR FE CR V N	II I I 1 III	3374.8137 3374.8387 3374.924 3375.001 3375.03	3373.8447 3373.8696 3373.958 3374.036 3374.06	30 4 6 3 60	303. 181. 5.	867 896 341 1000 521		V CR CR MN NI	1 11 11 11	3377.025 3377.10 3377.23 3377.25 3377.300	3376.059 3376.13 3376.26 3376.28 3376.331	8 4 10 50 20	78. 104.	1000 341 340 328 1015		
NE - OR FE NI LI	II I I III	3375.0307 3375.10 3375.160 3375.190 3375.238	3374.0616 3374.13 3374.191 3374.221 3374.269	80 1 3 75	12. 89. 17.	389 341 896 1015 309	•	CR MN AR FE CU	1 11 11 1	3377.363 3377.385 3377.4056 3377.459 3377.5836	3376.397 3376.415 3376.4359 3376.489 3376.6139	20 20 160 6 40	254.	341 328 867 896 612	М	

SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM WAVELENGTH	AIR WAVELENGTH	. INTENȘITY	MULTIPLET	REFERENCE	NOTES
CR II CR II CR III CR I	3377.594 3377.68 3377.79	3376.62 3376.628 3376.71 3376.82 3377.08	4 3 5 4 2	112. 27.	340 341 340 1015 341		P F MN NE V	IV II II II	3380.208 3380.252 3380.285 3380.2901 3380.32	3379.237 3379.282 3379.315 3379.3196 3379.35	90 60 15 80 2	·12.	937 538 328 389 489	
CU 11 NE 11 O 11 CR 1	3378.1250 3378.17 3378.21	3377.0834 3377.1551 3377.20 3377.24 3377.2061	3 120 120 1 2	9.	612 389 1015 341 612		CR SC CU AR CR	1 I 1 I 1 I 1 I	3380.36 3380.367 3380.4126 3380.4308 3380.53	3379.39 3379.397 3379.4421 3379.4604 3379.56	25 3 9 40 4	21. 38. 54.	340 1015 612 867 341	
TI I CR II V I F II	3378.33 3378.365 3378.389	3377.277 3377.36 3377.398 3377.419 3377.485	300 5 10. 90 200	23. 149. 54. 25.	1015 340 1000 538 1015		AR CU BR SE CR	11 1 11 111 111	3380.5479 3380.620 3380.775 3380.79 3380.81	3379.5774 3379.653 3379.804 3379.82 3379.84	40 5 1 600 .50	21.	867 672 606 14 340	
P 11 TI 11 CR 11 V 1	3378.550 3378.57 3378.595	3377.576 3377.580 3377.60 3377.629 3377.686	40 300 1 15 25	12. 23. 54.	496 1007 340 1000 227		CR CU CO TI CU	. I II II II	3380.82 3380.831 3380.86 3380.900 3380.9301	3379.85 3379.864 3379.89 3379.930 3379.9595	7 3 1 1 110	54. 64.	341 672 825 1015 612	
CU II JI II FE I MN II	3378.866 3378.947 3378.951	3377.7037 3377.896 3377.977 3377.981 3378.06	125 7 15 15 200	4.	612 227 896 328 86		FE FE TI CU CR	I I I I I	3380.974 3381.0803 3381.248 3381.3017 3381.52	3380.004 3380.1097 3380.278 3380.3310 3380.55	3 50 30 20 4	709. 304. 1.	1015 896 1015 612 341	
SC I NE I NI I CR I CU I	3379.1866 3379.2 3379.33	3378.2 3378.36	2 500 30 3	38. 7. 21.	1015 389 909 340 612	· F	NI CU NI FE NI	I V I I	3381.544 3381.6525 3381.7 3381.719 3381.856	3380.574 3380.7117 3380.7 3380.748 3380.885	400 200 3 75	37. 7.	1015 612 922 896 1015	F P
CU MN I	3379.6488 3379.674	3378.5094 3378.6785 3378.707 3378.72 3378.732	90 50 2 20 3	301.	612 896 672 328 896		CU FE CU O MG	11 11 1 1V 111	3382.0730 3382.09 3382.092 3382.17 3382.21	3381.1020 3381.12 3381.124 3381.20 3381.24	25 3 60 570 160	177. 3.	612 896 672 86	
CR SC I	I 3379.9887 I 3380.135	3378.786 3379.0184 3379.168 3379.18 3379.216	200 25 30 2 150	85. 5. 43. 24.	937 896 341 1015 1015		FE CR CU FE AR	I I I I	3382.2968 3382.30 3382.388 3382.469 3382.473	3381.3259 3381.33 3381.421 3381.498 3381.502	3 2 140 1 60	677. 236. 49.	896 341 672 378 517	

SPECTE	RUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT	RUM	VACUUM WAVELENGT I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
MN FE MN CR MN	11 1 XI 1	3382.648 3382.961 3383.0 3383.036 3383.06	3381.677 3381.990 3382.0 3382.068 3382.09	80 1 7 2		328 378 726 341 328	F	FE CU FE TI	I II V I I	3386.408 3386.4376 3386.49 3386.517 3386.636	3385.436 3385.4656 3385.52 3385.545 3385.664	5 40 570 4 120	3. 24.	896 612 86 896 1015	M
TI F FE FE CR	I I I I I I I I I I I I I I I I I I I	3383.283 3383.30 3383.3732 3383.434 3383.65	3382.312 3382.33 3382.4019 3382.463 3382.68	150 1 10 4 50	86. 84. 3.	1015 538 896 896 340	M	CU SC TI V MN	II I I I	3386.677 3386.85 3386.914 3386.96 3387.12	3385.705 3385.88 3385.942 3385.91 3386.15	1 1 400 1 5	23.	612 1030 1007 489 328	М
O TI FE ZN MG	111 111 . 1 111	3383.66 3383.685 3383.667 3383.83 3383.87	3382.69 3382.714 3382.716 3382.86 3382.90	25 3 4 1 200	27.	168 227 896 162 2	M	NE CL FE CR CR	III III II I	3387.1747 3387.19 3387.424 3387.482 3387.685	3386.2025 3386.22 3386.452 3386.513 3386.717	60 500 1 12 3	12. 11. 88. 236.	389 43 1015 341 341	
FE CR TI MN CR	1 1 1 1 1 1	3384.358 3384.51 3384.54 3384.554 3384.596	3383.387 3383.54 3383.57 3383.582 3383.628	3 1 M 0 3	245. 63.	1015 341 1015 328 341		V S BR SE CU	1 111 111 111	3387.879 3388.08 3388.15 3388.20 3388.3260	3386.910 3387.12 3387.18 3387.23 3387.3535	0 400 10 1000 2	2.	1000 323 606 14 612	
FE T1 V O AR	1 11 111 1	3384.6634 3384.732 3384.78 3384.82 3384.941	3383.6919 3383.761 3383.76 3383.85 3383.969	20 125 1 10	85. 1. 27.	896 1015 489 168 517		MG FE NI V BR	111 1 1 1	3388.34 3388.3787 3388.438 3388.452 3388.562	3387.37 3387.4062 3387.466 3387.386 3387.590	200 12 15 2 10	306. 17.	2 896 1015 1000 606	
FE CU CR CU V	1 1 1 1 1 1 1	3384.9502 3385.041 3385.211 3385.3038 3385.570	3384.069 3384.242	60 1 10 40 5	83. 54.	896 612 341 612 1000	·	CL FE CO CR MN	111 11 11 11	3388.68 3388.69	3387.60 3387.618 3387.71 3387.72 3387.749	600 4 60 5 80	2. 2. 90.	38 896 825 340 328	М
CR FE CU CU MN	I I I I I I	3385.617 3385.737 3385.7416 3385.77 3385.78	3384.649 3384.765 3384.7697 3384.80 3384.81	18 1 3 15 80	54. 25.	341 378 612 672 328		CU MN TI CR CU	II II II II	3388.790 3388.806 3388.92	3387.7985 3387.816 3387.834 3387.95 3388.07	4 20 50 3 8	1.	612 328 1015 340 672	
CU D SE CR CU	II III II I	3386.282	3384.9450 3384.95 3384.98 3385.313 3385.394	100 40 150 15 2	27. 236.	612 168 468 341 672		FE CO CO FE NE	II IV IIIX II	3389.18 3389.2 3389.2	3388.134 3388.23 3388.2 3388.2 3388.4188	12 50 150	77. 2.	1015 825 108 726 389	. F F

SPE	CTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
CU CO AR FE CR		1 3389.43	3388.4490 3388.46 3388.5309 3388.618 3388.705	8 25 160 3 20	54.	612 825 867 896 341	М	F I AR	3392.987 3393.03 3393.122 3393.269 3393.2775	3392.016 3392.06 3392.148 3392.295 3392.3037	8 2 25 10 50	254. 83.	672 - 341 538 517 896	
TI CR NE FE CR	I	I 3389.863 I 3389.921 I 3389.9408	3388.755 3388.894 3388.948 3388.9678 3389.07	8 3 120 8 2	53. 502.	1015 341 1016 896 340	.*	SE II V MN I CR II NE J	3393.42 3393.440	3392.41 3392.45 3392.466 3392.56	350 1 8 5 80	22.	14 1000 328 490 1016	
BR CR V MN FE	I	I 3390.41 I 3390.52	3389.307 3389.44 3389.50 3389.730 3389.7426	10 2 00 140 12	87.	606 341 1000 328 896		TI		3392.6514 3392.713 3392.729 3392.792 3392.89	125 100 1 300 800	85. 136. 7. 11.	896 1015 1000 1016 43	
GE MN FE O TI	1 1 1 11	I 3391.049 I 3391.055 V 3391.16	3389.782 3390.076 3390.082 3390.19 3390.222	. 40 15 2 F . 7	207. 3.	676 328 1015 86 227	н	TI II FE NI CR I FE V	3393,960 3393,963 3393,97	3392.945 3392.986 3392.992 3393.00 3393.0	40 6 500 35	20. 21.	227 896 1015 340 1034	M
O SC AR V NE		V 3391.221 I 3391.266 I 3391.440	3390.25 3390.248 3390.293 3390.388 3390.5518	150 1 10 2 70	9.	1015 720 517 1000 389		NE I FE F I CL II FE	3394.3521 3394.38	3393.1826 3393.3781 3393.40 3393.45 3393.590	60 5 4 800 1	376. 11. 305.	389 896 174 43 378	
FE MN TI CR V	11	3391.601 3391.619 3391.655 3391.736 3391.785	3390.627 3390.646 3390.682 3390.766 3390.767	15 100 18 6	86. 236.	896 301 1015 341 1000	M	FE I FE	3394.82 3394.843 3394.8898	3393.623 3393.85 3393.869 3393.9156 3394.0771	2 30 90 4 4	376. 21. 136. 188.	378 340 538 896 896	
NI CR MN FE CR	I I		3391.050 3391.08 3391.26 3391.303 3391.36	250 5 1 1	5. 117. 254.	1015 341 328 1015 341		F I I SC I I CR I I I CU I I I	3395.26 3395.28 3395.29	3394.253 3394.29 3394.31 3394.32 3394.340	40 1 35 4 2	38. 21. 27.	538 1015 340 168 724	ρ
CR V AR MN FE	I 1	3392.584	3391.41 3391.614 3391.85 3391.87 3392.0090	35 0 150 10	3. 4 6. 499.	340 1000 79 328 896		TI I MN I TI I FE V	3395.361 3395.545 3395.5576	3394.37 3394.387 3394.574 3394.5833 3394.76	M 60 40 20 2	63. 1. 81.	1015 328 1015 896 1000	

SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECT		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
MN I MN I FE I P II	I 3395.975 I 3396.054 I 3396.307	3394.842 3395.000 3395.080 3395.336 3395.365	80 8 1 4 60	117.	328 328 378 1015 936		TI F FE NE FE	I I VI I	3399.611 3399.799 3399.9	3398.634 3398.636 3398.824 3398.9 3399.156	80 40 5 57 4	86.	1015 538 896 885 896	M M M	
TI II CU V F I CR I	I 3396.447 I 3396.496. I 3396.563	3395.387 3395.476 3395.524 3395.588 3395.62	3 60 3 40 20	100.	227 672 1000 538 340		CO F FE FE CR	11 1 1 1		3399.18 3399.195 3399.2296 3399.3335 3399.54	2 150 5 125 18	302. 85. 100.	825 538 896 896 340		
TI II CR	1 . 3396.886	3395.911 3395.981 3396.02 3396.184 3396.224	25 15 4 30	122.	538 227 341 1015 1000		BR FE BR CR MN	I I II II	3401.018 3401.035	3400.030 3400.042 3400.060 3400.08 3400.117	25 4 20 2 170	67.	757 896 757 340 328	M 	
FE TI II F I	I 3397.295 I 3397.3525 I 3397.407 I 3397.444 I 3397.485	3396.324 3396.3777 3396.432 3396.469 3396.514	10 4 40 40 3	25.	672 896 227 538 1000		CL V NA V FE	111 11 11 V	3401.12 3401.172 3401.20 3401.367 3401.38	3400.15 3400.200 3400.20 3400.396 3400.41	200 1 A 12	46.	43 1000 40 1000 229	F	
FE FE TI II	V 3397.75 I 3397.9509 I 3398.1805 I 3398.210 I 3398.25		400 5 5 40 10	3. 26. 503.	86 896 896 227 602		V FE TI BR FE	111 111 11 1	3401.60 3401.638 3401.867 3401.90 3401.983	3400.62 3400.662 3400.891 3400.93 3401.007	30 1 7 1		325 378 227 606 378		
FE V FE	I 3398.36 I 3398.5272 I 3398.554 I 3398.6136 I 3398.817	3397.583 3397.6385	10 5 6 5	447. 26.	490 896 1000 896 1000		F V CR NI V	11 111 1 1	3402.009 3402.068 3402.11 3402.139 3402.318	3401.032 3401.092 3401.14 3401.166 3401.345	40 15 2 40 2	107.	538 325 341 1015 1000		
BR I AR I F I	I 3398.839 I 3398.85 I 3398.8709 I 3398.941 I 3399.1913	3397.966	50 10 60 25 5	36.	1016 606 867 538 896		FE MN F CR V		3402.866	3401.5184 3401.633 3401.538 3401.72 3401.894	10 100 150 5	26.	896 328 537 341 .1000		
FE I	I 3399.245 II 3399.327 IV 3399.446 II 3399.5 II 3399.601	3398.272 3398.355 3398.470 3398.5 3398.625	1 4 90 5		1000 1015 937 108 896	F	NE V CU FE V	I I	3402.9 3403.045 3403.217 3403.231 3403.340	3401.9 3402.069 3402.244 3402.255 3402.367	39 15 150 20	614.	885 325 672 896 1000	M	

		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	ŞPEC		VACUUM WAVELENGTH	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	
BR TI CR BR V	I I I I I I	3403.395 3403.40 3403.412	3402.411 3402.422 3402.43 3402.436 3402.572	15 8 25 10 9	53. 21. 46.	757 1015 340 757 1000		FE BE O O FE	. III . IV	3406.550 3406.6 3406.71 3406.75 3406.8091	3405.572 3405.6 3405.74 3405.78 3405.8319	5 10 10 10	15. 3. 299.	896 862 1015 86 896	М	
MN F V CR		3403.696	3402.59 3402.720 3402.820 3402.91 3402.977	10 4 10 1		301 538 325 341 1000		CL F CL F	II VI II	3407.4139 3407.5	3405.885 3405.975 3406.4365 3406.5	150 8	676.	613 538 896 111 538		
S CU CR FE CO	1 1 1 1	3404. 3404.080 3404.27 3404.2805 3404.3	3403.30	5 100 5		107 672 340 896 108	N F	V FE V CR FE	I I V	3407.811 3407.84 3407.86	3406.617 3406.7999 3406.838 3406.87 3406.89	2 25 6- 2	85. 46.	1000 896 1000 341 229	F	
V TI NI O CR	I IV I	3404.338 3404.343 3404.406 3404.50 3404.561	3403.364 3403.369 3403.432 3403.52 3403.588	5 40 40 570 18		1000 1015 1015 86 341		F NE MN P TI	11 11 1V	3407.862 3407.923 3408.10	3406.885 3406.945 3407.11 3407.125 3407.205	250 120 2 150 3	51.	538 1016 328 937 1015		
ZN CR FE FE	I I	3404.82 3404.955 3405.2467 3405.2775 3405.3304	3403.85 3403.983 3404.2699 3404.3007 3404.3535	100° 5 5 5 80	25. 301.	162 341 896 896 896	·	CR O FE FE MN	1 I I	3408.20 3408.35 3408.4361 3408.508 3408.65	3407.23 3407.38 3407.4585 3407.530 3407.68	8 120 .220 .4	44. 83. 81.	341 1015 896 896 328		
P TI CU FE NE	111 1 1	3405.63 3405.736 3405.797	3404.430 3404.462 3404.66 3404.759 3404.821	50 80 112 15	300. 51.	496 227 672 896 1016		MN V CR NE N	VI II	3408.80 3408.974 3408.98 3409.1 3409.105	3407.83 3408.001 3408.01 3408.1 3408.127	0 3 6 144 110	7.	328 1000 341 885 200	M	
FE V TI TI CR	I I I I I	3405.867 3405.938 3405.94 3406.068 3406.10	3404.890 3404.964 3404.97 3405.094 3405.13	5 2 1 50 2	63. 86.	896 1000 1015 1015 340		CR V CR CR	111 1 1 1	.3409.11 3409.34 3409.43 3409.53 3409.63	3408.13 3408.37 3408.46 3408.56 3408.66	4 2 1 2 2	15.	1015 341 1000 341 341		
V CR SI V NI	I I	3406.134 3406.191	3405.160 3405.217 3405.36 3405.428	6 10 100 100	•	1000 341 941 325 1015		F CR CR F	11 1 11	3409.653 3409.73 3409.91 3409.965 3410.072	3408.675 3408.76 3408.94 3408.988 3409.098	250 .150 .7 400 .4	3.	538 340 341 538 1000		

			WA COUNTY	AIR	INTENSITY	MILLTIDIFT	REFERENCE	NOTES	core	TRUM	VACUUM	AIR	INTENSITY		REFERENCE	NOTEC	·
	SPECT	RUM	VACUUM WAVELENGTH	WAVELENGTH	INTENSITY	MOLITPECT	REFERENCE	110125			WAVELENGTH	WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NUTES	
	FE CR NI FE O	I I I VI	3410.553 3410.583	3409.2082 3409.37 3409.578 3409.605 3409.66	4 6 .40 1 350	614. 5. 188. 3.	896 341 1015 378 86		CR MN CU NI NI	111 11 1 1	3414.17 3414.256 3414.319 3414.44 3414.455	3413.20 3413.276 3413.343 3413.46 3413.478	5 1 140 K 125	124. 5.	490 328 672 1015		
	BR CR BR TI O	I I II II	3410.73 3410.731 3410.785	3409.728 3409.76 3409.753 3409.809 3409.84	15 1 10 4 90	1.	757 341 757 1015 1015		AR P O V SE	III		3413.53 3413.543 3413.64 3413.76 3413.93	60 200 350 1	2.	79 937 86 1000		
	CL CR FE FE V	11 1 1 111	3411.00 3411.0053 3411.1466	3409.913 3410.03 3410.0270 3410.1683 3410.227	8 1 4 12 20	542. 735.	613 341 896 896 325		NI CR CU TI CR	; III; . I II I	3414,916 3414,99 3414,993 3415.00 3415.065	3413.939 3414.01 3414.017 3414.02 3414.089	60 20 5 0 2	17.	1015 490 672 1015 341		
355	CR FE F	1 I 1 I I I	3411.559 3411.776 3411.8742	3410.53 3410.581 3410.798 3410.8957 3410.96	3 0 40 5	244. 25.	340 378 538 896 1000		FE V GE CR FE	11 111 1		3414.144 3414.201 3414.27 3414.35 3414.501	2 5 20 1	91.	1015 1000 406 341 896	М	
-	CR FE FE NE TI	1 1 1 1 1 1 1	3412.1050 3412.3314 3412.3381	3411.3528	10 6 15 80 1	299. 301. 45.	341 896 896 389 227		FE F SI NI FE	I II I. I.		3414.564 3414.652 3414.758 3414.765 3414.764	1 500 3 750 5	19.	378 538 678 1015 896	M	
	CL F TI O F	11 11 11 1V	3412.584 3412.66 3412.67	3411.43 3411.605 3411.68 3411.69 3411.693	1 300 M 650 E	63. 2.	613 538 1015 86 537		V NE O CR	II III II	3416.286 3416.42	3414.77 3414.8880 3415.29 3415.311 3415.44	150 70 25 7 2	20. 15. 100.	1000 389 1015 341 340		
	BR F P CR NI	I I I I I V I	3412.996 3413.083 3413.238	3411.874 3412.017 3412.105 3412.264 3412.47	1 300 40 8 5	90.	606 538 937 341 1015		FE CR NI CO CU	1 1 1 1 1	3416.5096 3416.56 3416.65	3415.5299 3415.58 3415.67 3415.78 3415.80	12 1 K 75 140	83. 123. 2.	896 341 1015 825 672		
	P V CU FE NE		3413.716	3412.653 3412.737 3413.107 3413.1312 3413.1449		85. . 45.	937 782 672 896 389		FE FE CR NA FE	II III IV I	3416.998 3417.027 3417.18 3417.2 3417.263	3416.021 3416.047 3416.20 3416.2 3416.283	5 6 20 5	16. . 16.	1015 896 490 108 896	F M	

SPEC	TRUM .	VACUUM WAVELENGTH	AIR WAVELENGTH		MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
F V SC FE F	I I I	3417.429 3417.514 3417.652 3417.6575 3417.776	3416.449 3416.541 3416.674 3416.6775 3416.796	570 2 2 4 500	142.	538 1000 1015 896 538		CU V	111 1	3420.89 3421.003 3421.05 3421.143 3421.163	3419.91 3420.022 3420.07 3420.166 3420.184	4 10 15 8 0	89.	168 328 325 672 1015	M
NE TI F V FE	11 11 1	3417.8932 3417.935 3417.984 3418.044 3418.111	3416.9131 3416.957 3417.004 3417.069 3417.131	120 2 650 5 5	21. 53.	389 1015 538 1000 896	м	V C O P NI	111 11 11 111	3421.386 3421.61 3421.667	3420.21 3420.405 3420.63 3420.686 3420.741	0 1 10 40 25	7.1 9.	325 821 168 937 1015	м
BR FE AR TI NE	111 111 11	3418.218 3418.251 3418.46 3418.601 3418.669	3417.240 3417.273 3417.49 3417.621 3417.689	10 3 70 130 120	26.	606 1015 79 227 1016		CR TI CR NI	1 I	3421.99 3422.142 3422.17 3422.20 3422.321	3421.02 3421.161 3421.19 3421.22 3421.342	2 3 75 (3. 105. 122.	341 227 340 1015 1015	
FE TI NE CR NE	I I I	3418.8211 3418.86 3418.8839 3418.96 3418.9865	3417.8408 3417.88 3417.9035 3417.98 3418.0062	40 70 2 10	81. 86. 4.	896 1015 389 341 389		NE CR MN MN V	VI II II III	3422.432 3422.545	3421.4 3421.45 3421.451 3421.564 3421.599	78 3 20 10 40		885 341 328 328 325	М
FE FE V SC AR	1		3418.164 3418.508 3418.517 3418.528 3418.58	10 40 5 2 10	577. 81.	896 896 1000 1015 517		CR CR CR CU FE	II	3422.65 3422.69 3423.07	3421.62 3421.67 3421.71 3422.10 3422.118	5 3 5 1 4	60.	340 341 341 672 896	
CR CR FE BR FE	Ţ	3419.644 3419.79 3419.847 3419.869 3419.886	3418.667 3418.81 3418.867 3418.888 3418.905	1 1 5 15		341 341 896 757 378	М	NI FE FE TI CR	I I II II	3423.474 3423.6378 3423.640	3422.332 3422.493 3422.6563 3422.661 3422.73	20 15 30 1 125	105. 444. 85. 63.	1015 896 896 1015 340	
MN FE P SC MN	1 11 1	3419.9 3420.127 3420.320 3420.336 3420.386	3418.8 3419.146 3419.343 3419.358 3419.405	5 125 1 140	576. 3. 21.	909 896 496 1015 328	F	MN NI CR AL CR	ΙV		3422.8 3422.878 3423.047 3423.125 3423.178	20 7 350 7	122.	909 1015 . 341 888 341	F
MN CR FE BR CR	II I II II	3420.64 3420.6750 3420.79	3419.58 3419.66 3419.6943 3419.82 3419.89	10 2 4 1 3		328 341 896 606 341		V FE NI CO V	I I I I	3424.306 3424.553 3424.691 3424.80 3424.843	3423.328 3423.571 3423.711 3423.82 3423.867	4 250 75 3	² 0.	1000 896 1015 825	

SPECTR		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	\$PECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
BR NE P AR FE	11 1 1 111 1	3424.882 3424.8944 3425.120 3425.23 3425.2660	3423.902 3423.9126 3424.138 3424.25 3424.2840	50 10 90 90 60	6. 81.	606 389 937 79 896		V CR CR	3428.4 I 3428.465 I 3428.60 I 3428.63 I 3428.64	3427.4 3427.486 3427.62 3427.65 3427.65	1 5 5 20		909 1000 341 341 328	F
V CR P NE MN	III IV VI II	3425.41 3425.44 3425.684 3425.7 3425.894	3424.43 3424.46 3424.702 3424.7 3424.911	0 1 120 243 2	•	325 341 937 885 328	М		I 3428.817 I 3428.85 I 3428.994 II 3429.133 I 3429.1755	3427.834 3427.87 3428.011 3428.150 3428.1925	4 1 5 80 4	616. 81.	896 672 896 328 896	М
KR P FE FE V	I II VI I	3425.9224 3425.975 3425.9525 3426.0 3426.049	3424.9403 3424.997 3425.0104 3425.0 3425.072	100	3. 541.	1012 496 896 1034 1000	•	FE 1 FE 1 NI FE	1 3429.211 11 3429.37 1 3429.391 1 3429.40 1 3429.435	3428.228 3428.39 3428.409 3428.42 3428.452	5 600 5 K 5	302. 123.	896 14 896 1015 896	м м
V O BR FE FE	I I I I		3425.287 3425.57 3425.577 3425.582 3425.672	1 200 60 3 4	3. 5.	1000 86 757 1015 896	M		I 3429.469 I 3429.481 I 3429.588 II 3429.65 II 3429.6670	3428.490 3428.498 3428.605 3428.67 3428.6839	6 15 25 120	15. 42.	1000 896 757 1015 389	М
NE V CR NE ZN	V I VI III	3426.85 3426.937 3426.95 3427.0 3427.07	3425.87 3425.958 3425.97 3426.1 3426.09	1 12 351 30		108 1000 341 885 162	F M	CR BR	1 3429.7316 11 3429.897 11 3429.92 11 3429.938 11 3430.03	3428.7485 3428.916 3428.94 3428.956 3429.04	60 150 7 100 20	836. 25. 99.	896 1015 340 606 328	
CR P KR FE F	II I I I III	3427.242 3427.2448 3427.3081	3426.14 3426.260 3426.2623 3426.3257 3426.360		111. 3. 135.	340 496 1012 896 537		SC FE	I 3430.04 I 3430.187 VI 3430.3 I 3430.464 I 3430.474	3429.06 3429.206 3429.3 3429.483 3429.491	2 3 126 3 . 20	21. 21.	341 1015 865 1015 896	• м м
FE FE FE V	1 1 1 1	3427.649	3426.3793 3426.3872 3426.6285 3426.666 3426.73	2 20	25. 82. 82. 615.	896 896 896 896		FE BR FE CR	I 3430.792 I 3430.792 V 3430.85 II 3430.88 II 3430.88	3429.808 3429.809 3429.87 3429.90 3429.90	1 8 1 2	540.	378 757 229 340 490	F
CR FE V FE FE	111 1 1 1 1	3427.9708 3428.07 3428.1019	3426.73 3426.9883 3427.09 3427.1193	· 1 2 220	26.	490 896 1000 896 896	M	AR I	IX 3431.0 II 3431.01 II 3431.118 I 3431.13 IV 3431.165	3430.0 3430.03 3430.134 3430.15 3430.182	20 4 1 120	· ·	111 79 782 341 937	

SPECTRU	J M	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM		VACUUM NAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
P CR D CD MN	III II III II	3431.337 3431.40 3431.58 3431.83 3432.11	3430.354 3430.42 3430.60 3430.84 3431.13	4 3 40 4 10	67. 15.	936 340 1015 825 328		CR SI FE CR CR	I V I I	3435.45 3435.67 3435.944 3436.12 3436.24	3434.47 3434.69 3434.960 3435.14 3435.26	1 100 1 1	÷ 776.	341 941 378 341 341	
CR SC V CR CR	1 1 1 1 1	3432.258 3432.340 3432.55 3432.563 3432.674	3431.278 3431.358 3431.56 3431.582 3431.694	20 3 1 5	53. 21.	341 1015 325 341 341		CR NI SC CR CR	I I I I	3436.437 3436.472 3436.538 3436.656 3436.799	3435.479 3435.489 3435.555 3435.676 3435.818	10 10 5 18 15	53. 53. 21. 52. 53.	341 1015 1015 341 341	
KR FE FE CR CR	I I I I	3432.7026 3432.7973 3432.8270 3432.84 3432.973	3431.7188 3431.8135 3431.8431 3431.86 3431.993	20 8 8 3 15	376. 676.	1012 896 896 341 341		C R MN	I I I I I I I	3437.0213 3437.062 3437.053 3437.170 3437.25	3436.0363 3436.080 3436.112 3436.190 3436.27	6 1 5 50 5	614. 91. 52.	896 1000 1015 341 328	
S V CR BR V	IV I II III	3433. 3433.03 3433.291 3433.31 3433.37	3432. 3432.05 3432.311 3432.33 3432.39	1 12 10 1	53.	90 1000 341 606 325		F I FE	1 1 1 1 1,1	3437.452 3437.526 3437.544 3438.030 3438.073	3436.467 3436.543 3436.559 3437.045 3437.090	5 250 12 1	539.	890 672 537 890 606	М
NI CR S CR	V 1 11 1		3432.7 3432.840 3433. 3433.29 3433.558	8 75 350	. 3. 19.	922 341 107 340 1015	F P	CO FE V	II II I I	3438.132 3438.29 3438.6097 3438.760 3438.8	3437.147 3437.31 3437.6243 3437.779 3437.8	360 10 5 1 214	13.	200 825 896 1000 885	м
FE CR C V CR	1 VI III .I	3434.552 3434.570 3434.64 3434.644 3434.66	3433.568 3433.589 3433.66 3433.655 3433.68	8 40 1 3	52. 88.	896 341 309 325 341	М	FE MN	1 1 1 1 1 1 1	3438.858 3438.91 3438.9342 3439.024 3439.03	3437.876 3437.93 3437.9488 3438.038 3438.04	2 2 6 10 80	111. 614. 6.	1000 340 896 328 79	
O NE F MN CU	VI VI III III	3434.7 3434.701 3434.772	3433.69 3433.7 3433.716 3433.788 3433.972	250 165 150 20 3		71 885 538 301 672	M	FE CR F	11 11 11 11	3439.073 3439.293 3439.44 3439.670 3439.9	3438.088 3438.308 3438.46 3438.684 3438.8	10 12 1 4	110.	724 896 340 538 909	F
FE GE CR KR CR	1 111 1 1 1	3435.087 3435.1238	3434.029 3434.03 3434.106 3434.1393 3434.30	3 40 25 8 1	300. 52.	1015 406 341 1012 341			I I I I I I I	3439.9192 3439.955 3439.97 3440.0217 3440.339	3438.9335 3438.969 3438.99 3439.0360 3439.358	90 220 00 6 8	45. 1. 299.	389 328 1000 896 341	

SPECTRUM	VACUUM WAVELENGT'1	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	1 3440.56 1 3440.641 1 3440.873	3439.40 3439.58 3439.659 3439.887 3439.99	1 12 40	21.	1015 893 1000 896 1015	F P · M P	NE CR V · FE SC	11 111 1 1	3444.6934 3444.762 3444.797 3444.863 3444.974	3443.7065 3443.779 3443.810 3443.878 3443.989	80 20 40 150	42. 110. 6. 21.	389 341 325 1015	
ĊU	I 3441.16 I 3441.489 I 3441.594	3440.17 3440.18 3440.507 3440.610 3440.7480	20 0 155 450 70	6. 45.	490 1030 672 1015 389	М	CO V NI SE	*111 VI 111 I	3445.09 3445.1 3445.119 3445.236 3445.25	3444.10 3444.1 3444.130 3444.251 3444.27	60 20 25 150	15.	1015 108 325 1015 468	F.
CR MN I	I 3441.973 I 3442.092 I 3442.335 I 3442.431 I 3442.481	3440.989 3441.109 3441.347 3441.449 3441.495	225 25 10 50 30	6. 52. 52.	1015 341 328 341 325		TI MN CR MN SC	11 11 11 11	3445.32 3445.508	3444.306 3444.33 3444.34 3444.521 3444.57	15 5 4 5 2	6.	1007 328 340 328 1028	
. MN I V P II	3442.964 1 3442.974 1 3442.988 1 3443.001 1 3443.029	3441.978 3441.987 3442.006 3442.014 3442.044	50 550 2 4 25	36. 2. 104.	1016 328 1000 936 1015		V CR CR FE N	II I I IV	3446.02 3446.080	3444.86 3445.04 3445.097 3445.151 3445.20	1 5 15 60 20	110. 51. 81. 7.	1000 340 341 1015 824	
y FE F	11 3443.224 1 3443.299 1 3443.349 11 3443.437 11 3443.53	3442.239 3442.317 3442.364 3442.450 3442.53	3 2 15 40 20	89. 134.	1015 1000 1015 538 328		CR FE CU F V	1 111 111 111	3446.588 3446.61 3446.61 3446.66 3446.67	3445.604 3445.62 3445.623 3445.68 3445.68	50 3 2 0	51.	341 229 724 174 325	F
NI AR CR	I 3443.54 I 3443.544 I 3443.57 I 3443.657	3442.55 3442.559 3442.59 3442.592 3442.672	25 20 25 3 9	124. 26.	517 1015 517 341 1015		V P MN CR MN	1 I I I I I I I I I I I I I I I I I I I	3446.946 3447.01	3445.812 3445.928 3445.958 3446.03 3446.128	2 90 8 1 12	9. 9.	1000 937 328 341 328	
FE	I 3443.910 I 3443.92 II 3443.96 I 3443.964 I 3443.98	3442.927 3442.93 3442.98 3442.979 3443.00	1 10 1 3 5	60. 499.	1000 602 340 1015 602		NI ZN NI MN K	V III I II I	3447.20 3447.249 3447.25	3446.2 3446.21 3446.263 3446.26 3446.372	15 500 1 300	20. 4.	922 162 1015 328 1019	FΡ
CR I SI V	II 3444.044 II 3444.21 V 3444.46 I 3444.53 IV 3444.58	3443.058 3443.23 3443.47 3443.55 3443.59	5 15 10 1 40	7.	328 490 941 1000 824		CO K ZN O FE	1 111 XX 111	3447.4 3447.53 3447.72	3446.40 3446.4 3446.54 3446.73 3446.791	100 10 10 3	2. 25. 244.	825 1003 162 1015 1015	.

SPECT	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGT'I	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE CR V O FE	I I III I	3448.07 3448.21	3446.947 3447.012 3447.09 3447.22 3447.278	3 25 00 4 24	26. 52. 25. 82.	1015 341 1000 1015 1015		MN I FE I	1 3452.362	3451.33 3451.372 3451.549 3451.614 3451.628	4 1 10 2 6	25. 207. 139.	1015 333 328 645 1015	
K CR HE CU V.	I I I I	3448.410 3448.574 3448.574	3447.375 3447.426 3447.586 3447.590 3447.618	250 40 15 3 50	4. 52.	1019 341 497 672 325		AL I FE TI I	I 3452.903 V 3453.147 I 3453.261 I 3453.41 I 3453.47	3451.915 3452.159 3452.273 3452.42 3452.48	30 50. 30 4 1	81. 25.	1015 888 1015 601 341	
NE CR O CR	I I III I	3448.97 3449.04	3447.7028 3447.762 3447.98 3448.05 3448.188	30 35 60 2 8	52. 27. 25.	389 341 1015 1015 341		CR NI V	I 3453.516 I 3453.59 I 3453.878 I 3453.97 I 3454.010	3452.528 3452.60 3452.890 3452.98 3453.022	1 1 200 00 6	17. 301.	606 341 1015 1000 1015	
FE FE SC FE	1 1	3449,420 3449.465 3449.490	3448.190 3448.433 3448.478 3448.503 3448.869	1 1 3 1 3	186. 90. 444. 21. 242.	378 1015 1015 1015 1015		CR D I CR	3454.0572 I 3454.203 I 3454.23 I 3454.314 I 3454.50	3453.0679 3453.217 3453.24 3453.328 3453.51	80 10 1 40 1	21. 253. 71. 52.	389 341 1015 341 1000	Р
V CR P CR MN	111 111 111 11	3450.08 3450.148 3450.26	3448.929 3449.10 3449.160 3449.28 3449.473	2 1 1 1 40	111.	325 341 936 340 328		CR NE MN I	I 3454.65 I 3454.723 I 3455.1845 I 3455.492 I 3455.671	3453.66 3453.737 3454.1949 3454.500 3454.686	20 15 10 140	52.	911 341 389 328 672	
V FE CU V CR	11:	3451.317 3451.489	3449.511 3450.328 3450.332 3450.504 3450.75	0 30 270 1 5	82.	1000 1015 672 1000 490	· ·	NE 1 V O 1!	1 3455.96	3454.70 3454.7720 3454.881 3454.90 3454.97	20 90 3 10 35	7. 25. 136.	824 389 1000 1015 340	
NE CR CR O MN		3452.111	7 3450.7650 3450.811 3450.84 3450.94 3451.123	10 10 3 40 30	60. 25.	389 341 340 1015 328		O • II P I BE V		3455.12 3455.158 3455.183 3455.211 3455.273	60 40 100 1 20	25.	1015 937 330 1000 341	
FE CO N B CO	I II I I	I 3452.24 I 3452.264 I 3452.279	3451.228 3451.25 3451.277 3451.291 3451.31	10 1000	208. 26.0	1015 673 521 532 825	P	CR GE . 1	3456.501 3456.572 3456.593 3456.705 3456.79	3455.510 3455.585 3455.607 3455.716 3455.80	20 1 50 100	51.	328 1000 341 676 1000	

SP	ECTRU		VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRU	JM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
SC CR FE TI		1 11	3456.88 3457.29 3457.364 3457.375 3457.39	3455.89 3456.31 3456.374 3456.384 3456.40	2 1 1 5 20	375.	1028 341 378 1007 601		V MN CR NE SC	1 1 1 1 1	3461.087 3461.307 3461.414 3461.5156 3461.67	3460.099 3460.316 3460.426 3460.5243 3460.68	1 450 35 15 0	3. • 141.	1000 328 341 389 1028	
NE MN V FE NE	• •.	II III I II 11	3457.5983 3457.670 3457.903 3457.917 3458.071	3456.6080 3456.680 3456.917 3456.928 3457.080	100 3 4 5 70	28. 76.	389 301 1000 1015 1016		V SI CR N MN	111 V 11 IV II	3461.76 3462.04 3462.27 3462.35 3462.454	3460.78 3461.05 3461.28 3461.36 3461.462	0 40 M 3 20 20	148. 7.	325 941 340 824 328	
FE SC FE CR SE	•	I I II III	3458.079 3458.44 3458.501 3458.60 3458.77	3457.090 3457.45 3457.512 3457.61 3457.79	9 3 3 30 1000	835. 187. 135.	1015 1028 1015 340 14	. •	TI SI NI V CU	II II I	3462.490 3462.633 3462.642 3462.65 3463.124	3461.498 3461.642 3461.652 3461.66 3462.137	20 2 625 125	6. 17.	1007 678 1015 1000 672	
MN AR CU O CR		·Í	3458.837 3458.98	3457.799 3457.800 3457.850 3457.99 3458.085	40 10 270 4 18	81. 253.	328 517 672 1015 341	•	SC CR ZN MN FE	I I I I I	3463.18 3463.225 3463.25 3463.335 3463.344	3462.19 3462.237 3462.26 3462.342 3462.353	1 2 30 20 6	79.	1028 341 162 328 1015	
ZN FE CR NI C		III I I I I I		3458.15 3458.304 3458.34 3458.474 3458.503	25 12 4 625 4	139. 19. 7.1	162 1015 341 1015 821	•	NA CR NI MN CR	II II II II	3463.80 3463.88	3462.492 3462.71 3462.82 3462.88 3462.894	25 6 10 25 5	2. 12.	693 340 602 328 341	
TI O CR CR NE		. I I I	3460.13 3460.27	3459.01 3459.07 3459.14 3459.28 3459.3209	0 1 3 25 100	81. 136. 51.	601 1015 341 340 389		FE MN N V CU	I I I I I I I I I I I I I I I I I I I		3463.305 3463.34 3463.37 3463.393 3463.499	6 40 160 2 5	48. 12. 7.	1015 328 824 1000 672	
MN CU FE P		III III III	3460.39 3460.415 3460.419 3460.449 3460.51	3459.38 3459.428 3459.429 3459.458 3459.52	1 25 6 4 1	297. 25.	301 672 1015 936 1015		CR FE CR AL FE	I V I I I I I	3464.499 3464.50 3464.604	3463.511 3463.51 3463.616 3463.63 3463.974	5 7 1 1	55. 4.	341 229 341 1015	F
FE CR MN		III II	3460.511 3460.901 3460.97 3461.02 3461.020	3459.519 3459.911 3459.98 3460.03 3460.028	2 12 10 1 220	501. 25. 60.	325 1015 1015 340 328		CR MN NI NE FE	1 I 1 I 1 I 1 I I	3465.00 3465.043 3465.11 3465.3309 3465.488	3464.01 3464.050 3464.12 3464.3387 3464.497	4 , 60 5 15 3	2. 12.	340 328 602 389 1015	

SPECTRUM	VACUUM WAVELENGT I	·AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VAC WAVEL	UUM ENGTH	AIR WAVELENGTH	ANTENSITY	MULTIPLET	REFERENCE	NOTES
SC I CR I FE I MN II MN II	3465.814 3465.905 3465.921	3464.67 3464.825 3464.914 3464.928 3465.04	00 10 3 10 75	51. 241. 12.	1028 341 1015 328 328		FE I	I 346 I 346 I 347	9.523 9.672 9.732 0.004 0.122	3468.529 3468.680 3468.742 3469.012 3469.128	8 8 12 6 7	114. 614.	328 1015 341 1015 301	
CR I CR I V I CU I MN II	3466.227 3466.232 3466.385	3465.06 3465.248 3465.243 3465.401 3465.524	3 25 00 50 3	51.	341 341 1000 672 328		FE NI SC	I 347 I 347 I 347	0.20 0.271 0.479 0.64 0.827	3469.20 3469.278 3469.486 3469.65 3469.834	30 0 75 1 6	8. 242.	328 378 1015 1028 1015	
CR I TI II CO VI FE I O III	3466.57 3466.7	3465.571 3465.58 3465.7 3465.863 3466.15	12 3 180 10	51. 6. 25.	341 601 108 1015 1015	÷F	FE 1	I 347 I 347	11. 11.235 11.41 11.57 11.610	3470. 3470.242 3470.42 3470.58 3470.620	2 1 60 00 20	89. 27.	126 1015 1015 1028 325	
CU I CR II FE I MN II N I	3467.24 3467.271	3466.24 3466.25 3466.279 3466.34 3466.497	25 2 3 100 100	148. 185. 12.	672 340 1015 328 521	, F	P I	I 347 I 347 I 347	11.80 71.864 72.12 72.26 72.31	3470.81 3470.870 3471.13 3471.27 3471.32	150 40 1 15 90	27. 82. 6.	1015 936 1028 1015 79	
FE 1 N 1 NE 1 MN 11	3467.535 3467.5715 3467.583	3466.501 3466.543 3466.5787 3466.591 3466.90	9 20 30 15 1	24. 2. 25.	1015 521 389 328 1015	F .	NI CU CR	I 347 I 347 II 347	72.343 72.62 72.738 73.05 73.132	3471.350 3471.63 3471.748 3472.06 3472.141	18 K 2 25 140	130. 124. 135.	1015 1015 672 340 672	
MN II CR I V III NI I	3468.002 3468.04 3468.11	3466.980 3467.012 3467.05 3467.12 3467.269	10 20 0 5 -60	253. 123. 84.	328 341 325 1015 1007		MN :	I 347 I 347 I 347	73.182 73.21J 73.211 73.539 73.5654	3472.188 3472.216 3472.217 3472.545 3472.5711	20 10 30 350 70	20. 2.	757 757 328 1015 389	
V 111 V 111 FE 1	3468.50	3467.33 3467.337 3467.51 3467.686 3467.713	2 30 1 1 22	442. 110.	782 325 325 378 341		F P	11 347 11 347 1 347	73.880 73.957 73.971 74.010 74.297	3472.886 3472.963 3472.977 3473.015 3473.303	0 650 40 0 2	156. 576.	1015 538 496 378 378	
NI MN I F I MN I	3468.778 3469.288	3467.732 3467.784 3468.295 3468.380 3468.475	20 5 90 15 33	123.	1015 328 538 328 1018		FE AL F	I 347 IV 347 II 347	74.306 74.491 74.530 74.618 74.646	3473.311 3473.497 3473.536 3473.623 3473.651	570 3 500 400 3	26.	538 1015 838 538 724	

SPECTR	NUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPECTRUM	VACUUM WAVELENGTY	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
FE MN MN P CR	11 11 11 111	3474.816 3475.032 3475.124 3475.171 3475.52	3473.825 3474.038 3474.129 3474.177 3474.53	2 320 220 90	3. 3.	645 328 328 936 893	FΡ	FE NI	IV 3479.70 I 3479.783 I 3480.259 II 3480.514 I 3480.679	3478.71 3478.788 3479.264 3479.518 3479.683	1000 3 15 150 3	1. 137. 105. 49. 812.	824 1015 1015 1016 1015	
N CU CA F O	IV I II II	3475.54 3475.570 3475.758 3475.775 3475.93	3474.55 3474.578 3474.763 3474.780 3474.94	40 5 50 700 4	7.	824 672 1018 538 1015		NI	II 3480.910 I 3481.179 I 3481.179	3479.785 3479.914 3480.183 3480.183 3480.37	12 2 20 20 1	4. 124. 123.	855 1015 1015 1015 1030	м
SC CR NE FE FE	1 11 11 1	3476.02 3476.11 3476.255 3476.444 3476.645	3475.03 3475.12 3475.240 3475.450 3475.651	00 20 30 210 18	2. 35. 6. 78.	1028 340 1016 1015 1015		AR II BR I	I 3481.523 II 3481.55 II 3481.58 II 3481.715 I 3481.77	3480.527 3480.55 3480.59 3480.718 3480.78	120 200 0 200	84. 2. 49.	1007 1015 606 1016 1000	
F FE CU BR CR	111 11 11 11	3476.674 3476.861 3476.991 3477.041 3477.28	3475.679 3475.867 3475.999 3476.046 3476.29	400 3 270 1	186.	538 1015 672 606 893	F P	SC II	3481.89 3482.060 3482.288 3482.5 1 3482.554	3480.89 3481.064 3481.292 3481.5 3481.558	0 10 1	499. 132.	601 855 378 108	F
FE FE V BE CO	i i i vi	3477.331 3477.331 3477.34 3477.559 3477.6	3476.336 3476.336 3476.35 3476.564 3476.6	6 6 1 7	835. 133.	1015 1015 489 333 108	F	NE I MN I V	1 3482.607 11 3482.9298 11 3483.043 1 3483.180 11 3483.57	3481.614 3481.9331 3482.046 3482.188 3482.58	5 200 80 1 12	6. 9. 67.	672 389 328 1000 340	
NI FE FE TI FE	I I II I	3477.62 3477.699 3477.848 3477.98 3478.002	3476.63 3476.704 3476.853 3476.99 3477.007	10 120 6 00 3	123. 6. 242. 139.	1015 1015 1015 601 1015		MN I N I FE	I 3483.73 I 3483.899 V 3483.99 I 3484.002 I 3484.62	3482.73 3482.902 3482.99 3483.006 3483.62	5 320 870 9	120. 3. 1. 24. 120.	1015 328 824 1015 1015	
BR TI P' NE FE	11 111 111 11	3478.015 3478.176 3478.342 3478.6432 3478.845	3477.021 3477.181 3477.346 3477.6476 3477.850	10 15 40 80 6	6. 21. 82.	606 1007 936 389 1015		NI TI I	I 3484.754 I 3484.771 I 3484.80 I 3485.043 I 3485.11	3483.761 3483.774 3483.80 3484.046 3484.12	1 125 4 10 30	6.	672 1015 601 606 79	
NI CR FE SI CR	III V III	3478.859 3479.14 3479.377 3479.46 3479.59	3477.864 3478.15 3478.382 3478.46 3478.60	10 3 3 80 50	124. 109. 185.	1015 340 1015 941 490		FE I FE N I	I 3485.13 I 3485.345 I 3485.84 V 3485.96 I 3485.97	3484.14 3484.348 3484.84 3484.96 3484.97	20 1 3 750	2. 115. 185. 1. 138.	340 1015 1015 824 1015	

	SPECT		VACUÙM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	rum .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
	P FE NI TI FE	III I V I II	3485.994 3486.339 3486.6 3486.665 3486.725	3484.997 3485.342 3485.6 3485.668 3485.728	60 21 60 1	78. 84. 133.	936 1015 922 1007 1015	FΡ	FE FE CR CU	. II I II II	3494.69 3495.15 3495.50	3493,468 3493.69 3494.15 3494.50	10 6 3 4 1	114. 297. 137. 2.	1015 1015 1015 340 672	·
	V NI FE FE	1 1 1 VIII I		3485.867 3485.888 3486.556 3487.0 3487.008	6 50 3 2	17. 79.	1000 1015 1015 1034 1000		O FÉ BR FE CR	11 11 11 1	3495.672 3496.258 3496.285	3494.66 3494.672 3495.258 3495.265 3495.36	0 5 10 24 25	70. 16. 238. 2.	1015 1015 606 1015 340	
	FE CR CU CA TI	1 111 1 1 111	3488.560 3488.596	3487.138 3487.32 3487.566 3487.598 3487.669	0 100 6 70 15	·	378 490 672 1018 227		O CR FE SI TI	II II V I	3496.613 3496.62	3495.44 3495.54 3495.616 3495.62 3495.746	1 20 4 150 60	70. 115. 84.	1015 340 1015 941 1007	·.
364	FE CL O NI TI	VIII II III	3489.0	3487.990 3488.0 3488.14 3488.293 3488.773	1 10 3	7. 121.	1015 111 1015 1015 227	P	KR S FE SC O	1 1 1	3496.9886 3497. 3497.19 3497.25 3497.27	3495,9882 3496, 3496,19 3496,25 3496,27	10 3 1 4	186.	1012 107 1015 1030 1015	· N
	P FE CU CR CO	III I II II	3489.814 3489.847 3489.853 3490.07 3490.28	3488.816 3488.849 3498.858 3489.07 3489.28	120 12 1 2 25	242. 135.	936 1015 672 340 825		BR SC AR FE CO	1 111 1 11	3498.05 3498.09 3498.111	3496.366 3497.05 3497.10 3497.110 3497.28	5 1 40 30 1	78.	757 1030 79 1015 825	M.
	CR V TI O V	II II IV I	3490.43 3490.461 3490.74 3490.83 3491.25	3489.44 3489.466 3489.74 3489.83 3490.25	2 4 2 300 1	185.	340 1000 601 86 1000		BR FE CU NE CR	I I I 1	3499.061	3497.433 3497.843 3498.063 3498.0640 3498.30	1 120 112 15 1	6.	757 1015 672 389 340	
	FE CU TI P FE	I II III VI	3491.574 3491.953 3492.048 3492.519 3493.10	3490.575 3490.958 3491.049 3491.520 3492.10	300 1 8 4	6.	1015 672 1007 936 228	F	AR FE SC CU GF	III	3499.756 3499.91 3499.935	3498.31 3498.755 3498.91 3498.938 3499.211	60 2 2 3 3	6. 330.	79 378 1028 672 676	
	AL O P FE O	III	3493.225 3493.24 3494.060 3494.29 3494.41	3492.226 3492.24 3493.061 3493.29 3493.41	900 250 4 3	48.	888 86 936 1015 86		AR FE CO FE O		3500.878 3500.90	3499.67 3499.877 3499.90 3500.164 3500.64	120 4 1 2	2. 115. 327. 80.	1015 1015 825 378 1015	P

											•				
SPECTRU	JM .	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES	SPEC	TRUM	VACUUM WAVELENGTH	AIR WAVELENGTH	INTENSITY	MULTIPLET	REFERENCE	NOTES
NI NE Q CO KR	I II: II I	3501.850 3502.2180 3502.63 3502.66 3503.5540	3500.852 3501.2163 3501.63 3501.66 3502.5520	125 30 0 200 20	6. 70. 2.	1015 389 1015 825 1012	ρ	P O SE NI	III VI VI VI VI VI	3557.562 3561.41 3564.35 3571.24 3572.888	3556.546 3560.39 3563.33 3570.22 3571.869	200 350 400 600 250	5.	936 86 86 14 1015	
S I KR	111 111 V 1	3504.473 3504.58 3504.644 3504.8202 3504.8980	3503.474 3503.58 3503.645 3503.8179 3503.8957	2 150 200 M	4. 2.	1015 1015 941 1012 1012		F CA F AL AL	111 111 111 111	3575.363 3584.682 3595.124 3602.656 3602.953	3574.346 3583.659 3594.103 3601.628 3601.926	15 25 60 870 550		420 64 420 826 826	
0	III II III III	3505.645 3507.03 3508.387 3508.449 3509.213	3504.643 3506.02 3507.387 3507.447 3508.213	40 1 3 40 1	70. 16.	936 1015 1015 301 1015	; P	SI F AL NA	V I III II	3604.71 3605.425 3610.834 3613.386 3632.40	3603.68 3604.401 3609.808 3612.356 3631.37	40 18 15 750 800	·	941 420 420 826 40	
AL FE AL MN V	II VI IV IV	3509.457 3510.70 3512.285 3512.742 3514.878	3508.457 3509.70 3511.284 3511.738 3513.877	800 500 70 15		888 228 888 301 782	F	NE	AIÍ.	3644.6	3643.6			1011	
C P FE V AL	1 111 11 11 11		3514.801 3515.644 3515.818 3517.510 3517.556	12 4 - 2 - 10 700	7.1 208.	821 936 1015 .782 888									
MG MN AL NA FE	IV III III IX	3520.47 3524.78 3525.97 3534.04 3534.6	3519.46 3523.77 3524.90 3533.03 3533.6	60 1 D 1000		861 301 826 40 806	н								
CA MN P SE P	111 111 111 111	3538.781 3541.530 3542.560 3544.63 3545.400	3537.770 3540.519 3541.549 3543.62 3544.388	520 100 4 800 10		64 301 936 14 936									
P P P	IV III IV III	3546.122 3548.819 3553.562 3556.036 3556.040	3545.109 3547.805 3552.547 3555.021 3555.025	40 1 150 90		937 936 936 937 936									

REFERENCE LIST

```
NAVAL POSTGRADUATE SCHOOL
                                                                                                                                                                                                    1 REFERENCES.
  0000 MONTEREY, CALIFORNIA 93940
0000 - FOLLOWING IS A LISTING OF THE REFERENCE DECK, IN NUMERICAL ORDER.
                                                                                                                                                                                                    1 REFERENCES.
                                                                                                                                                                                                    1 REFERENCES.
  0000
               12/15/1977
                                                                                                                                                                                                     1 REFERENCES.
  0000
                                                                                                                                                                                                     1 REFERENCES.
  0000
                                                                                                                                                                                                     1 REFERENCES.
  0000
                                                                                                                                                                                                     1 REFERENCES.
  0000
                                                                                                                                                                                                     1 REFERENCES.
  0000
  0000
                                                                                                                                                                                                     1 REFERENCES.
  0000
                                                                                                                                                                                                     1 REFERENCES.
  0002
               ANDERSSON, E. AND G.A. JOHANNESSON, PHYSICA SCRIPTA 3,203-10(1971), CL(MG III) 64 REFERENCES.
ANDREW.K.L. AND K.W. MEISSNER, J. OPT. SOC. AMER. 49,146-161(1958). 67 REFERENCES.
  0007
                                                                                                                                                                                                  67 REFERENCES.
  0014
               BADAMI, J.S. AND K.R. RAO, PROC. ROY. SOC. (LONDON) 140A.387-98(1933).
                                                                                                                                                                                                 21 REFERENCES.
               CL(SE III).
BOCKASTEN,K., ARK. FYS. 9,457-81(1055),CL(C III,C IV).
BOCKASTEN,K., ARK. FYS. 10,567-82(1956),CL(C IV).
                                                                                                                                                                                                 56 REFERENCES.
  0035
                                                                                                                                                                                                 21 REFERENCES.
              BOWEN, I.S., PHYS. REV. 29,231-47(1927), CL(B I,C I,C II,F II,F III,F IV, BOWEN, I.S., PHYS. REV. 31,34-8(1928), CL(CL II-V,SI II,P III,S IV). BOWEN, I.S., PHYS. REV. 31,34-8(1928), CL(CL III-V,SI II,P III,S IV). BOWEN, I.S., PHYS. REV. 31,967-8(1928), CL(NA II). BCXEN, I.S., PHYS. REV. 45,401-4(1934), CL(CL III-V).
                                                                                                                                                                                                    6 REFERENCES.
  0038
                                                                                                                                                                                                 47 REFERENCES.
  0040
                                                                                                                                                                                               94 REFERENCES.
   OTHER REFERENCES OF INTEREST BUT NOT USED.
0051 BOXEN.I.S. AND R.A.MILLIKAN.PHYS. REV. 25.591-9(1925).CL(P IV.S V.CL VI). 0052 BUWEN.I.S. AND R.A.MILLIKAN.PHYS. REV. 25.295-305(1925).CL(P V.S VI.
                                                                                                                                                                                             3 REFERENCES.
3 REFERENCES.
              CI VIII).
              BORGSTROM, A., PHYSICA SCRIPTA 3,157-63(1971), CL(CA III).
                                                                                                                                                                                                54 REFERENCES.
0064 BORGSTROM, A., PHYSICA SCRIPTA 3,157-63(1971), CL(CA III).

0071 BOCKASTEN, K., R. HALLIN, AND T.P. HUGHES, PROC. PHYS. SOC. 81,522-30(1963)
CL(NE VI-VII).

0072 BOCKASTEN, K., R. HALLIN, K. B. JOHANSSON, AND P.TSUI, PHYSICS LETTERS (NETH.)
8,181-2 (1964), CL(N V,N VI,O III,O V).

018 BRUIN, T.L. PROC. ROY. SOC. AMSTERDAM 40,340-8(1937), CL(AR II).

0083 BOCKASTEN, K. AND K. B. JOHANSSON, ARK. FYS. 38,563-84(1968), CL(O V).

0086 BRCMANDER, J., ARK. FYS. 38,243-60(1968), CL(CA III).

0087 BRCMANDER, J., ARK. FYS. 38,243-60(1968), CL(O IV).

0090 BRCMANDER, J., ARK. FYS. 38,243-60(1968), CL(O IV).

0090 BRCMANDER, J., ARK. FYS. 38,243-60(1968), CL(O IV).

0090 BRCMANDER, J., ARK. FYS. 38,243-60(1968), CL(O IV).

0090 BRCMANDER, J., ARK. FYS. 38,243-60(1968), CL(O IV).

0091 BRCMANDER, J., ARK. FYS. 39,243-60(1968), CL(O IV).
                                                                                                                                                                                               13 REFERENCES.
                                                                                                                                                                                                   4 REFERENCES.
                                                                                                                                                                                                44 REFERENCES.
                                                                                                                                                                                                 28 REFERENCES.
                                                                                                                                                                                                68 REFERENCES.
                                                                                                                                                                                                62 RIFFRENCES.
                                                                                                                                                                                                   6 REFERENCES.
  OTHER REFERENCES OF INTEREST BUT NOT USED.
 0097 BAKER, S.C., J. PHYS. B 6,709-14(1973).
                                                                                                                                                                                                   2 REFERENCES.
 0000
             BRCWN.C.M., S.G.TILFORD, AND M.S.GINTER, J.OPT.SOC.AM.63,1454-62(1973).
BERRY, H.G., R.M.SCHECTMAN, I.MARTINSON, W.S.BICKEL, AND S.BASHKIN, J.OPT.
SOC.AM. 60,335-44(1970).
BOWEN, I.S., ASTROPHYS.J. 132.1-17(1960).
BASHKIN, S., J.BROMANDER, J.A.LEAVITT, AND I.MARTINSON, PHYSICA SCRIPTA
                                                                                                                                                                                                5 REFERENCES.
70 REFERENCES.
 0101
 0107
                                                                                                                                                                                                 36 REFERENCES.
 0107
                                                                                                                                                                                                 36 RLFERENCES.
 0108
                                                                                                                                                                                                 75 REFERENCES.
                                                                                                                                                                                                13 REFERENCES.
0115 BERRY, H.G., PHYSICA SCRIPTA 13, 36-38(1976).
                                                                                                                                                                                                   5 PEFERENCES.
  REFERENCE LIST
  0126 BERRY, H.G., J. DESESQUELLES, AND M. DUFAY, NUCL. INSTRUM. METH. 110, 43-50 (1973). 13 REFERENCES.
  OTHER REFERENCES OF INTEREST BUT NOT USED.
 0148 CATALAN.M.A., W.F.MEGGERS, AND O.GARCIA-RIGUELME, J. RES. NAT. BUR. STAND. 792 REFERENCES.
0148 CATALAN,M.A. W.F.MEGGERS,AND O.GARCIA-RIGUELME,J. RES. NAT. BUR. STAND.
66A,9-60(1964),CL(MN I).
0152 CROOKER,A.M.,UNPUBLISHED INFORMATION (1966).
0154 CROOKER,A.M.,UNPUBLISHED INFORMATION (1966).
0154 CROOKER,A.M.,AND K.A.DICK,CANAD.J.PHYS. 46,1241-51(1968),CL(ZN II, ZN IV).
0162 DICK.K.A.,CANAD.J.PHYS. 46,1291-1302(1968),CL(ZN III).
0164 EDLEN,B.,ARK. FYS. 4,441-52(1952),CL(O VII,F VIII).
0168 EDLEN,B.,NOVA ACTA REG. SOC. SCI. UPPSALA(IV)9,NO.6,153 PP(1934),CL(LI II,
11 II,BE III,BE II,BE II,BC II,PV,C II-VI,N II-V,O II-VI).
0172 EDLEN,B.,Z. PHYSIK 89,597-600(1934),CL(F V).
0173 EDLEN,B.,Z. PHYSIK 93,433-49(1935),CL(F III).
0175 EDLEN,B.,Z. PHYSIK 93,726-30(1935),CL(O II-IV).
0176 EDLEN,B.,Z. PHYSIK 93,437-26(1935),CL(O II-IV).
0177 EDLEN,B.,Z. PHYSIK 98,561-B(1936),CL(N II,N III).
                                                                                                                                                                                                   5 REFERENCES.
                                                                                                                                                                                              113 REFERENCES.
                                                                                                                                                                                           405 REFERENCES.
                                                                                                                                                                                                   3 REFERENCES.
                                                                                                                                                                                              138 REFERENCES.
                                                                                                                                                                                              71 REFERENCES.
3 REFERENCES.
                                                                                                                                                                                                  9 REFERENCES.
7 REFERENCES.
              EDLEN, B., 2. PHYSIK 93,726-30(1935),CL(0 II-IV). 9 REFERENCES.
EDLEN, B., Z. PHYSIK 94,74-57(1935),CL(0 II-IV). 7 REFERENCES.
EDLEN, B., Z. PHYSIK 98,561-8(1936),CL(N II,N III). 3 REFERENCES.
EDLEN, B. AND P.RISDERG, ARK. FYS. 10,553-66(1956),CL(CA II). 11 REFERENCES.
EDLEN, B. AND P.SWINGS, ASTROPHYS. J. 95,532-54(1942),CL(FE III). 468 REFERENCES.
 0177
 0000
 0186
                                                                                                                                                                                        468 REFERENCES.
 0188
```

OTHER REFERENCES OF INTEREST BUT NOT USED.

```
0198 ERIKSSON, K.B.S. AND H.B.S. ISBERG, ARK. FYS. 23,527-41(1963), CL(AL I).
                                                                                                                                                                                                                                                     72 REFERENCES.
                                                                                                                                                                                                                                                          5 REFERENCES.
     0200 ERIKSSON,K.B.S.,ARK. FYS. 13,303-28(1958),CL(N II).
0210 ERIKSSON,K.B.S. AND H.B.S.ISBERG, ARK.FYS.37,221-30(1968),CL(D I).
0211 EDLEN,B.,H.P.PALENIUS,K.BOCKASTEN,R.HALLIN AND J.BROMANDER,SOLAR PHYSICS
                                                                                                                                                                                                                                          130 REFERENCES.
                                                                                                                                                                                                                                                     6 REFERENCES.
                                                                                                                                                                                                                                                         1 REFERENCES.
                      9,432-38(1969).
     0217
                    EIDELSBERG,M., J.PHYS.B 5,1031-37(1972).
EIDELSBERG,M., J.PHYS.B,7,1476-85(1974).
EDLEN.B. AND J.W.SWENSSON,PHYSICA SCRIPTA 12,21-32(1975).
EKBERG,J.G.,PHYSICA SCRIPTA 11,23-30(1975).
EKBERG,J.G.,PHYSICA SCRIPTA 12,42-57(1975).
                                                                                                                                                                                                                                                        3 REFERENCES.
7 REFERENCES.
    0221
0227
                                                                                                                                                                                                                                                   121 REFERENCES.
     0228
                                                                                                                                                                                                                                                        19 REFERENCES.
       OTHER REFERENCES OF INTEREST BUT NOT USED.
     0246 FREEMAN, L.J., PROC. ROY. SOC. (LONDON) 121A, 318-43(1928), CL(N III).
                                                                                                                                                                                                                                                  11 REFERENCES.
      OTHER REFERENCES OF INTEREST BUT NOT USED.
   O274 GQURVITCH,D. AND F.P.J.VALERO,ASTROPHYS.J.171,643-45(1972),
O284 GOTO.T.,M.S.GAUTAM AND Y.N.JOSHI,PHYSICA 66,70-78(1973),
O285 GILLES,M.,ANN. PHYS. (PARIS) 15,267-408(1931),CL(S II,S III),
O287 GLAD,S.,ARK, FYS. 7,7-32(1953),CL(C II),
O288 GLAD,S.,ARK, FYS. 10,291-334(1956),CL(FE III),
O292 GREEN,L.C.,PHYS. REV. 55,1209-17(1939),CL(FE I-III),
GAPTON,W.R.S. AND X.CODLING,PROC. PHYS. SOC. 86,1067-75(1965),
                                                                                                                                                                                                                 CL(B I). 8 REFERENCES.
                                                                                                                                                                                                                                                         1 REFERENCES.
                                                                                                                                                                                                                                                      43 REFERENCES.
                                                                                                                                                                                                                                                   145 REFERENCES.
                                                                                                                                                                                                                                                  179 REFERENCES.
                                                                                                                                                                                                                                                      15 REFERENCES.
                                                                                                                                                                                                                                                         1 REFERENCES.
                    (AESDRPTION, CA I).
    0000
   GARCIA-RIQUELME,O.,OPTICA PURA Y APPL. 1,53-72(1968),CL(MN III).
0307 HERZBERG,G. AND H.R.MOORE,CANAD. J. PHYS. 37,1293-313(1959),CL(LI II).
0309 GARCIA,J.D. AND J.E.MACK,J. OPT. SOC. AMER. 55,654-85(1965),CL(H I-CA XX).
0313 HALLIN,R.,ARK, FYS. 31,511-26(1966),CL(N V).
0314 HETZLER,C.W.,R.W.BOREMAN,AND K.BURNS,PHYS. REV. 48,656-9(1935),CL(ZN I).
                                                                                                                                                                                                                                                      30 REFERENCES.
                                                                                                                                                                                                                                                  356 REFERENCES.
42 REFERENCES.
                                                                                                                                                                                                                                                      64 REFERENCES.
                                                                                                                                                                                                                                                     10 REFERENCES.
                                                                                                                                                                                                                                                        8 REFERENCES.
     OTHER REFERENCES OF INTEREST BUT NOT USED.
   0322 INGRAM, S.B., PHYS. REV. 32, 172-8(1928), CL(S II). 0323 INGRAM, S.B., PHYS. REV. 33, 907-13(1929), CL(S III).
                                                                                                                                                                                                                                                     44 REFERENCES.
    REFERENCE LIST
  0325 IGLESIAS,L., OPTICA PURA Y APLICADA 2,132-45(1969),CL(V III).
186 REFERENCES.
DE MADRID (1964),CL(MN II).
2008 REFERENCES.
  DE MADRID (1964),CL[MN II).

JOHANSSON,L., PHYSICA SCRIPTA 10,236-40(1974).

JOHANSSON,L., ARK. FYS. 20,489-98(1961),CL(BE'II).

JOHANSSON,L., ARK. FYS. 23,119-28(1962),CL(BE I).

STANDARD CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL C
                                                                                                                                                                                                                                                  15 REFERENCES.
49 REFERENCES.
                                                                                                                                                                                                                                                    15 REFERENCES.
                                                                                                                                                                                                                                              1725 REFERENCES.
                                                                                                                                                                                                                                              1282 REFERENCES.
                                                                                                                                                                                                                                                    48 REFERENCES.
                   CL(CL II).
    OTHER REFERENCES OF INTEREST BUT NOT USED.
 0370 KAUFMAN, V., L.J. RADZIEMSKI, AND K.L. ANDREW, J. OPT. SOC. AM. 56, 911-15(1966)
                                                                                                                                                                                                                                                    3 REFERENCES.
                  CL(SI 1).
 0375 KELLY,R.L. TENTATIVE IDENTIFICATION.
0378 KIESS.C.C., V.C.RUBIN, AND C.E.MODRE, J.RES.NAT.BUR.STAND. 654,1-29(1961).
                                                                                                                                                                                                                                                      2 REFERENCES.
                                                                                                                                                                                                                                              265 REFERENCES.
                 KAUFMAN, V., UNPUBLISHED INFORMATION
KAUFMAN, V., M.C.ARTRU, AND W.U.L.BRILLET, J.OPT.SOC.AM. 64,197-201(1974).
KAUFMAN, V. AND B.EDLEN, J.PHYS.CHEM.REF.DATA 3,825-95(1974).
KERNAHAN, J.A., E.H.PINNINGTON, A.E.LIVINGSTON, AND D.J.G.IRWIN,
PHYSICA SCRIPTA 12,319-22(1975).
                                                                                                                                                                                                                                               2 REFERENCES.
129 REFERENCES.
 0389
 0392
                                                                                                                                                                                                                                                     1 REFERENCES.
                                                                                                                                                                                                                                                 40 REFERENCES.
                 LANG.R.J..PHYS. REV. 30.762-9(1927),CL(GA III,GA III,GE III,GE IV,IN II).
LANG.R.J..PHYS. REV. 32,737-45(1928),CL(AS III,BI III).
LANG.R.J..PHYS. REV. 34,697-711(1929),CL(GE II-IV).
 0402
                                                                                                                                                                                                                                                  3 REFERENCES.
11 REFERENCES.
 0404
 0406
                                                                                                                                                                                                                                                  32 REFERENCES.
   OTHER REFERENCES OF INTEREST BUT NOT USED.
0420 LIDEN.K., ARK. FYS. 1,229-67(1949), CL(F I).
0425 LI.H. AND K.L.ANDREW.J.OPT.SOC.AM. 61,96-109(1971), CL(AS II).
0428 LOFSTRAND, B., PHYSICA SCRIPTA 8,57-61(1973),
0431 LI.H..J.OPT.SOC.AM. 62,1483-88(1972).
0457 MARTIN, W.C. AND V.KAUFMAN, J.RES.NAT.BUR.STAND. 74A,11-22(1970), CL(ZN II).
0459 MINNHAGEN, L., J.OPT.SOC.AM. 66,659-67(1976).
                                                                                                                                                                                                                                                      7 REFERENCES.
                                                                                                                                                                                                                                                329 REFERENCES.
                                                                                                                                                                                                                                                   4 REFERENCES
                                                                                                                                                                                                                                                  39 REFERENCES.
                                                                                                                                                                                                                                                  11 REFERENCES.
10 REFERENCES.
```

```
MARTIN,D.C.,PHYS. REV. 48,938-44(1935),CL(SE II).
MEGGERS.W.F. AND C.E.MOORE,J. RES. NAT. BUR. STAND. 25,83-132(1940),
                                                                                                                                                                                  27 REFERENCES.
1079 REFERENCES.
0478
            CL(V II).
MEGGERS,W.F.,A.G.SHENSTONE,AND C.E.MODRE,J. RES. NAT. BUR. STAND. 45,
34G-56(1950),CL(AS I).
MCORE,C.E.,U.S. NAT. BUR. STAND.,CIRC. 488. SEC. I,78 PP(1950),SEC. II,
115 PP(1952),CL(H I-NB II).
MODRE,C.E.,PHYS. REV. 55,710-13(1939),CL(V I).
MODRE,F.L.,JR.,THESIS,PRINCETON 1949,UNIV. MICRLFILMS PUBL. NO. 10,972,
172 PP(ANN ARBOR,MICH.),CL(CR III).
MARTIN,W.C.,J. OPT. SOC. AMER. 49,1071-85(1959),CL(P I,P II).
MARTIN,W.C.,J. RES. NAT. BUR. STAND. 64A,19-28(1960),CL(HE I).
                                                                                                                                                                                        49 REFERENCES.
0480
                                                                                                                                                                                   1357 REFERENCES.
0488
                                                                                                                                                                                       166 REFERENCES.
 0489
                                                                                                                                                                                      353 REFERENCES.
 0490
                                                                                                                                                                                         92 REFERENCES.
 0496
                                                                                                                                                                                         34 REFERENCES.
 0497
                                                                                                                                                                                         38 REFERENCES.
 0000
 OTHER REFERENCES OF INTEREST BUT NOT USED.
 0506 MINNHAGEN,L., ARK. FYS. 25,203-84(1964),CL(AR II). 547 REFERENCES. 0509 MINNHAGEN,L.,H.STRIHED AND B.PETERSSON,ARK.FYS.39,471-93(1969),CL(KR II). 164 REFERENCES.
   REFERENCE LIST
0510 MOORE, C.E., NSRDS-NBS 3, SECTION 3(1970), CL(C I-VI).
0512 MINNHAGEN, L., J. OPT. SOC.AM. 61, 1257-62(1971), CL(AR II).
0516 MINNHAGEN, L. AND H.NIETSCHE, PHYSICA SCRIPTA 5, 237-42(1972).
0517 MINNHAGEN, L., J. OPT. SOC.AM. 63, 1185-98(1973).
0521 MOORE, C.E., NSRDS-NBS 3, SECTION 5(1975).
0523 MOORE, C.E., NSRDS-NBS 3, SECTION 7(1975).
0524 MAGNUSSON, C.E. AND P.O. ZETTERBERG, PHYSICA SCRIPTA 10, 177-82(1974).
0525 MINNHAGEN, L., PHYSICA SCRIPTA 11, 38-42(1975).
0531 OLME, A., ARK, FYS. 40, 35-47(1969), CL(B III).
                                                                                                                                                                                            5 REFERENCES.
                                                                                                                                                                                            1 REFERENCES.
                                                                                                                                                                                          99 REFERENCES.
                                                                                                                                                                                       25 REFERENCES.
210 REFERENCES.
                                                                                                                                                                                            2 REFERENCES.
                                                                                                                                                                                          15 REFERENCES.
                                                                                                                                                                                           2 REFERENCES.
9 REFERENCES.
 0532 DLME, A., PHYSICA 5CRIPTA, 1,256-60(1970), CL(B II).
0537 PALENIUS, H.P., PHYSICA SCRIPTA 1,113-35(1970), CL(F III).
0538 PALENIUS, H.P., ARK, FYS. 39, 15-64(1968), CL(F III).
                                                                                                                                                                                          22 REFERENCES.
                                                                                                                                                                                        282 REFERENCES.
                                                                                                                                                                                        182 REFERENCES.
    OTHER REFERENCES OF INTEREST BUT NOT USED.
  0563 PERSSON, N., PHYSICA SCRIPTA 3,133-55(1971), CL(NE II).
0574 RAD, A.S. AND S.G.KRISHNAMURTY, PROC. PHYS. SOC. (LONDON) 46,531-6(1934),
                                                                                                                                                                                       221 REFERENCES.
                                                                                                                                                                                            8 REFERENCES.
             RAD.A.S. AND A.L.NARAYAN, Z. PHYSIK 57,865-8(1929), CL(AS III).
RAD.K.R., PROC. ROY. SOC. (LONDON) 134A,604-13(1932), CL(AS IV).
RAD.K.R. AND S.G.KRISHNAMURTY, PROC. ROY. SOC. (LONDON) 161A,38-48(1937),
CL(BR III).
                                                                                                                                                                                            2 REFERENCES.
  0575
                                                                                                                                                                                          31 REFERENCES.
  0584
                                                                                                                                                                                          30 REFERENCES.
              RAD.K.R. AND S.G.K.MURTI.PROC. ROY. SOC. (LONDON) 145A,681-94(1934), CL(SE III).
RAD.K.R. AND S.G.K.MURTI.PROC. ROY. SOC. (LONDON) 145A,694-8(1934).
                                                                                                                                                                                        86 REFERENCES.
  0587
                                                                                                                                                                                          14 REFERENCES.
  0588
              5 REFERENCES.
  0592
                                                                                                                                                                                             1 REFERENCES.
                                                                                                                                                                                             8 REFERENCES.
  0597
                                                                                                                                                                                              5 REFERENCES.
  0598
                                                                                                                                                                                          35 REFERENCES.
   0000
            RUEDY, J.E. AND R.C.GIBBS, PHYS. REV. 46,880-8(1934), CL(SE I).
RUSSELL, H.N., ASTROPHYS. J. 66,283-328(1927), CL(TI I).
RUSSELL, H.N., FHYS. REV. 34,821-57(1929), CL(NI I).
RUSSELL, H.N., R.B.KING, AND C.E.MOORE, PHYS. REV. 58,407-36(1940), CL(CO I).
RUSSELL, H.N. AND C.E.MOORE, TRANS. AMER. PHIL. SOC. 34,11,113-79(1944),
                                                                                                                                                                                             9 REFERENCES.
   0600
                                                                                                                                                                                           74 REFERENCES.
  0601
                                                                                                                                                                                            48 REFERENCES.
                                                                                                                                                                                        942 REFERENCES.
   0603
   0605
               CL(FE I).
RAO,Y.B.,INDIAN J. PHYS. 32,497-515(1958),CL(BR II).
RADZIEMSKI,L.J. AND K.L.ANDREW,J. OPT. SOC. AMER. 55,474-91(1965),
                                                                                                                                                                                        167 REFERENCES.
                                                                                                                                                                                         70 REFERENCES.
   8090
              .CL(SI I).
               ROSS.C.B., PH.D. THESIS, PURDUE UNIV. (1969), CL(CU II).
RADZIEMSKI,L.J. AND V.KAUFMAN,J.OPT.SOC.AM. 64,366-89(1974).
                                                                                                                                                                                         610 REFERENCES.
                                                                                                                                                                                        275 REFERENCES.
   0613
    OTHER REFERENCES OF INTEREST BUT NOT USED.
0645 SALES,M.,AN. REAL SOC. ESPAN. FIS. QUIM. 49A,15-30(1953),CL(FE II).
0652 SAWYER,R.A. AND R.J.LANG,PHYS. REV. 34,712-9(1929),CL(GA II).
0661 SHENSTONE,A.G.,J. OPT. SOC. AMER. 44,749-59(1954),CL(NI III).
0670 SHENSTONE,A.G.,TRANS. ROY. SOC. (LONDON) 235A,195-243(1936),CL(CU II).
0673 SHENSTONE,A.G.,TRANS. ROY. SOC. (LONDON) 241A,297-322(1948),CL(CU I).
0673 SHENSTONE,A.G.,CANAD. J. PHYS. 38,677-92(1960),CL(CO III).
9676 SHENSTONE,A.G.,PROC. ROY. SOC. 276A,293-307(1963),CL(GE II).
                                                                                                                                                                                        120 REFERENCES.
                                                                                                                                                                                           23 REFERENCES.
72 REFERENCES.
                                                                                                                                                                                         28 REFERENCES.
447 REFERENCES.
                                                                                                                                                                                        103 REFERENCES.
                                                                                                                                                                                            78 REFERENCES.
   REFERENCE LIST
  0678 SHENSTONE,A.G., PROC. ROY. SOC. 261A,153-74(1961),CL(SI II).
0693 SODEROVIST,J.,NOVA ACTA REG. SOC. SCI. UPPSALA 9,NO. 7,102 PP(1934),
CL(NA III-IX,MG III-IX,AL IV-X,SI V-VIII).
                                                                                                                                                                                         114 REFERENCES.
```

```
0000
0708 SWENSSON,J.W. AND G.RISBERG,ARK. FYS. 31,237-54(1966),CL(MG I).
0713 SCHRODER,J.F. AND T.A.M.VAN KLEEF,PHYSICA 49,388-410(1970).
0720 SMITT.R.,PHYSICA SCRIPTA 8,292-300(1973).
0721 SWENSSON,J.W. AND B.EDLEN, PHYSICA SCRIPTA 9,335-37(1974).
0723 STRIGANOV,A.R. AND N.S. SVENTITISKII,TABLES OF SPECTRAL LINES OF NEUTRAL
AND IONIZED ATOMS (I.F.I./PLENUM,1968).
0724 SHENSTONE,A.G., J.RES.NAT. BUR.STAND. 79A,497-521(1975).
0725 SVENSSON,L.A.,PHYSICA SCRIPTA 13,293-307(1976).
0727 SVENSSON,L.A.,PHYSICA SCRIPTA 13,293-307(1976).
0728 TECH,J.L.J. RES. NAT. BUR. STAND. 67A,505-54(1963),CL(BR I).
 0000
                                                                                                                                                                                                                               5 REFERENCES.
                                                                                                                                                                                                                            12 REFERENCES.
                                                                                                                                                                                                                            20 REFERENCES.
                                                                                                                                                                                                                            81 REFERENCES.
                                                                                                                                                                                                                             19 REFERENCES.
                                                                                                                                                                                                                            59 REFERENCES.
                                                                                                                                                                                                                          451 REFERENCES.
                                                                                                                                                                                                                           36 REFERENCES.
                                                                                                                                                                                                                               6 REFERENCES.
   OTHER REFERENCES OF INTEREST BUT NOT USED.
0767 TQRESSON,Y.G.,ARK. FYS. 17,179-92(1959),CL(SI IV).
0768 1DRESSON,Y.G.,ARK. FYS. 18,389-416(1960),CL(SI III).
0782 VELASCO,R. AND N.GULLION, OPTICA PURA Y APPL. 1,93-102(1968),CL(V II).
0791 WHITE.H.E.,PHYS. REV. 33,672-83(1929),CL(V III,CR IV,MN V).
0796 WILKINSON,P.G. AND K.L.ANDREW,J. OPT. SOC. AMER. 53,710-7(1963),CL(GE II).
0799 YAROSEWICK,S.J. AND F.L.MOORE,JR. J.OPT.SOC.AM.57,1381-7(1967),CL(MN IV).
                                                                                                                                                                                                                           22 REFERENCES.
                                                                                                                                                                                                                            86 REFERENCES.
                                                                                                                                                                                                                         111 REFERENCES.
                                                                                                                                                                                                                            46 REFERENCES.
                                                                                                                                                                                                                           10 REFERENCES.
                                                                                                                                                                                                                            19 REFERENCES.
 0000
                                                                                                                                                                                                                           36 REFERENCES.
 0802 YAROSEWICK, S.J., J. J. DA VIA AND F.L.MOORE, J. OPT. SOC. AM. 61.732-39(1971).
                                                                                                                                                                                                                           44 REFERENCES
CL(MN III).
0806 WAGNER, W.J. AND L.L.HOUSE, ASTROPHYS. J. 166, 683-98 (1971).
                                                                                                                                                                                                                              3 REFERENCES.
   OTHER REFERENCES OF INTEREST BUT NOT USED.
0821 JOHANSSON,L.,ARK. FYS. 31,201-35(1966),CL(C 1).

0824 HALLIN,R.,ARK. FYS. 32,201-10(1966),CL(N IV).

0825 VCLASCO,R. AND J.ADAMES, PUBL. NO.26,INSTITUTO DE OPTICA DAZA DE VALDES DE

MADRID (1966), CL(CO II).

0826 ISBERG,B., ARK. FYS. 35,551-63(1967),CL(AL III).

0829 IGLESIAS, L.,J.RES.NAT.BUR.STAND.72A,295-308(1968),CL(V IV-V).

0830 JOHANSSON,I. AND R.CONTRERAS, ARK.FYS.37,513-20(1968),CL(ZN I).

21 REFERENCES.
                                                                                                                                                                                                                           10 REFERENCES.
                GDCRVITCH, D., G.MEHLMAN-BALLOFFET AND F.P.J. VALERO, J. OPT. SOC. AM. 60, 1458-61
 0831
                                                                                                                                                                                                                              6 REFERENCES.
                (1970), CL(MG I-II).
SHENSTONE, A.G., J. RES. N.B.S. 74A, 801-55(1970), CL(NI II).
JORDAN, C., SOLAR PHYSICS 21, 381-91(1971).
 0835
                                                                                                                                                                                                                      1243 REFERENCES.
                                                                                                                                                                                                                               5 REFERENCES.
   OTHER REFERENCES OF INTEREST BUT NOT USED.
VAN DEURZEN, C.H.H., PH.D. THESIS, U. OF CALIF. (BERKELEY), 1973

OB61
JOHANNESSON, G.A., T. LUNDSTROM AND L.MINNHAGEN, PHYSICA SCRIPTA 6,129-37(1972)

HOLSTROM, J.E., PHYSICA SCRIPTA 5,249-53(1972).

OR67
ORTEN, G., PHYSICA SCRIPTA 8,249-69(1973).

VAN DEURZEN, C.H.H., J.G.CONWAY, AND S.P.DAVIS, J.OPT.SOC.AM.64,498-502(1974).

OR73
ARTRU, M.C. AND W.U.L.BRILLET, J.OPT.SOC.AM. 64,1063-71(1974).

OR85
OR15, A., J.DESESQUELLES, AND M.DUFAY, J.OPT.SOC.AM. 59,976-80(1969).

ARTRU, M.-C. AND V. KAUFMAN, J.OPT.SOC.AM. 65,594-99(1975).

OR91
HANSEN, J.E., W. PERSSON, AND A. BORGSTROM, PHYSICA SCRIPTS 11,31-37(1975).

EKBERG, J.D., PHYSICA SCRIPTA 14,109-21(1976).
                                                                                                                                                                                                                           23 REFERENCES.
                                                                                                                                                                                                                              3 REFERENCES.
                                                                                                                                                                                                                              6 REFERENCES.
                                                                                                                                                                                                                         3 REFERENCES.
185 REFERENCES.
                                                                                                                                                                                                                              2 REFERENCES.
                                                                                                                                                                                                                              3 REFERENCES.
                                                                                                                                                                                                                            52 REFERENCES.
                                                                                                                                                                                                                           67 REFERENCES.
                                                                                                                                                                                                                            10 REFERENCES.
                                                                                                                                                                                                                         359 REFERENCES.
   REFERENCE LIST
0896 CROSSWHITE, H.M., J. RES. NAT. BUR. STAND. 79A, 17-69(1975).
                                                                                                                                                                                                                      2419 REFERENCES.
0000
                                                                                                                                                                                                                           43 REFERENCES.
OTHER REFERENCES OF INTEREST BUT NOT USED.
GARCIA-RIQUELME, O., OPTICA PURA Y APPL. 8,143-48(1975).
HALLIN, R., AND R.SJODIN, REPORT, INST. OF PHYS., UPPSALA UNIV.UUIP-929 (1976)
IGLESIAS, L., OPTICA PURA Y APPL. 8,149-51(1975).
EDLEN, B., UNPUBLISHED (1973).
PELDMAN, U. AND G.A. DOSCHEK, PRIVATE COMMUNICATION (1976).
RAASSEN, A.J.L., T.A.M., VAN KLEEF, AND B.C.METSCH, PHYSICA 84C, 133-46(1976).
VAN DEURZEN, C.H.H., J.OPT. SOC.AM. 67, 476-80(1977).
MAGNUSSON, C.E. AND P.O.ZETTERBERG, PHYSICA SCRIPTA TBP 1977
ZETTERBERG, P.D. AND C.E.MAGNUSSON, PHYSICA SCRIPTA 15,189-201(1977).
PHYSICA SCRIPTA 14.285-89(1976).
                                                                                                                                                                                                                           20 REFERENCES.
                                                                                                                                                                                                                              2 REFERENCES.
                                                                                                                                                                                                                              1 REFERENCES.
                                                                                                                                                                                                                               4 REFERENCES.
                                                                                                                                                                                                                        1 REFERENCES.
19 REFERENCES.
14 REFERENCES.
169 REFERENCES.
                                                                                                                                                                                                                           98 REFERENCES.
                                                                                                                                                                                                                           12 REFERENCES.
                                                                                                                                                                                                                           28 REFERENCES.
```

OTHER REFERENCES OF INTEREST BUT NOT USED.

```
0000
                                                                                                                                                                                                                                                                      4 REFERENCES.
                                                                                                                                                                                                                                                               4 REFERENCES.
855 REFERENCES.
0000
                 MEGGERS.W.F. AND H.N.RUSSEL, J.RES.NBS 17.125-92(1936).
 1000
                MEGGERS, W.F. AND H.N.RUSSEL, J.RES.NBS 17.125-92(1936).
EDLEN, B., SDLAR PHYSICS 9,439-45(1969).
ERIKSSON, K.B.S., ARK.FYS. 30,199-202(1965).
ERIKSSON, K.B.S. AND H.B.S.ISBERG, ARK.PHYS.33,593-95(1966).
GIULIANI, J.F. AND M.P.THEKAEKARA, J.OPT.SOC.AM. 54,460-63(1964).
ISBERG, B., ARK.FYS. 35,495-98(1967).
JOHNSTON, W.D. AND H.J.KUNZE, ASTROPHYS.J. 187,1469-70(1969).
KAUFMAN, V. AND C.J.HUMPHREYS, J.OPT.SOC.AM. 59,1614-28(1969).
MARTIN, W.C. AND V.KAUFMAN, J.OPT.SOC.AM. 60,1096-99(1970).
MOORE, C.E., NBS TECH. NOTE 36(1959); REVISED MULTIPLET TABLE.
PFRSCON, W. AND L.MINNHAGEN, ARK.FYS. 37,273-300(1968).
RISBERG, G., ARK.FYS. 28,381-95(1964).
RISBERG, G., ARK.FYS. 37,231-49(1967).
RISBERG, G., ARK.FYS. 10,583-606(1956).
TECH, J.L. AND C.H.CORLISS, J.RES.NBS 65A,159-66(1961).
 1003
                                                                                                                                                                                                                                                                     2 REFERENCES.
 1005
                                                                                                                                                                                                                                                                     1 REFERENCES.
 1006
                                                                                                                                                                                                                                                                   12 REFERENCES.
 1007
                                                                                                                                                                                                                                                                  16 REFERENCES.
 1009
                                                                                                                                                                                                                                                                     3 REFERENCES.
 1011
                                                                                                                                                                                                                                                                     3 REFERENCES.
 1012
                                                                                                                                                                                                                                                                     9 REFERENCES.
                                                                                                                                                                                                                                                                  11 REFERENCES.
 1015
                                                                                                                                                                                                                                                            1061 REFERENCES.
 1016
                                                                                                                                                                                                                                                               149 REFERENCES.
70 REFERENCES.
 1018
                                                                                                                                                                                                                                                                  73 REFERENCES.
 1019
                RISBERG, P., ARK. FYS. 10,583-606(1956).
TECH, J.L. AND C.H. CORLISS, J.RES. NBS 65A, 159-66(1961).
BURKE, E.W. AND J.E. MACK, J. OPT. SOC. AM. 46,100(1956).
KAUFMAN, A.S., J. P. HUGHES, AND R. V. WILLIAMS, PROC. PHYS. SOC. 76,17-24(1960).
GOLDSMITH, S. AND A.S. KAUFMAN, PROC. PHYS. SOC. 81,544-52(1963).
KIESS, C.C.; J. RES. NAT. BUR. STAND. 1,75-90(1938).
JOHANSSON, S. AND U.LITZEN, PHYSICA SCRIPTA 10,121-29(1974).
RUSSELL, H.N. AND W.F. MEGGERS, SCI. PAP, BUR. STAND. 22,329-73(1927).
PASCHEN, F., ANN. PHYS. (LEIPZEG) 60,405-53(1919).
MEGGERS, W.F., SCI. PAPERS NAT. BUR. STAND. 22,61-71(1927).
DE BRUIN, T.L., Z. PHYSIK 77,505-514(1932).
FOWLER, A., PROC. ROY. SOC. (LONDON) A, 117,317-30(1928).
LENNARD, W.N. AND C.L. COCKE, NUCL. INSTRUM, METH. 110,137-42(1973).
                                                                                                                                                                                                                                                                  21 REFERENCES.
 1020
                                                                                                                                                                                                                                                                          REFERENCES.
1021
1022
                                                                                                                                                                                                                                                                         REFERENCES.
                                                                                                                                                                                                                                                                  10 REFERENCES.
 1024
                                                                                                                                                                                                                                                                  25 REFERENCES.
 1025
                                                                                                                                                                                                                                                                     4 REFERENCES.
 1026
                                                                                                                                                                                                                                                                   12 REFERENCES.
 102B
                                                                                                                                                                                                                                                                  51 REFERENCES.
 1029
                                                                                                                                                                                                                                                                  21 REFERENCES.
 1030
                                                                                                                                                                                                                                                                  54 REFERENCES.
 1031
                                                                                                                                                                                                                                                               119 REFERENCES.
 1032
                                                                                                                                                                                                                                                                  78 REFERENCES.
                  LENNARD, W.N. AND C.L.COCKE, NUCL. INSTRUM. METH. 110, 137-42(1973).
 1034
                                                                                                                                                                                                                                                                     9 REFERENCES.
0000
                                                                                                                                                                                                                                                                  16 REFERENCES.
```

OTHER REFERENCES OF INTEREST BUT NOT USED.

```
0000 PROF. RAYMOND L. KELLY, CODE 61
                             ABBINK, J.H. AND H.B. DORGELO, Z. PHYSIK 47,221-32(1928).

ANDERSON, E.E. AND J.E.MACK, PHYS. REV. 59,717-23(1941), CL(CO VII, NI VIII).

ANDREW, K.L. AND K. W. MEISSNER, J. OPT. SOC. AMER. 48,31-3(1958), CL(GE I).

ARTRU, M.-C. AND V. KAUFMAN, J. DPT. SOC. AM. 62,949-57(1972), CL(MG IV).

AVELLEN, S., ARK. FYS. 8,211-12(1954), CL(CL I).

ALEXANDER, E.V. FELDMAN, B.S. FRAENKEL, AND S. HOORY, NATURE 206, 176(1965).
0001
0003
0005
0006
                           ALEXANDER, E., V. FELDMAN, B.S. FRAENKEL, AND S. HODRY, NATURE 206, 176(1965).
ALEXANDER, E., V. FELDMAN, AND B.S. FRAENKEL, J: OPT. SOC. AMER. 55,650-53
(1965), CL(V VI-NI XI, CR VI-CU XI).
ALEXANDER, E., V. FELDMAN, AND B.S. FRAENKEL, PHYSICS LETTERS 14,40-1(1965).
ALEXANDER, E., V. FELDMAN, B.S. FRAENKEL, AND S. HODRY, J. OPT. SOC. AMER. 56,651-2(1966), CL(CO VIII, NI IX.CU X).
ALEXANDER, E., V. FELDMAN, B.S. FRAENKEL, J. QUANT. SPECT. AND RAD. TRANS. 4.501
(1964), CL(KI VIII).
BADAMI, J.S., PROC. PHYS. SOC. (LONDON) 43,538-44(1931), CL(SB IV).
BALLOFFET, G. AND J. ROMAND, C.R. ACAD. SCI. (PARIS) 242,2333-5(1956).
BATELT, O., Z. PHYSIK 88,522-31(1934), CL(TE I).
BECKWAN, A. BIDRAG. ... SKANDIUMS SPEKTRUM. ... ALMOVIST OCH WIKSFLIS BOK-
0009
0011
0012
0015
                           BARTELT.O..Z. PHYSIK 88,522-31(1934),CL(TE I).

BECKMAN,A., BIDRAG....SKANDIUMS SPEKTRUM....,ALMQVIST OCH WIKSELLS BOKTRYCHERIC (1937),CL(SC IV-XI).

BEUTLER,H.,Z. PHYSIK 86,710-18(1933),(ABSORPTION, HG I).

BEUTLER,H.,Z. PHYSIK 87,19-27(1933),(ABSORPTION, CO I).

BEUTLER,H.,Z. PHYSIK 97,131-42(1934),(ABSORPTION, RB I).

BEUTLER,H.,Z. PHYSIK 93,177-96(1934),(ABSORPTION, RB I).

BEUTLER,H.,AND W.DEMETER,Z. PHYSIK 91,202-18(1934),(ABSORPTION, IL I).

BEUTLER,H.,AND K.GUGGENHEIMER,Z. PHYSIK 87,188-91(1933),(ABSORPTION, K I).

BEUTLER,H.,AND K.GUGGENHEIMER,Z. PHYSIK 88,25-42(1934),(ABSORPTION, CS I).

BLOCH,L.,AND E.BLOCH,ANN. PHYS. (PARIS) 5,325-54(1936),CL(CD IV,ZN IV).

BLOCH,L.,AND E.BLOCH,C.R. ACAD. SCI. (PARIS) 171,709-11(1920).

BLOCH,L.,AND E.BLOCH,C.R. ACAD. SCI. (PARIS) 208,336(1939).

BLOCH,L.,AND E.BLOCH,J., PHYS. RADIUM 4,622-35(1914).

BLOCH,L.,AND E.BLOCH,J., PHYS. RADIUM 6,441-50(1935),CL(SE II,SE III,TE V, TE VI).
0016
0017
0018
0019
0020
0021
0022
0023
0024
0025
0027
0028
0030
                               TE VI).
                             BLOCH, L. AND E.BLOCH, J. PHYS. RADIUM 8,217-28(1937), CL(SB VI, TE VII), BLOCH, L., E.BLOCH, AND N.FELICI, J. PHYS. RADIUM 8,355-62(1937), CL(I II, I VIII, TE VII).
0031
0032
                            BLOCH.L.,E.BLOCH,AND R.WALDEN,J. PHYS. RADIUM 10,49-59(1939).
BOWEN,I.S.,PHYS. REV. 29,510-12(1927),CL(P II).
BOWEN,I.S.,PHYS. REV. 31,497-502(1928),CL(AR II,AR III,CA III,CA IV,CA V.
CL I.CL II,K II,K III,K IV,S I).
0033
0037
0039
```

```
0041 BCMEN.I.S., PHYS. REV. 39,8-15(1932),CL(SI II,SI III,P III,P IV,S IV,S V).
0042 BCMEN.I.S., PHYS. REV. 45,82-6(1934),CL(F II-IV).
0044 BCMEN.I.S., PHYS. REV. 46,377(1934),CL(CL IV).
0045 BCMEN.I.S., PHYS. REV. 46,791-2(1934),CL(K IV,K V,CA V,CA VI).
0046 BCMEN.I.S., PHYS. REV. 47,924-5(1934),CL(K IV,K V,CA V,CA VI).
0047 BCMEN.I.S., PHYS. REV. 52,1153-6(1937),CL(CR III,CR IV,MN IV,FE III,FE V).
0048 BCMEN.I.S., PHYS. REV. 53,889-90(1938),CL(CO VI).
0049 BCMEN.I.S. AND S.B.INGRAM,PHYS. REV. 28,444-8(1926).
0050 BCMEN.I.S. AND R.A.MILLIKAN,PHIL. MAG. 48,259-64(1924).
0053 BCMEN.I.S. AND R.A.MILLIKAN,PHYS. REV. 26,150-64(1925).
0054 BCMEN.I.S. AND R.A.MILLIKAN,PHYS. REV. 27,144-9(1926),CL(AL II,AL III,O V. C VI).
                      C VI).

BOXEN.I.S. AND R.A.MILLIKAN, PHYS. REV. 28,256-8(1926), CL(8E I.BE II).

BOXEN.I.S. AND R.A.MILLIKAN, PHYS. REV. 28,923-6(1926), CL(8E I.BE II).

BOXCE.J.C., PHYS. REV. 46,378-81(1934), CL(NE I-IV).

BOYCE.J.C., PHYS. REV. 47,718-20(1935), CL(NE I-IV).

BOYCE.J.C., PHYS. REV. 48,396-402(1935), CL(NE I-V).

EDYCE.J.C., PHYS. REV. 49,351(1936), CL(NE III).

BOYCE.J.C., PHYS. REV. 49,730-2(1936), CL(NE III).

EDYCE.J.C. AND K.T.COMPTON, PROC. NAT. ACAD. SCI. U.S.A. 15,656-8(1929),

CL(NE III, NE IV, NE III, NE IV).

EDYCE.J.C. AND C.A.RIE KE.FHYS. REV. 47,653-7(1935)
                        c'vi).
  0055
  0056
  0057
  0058
  0050
  1900
 0062
                      CC(AR III,AR IV,NE III,NE IV).

EOYCE,J.C. AND C.A.RIE KE,PHYS. REV. 47,653-7(1935).

EOYCE,J.C. AND H.A.RUBINSON,J. OPT. SOC. AMER. 26,133-43(1936).

DE BRUIN,T.L.,PROC. ROY. ACAD. AMSTERDAM 33,198-212(1930),CL(AR II).

DE BRUIN,T.L.,Z. PHYSIK 61,307-20(1930),CL(AR II).

DE BRUIN,T.L. AND C.J.BAKKER,Z. PHYSIK 69,19-35(1931),CL(NE II).

DE BRUIN,T.L.,C.J.HUMPHREYS,AND W.F.MEGGERS,J. RES. NAT. BUR. STAND. 11,
  0063
  0065
  0066
  0067
  8300
                       409-40(1933),CL(KR II).
BURNS,K. AND F.M.WALTERS,JR.,PUBL. ALLEGHENY OBS. 8,27-35(1930),CL(CU I,
                      BOWEN, I.S., ASTROPHYS. J. 121,306-11(1955), CL(NE IV).
BASHKIN, S., L. HEROUX, AND J. SHAW, PHYSICS LETTERS (NETH.) 13,229-31(1964),
  0073
                       BASHANI, B.W., J. OPI. SCC. AMER. 55.771-9(1965), CL(YB III-IV).
BLAKE, R.L., T.A. CHUSB, H. FRIEDMAN, AND A.E. UNZICKER, ASTROPHYS. J. 142, 1-12
  0075
  0076
                      BLAKE, R.L., T.A.CHUBB, H.FRIEDMAN, AND A.E. UNZICKER, ASTROPHYS. J. 142,1-12 (1965), (SOLAR).

BLACK, W.S., ET AL, NATURE 206,654-8(1965), (SOLAR).

BLACK, W.S., ET AL, SCIENCE (U.S.A.) 146,1037-8(1964), (SOLAR).

BLACK, R.L., ET AL, SCIENCE (U.S.A.) 146,1037-8(1964), (SOLAR).

BLACK, R.L., BLOCHANSSON, AND K.BOCKASTEN, J.OPT.SOC.AM. 57,1158-9(1967).

BURGES, D.D., B.C.FAWCEIT AND N.J.PEACOCK, PROC.PHYS.SOC. 92,805-16 (1967)

BLAKE, R.L., AND L.L.HOUSE, ASTROPHYS.J. 149,L33-L35(1967), (SOLAR).

BURTON, W.M., A.RIDGELEY AND R.WILSON, MON.NOT.ROY.ASTRON.SOC.135,207-23 (1967), (SOLAR).
  0077
  0080
 0081
  0084
                       BROWN.R.T., ASTROPHYS.J.158,829-37(1969),CL(BE 111-S XV ISOELECTRONIC WITH HELIUM).
  0087
                        BOLAND, B.C., F.E. IRONS AND R.W.P.MCWHIRTER, J. PHYS. SOC. B, 1, 1180-91 (1968),
                         CL(C V-VI)
  0089
                        BURTON, W.M. AND A.RIDGELEY, SOLAR PHYSICS 14,3-28(1970), (SOLAR).
                       BORKO, W.M. AND ARRIDGELEY, SOLAR PHYSICS 14,3-28(1970), (SOLAR).
BOIKO, V.A., Y.P., VOINOY, V.A. GRIBROV AND G.V.SKLIZKOV, OPTICS AND SPECTROS.
29,545-6(1970), CL(K XIV-XV, FE XVIII).
BEHRING, W.E., L.COHEN, AND U.FELDMAN, ASTROPHYS.J. 175,493-523(1972). SOLAR
BERRY, H.G., M.C. BUCHET-POULIZAC, AND J.P. BUCHET, J.OPT. SOC. AM.63,240-41(1973).
BROWN, C.M., R.H. NABER, S.G., TILFORD, M.L., GINTER, APPL.OPTICS 12,1858-64(1973).
  0091
  0094
  0095
  0096
                       BROWANDER, J., 10. POULSEN, AND J.L. SUBTIL, PHYSICA SCRIPTA 7,283-84(1973).
BROWANDER, J., PHYSICA SCRIPTA 4,61-63(1971).
DERRY, H.G., I. MARTINSCN, L.J. CURTIS, AND L.LUNDIN, PHYS. REV. A3,1934-37(1971).
BROWN, C.M., S.G.TILFORD, AND M.S.GINTER, J. OPT. SOC. AM. 64,877-79(1974).
BUCHET, J.P. AND M.C.BUCHET-POULIZAC, J. OPT. SOC. AM. 64,1011-14(1974).
  0098
  0099
  0100
  0102
  0103
                       BURKHALTER, P.G., U.FELDMAN, AND R.D.COWAN, J.OPT.SOC.AM. 64,1058-62(1974).
BURKHALTER, P.G., D.J.NAGEL, AND R.D.COWAN, PHYS.REV. A, 11, 782-88(1975).
BROWN, C.M., S.G. TILFORD, R. TOUSEY, AND M.L. GINTER, J. OPT. SOC. AM. 64,
   0104
  0105
  0106
  0106
                        1665-82(1974).
                      1665-82(1974).
BARRETTE, L., D.J.G. IRWIN, AND R.DROUIN, PHYSICA SCRIPTA 12,113-15(1975).
BUCHET, J.P. AND M.DRUETTA, J.DPT.SOC.AM. 65,991-94(1975).
BROWN.C.M. AND S.G.TILFORD, J.OPT.SOC.AM. 65,1404-9(1975).
BRILLET, W.J.L. AND M.C.ARTRU, J.OPT.SOC.AM. 65,1399-1403(1975).
BEHRING, W.E., L.COHEN, G.A. DOSCHEK, AND U.FELDMAN, J.OPT.SOC.AM. 66,376-78(1976).
BRILLET, W.J.L., PHYSICA SCRIPTS 13,289-92(1976).
BUCHET, J.P., M.C. BUCHET-POULIZAC, AND M.DRUETTA, J.OPT.SOC.AM. 66,842-45(1976).
  0109
   0110
  0112
  0113
  0116
                      BUCHET, J.P., M.C. BUCHET-POULIZAC, AND M.DRUETTA, J.DPT.SOC.AM. 66,842-45(1976).
CCHEN, L. AND W.E. BEHRING, J.OPT. SOC.AM. 66,899-904(1976).
CURTIS, L.J., B.ENGMAN, AND I.MARTINSON, PHYSICA SCRIPTA 13,109-10(1976).
CHIPMAN, E. AND E.C. BRUNER, JR., ASTROPHYS. J. 200,755-72(1975).
DOSCHEK, G.A. AND U.FELDMAN, JSTROPHYS. J. SUPPL. 33,101-11(1977).
DOSCHEK, G.A. AND U.FELDMAN, J.APPL.PHYS. 47,3083-87(1976).
BEYER, L.M., W.E. MADDOX, AND L.B. BRIDWELL, J.OPT. SOC. AM. 63,365-69(1973).
CARROLL, P.K. AND E.T. KENNEDY, PHYS. REV. LETTERS 38,1068-71(1977).
BARRETTE, L., E.J. KNYSTAUTAS, AND R.DROUIN, NUCL.INSTRUM.METH.110,29-33(1973).
  0118
  0119
  0121
  0122
  0123
  0124
                      BARRETTE,L.,E.J.KNYSTAUTAS,AND R.DROUIN,NUCL.INSTRUM.METH.110,29-33(1973).
BEYER,L.M.,W.E.MADDOX,L.B.BRIDEWELL,D.D.DUNCAN,L.L.BINGHAM,AND J.C.ASBELL,
NUCL.INSTRUM.METH. 110,61-67(1973).
CADY,W.M.,PHYS. REV. 43,322-8(1933).CL(MN VI,FE VII,CO VIII,NI IX).
CADY,W.M.,PHYS. REV. 44,821-5(1933).CL(N III-V,O III-V).
CARROLL,J.A.,TRANS. ROY. SOC. (LONDON) 225A,357-420(1925),CL(HG II,GA III,
IN III,TL III,GE IV,SN IV,PB IV).
CATALAN,M.A.,AN. REAL SOC. ESPAN. FIS. QUIM. 53,179-84(1957).
  0127
                       CONNERADE, J. P., N. J. PEACOCK AND R. J. SPEER, SOLAR PHYSICS 18,63-71(1971),
  0132
  0133 CONNERADE, J. P., ASTROPHYS. J. 162, L139-43(1970), CL(FE XIV-XXIV).
0134 CLEARMAN, H.E., J. OPT. SOC. AMER. 42, 373-9(1952), CL(B I, IN I, TL I, PB I,
  0135 CONNERADE J. P. W.R.S. GARTON AND M.W.D. MANSFIELD. ASTROPHYS. J. 165.
                      203-12(1971),CL(NA I).
CONNERADE,J.P.,N.J.PEACOCK AND R.J.SPEER,SOLAR PHYSICS 14,159-65(1970).
COWAN.R.D. AND K.G.WIDING, ASTROPHYS.J. 180,285-92(1973).
  0136
```

```
CANTU.A.M., E.JANNITTI, AND G.TONDELLO, J. OPT. SOC. AM. 64,699-701(1974).
                         CANIU.A.M., E.JANNITII, AND G.TONDELLO, J.OPT.SOC.AM. 64,699-701(1974).
CHAPMAN,R.D. AND Y.SHADMI, J.OPT.SOC.AM. 63,1440-45(1973).
CURTIS,C.W., J. OPT. SOC. AMER. 42,300-5(1952).CL(MN II).
CUPTIS,C.W., PHYS. REV. 53,474-81(1938),CL(MN II).
COMAN,R.D., ASTROPHYS. J. 147, 377-8(1967), CL(CR VI,MN VII,FE VIII)
COHEN, L., U.FELDMAN AND S.O. KASTNER, J.OPT.SOC.AM.58,331-4(1968),CL(SC XIII
TI XIV,V XV,CR XVI,MN XVII,FE XVIII,CO XIX,NI XX,CU XXI).
COHEN, L., U.FELDMAN & SWADIZ AND LA UNDERGOOD LODGE CO.
    0139
     0140
     0141
     0142
                          COHEN, L., U. FELDMAN, M. SWARTZ, AND J. H. UNDERWOOD, J. OPT. SOC. AM. 58,843-46
                        COHEN.L., U.FELDMAN, M.SWARTZ, AND U.H. UNDERWOOD, U. 07130C.AM. 98,843-46 (1968), CL(AR XVII-ZN XXIX).
CODLING, K., PROC. PHYS. SOC. 77, 797-800(1961), CL(MG I ABSORPTION).
COHEN, L. AND V. FELDMAN, ASTROPHYS. J. 160, L105-6(1970).
CFOSSWHITE, H.M., G.H. DIEKE, AND W.J. CARTER, J. CHEM. PHYS. 43,2047-54(1965),
     C145
     0147 -
                           CLIPR IV).
                        CORLISS,C.H. AND W.F.MEGGERS,J. RES. NAT. BUR. STAND. 61,269-324(1958).
CODLING,K: AND R.P.MADDEN,PHYS. REV. LETTERS 12,108-8(1964),(ABSORPTION,
     0150
                          KR 1.XE I).
                      CROOKER, A.M. AND K.A.DICK, CANAD. J. PHYS. 42,766-78(1964), CL(ZN IV). CO.AN.R.D. AND N.J.PEACOCK, ASTROPHYS. J. 142,390-6(1965), CL(FE VIII-X). DEWHURST, R.J. M.A.KHAN, AND G.J.PERT, J.PHYS. B, 8, 2301-10(1975).
     0155
                          DINGLE,H., PROC. ROY. SOC. (LONDON) 128A, 600-24(1930),CL(F II).
DORGELO,H.B. AND J.H.ABBINK,NATURWISSENSCHAFTEN 14,755-6(1926).
DIAGO,M.C.,AN. REAL SOC. ESPAN. FIS. QUIM. 60A,229-38(1964),CL(NI II)
     0158
     0159
     0160
                          DEUTSCHMAN.W.A. AND L.L.HOUSE, ASTROPHYS. J. 144,435-7(1966),CL(CL VII,IX-
                        DEUTSCHMAN.W.A. AND L.L.HOUSE, ASTROPHYS. U. 144,452-7(1506), LLCL VII, AXI, S IX-X).

DEUTSCHMAN.W.A. AND L.L.HOUSE, ASTROPHYS. J. 149,451-2(1967), CL(S X-XI, CL XI-XII, AR XII-XIII, K XI-XIII).

EARLS, L.T. AND R.A.SAWYER, PHYS. REV. 47,115-22(1934), CL(PB II).

EDLEN, B., SVENSKA VET. AKAD. HANDL. 20,NO. 10,31 PP(1943), CL(O I).

EDLEN, B., NATURE 127,405-6(1931), CL(BE III-V, CV).

EDLEN, B., NATURE 159,129-30(1947), CL(C I).

EDLEN, B., NATURE 159,129-30(1947), CL(C I).
     0163
    0166
                        EDLEN.B., NATURE 159,129-30(1947), CL(C I).

EDLEN.B., PHYS. REV. 62,434-7(1942), CL(CL II, AR III, K IV, CA V, SC VI).

EDLEN.B., Z. PHYSIK 85,85-106(1933).

EDLEN.B., Z. PHYSIK 89,179-82(1934), CL(F VI, F VII).

EDLEN.B., Z. PHYSIK 100,621-35(1936), CL(K IX-CU XIX).

EDLEN.B., Z. PHYSIK 100,726-33(1936), CL(CL VIII-XI).

EDLEN.B., Z. PHYSIK 103,536-41(1936), CL(TI XI-CO XVI).

EDLEN.B., Z. PHYSIK 104,18B-93(1937), CL(TI VII-FE XI).

EDLEN.B., Z. PHYSIK 104,407-16(1937), CL(AR II, K III, TI VI-CO XI).

EDLEN.B. AND A.ERICSON, C.R. ACAD. SCI. (PARIS) 190,116-8(1930).

EDLEN.B. AND A.ERICSON, C.R. ACAD. SCI. (PARIS) 190,173-4(1930), CL(F II, NE III, NA IV, MG V, AL VI).

EDLEN.B. AND A.ERICSON, NATURE 125,233-4(1930).
     0169
    0170
     0178
     0179
     0181
     0182
    0184
                        NE III., NA IV., MG V. AL VI).

EDLEN. B. AND A. ERICSON, NATURE 125,233-4(1930).

EDLEN. B. AND J. SODERQVIST, Z. PHYSIK 87,217-19(1933), CL(SI IV).

EDLEN. B. AND J. SODERQVIST, Z. PHYSIK 87,217-19(1933), CL(SI IV).

EDLEN. B. AND F. TYREN. Z. PHYSIK 101,206-13(1936), CL(K X,K XI, CA XII, SC XII,

TI XIII. V XIV.CR XV).

EKEFORS, E. . Z. PHYSIK 51,471-80(1928), CL(AL III).

EKEFORS, E. . Z. PHYSIK 63,437-43(1930), CL(N I).

EKEFORS, E. . Z. PHYSIK 63,437-43(1930), CL(N I).

EKEFORS, E. . Z. PHYSIK 71,53-88(1931).

ELIASON, A. Y. PHYS. REV. 43,745-8(1933), CL(NB III, MO IV).

ELLIS, C.B. AND R.A. SAWYER, PHYS. REV. 49,145-50(1936), CL(TL II).

ERICSON, A. AND B. EDLEN. Z. PHYSIK 59,656-79(1930), CL(LI II, BE II, B II-III).

ERIKSSON, K.B. S., ARK. FYS. 13,429-39(1958), CL(N I).

EDLEN. B., REPORTS ON PROGRESS IN PHYSICS 26,181-212(1963).

ELTON, R.C., A.C., KOLB, W.E. AUSTIN, R. TOUSEY, AND K.G. WIDING, ASTROPHYS. J. 140,

38E-95(1964).
    0185
     0187
     0191
     0192
     0194
     0195
     0196
     0197
     0199
                           388-95(1964).
                        388-95(1964).

EDLEN, B., ARK. FYS. 31,509-10(1966), CL(BE IV-SI XIV).

ELTON, R.C., ASTROPHYS. J. 148,573-8 (1967), CL (O VII).

EDLEN, B. AND L.A.SVENSSON, ARK. FYS. 28,427-46(1964), CL(H I-SI XIV).

EDLEN, B. AND F. TYREN, NATURE 143,940-1 (1939).

ERIKSSON, K.B.S., ARK. FYS. 33,357-60(1967), CL(N I).

EDLEN, B. AS REPORTED IN TRANS. I.A.U. XIIA, 237-162(1965).

EVEN-ZOHAR, M. AND B.S.FRAENKEL, J.OPT.SOC.AM. 58,1420-21(1968),

CL(NI IX-XI, CU X-XII, ZN XI-XIII).

FELOMAN, U. AND L.COHEN, ASTROPHYS. J. 151, L55-L58(1968), CL(FE XVI-XIV).
     0201
     0202
     0203
     0204
     0205
     0206
     0207
     0208
                          EDLEN.B., PRIVATE COMMUNICATION.
EDLEN.B. AND B.LOFSTRAND.J.PHYS.B 3,1380-88(1970),CL(C V)
     0209
                        EDLEN.B. AND B.LOFSTRAND,J.PHYS.B 3,1380-88(1970),CL(C V).

EKBERG,J.O. AND L.A.SVENSSON,PHYSICA SCRIPIA 2,283-97(1970),CL(S IV,

AR IV-VI,K V-VII,CA VI-VIII,SC VII-IX,TI VIII-X).

ERIKSSON,K.B.S. AND J.E.PETTERSSON,PHYSICA SCRIPTA 3,211-17(1971),CL(N I).

ELTON.R.C.,E.HINIZ AND M.SWARTZ, UNKNOWN JOURNAL

ELTON.R.C. AND T.N.LIE,SPACE SCIENCE REV. 13,747-60(1972).

EKBERG,J.O., PHYSICA SCRIPTA 7,55-58(1973).

EKBERG,J.O., PHYSICA SCRIPTA 4,101-69(1971).

EKBERG,J.O., PHYSICA SCRIPTA 4,255-30(1973).
    0213
     0215
     0216
     0218
     0219
     0220
                       EKBERG, J.O., PHYSICA SCRIPTA 4,101-09(1971).

EKBERG, J.O., PHYSICA SCRIPTA 9,96-98(1974).

EKBERG, J.O., PHYSICA SCRIPTA 9,96-98(1974).

ERIKSSON, K.B.S., PHYSICA SCRIPTA 9,151-55(1974).

EDLEN, B., SOLAR PHYSICS 24,356-67(1972).

EDLEN, B., PHYSICA SCRIPTA 11.366-70(1975).
     0222
     0223
     0225
0226
     0230
                           EKBERG.J.O. AND L.A.SVENSSON, PHYSICA SCRIPTA 12, 116-18(1975).
                          FERNER, E., ARK. MAT. ASTRON. FYSIK 28A, NO. 4,21 PP(1942),CL(SI V-XII).
FELDMAN,U. AND L. COHEN, ASTROPHYS. J.149,265-7(1967),CL(SC XII,TI XIII,
     0231
     0232
    0233 FERNER, E., ARK. MAT. ASTRON. FYSIK 36A, NO. 1,65 PP(1948), CL(AL V-XI,SI VII, SI IX,SI X,S VII-X).
                         TIA.31 A.5 VII-A/.

FELDMAN,V.,L.COHEN AND W.BEHRING,J.OPT.SOC.AM.60,891-93(1970),

CL(MG X,AL XI,SI XII).

FELDMAN,V. AND L.COHEN, ASTROPHYS. J. 158,L169-70(1969),CL(C V).

FLEMBERG,H.,ARK. MAT. ASTRON. FYSIK 28A,NO. 18,1-47(1942),CL(F VIII,MG IX,
1.0234
     0236
                          FELDMAN, V.L. KATZ, W. BEHRING AND L. COHEN, J. OPT. SOC. AM. 61, 91-95 (1971),
  CL(FE XV-XVI,CO XVI-XVII,NI XVII-XVIII, CU XVIII-XIX).

O238 FAWCETT,B.C.,REPORT ARU-R2(1971),TBP
```

```
0239 FAWCETT.B.C.,J.PHYS.B 4,1577-86(1971).
0240 FAWCETT.B.C. AND R.W.HAYES, J.PHYS.B 5,366-70(1972).
0241 FAWCETT.B.C. R.D.COWAN,E.Y.KONONOV AND R.W.HAYES,J.PHYS.B 5,1255-69(1972)9
0242 FAWCETT.B.C. ARU-R 4 IBP 1972
                             FOWLER.A. AND L.J.FREEMAN, PROC. ROY. SOC. (LONDON) 114A,662-89(1927),
     0243
   CL(N II).

C244 FAWCETT,B.C.,J.PHYS.B 4,1115-18(1971),CL(F III-SI XII).

C245 FAWCETT,B.C.,J.PHYS.B 4,981-85(1971).

C247 FREEMAN,L.J.,PROC. ROY. SOC. (LONDON) 124A,654-67(1929),CL(N II).

C248 FAWCETT,B.C.,A.H.GABRIEL AND T.W.PAGET,J.PHYS.B 4,986-94(1971).

C249 FAWCETT,B.C.,R.A.HARDCASTLE AND G.TONDELLO,J.PHYS.B,3,564-71(1970),

CL(S X-XIV, P VI-XIII).

C250 FAWCETT,B.J.PHYS.B 3,1152-63(1970),CL(NA-CL).

C251 FAWCETT,B.J.PHYS.B 3,1732-41(1970),CL(CL-FE).

C252 FAWCETT,B.C.,B.B.JONES,AND R.WILSON,PROC. PHYS. SOC. 78,1223-6(1961),

CL(NE VI-VIII,AR VI-VIII,KR VI-VIII,XE V-IX).

C253 FREYTAG,E.,NATURWISS 46,314(1959),CL(II III).

C254 FAWCETT,B.C.,A.H.GABRIEL,W.G.GRIFFIN,B.B.JONES,AND R.WILSON,NATURE 200,

1303-4(1963).

C255 FAWCETT,B.C.,A.H.GABRIEL,B.B.JONES,AND N.J.PEACOCK,PROC. PHYS. SOC. 84.
                            1303-4(1903).
FAWCETT, B.C., A.H.GABRIEL, B.B.JONES, AND N.J.PEACOCK, PROC. PHYS. SOC. 84, 257-62(1964), CL(NE VII, NE VIII, AR IX-XII, XE IX).
FAWCETT, B.C. AND A.H.GABRIEL, ASTROPHYS. J. 141, 343-53(1965).
FAWCETT, B.C. A.ID A.H.GABRIEL, PROC. PHYS. SOC. 84, 1038-40(1964), CL(AR XI, AR XII, KR IX, KR X).
     0256
     0257
     0258 FELDMAN, U., B.S. FRAENKEL, AND S. HOORY, ASTROPHYS. J. 142,719-24(1965)
                            CL(V VI,CR VII,MN VIII,FE VIII,FE IX,CO X,NI X,NI XI).

FAWCETT,B.C.,PROC. PHYS. SOC. 86,1087-9(1965),CL(AR IX-V XIV,AR X-V XV).

FAWCETT,B.C. AND A.H.GABRIEL,PROC. PHYS. SOC. 88,262-4(1966), CL(CA IV-FE
     0260
                             X.CA V-FE XI).
    0261 FELDMAN, U., L. COHEN AND M.SWARTZ, J. 045,959 (1966), CL(C V-NE IX). 0263 FELDMAN, U., L. COHEN AND M.SWARTZ, J. 047,535-6 (1967), CL(NI
                              XVIII.CU XIX,ZN XX)
    0264 FELDMAN, U., L. COHEN AND M. SWARTZ, ASTROPHYS. J. 148,585-7(1967), CL(NI XIX, CU XX, ZN XXI).
                         CU XX.ZN XXI).

FELDMAN, U. AND L. COHEN, J.DPT.SOC.AM. 57,1128-9(1967), CL(TI XII,V XIII, CR XIV, MN XV.FE XVI, CO XVII).

FAWCEIT, B.C. ET AL, PROC. PHYS. SOC. 88,1051-53(1966), CL(FE XVI,NI XVIII).

FAWCEIT, B.C., A.H. GABRIEL AND P.A.H. SAUNDERS, PROC. PHYS. SOC. 90,863-7
(1967), CL(AR-FE ISOGLECTRONIC WITH FE XIII-XVIII).

FRITZ.G. ET AL, ASTROPHYS. J. 148,L133-L140(1967), (SOLAR).

FAWGEIT, B.C., D.D. BURGESS AND N.J. PEACOCK, PROC. PHYS. SOC. 91,970-2(1967), CL(S X-XIV,CL XIII-XV,K XI-XIII, CA XII-XIV,SC XIII,TI XIV).

FAWCETT, B.C. AND N.J. PEACOCK, PROC. PHYS. SOC. 91,973-5(1967), CL(TI VII-XII, V VIII-XIII, CR VIII-XIV,MN IX-XV,FE XIV-XV).

FAWCETT, B.C., N.J. PEACOCK AND R.D. COWAN, J. PHYS. B 1,295-306(1968).

CL(AR III, SC IV-VI, TI V-VII, V VI-VII, MN IX-X,FE IX-XIV,NI XI-XIV).

GOLDSMITH, S. U. FELDMAN, L. OREN AND L. COHEN, TBP JOSA.

CL(CA XVII-XVIII).
     0265
    0266
     0267
     0268
     0269
. 0270
     0271
                         GOLDSMITH,S., U.FELDMAN,L.OREN AND L.COHEN, TBP JOSA
CLICA XVII-XVIII).
GOLDSMITH,S., U.FELDMAN,L.OREN AND L.COHEN, ASTROPHYS.J. 174,209-14(1972),
CL(K XVII,CA XVIII,SC XIX,TI XX,V XXI,CR XXII,MN XXIII).
GOLDSMITH,S.,L.OREN (KATZ) AND L.COHEN, J.OPT.SOC.AM.63,352-58(1973).
GABRIEL,A.H. AND C.JORDAN,MON:NOT.ROY.ASTR.SOC.145,241-48(1969).(SOLAR).
GABRIEL,A.H., MON.NOT.ROY.ASTR.SOC. 160 (TBP)
GABRIEL,A.H., W.R.S.GARTON,L.GOLDBERG,T.J.L.JONES,C.JORDAN,F.J.MORGAN,
R. W.NICHOLLS,W.J.PARKINSON,H.B.J.PAXTON,E.M.REEVES,C.B.SHENTON,R.J.SPEER,
AND R.WILSON,ASTROPHYS.J. 169,595-614(1971).
GIBBS.R.C. AND H.E.WHITE,PROC. NAT. ACAD. SCI. U.S.A. 12,598-601(1926).
CL(SC 111,TI IV,V V).
GOLDSMITH,S.,L.OREN,AND L.COHEN, ASTROPHYS.J. 188,197-200(1974).
GOLDSMITH,S.,L.OREN,AATZ,A.M.CROOKER,AND L.COHEN,ASTROPHYS.J. 184,
1021-26(1973).
     0272
    0273
    0275
    0276
    0277
    0278
   0279
    0280
    0281
                                 1021-26(1973)
   0282
                           GRUZDEV, P.F. AND A.V.LOGINOV, OPTICS AND SPECTRO. 33,332-37(1972). FELDMAN, U., G.A.DOSCHEK, D.J.NAGEL, R.D.COWAN, AND R.R. WHITLOCK.
                          ASTROPHYS.J. 192,213-20(1974).
GILROY,H.T..PHYS. REV. 3B,2217-33(1931),CL(MN III,FE IV,CO V,NI VI).
GOUDET,G.,J. PHYS. RADIUM 6,433-8(1935).
GREEN,J.B. AND R.J.LANG,PROC. NAT. ACAD. SCI. U.S.A. 14,706-10(1928).
   0286
   0289
  0290
                            CL(IN III.SB IV).
                          GREEN.J.B. AND R.A.LORING, PHYS. REV. 30,574-91(1927), CL(SN I-III).
GREEN.M., PHYS. REV. 60,117-21(1941), CL(CD IV, IN V, SN VI).
GIBBS.R.C: AND H.E. WHITE, PHYS. REV. 33,157-62(1929), CL(V V, CR VI, LA III).
GABRIEL, A.H., B.C. FAWCETT, AND C. JORDAN, PROC. PHYS. SOC. 87,825-39(1966).
   0291
   0293
   0295
                           CL(SOLAR)
   0297
                           GARTON, W.R.S. AND M. WILSON, PROC. PHYS. SOC. 87,841-50(1966), (ABSORPTION,
                      PB 1).

GARSIANG,R.H., PUBL. ASTRONOM. SOC. PACIFIC 78,399-406(1966),CL(FE XVII).

GARCIA-RIQUELME,O.,PHYSICA 40,27-29(1968),CL(NI IV).

GOLDSMITH,S., J.OPI.SOC.AM.59,1678-79(1969),CL(CO IX-XII).

GOLDSMITH,S. AND B.S.FRAENKEL,ASTROPHYS.J. 161,317-20(1970),

CL(NI X-XI,CU XI-XIII,ZN XXII-XIII).

GOLDSMITH,S., U.FELDMAN,A.CROOKER AND L.COHEÑ,J.OPT.SOC.AM.62,260-64(1972).

GOLDSMITH,S., J.PHYS.B.2,1075-79(1969).

GRINEVA, YU.I.,V.I.KAREV,V.V.KORNEEV,V.V.KRUTOV,S.L.MANDELSTAM,

L.A.VAINSTEIN,B.N.VASILYEV,AND I.A.ZHITNIK,SOLAR PHYSICS 29,441-46(1973).

HERZBERG,G..PROC. ROY. SOC. 248A,309-32(1958),CL(C I-II,O I,N I,AR II):

HERZBERG,G..REP.OF COMMISSION ON WAVELENGTHS AND TABLES OF SPECTRA,IN

TRANS. INT: ASTRONOM. UNION 11A,97-117(1962),(STANDARDS).

GABRIEL,A.H.,B.C.FAWCETT,AND CAJORDAN,NATURE 206,390-2(1965),CL(K-NI).

GABRIEL,A.H. AND B.C.FAWCETT,NATURE 206,808-9(1965),CL(NI X-XIII).
                           PB I)
   0298
  0299
  0300
  0304
  0305
  0306
  0310
                       GABRIEL, A.H. AND B.C.FAWCETT, NATURE 206,808-9(1965), CL(NI X-XIII).

GABRIEL, A.H. AND B.C.FAWCETT, NATURE 206,808-9(1965), CL(NI X-XIII).

GLUCK, G.G., Y. BORDARIER, J. BAUCHE, AND T.A.M. VAN KLEEF, PHYSICA 30,2068-104

(1964), CL(OS I).

HOORY, S., S. GOLDSMITH, B.S. FRAENKEL AND V. FELDMAN, ASTROPHYS. J. 160,781-84
  0311
  0312
                          (1970), CL(CO IX, NI X, CU XI).
```

```
0316 HOUSE, L.L. AND G.A. SAWYER, ASTROPHYS. J. 139, 775-6(1964), CL(NE VII-VIII).
                     HINTEREGGER, H.E., L.A. HALL, AND W.SCHWEIZER, ASTROPHYS. J. 140,319-27(1964). IGLESIAS, L., AN. REAL SOC. ESPAN. FIS. QUIM. 50A, 135-44(1954), CL(NB II). IGLESIAS, L., AN. REAL SOC. ESPAN. FIS. QUIM. 53A, 249-52(1957).
0318
                    IGLESIAS,L.,AN. REAL SUC. ESPAN. FIS. QUIM. 53A,249-52(1957). IGLESIAS,L.,J. OPT. SOC. AMER. 45,856-61(1955).CL(NN III). IGLESIAS,L.,J. OPT. SOC. AMER. 47,852-7(1957).CL(MN II). IGLESIAS,L.,AN. REAL SOC. ESPAN. FIS. QUIM. 58A,191-222(1962),CL(V III). IGLESIAS,L.,AN. REAL SOC. ESPAN. FIS. QUIM. 60A,147-52(1964),CL(MN II). IGLESIAS,L.,CANAD. J. PHYS. 44,895-915(1966),CL(RH III). IGLESIAS,L., J. RES. N.B.S. 70A,465-6(1966),CL(RH III). JOHNS, M.W.,CANAD. J. RES. 15A,193-201(1937),CL(HG III). KAMIYAMA,M.,SCI. PAPERS INST. PHYS. CHEM. RES. (TOKYO) 36,375-84(1939),
 0320
 0321
 0324
 0326
 0327
 0329
 0331
 0334
                      CL(N I).
                     KAYSER,H. AND R.RITSCHL.TABELLE DER HAUPTLINIEN DER LINIENSPEKTREN ALLER ELEMENTE (JULIUS SPRINGER, BERLIN, 1939). KEBLER,R.W.,W.W.MCCORMICK, AND R.A. SAWYER, J. OPT. SOC. AMER. 44,270(1954), CL(AL V-VII).
 0335
 0336
                    KEUSSLER,V.,Z. PHYSIK 85,1-3(1933),CL(NE III).
KIESS.C.C:,J. RES. NAT. BUR. STAND. 21,185-205(1938),CL(SI I).
KIESS.C.C.,J. RES. NAT. BUR. STAND. 56,167-77(1956),CL(ZR III,ZR IV).
KIESS.C.C.,J. RES. NAT. BUR. STAND. 60,375-422(1958),CL(MO II).
KIESS.C.C.,UNPUBLISHED DATA(1958),(I I).
KIESS.C.C., AND H.K.KIESS,J. RES. NAT. BUR. STAND. 5,1205-41(1930),
 0338
 0339
 0342
 0343
 0344
 0346
                      CL(ZR II).
 0347
                      KIESS.C.C. AND R.J.LANG.J. RES. NAT. BUR. STAND. 5,305-24(1930),CL(ZR III,
                     KLINKENBERG, P.F.A., PHYSICA 16,618-50(1950), CL(TH III).
KLINKENBERG, P.F.A. AND R.J.LANG, PHYSICA 15,774-88(1949), CL(TH IV).
KLINKENBERG, P.F.A., W.F.MEGGERS, R.VELASCO, AND M.A.CATALAN, J. RES. NAT.
BUR. STAND. 59,319-48(1957), CL(RE I).
 0348
 0350
                     KRISHNAMURTY,S.G.,INDIAN J. PHYS. 10,83-90(1936),CL(SB II).
KRISHNAMURTY,S.G.,INDIAN J. PHYS. 10,365-73(1936),CL(TE I).
KRISHNAMURTY,S.G.,PROC. ROY. SOC. (LONDON) 151,178-187(1936),CL(TE III).
KRISHNAMURTY,S.G. AND K.R.RAO,PROC. ROY. SOC. (LONDON) 149A,56-70(1935),
 0351
0352
 0354
                      CL(SE II).
                     KRUSER,P.G.,PHYS. REV. 36,855-9(1930),CL(HE I,HE II).
KRUGER,P.G. AND F.S.CODPER,PHYS. REV. 44,826-30(1933).
KRUGER,P.G. AND H.T.GILROY,PHYS. REV. 48,720-1(1935),CL(MN III-CU VII).
0356
                     KRUGER, P.G. AND H.S. PATTIN, PHYS. REV. 52,621-5(1937), CL(SC VI,SC VII, TI VIII, V IX).
 0358
0359 KRUGER,P.G. AND L.W.PHILLIPS,PHYS. REV. 51,1087-9(1937),CL(K III-SC V).
0360 KRUGER,P.G. AND L.W.PHILLIPS,PHYS. REV. 52,97-9(1937),CL(SC VIII.SC IX).
0361 KRUGER,P.G. AND L.W.PHILLIPS,PHYS. REV. 52,97-9(1937),CL(K IX-SC XI).
0362 KRUGER,P.G. AND W.E.SHOUPP,PHYS. REV. 44,105-81(1933),CL(G III-V.C III).
0363 KRUGER,P.G. AND W.E.SHOUPP,PHYS. REV. 46,124-9(1934),CL(GE V,AS VI,SE VII,
                       BR VIII, SB VI, TE VII, I VIII);
                     KRUGER, P.G. AND S.G.WEISSBERG, PHYS. REV. 48,659-63(1935), CL(TI V-MN VIII). KRUGER, P.G. AND S.G.WEISSBERG, PHYS. REV. 52,314-17(1937), CL(CR VI-
 0364
 0365
                    FE VIII).

KRUGER,P.G.,S.G.WEISSBERG,AND L.W.PHILLIPS,PHYS. REV. 51,1090-1(1937),
CL(SC IV,TI V,MN VIII,FE IX).

KAPORSKI,L.N.,F.Z.PEDOS,N.S.SVENTITSKII,AND Z.I.SHLEPKOVA,BULL. ACAD. SCI.
U.S.S.R.,PHYS. SER: 26,975-7(UULY,1962).

KAUFMAN,V. AND K.L.ANDREW,J. OPT. SOC. AMER. 52,1223-37(1962),CL(GE I).

KIESS, C.C. AND C.H.CORLISS,J. RES. NAT. BUR. STAND. 63A,1-18(1959),
CL(I I).
 0366
 0367
 0368
 0369
                      KAUFMAN, V. AND J.F. WARD, J.OPT.SOC.AM. 56,1591-97(1966),CL(CU.GE,SI II). KONONOV, E.Y., OPTICS AND SPECTROSCOPY 20,283-4(1966),CL(S IX-X).
 0371
 0373
                      KELLY, R.L. AND R.G. BOOTH, J. OPT. SOC. AM. 56,1639(1966).
                     KELLY.R.L. AND L.C.GAPENSKI, UNPUBLISHED (1970).
KAUFMAN,V. AND J.F.WARD, APPL. OPTICS 6,43-6(1967).CL(N I).
KONDNOV.E.YA..OPTICS AND SPECTRO.23,90-1(1967).CL(GA V.GE VI).
 0374
 0376
 0377
                     KONANOV, E.Y. AND K.N. KOSHELEV, OPTICS AND SPECTROS.29, 115-16(1970), CL(AL VII-VIII).
0380
                     KCNONOV, E.Y., K.N.KOSHELEV AND A.N.RYABTSEV, OPTICS AND SPECTROSCOPY 30, 534-36(1971), CL(AL IX-XI).

KAUFMAN, V. AND L.MINNHAGEN, J.OPT. SOC. AM. 62, 92-95(1972), CL(NE I).
0381
0.382
                     KERNAHAN,.A.,A.DENIS AND R.ORDUIN, PHYSICA SCRIPTA 4,49-51(1971).
KASYANOV,Y.S.,E.Y.KONONOV,V.V.KOROBKIN,K.N.KOSHELEV,A.N.RYABTSEV,
R.V.SEROV, AND E.V.SKOKAN,OPTICS AND SPECTRO. 36,4-6(1974).
KONONOV,E.YA.,K.N.KOSCHELEV,AND L.I.PODOBEDOVA, OPT.AND SPECTROSC.37,1-3(74)
KONONOV,E.YA.,K.N.KOSCHELEV,L.I.PODOBEDOVA, AND S.S.CHURILOV,
DPILES AND SPECTROSC. 30,459-80(1975).
0383
0384
0386
                  KONONOV, E.YA., K.N. KOSHELEV, AND L.I. PODOBEDOVA, OPT. AND SPECTROSC. 37, 1-3(74) KONONOV.E.YA., K.N. KOSCHELEV, L.I. PODOBEDOVA, AND S.S. CHURILOV. OPTICS AND SPECTROSC. 39, 458-60(1975).

KOVALEV, V.I., A.A. RAMONAS, AND A. N. RJABTSEV, PREPRINT (1975).

KASTNER, S.D., WM. NEUPERT, AND M. SWARTZ, ASTROPHYS. J. 191, 261-70(1974).

KNYSTAUTAS, E.J. AND R. DROUIN, J. PHYS. B. B. 2001-6(1975).

KONONOV, E. YA., K.N. KOSHELEV, L.I. PODOBEDOVA, S.V. CHEKALIN, AND S.S. CHURILOV, J. PHYS. B. 9,565-72(1976).

KONONOV, E. YA., K.N. KOSHELEV, L.I. PODOBEDOVA, AND S.S. CHURILOV, OFTICS AND SPECTROS. 40,121-23(1976).

KASTNER, S.O., W.E. BEHRING, AND L. COHEN, ASJROPHYS. J. 199,777-B0(1975).

KONONOV, E. YA., V.T. KOVALEV, A.N. RYABTSEV, AND S.S. CHURILOV, SOVIET J. QUANTUM ELECTR. 4,190- (1977).

KOVALEV, V.I., A.A. RAMONAS, AND A. N. RYABTSEV, PREPRINT TBP (1976)

KNYSTAUTAS, E.J. AND R. DROUIN, NUCL. INSTRUM. METH. 110,95-97(1973).

LACROUTE, P., ANN. ASTROPHYS. 2,318-26(1939), CL(I II).

LACROUTE, P., ANN. ASTROPHYS. (2,318-26(1939), CL(I II).

LACROUTE, P., ANN. PHYS. REV. 31,773-5(1928), CL(CU II,NI II).

LANG, R.J., PHYS. REV. 33,547-8(1929), CL(KI II).

LANG, R.J., PHYS. REV. 35,445-51(1930), CL(SN II,SB III).

LANG, R.J., PROC. NAT. ACAD. SCI. U.S.A. 13,341-6(1927), CL(IN III-TE VI).

LANG, R.J., PROC. NAT. ACAD. SCI. U.S.A. 14,32-6(1928), CL(ZN II,CD II,

LANG, R.J., PROC. NAT. ACAD. SCI. U.S.A. 13,414-8(1929), CL(ZN II,CD II,

LANG, R.J., PROC. NAT. ACAD. SCI. U.S.A. 15,414-8(1929), CL(ZN II,CD II,

LANG, R.J., PROC. NAT. ACAD. SCI. U.S.A. 15,414-8(1929), CL(ZN II,CD II,
0390
0391
 0393
0394
0395
0398
0399
 0400
0401
0403
0405
0407
0409
0410
```

```
LANG.R.J., TRANS. ROY. SOC. (LONDON) 224A, 371-419 (1924).
LANG.R.J..IN VERHANDELINGEN, PETER ZEEMAN, PUB. BY MARTINUS NYHOFF, MAY, 1935,
   0411
  0412
                   CL(NB IV).
                  CL(NS 1V).

LANG.R.J. AND R.A.SAWYER, Z. PHYSIK 71, 453-9(1931), CL(IN II).

LANG.R.J. AND E.H.VESTINE, PHYS. REV. 42,233-41(1932), CL(SB II).

LAPORTE, O., NATURE 121,1021(1928), CL(CL I).

LAPORTE, O. AND R.J.LANG, PHYS. REV. 30,378-86(1927), CL(ZN III).

LAPORTE, O., G.R. MILLER, AND R.A. SAWYER, PHYS. REV. 38,843-53(1931),
  0413
  0414
  0415
   0416
                    CL(RB II).
  0418
                  LAPORTE, O., G.R. MILLER, AND R.A. SAWYER, PHYS. REV. 39,458-66(1932).
                    L(CS 11).
                  LAUN.D.D.,J. RES. NAT. BUR. STAND. 21,207-24(1938),CL(W II).
LIVINCOOD,J.J.,PHYS. REV. 34,185-98(1929),CL(PT I).
LYMAN.T.,ASTROPHYS. J. 60,1-14(1924),CL(HE I,HE II).
LYMAN.T. AND F.A.SAUNDERS,PROC. NAT. ACAD. SCI. U.S.A. 12,92-6(1926),
CL(NF I).
  0419
  0422
  0423
                   CL(NE I).
                  LAUN, D.D., J. RES. NAT. BUR. STAND. 68A,207-52(1964), CL(W II). LUNDSTROM, T., PHYSICA SCRIPTA 7,62-64(1973). LUNDSTROM, T. AND L.MINNHAGEN, PHYSICA SCRIPTA 5,243-48(1972). LIE, T. N. AND R.C.ELION, PHYS.REV.A 3,865-71(1971). LIVINGSTON.A.E., J. PHYS.B. 9, L215-L217(1976).
  0424
  0426
  0427
  0429
                 LIVINGSTON,A.E.,J.PHYS.B,9,L215-L217(1976).
FAWCETT,B.C. AND H.F.HENRICHS,ASTRON.ASTROPHYS.SUPPL. 18,157-67(1974).
HENRICHS,H.F. AND B.C.FAWCETT,ASTRON.ASTROPHYS.SUPPL. 23,139-46(1976).
NICOLOSI,P. AND G.TONDELLO,J.OPT.SOC.AM. 67,1033-39(1977).
MCCORMICK,W.W. AND R.A.SAWYER,PHYS. REV. 54,71-5(1938),CL(SN II).
MCLAY.A.B. ANL M.F.CRAWFORD,PHYS. REV. 44,986-96(1933),CL(BI IV).
MCLENNAN,J.C. AND A.B.MCLAY,PROC. RDY. SOC. (LONDON) 134A,35-41(1931),
  0432
  0433
  0448
 0450
                  CL(AU I).
 0451
                  MCLENNAN, J.C., A.B. MCLAY, AND M.F. CRAWFORD, PROC. ROY. SOC. (LONDON) 125A.
                50-3(1929),CL(TL III).
MCLENNAN,J.C.,A.B.MCLAY,AND M.F.CRAWFORD,PROC. ROY. SOC. (LONDON) 134A,
41-7(1931),CL(HG II).
41-7(1931),CL(HG II).

0453 MCLENNAN,J.C.,A.B.KCLAY,AND M.F.CRAWFORD,TRANS. ROY. SOC. CANADA 22 (3).

SEC. III,247-51(1929),CL(HG III).

0454 MCLENNAN,J.C. AND W.W.SHAVER,TRANS. ROY. SOC. CANADA 18 (3),SEC. III,1-22 (1924),CL(SI IV).

0455 MCLENNAN,J.C. AND J.F.T.YOUNG,PHIL. MAG. 36,450-61(1918).

0456 MCLENNAN,J.C.,J.F.T.YOUNG,AND H.J.C.IRETON,PROC. ROY. SOC. (LONDON) 98A, 95-108(1920).

0458 MC CAVERT P. AND M.R. H.RIDGE. J. DHYS R. 5,822-27(1972).
                 MC CAVERT.P. AND M.R.H.RUDGE, J.PHYS.B 5,832-37(1972).
MACK.J.E.,PHYS. REV. 38,193-4(1931),CL(RB IX).
MACK.J.E. AND M.FRCMER,PHYS. REV. 48,357-66(1935),CL(AU II-BI VI).
 0458
 0466
                 MACK.J.E., O. LAPORTE, AND R.J. LANG, PHYS. REV. 31,748-72(1928), CL(GA IV,
 0467
                 MARTIN, W.C., UNIV. MICROFILMS (ANN ARBOR, MICH.) PUBL. NO. 20133,126 PP.,
 0469
                 MAZUMBER,K.C., INDIAN J. PHYS. 10,171-87(1936),CL(P II).
MAZUMBER,K.C., INDIAN J. PHYS. 10,171-87(1936),CL(X III).
MAZUMBER,K.C., INDIAN J. PHYS. 17,229-38(1943),CL(CD III).
MAZUMBER,K.C., TRANS. BOSE RES. INST. CALCUTTA 10,181-207(1934-5),CL(ZN II.
 0470
                 MEGGERS, W.F., J. RES. NAT. BUR. STAND. 24,153-73(1940), CL(SN 1).
MEGGERS, W.F. AND T.L.DEBRUIN, J. RES. NAT. BUR. STAND. 3,765-81(1929),
CL(AS I).

0475 MEGGERS,W.F.,T.L.DEBRUIN,AND C.J.HUMPHREYS,J. RES. NAT. BUR. STAND. 3, 129-62(1929),CL(KR I).

0476 MEGGERS,W.F.,T.L.DEBRUIN,AND C.J.HUMPHREYS,J. RES. NAT. BUR. STAND. 3, 731-63(1929),CL(XE I).

0477 MEGGERS,W.F. AND C.J.HUMPHREYS,J. RES. NAT. BUR. STAND. 28,463-78(1942),
                  CL(SB I).
               MEGGERS, W.F. AND B.F.SCRIBNER, J. RES. NAT. BUR. STAND. 13,625-57(1934), CL(HF II).

MENDLOWITZ, H. ASTROPHYS. J. 158,385-88(1969), CL(II III).

MENZIES, A.C., PROC. ROY. SOC. (LONDON) 122A,134-43(1929), CL(NI II).

MENZIES, A.C., PROC. ROY. SOC. (LONDON) 122A,134-43(1929), CL(NI II).

MELLIKAN, R.A. AND I.S. BOWEN, PHYS. REV. 23,1-34(1924), CL(MG II, AL II,

AL III, SI IV, P V).

MILLIKAN, R.A. AND I.S. BOWEN, PHYS. REV. 25,600-5(1925), CL(P III, SIV, CL V).

MOLNAR, J.P. AND W. J. HITCHCOCK, J. OPI. SOC. AMER. 30,523-35(1940), CL(RH I).

MOORE, C.E., U.S. NAT. BUR. STAND., CIRC. 467. ATOMIC ENERGY LEVELS. VOL. I,

309 PP(1949), VOL. II, 227 PP(1952), VOL. III, 245 PP(1958).

MORE, K.R. AND C.A. RIEKE, PHYS. REV. 50,1054-6(1936).

MORELLL. THESIS, CORNELL(1928), CL(FE III, CO IV, NI V, NI III, CU IV, ZN V,
                 MEGGERS, W.F. AND B.F.SCRIBNER, J. RES. NAT. BUR. STAND. 13,625-57(1934),
0482
0483
0486
0487
0491
0492
                 MORELL, L., THESIS, CORNELL (1928), CL(FE III, CO IV, NI V, NI III, CU IV, ZN V,
                MURAKAWA,K.,PROC. PHYS. MATH. SOC. JAPAN 17,14-33(1935).
MURAKAWA,K.,Z. PHYSIK 109,162-74(1938),CL(CL II,I 1'II).
MURAKAWA,K. AND S.SUMA,REPORTS INST. SCI. TECH. TOKYO UNIV. 1,121-4(1947),
0493
0494
0495
                 CLISS III).
                MARTIN, W.C. AND C.H.CORLISS, J. RES. NAT. BUR. STAND. 644,443-79(1960),
CL(1 II).
0499 MEGGERS, W.F., M.A.CATALAN, AND M.SALES, J. RES. NAT. BUR. STAND. 61,441-61
              MEGGERS,W.F.,M.A.CATALAN,AND M.SALES,J. RES. NAT. BUR. STAND. 61,441-61 (1958),CL(RE II).

MEISSNER,K.W.,R.D.VANYELD,AND P.G.WILKINSON,J. OPT. SOC. AMER. 48,1001-6 (1958),CL(GE I,GE II).

MINNHAGEN,L.,ARK. FYS. 14,483-95(1958),CL(AR II).

MINNHAGEN,L.,ARK. FYS. 18,97-132(1960),CL(AR II).

MINNHAGEN,L.,ARK. FYS. 21,415-78(1962),CL(I I).

MODRE,C.E.,N.S.R.D.S.-N.B.S. 3,SEC. 1(1965),CL(SI II-IV).

MADDEN,R.P. AND K.CODLING,J. OPT. SOC. AMER. 54,268-9(1964),(ABSORPTION, KR I.XE I).
0501
0503
0505
               MR I.XE I).
MOORE.C.E., N.S.R.D.S.-N.B.S.3,SEC.2(1967),CL(SI I).
MICHELS,D.J.,J.OPT.SOC.AM. 64,1164-74(1974).
MICHELS,D.J.,PH.D. THESIS,UNIV.OF WISCONSIN (1970).
C507
```

```
MICHELS,D.J., S.G.TILFORD AND J.W.QUINN,J.OPT.SOC.AM. 61,625-31 (1971), MODER, C.E., NSRDS-NBS 3, SECTION 4(1971), CL(N IV-VII).
0508
0511
                          MOGRE, C.E., NSRDS-NBS 3, SECTION 4(1971), CL(N IV-VII).

MANSFIELD, M.W.D. AND J.P.CONNERADE, ASTROPHYS.J. 171,391-92(1972).

MANSON, J.E., ASTROPHYS.J. 147,703-10(1967).

MANSON, J.E., APPL.OPTICS 12,1394-96(1973).

MALINOVSKY, M. AND L.HEROUX, ASTROPHYS.J. 181,1009-30(1973).

MEHLMAN, G. AND J.M.ESTEVA, ASTROPHYS.J. 188,191-95(1974).

MEWER, R., SPACE SCI.REV. 13,666-67(1972).

MOGRE, C.E., NSROS-NGS 3, SECTION 6
0513
0514
0515
0518
0519
0520
0522
                           MODRE, C.E., NSROS-NSS 3, SECTION 6

NARAYAN, A.L. AND K.R.RAO, Z. PHYSIK 45, 350-63(1927), CL(SN II).

NAUDE, S.M., ANN. PHYS. (PARIS) (5) 3, 1-26(1929), CL(HG II).

NEUPERT, W.M., ANN. ASTROPHYS. 28, NO. 2, 446-58(1965), (SOLAR).

NEUPERT, W.M., W.GATES, M.SWARTZ AND R. YOUNG, ASTROPHYS. J. 149, L79-L83(1967).
 0526
0527
0528
0529
                           OLTHOFF, J. AND R.A. SAWYER, PHYS. REV. 42,766(1932), CL(CS II).
PIHL.J..R.SJODIN, R.HALLIN, J.LINDSKOG, A. MARELIUS, AND K. SHARMA,
REPORT TLU 45/76, TANDEM ACCEL. LAB., UNIV. OF UPPSALA (1976).
PARKER, W.L. AND L.W. PHILLIPS, PHYS. REV. 57,140-1(1940), CL(CL VI, K VIII,
CA IX.SC X).
0530
0533
0535
                          CA IX.SC X).
PEREVERTUN,V.M. AND S.M.MUKHTAROV,OPTICS AND SPECTR.26,50-1(1969)CL(C IV).
PALENIUS,H.P.,ARK.FYS.39.425-27(1969),CL(F I).
PASCHEN,F. AND P.G.KRUGER,ANN. PHYS. (LEIPZIG) 7,1-8(1930),CL(C I).
PASCHEN,F. ANC P.G.KRUGER,ANN. PHYS. (LEIPZIG) 8,1005-16(1931),CL(BE I).
PAITAEHIRAMIAH,P. AND A.S.RAO,INDIAN J. PHYS. 3,437-44(1928),CL(AS III).
PAITAEHIRAMAYYA,P. AND A.S.RAO,INDIAN J. PHYS. 5,407-16(1930),CL(TL III).
PAUL,F.W. AND H.D.POLSTER, PHYS. REV. 59,424-30(1941),CL(NE IV-VI).
PAUL,F.W. AND W.A.RENSE,PHYS. REV. 56,1110-13(1939),CL(Y V,ZR VI).
PHILLTPS,L.W.,PHYS. REV. 53,248-9(1938),CL(CL VII).
PHILLTPS,L.W.,PHYS. REV. 55,708-9(1939),CL(K VII,CA VIII,CA VIII,SC VIII,
0536
0539
 0540
 0541
0543
0544
 0545
 0546
                            PHILLIPS,L.W. AND P.G.KRUGER,PHYS. REV. 54,839-41(1938).CL(NI VII).
PHILLIPS,L.W. AND W.L.PARKER,PHYS. REV. 60,301-7(1941).CL(AR V-IX,
0548
                           CL V-VI).

PLATI.J.R. AND R.A.SAWYER, PHYS. REV. 60,866-76(1941), CL(AU 1,AU II).

PECKER, C., C.R. ACAD. SCI. (PARIS) 250,3779-81(1960), CL(FE X).

POTTASCH, S.R., ASTROPHYS. J. 137,945-66(1963).

PLATO, M.Z. NATURFORSCH 19A,1324-7(1964).
 0551
 0552
 0553
                           PLATO.M.,Z. NATURFORSCH 19A,1324-7(1964).
PETERSSON,B.,ARK. FYS. 27,317-9(1964),CL(NE I,AR I,KR I,XE I).
PEACOCK,N.J.,PROC. PHYS. SOC. 84,803-5(1964),CL(O VI,O VII).
PALENIUS,H.P.,ARK.FYS.34,571-2(1967),CL(O IV).
POPPE,R.,PHYSICA 40,17-26(1968),CL(NI IV).
PERSSON, W., J.OPT.SOC.AM. 59,285-87(1969),CL(NE II).
PEACOCK,N.J.,R.J.SPEER AND M.G.HOBBY, J.PHYS.B,2,798-810(1969),CL(NE VIII-IX,AR XIV-XVIII).
 0554
0555
 0557
 0558
0559
                          IA.A AIVAVIII).
PINNINGTON,E.H., B.CURNUTTE AND M.DUFAY, J.OPT.SOC.AM. 61,978-B0(1971),
CL(AR II-VI).
PODOBEDQVA,L.I.,E.Y.KONONOV AND K.N.KOSHELEV, OPTICS AND SPECTROSCOPY 30,
217-20(1971), CL(S X-XIII).
PALÉNIUS,H.P., UNIV. OF LUND(SWEDEN) REPORT (MAY 1971).
PURCEIL,J.D. AND K.G.WIDING, ASTROPNYS.J. '176, 239-47(1972).
POULIZAC,M.C. AND J.P.BUCHET, PHYSICA SCRIPTA 4,191-94(1971).
RAM,M., INDIAN J. PHYS. 8,151-61(1933), CL(K III,K IV,K VI).
RAM,M., INDIAN J. PHYS. 8,163-70(1933), CL(K III,K IV,K VI).
RAM,M., INDIAN J. PHYS. 8,163-70(1933), CL(CA IV,CA V).
RAMANADHAM,R. AND K.R.RAO, INDIAN J. PHYS. 18,317-22(1944), CL(BR II).
RASMUSSEN,E.,Z. PHYSIK 86,24-32(1933), CL(RA II).
RAO,A.S., INDIAN J. PHYS. 7,561-B4(1932), CL(AS II).
RAO,A.S., PROC. PHYS. SOC. (LONDON) 44,343-B(1932), CL(AS II).
RAO,A.S., PROC. PHYS. SOC. (LONDON) 44,943-B(1932), CL(AS II).
RAO,A.S. AND A.L.NARAYAN,Z. PHYSIK 59,687-9(1930), CL(PB III).
RAO,A.S. AND K.R.RAO, PROC. PHYS. SOC. (LONDON) 46,163-8(1934),
CL(BR V-VII).
RAO,B.V.R., PROC. INDIAN ACAD. SCI. 1A,28-33(1934), CL(AG III).
                             PINNINGTON, E.H., B. CURNUTTE AND M. DUFAY, J. OPT. SOC. AM. 61,978-80(1971),
0561
0562
0565
0566
 0567
 0568
 0569
 0570
0571
 0573
 0577
                          CL(BR V-VII).

RAO,B.V.R.,PROC. INDIAN ACAD. SCI. 1A,28-33(1934),CL(AG III).

RAO,K.R.,PROC. PHYS. SOC. (LONDON) 39,161-8(1927),CL(IN II,GA II).

RAO,K.R.,PROC. PHYS. SOC. (LONDON) 43,68-71(1931),CL(AS III).

RAO,K.R.,PROC. ROY. SOC. (LONDON) 124A,465-77(1929),CL(GE I).

RAO,K.R.,PROC. ROY. SOC. (LONDON) 125A,238-46(1929),CL(GE I).

RAO,K.R.,PROC. ROY. SOC. (LONDON) 133A,220-8(1931),CL(TE IV,TE VI).

RAO,K.R.,AND J.S.BADAMI,PROC. ROY. SOC. (LONDON) 131A,154-69(1931),

CL(SE IV,SE V).

RAO,K.R.,AND A.L.NARAYAN,PROC. ROY. SOC. (LONDON) 119A,607-27(1928),

CL(GE II-IV).

RAO,K.R.,A.L.NARAYAN,AND A.S.RAO,INDIAN J. PHYS. 2,477-83(1928),

CL(IN III).
 0578
 0579
 0580
  0581
 0582
 0585
0590
                           CL(IN III).
RICO.F.R., AN. REAL SOC. ESPAN. FIS. QUIM. 53A,185-200(1957).
RIDGELEY, A. AND W.M.BURION, SOLAR PHYSICS 27,280-85 (1972).
ROBINSON, H.A., PHYS. REV. 50,99(1936), CL(BE III-IV).
ROBINSON, H.A., PHYS. REV. 51,14-18(1937), CL(LI II,BE III,B IV,C V).
RUEDY, J.E., PHYS. REV. 44,757-60(1933), CL(S I).
RUSSELL, H.N. AND R.J. L4A, GASTROPHYS. J. 66,13-42(1927), CL(TI III,TI IV).
READER, J., K. W. MEISSNER, AND K.L. ANDREW, J. OPT. SOC. AMER. 50,221(1960),
CL(CU II).
RICO.F.R. AN: PFAI SOC. ESPAN. FIS. DUIM. C. ANDREW. J. C. ANDREW. J. C. ANDREW. J. C. ANDREW. SOC. AMER. 50,221(1960).
                               CL(IN III).
0591
 0595
0596
 0599
 0604
                             RICO, F.R., AN. REAL SOC. ESPAN. FIS. QUIM. 61A,103-18(1965), CL(MO III).
RADZIEMSKI, L.J., K. L. ANDREW, V. KAUFMAN, AND U.LITZEN, J. OPT. SOC. AM. 57,
336-40(1967), CL(SI I).
 0610
                         33G-40(1967),CL(SI I).
RADZIEMSKI,L.J. AND V.KAUFMAN, J.OPT.SDC.AM. 59,424-43(1969),CL(CL I).
RYABISEV,A.N., OPTICS AND SPECTROSC. 39,239-41(1975).
RYABISEV,A.N., OPTICS AND SPECTROSC. 39,455-57(1975).
READER,J. AND J.SUGAR,J.PHYS.CHEM.REF.DATA 4,353-440(1975).
RYABISEV,A.N., PREPRINT (1975).
SAUNDERS,F.A.,PROC. NAT. ACAD. SCI. U.S.A. 12,556-60(1926).
SAUNDERS,F.A.,PROC. NAT. ACAD. SCI. U.S.A. 13,596-600(1927).
SAUNDERS,F.A., AND H.N.RUSSELL,ASTROPHYS. J. 62,1-7(1925),CL(CA II).
SAUNDERS,F.A.,E.G.SCHNEIDER,AND E.BUCKINGHAM,PROC. NAT. ACAD. SCI. U.S.A.
20,291-6(1934),CL(BA II,SR II).
 0611
 0614
 0616
 0617
 0646
 0647
 0649
```

```
SAWYER, R.A., J. OPT. SOC. AMER. 13,431-42(1926).
SAWYER, R.A. AND C.J. HUMPHREYS, PHYS. REV. 32,583-92(1928), CL(AS IV, AS V,
0651
                       SE V. SE VI).
                     SAWYER,R.A. AND F.PASCHEN,ANN. PHYS. (LEIPZIG) 84.1-19(1927),CL(AL II). SCHAULS,SISTER M.R. AND R.A.SAWYER,PHYS. REV. 58,781-83(1940),CL(MO I-II). SCHOEPFLE,G.K.,PHYS. REV. 43,742-4(1933),CL(SB VI.TE VII).
0654
0655
                    SCHOEPFLE,G.K., PHYS. REV. 43,742-4(1933),CL(SB VI,TE VII)
SCHOEPFLE,G.K., PHYS. REV. 47,232-4(1935),CL(PB IV,BI V).
SCHOEPFLE,G.K., PHYS. REV. 50,538-42(1936),CL(PB V,BI V).
SELWYN,E.W.H., PROC. PHYS. SOC. (LONDON) 41,392-403(1929).
SHAVER,W.W., TRANS. ROY. SOC. CANADA 18,III,23-34(1924).
SHAVER,W.W., TRANS. ROY. SOC. CANADA 18,III,145-50(1924).
SHENSTONE,A.G., DHYS. REV. 30,255-65(1927),CL(NI II).
SHENSTONE,A.G., PHYS. REV. 31,30-8(1928),CL(PD II).
SHENSTONE,A.G., PHYS. REV. 31,317-22(1928),CL(PD I).
SHENSTONE,A.G., PHYS. REV. 36,669-78(1930),CL(PD I).
SHENSTONE,A.G., PHYS. REV. 57,894-8(1940),CL(AG I).
SHENSTONE,A.G., PHYS. REV. 57,894-8(1940),CL(AG I).
SHENSTONE,A.G., PHYS. REV. 57,894-8(1940),CL(AG I).
0656
0657
0658
0659
0660
 0662
0663
0664
0665
0666
0667
                     SHENSTONE, A.G., PHYS. REV. 72,411-4(1947),CL(C I).
SHENSTONE, A.G., PROC. ROY. SOC. (LONDON) 219A,419-25(1953).CL(PD I).
SHENSTONE, A.G., TRANS. ROY. SOC. (LONDON) 237A,453-70(1938),CL(PT II).
SHENSTONE, A.G., J. RES. NAT. BUR. STAND. 67A,87-112(1963),CL(PT III).
SHENSTONE, A.G., AND W.F.MEGGERS, J. RES. NAT. BUR. STAND. 61,373-411(1958),
0668
0669
 0671
0674
0675
                       CL(RU II).
                      SHENSTONE.A.G.. UNPUBLISHED DATA(1958)
                      SHENSTONE, A.G., UNPUBLISHED DATA (1958):
0682
                     SHENSTONE, A.G., UNPUBLISHED DATA (1958).
SHENSTONE, A.G. AND J.T.PITTENGER, J. OPT. SOC. AMER. 39,219-25(1949).
0683
                       CL(CD II,CD III).
                     SHENSTONE, A.G. AND L.WILETS, PHYS. REV. 83, 104-8(1951), CL(CU III). SMITH.S., NATURE 127,855(1931):
0684
0685
                     SMITH.S., NATURE 12/,855(1931).
SMITH.S., PHYS. REV. 34,393-9(1929),CL(PB III,TL II).
SMITH.S., PHYS. REV. 36,1-4(1930),CL(PB III,PB IV).
SMITH.S., PROC. NAT. ACAD. SCI. U.S.A. 13,65-7(1927),CL(SC III).
SMITH.S., PROC. NAT. ACAD. SCI. U.S.A. 14,878-9(1928),CL(PB III).
SMITH.S. AND R.J.LANG,PHYS. REV. 28,36-45(1926).
SODERROVIST,J.,ARK. MAT. ASTRON. FYSIK 30A,NO. 11,1-20(1944),CL(NA VII-IX,
 0686
0687
0689
0690
0691
                       MG VIII-X)
0692
                      SODEROVIST, J., ARK. MAT. ASTRON. FYSIK 32A, NO. 19,1-33(1946), CL(NA V-VI.
                    SODEROVIST, J., ARK. MAT. ASTRON. FYSIK 32A,NO. 19,1-33(1946),CL(NA V-VIM OV-VII).

SOMMER, L.A., Z. PHYSIK 39,711-50(1926),CL(CU II).

SPONER, H., PROC. NAT. ACAD. SCI. U.S.A. 13,100-4(1927).

SUBBARAYA, T.S., PROC. INDIAN ACAD. SCI. 1A,39-43(1934),CL(HG IV).

SUBBARAYA, T.S., PROC. INDIAN ACAD. SCI. 2A,113-18(1935),CL(ZN IV).

SUBBARAYA, T.S., PROC. INDIAN ACAD. SCI. 2A,113-18(1935),CL(ZN IV).

SUBBARAYA, T.S., PHYSIK 78,541-54(1932),CL(HG II).

SYMONS, A.S.M. AND J.DALEY, PROC. PHYS. SOC. (LONDON) 41,431-41(1929),

CL(AU I).
0694
0696
0697
 0698
0699
                     SANCHO, F.J., AN. REAL SOC. ESPAN. FIS. QUIM. 54A,41-64(1958),CL(RH II). SUGAR,J.,J. OPT. SOC. AMER. 55,33-58(1965),CL(CE III). SUGAR,J.,J. OPT. SOC. AMER. 55,1058-61(1965),CL(PR IV). SUGA.T.,SCI. PAPERS,INST. OF PHYS. AND CHEM. RSCH.,TOKYO 34,7-31(1937),CL(H.HE I-II,NE I).
0700
0701
 0702
0703
                   CL(H.HE I-II,NE I).

SCHUBERT,K.E. AND R.D.HUDSON,AEROSPACE CORP. REPORT NO. ATN-64(9233)-2, (1963), (MOLECULAR HYDROGEN).

SUGAR,J. AND V.KAUFMAN,J. OPT. SOC. AMER. 55,1283-5(1965),CL(LA III).

STOCKHAUSEN,R.,ASTROPHYS. J. 141,277-81(1965),CL(FE XIV).

SCHONNIEIT,E.,OPTIK 23,409-35(1966),CL(AR IV-VIII,NE V-VI,KR V-VIII,XE V).

SAWYER,G.A., F.C.JAHODA. F.L.RIBE AND T.F.STRATION,J.QUANT.SPECTRO.RADIAT.

TRANSFER 2,467-75(1962),CL(O VIII,F VIII-IX,NE IX-X,NA X,MG XI).

SULMONT,M.C. AND P.FELENBOX,ANN. ASTROPHYS.30,315-40(1967),CL(MG III-IV).

SVENSSON,L.A. AND J.O.EKBERG, ARK.FYS.37,65-84(1968),CL(T.V-VII).

SOROKA,V.A..I.M.KUSTANOVICH AND L.S.POLAK, OPTICS AND SPECTR. 27,276,474,544(1969), CL(AR II).

SVENSSON,L.A. AND J.O.EKBERG,ARK.FYS.40,145-64(1969).

SVENSSON,L.A. AND J.O.EKBERG,ARK.FYS.40,145-64(1969).

SVENSSON,L.A. PHYSICA SCRIPTA,1,2461(1970),CL(BE III,B IV,C V,O VII).

SWARIZ,M.;S.KASTNER,E.ROTHE AND W.NEUPERT,J.PHYS.B 4,1747-68(1971).
0704
0706
0707
0709
0712
0714
                     SWARTZ,M.;S.KASTNER,E.ROTHE AND W.NEUPERT,J.PHYS.B 4,1747-68(1971).
SVENSSON,L.A.,SOLAR PHYSICS 18,232-43(1971),CL(SOLAR).
SVENSSON,L.A.,PHYSICA SCRIPTA 4,111-12(1971),CL(TI VI-VII).
SITTERLEY.C.M.,OPTICA,PURA Y APPL. 5,147-58(1972).
SAWYER,G.A.,A.J.BEARDEN,I.HENINS,F.C.JAHODA,AND F.L.RIBE,PHYS.REV. 131,
0716
0717
0719
0722
                       1891-97(1963)
0725 SUDDIN R. J. PIHL, R. HALLIN, J. LINDSKOG, R. MARELIUS, AND K. SHARMA, REPORT UUIP-926, INST. OF PHYS., UNIV. OF UPPSALA (1976).
0728 SCOFIELD, J. H., REPORT UCID-16848, LAWRENCE LIVERMORE LAB, UNIV. OF CALIF.
0729 SWARTZ,M.,S.O.KASTNER,L.GOLDSMITH,AND W.M.NEUPERT,J.OPT.SOC.AM.66,240-44,
                           (1976).
0730 SANDLIN.G.D., G.E. BRUECKNER, V.E. SCHERRER, AND R. TOUSEY, ASTROPHYS. J.
                     SANDLIN,G.D.,G.E.BBUECKNER, V.E.SCHERRER, AND R. TOUSEY, ASTROPHYS.J. L47-L50(1976).

TAKAHASHI,Y., ANN. PHYS. (LEIPZIG) (5) 3,27-48(1929), CL(CD II, ZN II).

TAKAMINE, T. AND S.NITTA, MEM. CO. SCI. KYOTO IMP. UNIV. 2,117-35(1917).

TAYLOR, L.B., PROC. NAT. ACAD. SCI. U.S.A. 12,658-9(1926).

TOMBOULIAN, D.H., PHYS. REV. 54,347-50(1938), CL(NA III, RB III, SR IV).

TOMBOULIAN, D.H., PHYS. REV. 54,350-4(1938), CL(RB III, SR IV).

TRANICK, M.W., PHYS. REV. 46,63-5(1934), CL(CB V, MO VI).

TRANICK, M.W., PHYS. REV. 48,223-5(1935), CL(MO V).

TSIEN, W.Z., CHINESE J. PHYS. 3,117-47(1939), CL(K III-V, K VIII-IX, CA IV-VI, A IX-X).
0755
0756
0758
0759
0780
0761
0762
                     CA 1X-X].
TURNER [LV4..PHYS. REV. 27,397-406(1926).
TYREN, F., MOVA ACTA REG. SOC. SCI. UPPSALA 12,NO. 1,7-66
TYREN, F., Z. PHYSIK 98,768-74(1936),CL(8 IV-0 VII).
TYREN, F., Z. PHYSIK 111,314-17(1936),CL(6 XY-CO XVIII).
TORESSON, Y.G., ARK. FYS. 18,417-20(1960),CL($ I).
0763
 0764
                                                                                                                                                                                                    1.7-66(1940).
0765
 0766
```

```
0770 TILFORD,S.G.,J. OPT. SOC. AMER. 53,1051-4(1963),CL(N V). 0771 TILFORD,S.G. AND P.G.WILKINSON,J. OPT. SOC. AMER. 54,322-5(1964),
                                     CL(O III).
TOUSEY, R. (QUART. J. ROY. ASTRO. SOC. 5,123-44(1964), (SOLAR).
 0773
0774
                                    TILFORD, S.G. AND L.E.GIDDINGS, ASTROPHYS. J. 141,1222-5(1965), CL(NE IV). TOUSEY, R., W. E. AUSTIN, J. D. PURCELL, AND K.G. WIDING, ANN. ASTROPHYS. 28,755-73
                                  TONDELLO,G. AND T.M.PAGET,J.PHYS.B.3,1757-62(1970),CL(NE VII-VIII).
TONDELLO,G. AND T.M.PAGET,J.PHYS.B.3,1757-62(1970),CL(NE VII-VIII).
TONDELLO,G. AND T.M.PAGET,J.PHYS.B.3,1757-62(1970),CL(NE VII-VIII).
TONDELLO,G. AND R.W.P.MCWHIRTER,J.PHYS.B.4,715-27(1971),CL(NE VII).
VANCE.B.B.PHYS. REV. 41,480-5(1932),CL(NA II-IV).
VANVELD,R.D. AND K.W.MEISSNER,J. OPT. SOC. AMER. 46,598-604(1956),
  0776
  0777
  0779
                                 VANVELD, R.D. AND K.W.MEISSNER, J. UPI. SUC. AMER. 46,398-604(1956), CL(GE I).

VASILIEV, R.I. AND A.V.YAKOVLIEVA, OPTIKA I SPEKTROSKOPIYA 5,620(1958). VENKATESACHAR, B. AND T.S. SUBBARAYA, Z. PHYSIK 73,412-18(1931), CL(HG II). VIOLETT, T., AND W.RENES, ASTROPHYS. J. 130,954-60(1959), (SOLAR). WEDER, R.L. AND W.W.WATSON, J. OPT. SOC. AMER. 26,307-9(1936). WERNER, S., NATURE 116,574(1925), CL(LI II). WERNER, S., NATURE 116,574(1925), CL(LI II). WERNER, S., NATURE 118,154-5(1926), CL(LI II). WERNER, S., STUDIER OVER SPEKTROSKOPISKE LYSKILDER TIL FREMBRINGELSE AF GRISTSPEKTRE MED RESULTATES FOR LITHIUMS GNISTSPEKTRUM (OASCHEHOUG OCH CO., DANSK FORLAG, KOVENHAVN, 1927), CL(LI II). WHEATLEY, M.A. AND R.A.SAWYER, PHYS. REV. 61,591-600(1942), CL(CS II). WHITE, H.E., PHYS. REV. 33,914-24(1929), CL(V IV, CR V). WHITE, H.E., PHYS. REV. 33,914-24(1929), CL(V IV, CR V). WHITE, H.E., PHYS. REV. 46,793(1934), CL(K VI-IX, CA VII-VIII). WILKINSON, P. G., J. OPT. SOC. AMER. 45,862-7(1955): WILKINSON, P. G., J. OPT. SOC. AMER. 45,862-7(1955): WILKINSON, R.; ANN. ASTROPHYS. J. 145,380-99(1966), (SOLAR). WIDING, K.G., ASTROPHYS. J. 145,380-99(1966), (SOLAR). WIDING, K.G., AND G.D.SANDLIN, ASTROPHYS. J. 152,545-56(1968), (SOLAR).
  0781
  0783
  0784
  0785
  0787
  0788
  0790
  0792
  0794
0795
    0797
   0798

    WIDLING, R. G., ASTROPHYS. U. 143,380-99(1906), (SDLAR).
    WODO, D.R. AND K. L. ANDREW, J.OPT. SOC.AM. 58,818-29(1968), (CL(PB I).
    WIDLING, K. G. AND G.D. SANDLIN, ASTROPHYS. J. 152,545-56(1968), (SDLAR).
    WIDLING, K. G., G.D. SANDLIN AND R. D. COWAN, ASTROPHYS. J. 169,405-11(1971), SDLAR.
    WILLIAMS, M.D. J.OPT. SOC. AM. 62,295-96(1972), CL(AL IX,XI).
    WILLIAMS, M.D. J.OPT. SOC. AM. 62,295-96(1972), CL(AL IX,XI).
    WHITE, R. S., SPACE PHYSICS (GORDON AND BREACH, 1970).
    WALKER, A. B. C., H. R. RUGGE, AND K. WEISS, ASTROPHYS. J. 188,423-40(1974).
    ZUMSTEIN, R. V., PHYS. REV. 38, 2214-6(1931), CL(AL II, AL III, SI II, BI II).
    ZUMSTEIN, R. V. AND D. S. MARSTON, PHYS. REV. 38,305-8(1931).
    ZURIN, H., ASTROPHYS. J. 140,1332-8(1964), CL(SOLAR).
    ZVEREVA, L. I. AND E. YA. KONONOV, OPTICS AND SPECTROSCOPY, 24,445-6(1968), CL(AS VII, SE VIII).
    HOUSE, L. I., W. A. DEUTSCHMANN, AND G. A. SAWYER, ASTROPHYS. J. 140,814-6(1964).
    HOUSE, L. I., W. A. DEUTSCHMANN, AND G. A. SAWYER, ASTROPHYS. J. 140,814-6(1964).
    JUNKES, J., E. W. SALPETER, AND G. MILAZZO, ATOMIC SPECTRA IN THE VACUUM ULTRAVIOLET, SPECOLA VATICANA(1965).
    JAHODA, F. C., F. I. RIBE, G. A. SAWYER, AND R. W. P. MCWHIRTER, PROC. SIXTH INTERNAT. CONF. ON IONIZATION PHEN. IN GASES (PARIS) VOL. III, 347-51(1963), CL(O VIII).

    0800
    CL(O VIII).
0818 ZALUBAS.R. AND M.WILSON.J. RES. NAT. BUR STAND. 694,59-70(1965),
                                      ZALUBAS,R. AND MULISUN,U. RES. NAI. BUR STAND. 694,59-70(1965),
(ABSORPTION, PR I).
HOUSE,L.L.,ANN. ASTROPHYS. (FRANCE) 27,763-4(1964).
JORDAN,C.,COMM. UNIV. OF LONDON OBS. NO. 68(NOV.,1965),CL(SOLAR).
HERMAN,L. AND K.C. CLARK,J. QUANT. SPECTROSC. RAD. TRANSFER 5,765-70(1965)
CL(XE I).
    0819
    0820
    0822
    0823
                                                                                                               J.D.PURCELL, R.TOUSEY, AND K.G. WIDING, ASTROPHYS. J. 145,373-9,
                                    AUSTIN.W.E.,J:D.PURCELL,R.TOUSEY, AND K.G.WIDING, ASTROPHYS. J. 145,373-9, (1966),(SOLAR).
JONES, B.B.,F.,F.FREEMAN AND R.WILSON, NATURE 219,252-54(1968),(SOLAR).
GARSTANG, R.H., ASTROPHYSICS AND SPACE SCIENCE 2,336-43(1968),CL(NI IV).
HORRY,S.,U.FELDMAN,S.GOLDSMITH,W.BEHRING AND L.COHEN,J.OPT.SOC AM. 60.
1449-53(1970),CL(MG IX.AL X.SI XI).
HORRY,S.,S.GOLDSMITH,U.FELDMAN,W.BEHRING AND L.COHEN,J.OPT.SOC.AM.61,504-8
(1971),CL(MG VIII,AL IX,SI X).
GOLDSMITH,S.,U.FELDMAN AND L.COHEN,J.OPT.SOC.AM.61,615-18(1971),
CL(SC XIV.TI XV,V XVI).
DUPREE,A.K. AND E.M.REEVES,ASTROPHYS.J. 165,599-613(1971),SOLAR.
NEWSOM,G.H..ASTROPHYS.J. 166,243-47(1971),CL(MG I).
    0827
     0828
    0832
    0833
    0834
    0836
    0837
                                      DOSCHEK, G.A., J.F.MEEKINS AND R.D.COWAN, ASTROPHYS.J. 177,261-69(1972). DOSCHEK, G.A., J.F.MEEKINS AND R.D.COWAN, ASTROPHYS.J. 177,261-69(1972). VANDEURZEN, C.H.H., J.G.CONWAY, AND S.P.DAVIS, J.OPT.SOC.AM.63,158-63(1973). TONDELLO.G., ASTROPHYS.J. 172,771-83(1972). VALERO, F.P.J., D.GOORVITCH, B.S. FRAENKEL, AND B.RAGENT, J.OPT.SOC.AM. 59, 1380-81(1969).
    0838
    0839
    0840
    0842
                                    VALERO, F. J., D. GOURYTTCH, B.S., FRAENREL. AND B. RAGENT, J. DPT. SUC. AM. 59, 1380-81 (1969).

DUPREE, A.K., M.C.E. HUBER, R.W.NOYES, W.H. PARKINSON, E.M. REEVES, AND G.L.WITHBROE, ASTROPHYS.J. 182, 321-33 (1973).
FRAENREL, B.S. AND J.L. SCHWOB, PHYS. LETTERS 40A, 83-85 (1972).
HERMANSDORFER, H., J. OPT. SOC. AM. 62, 1149-52 (1972).
DRUETTA, M. R.U.DATLA, AND H.J. KUNZE, ASTROPHYS.J. 174, 215-17 (1972).
TONDELLO, G., J. OPT. SOC. AM. 63, 346-52 (1973).
FELDMAN, U., G.A. DOSCHEK, D. NAGEL, W. BEHRING, AND L. COHEN, ASTROPHYS.J.
FELDMAN, U., G.A. QOSCHEK, R. D. COWAN, AND L. COHEN, J. OPT. SOC. AM. 63, 1445-53 (1973).
FAWCEIT, B.C., R.D. COWAN, AND R.W. HAYES, ASTROPHYS.J. SUPPL. (TBP)
FAWCEIT, B.C., R.D. COWAN, AND R.W. HAYES, ASTROPHYS.J. 187, 377-83 (1974).
FAWCEIT, B.C., R.D. COWAN, AND R.W. HAYES, J. FROM THYS.J. 187, 377-83 (1974).
FAWCEIT, B.C., R.D. COWAN, AND R.W. HAYES, J. PHYS.B 5, 2143-51 (1972).
FAWCEIT, B.C., R.D. COWAN, AND R.W. HAYES, J. PHYS.B 5, 2143-51 (1972).
FAWCEIT, B.C., R.D. COWAN, AND R.W. HAYES, J. PHYS.B 5, 2143-51 (1972).
NOYES, R.W., A.K. ASTROPHYS.J. 178, 527-41 (1972).
NOYES, R.W., A.K. ASTROPHYS.J. 178, 527-41 (1972).
VALERO, F.P.J. AND D. GOORVITCH, ASTROPHYS.J. 178, 271-76 (1972).
    0844
    0846
    0847
    0849
    0850
    0851
    0852
    0853
0854
    0856
    0857
```

```
O860 DOSCHEK.G.A. .J.F.MEEKINS,R.W.KREPLIN,T.A.CHUBB,AND H.FRIEDMAN, ASTROPHYS.J. 170,573-86(1971).

O864 VALERO,F.P.J., J.OPT.SOC.AM. 65,197-98(1975).

DOSCHEK.G.A.,U.FELDMAN,AND L.COHEN,J.OPT.SOC.AM. 63,1463-66(1973).

DICK.K.A.,J.OPT.SOC.AM. 64,702-5(1974).

FAWCETT,B.C., M.GALANTI, AND N.J.PEACOCK, J.PHYS.B 7,1149-53(1974).

FAWCETT,B.C., M.GALANTI, AND N.J.PEACOCK, J.PHYS.B 7,1106-1107(1974).

FAWCETT,B.C., M.GALANTI, AND N.J.PEACOCK, J.PHYS.B 7,1106-1107(1974).

FAWCETT,B.C., AND R.D.COWAN,MON.NOT.ROY.ASTR.SOC. 171,1-7(1975).

O874 DOSCHEK.G.A. U.FFLDMAN A.P.D.COWAN. AND L.COHEN.ASTROPHYS.J. 188.417-
 0874
                    DOSCHEK.G.A., U.FELDMAN, R.D.COWAN, AND L.COHEN, ASTROPHYS.J. 188,417-
                     422(1974).
 0875
                    FELDMAN, U., G.A.DOSCHEK, D.J. NAGEL, W.E. BEHRING, AND R.W. COWAN.
                  FELDMAN,U., G.A. DOSCHEK, D.J. NAGEL, W.E. BEHRING, AND R.W.COWAN, ASTROPHYS.J. 187,417-20(1974).

JAKOBSSON,L.R., ARK.FYS. 28,19-31(1966).

FAWCETT, B.C. AND R.W. HAYES, MON.NOT.ROY.ASTR.SOC. 170,185-97(1975).

FAWCETT, B.C. AND R.W. HAYES, J. OPT. SOC. 65,623-27(1975).

FAWCETT, B.C., ATOMIC AND NUC.DATA TABLES 16,135-50(1975).

DOSCHEK, G.A., U. FELDMAN, AND L. COHEN, J. OPT. SOC. AM. 65,463-64(1975).

AKSENOV, V.P. AND A.N. RYABTSEV, OPT. AND SPECTROSC. 37,492-94(1974).

HUBER, M.C.E., R.J. SANDEMAN, AND E.F. TUBBS, PROC.ROY. SOC. LONDON A,342,431-38(1975).
 0876
 0877
0878
 0879
 0880
 0882
                 ASSENTANCE., R.C., SANDEMAN, AND ELF-TOBBS, PROC.ROT. SOC. LONDON A, 342, 431–38(1975).

HOLZ.E.YA., E.YA. KONONOV, S. L. MANDELSTAM, YU. V. SIDELINIKOV, AND I. A. ZITNIK WALKER, A.B.C., AND H.R. RUGGE, ASTRON. AND ASTROPHYS. 5, 4–11(1970).

UORDAN, C., SPACE SCI.REV. 13, 595–605(1972).

WALKER, A.B.C., SPACE SCI.REV. 13, 672–730(1972).

AKSENOV, W.P. AND A. A.R. RUJABTSEV, OPTICS AND SPECTROSC. TBP GOLDSMITH, S., PRIVATE COMMUNICATION 1975

CORLISS, C. AND J. SUGAR, J. PHYS. CHEM. REF. DATA TBP ESTEVA, J.M. AND G. MEHLMAN, ASTROPHYS. J. 193, 747–53(1974).

WALKER, A.B.C., H. R. RUGGE, AND K. WEISS, ASTROPHYS. J. 192, 169–80(1974).

PEGG. D. J., D. M. GRIFFIN, H. H. HASELTON, R. LAUBERT, J. R. MOWAT, R. S. THOE, R. S. PETERSON, AND I. A. SELLIN, PHYS. REV. A 10, 745–48(1974).

DRUETTA, M. AND J.P. BUCHET, J. OPT. SOC. AM. 66, 433–36(1976).

FAWCEIT, B.C., J. OPT. SOC. AM. 66, 632–33(1976).

HUTCHEON, R. J., PHYS. LETTERS 45A, 463–64(1973).

POPPE. R., PHYSICA 81C, 351–65(1976).

COHEN UNPUBLISHED
                    38(1975).
 0884
 0886
 9889
 0890
 0892
 0894
 0895
 0897
 0899
 0902
 0903
 0900
                    COHEN
                                                                 UNDURLISHED
 0901
                    BEARDEN
                  HUTCHEON,R.J.,PHYS. LETTERS 45A,463-64(1973).
POPPE.R., PHYSICA B1C,351-65(1976).

AGLITSKİI,E.V.,V.A.BOIKO,S.A.PIKUZ,U.I.SAFRONOVA,AND A.YA.FAENOV, (197
ANDERSEN,T.,A.P.PETKOV,AND G.SORENSEN,PHYSICA SCRIPTA 12,283-86(1975).
EKBERG,J.O.,PHYSICA SCRIPTA 13,111-16(1976).

EKBERG,J.O.,PHYSICA SCRIPTA 13,245-49(1976).
0902
 0903
 0904
 0905
0906
 0907
090E
                    FELDMAN, U., C.M. BROWN, G.A. DOSCHEK, C.E. MOORE, AND F.D. ROSENBERG, J. OPT. SOC.
                  FLDWAN, U. G. M. BRUWN, G. A. DUSCHEK, C.E. MOORE, AND F.D. ROSENBERG, J. OPT. SOC. 66.853-59(1976).
HINNOV, E., REPORT MATT-1240, PLASMA PHYS. LAB., PRINCETON UNIV. (MAY 1976).
FELDWAN, U., G. A. DOSCHEK, D. K. PRINZ, AND D.J. NAGEL, TBP (1976).
JONES, T. L. U., W.H. PARKINSON, R. J. SPEER, AND C. YANK, SOLAR PHYSICS 21,372-80
(1971).
0915
0916
                  (1971).
PARKINSON, W.H., E.M.REEVES, AND F.S.TOMKINS, J.PHYS.B, 9, 157-65(1976).
ERMOLAEV, A.M. AND M.JONES, J.PHYS.B, 7, 199-207(1974).
ROIG, R.A. AND G.TONDELLO, J.PHYS.B, 9, 2373-78(1976).
VAN KLEEF, T.A.M., A.J.J.RAASSEN, AND Y.N.JOSHI, PHYSICA 84C, 401-16(1976).
MEINDERS, E., PHYSICA 84C, 117-32(1976).
BEHRING, W.E., L.COHEN, U.FELDMAN, AND G.A.DOSCHEK, ASTROPHYS.J. 203,
521-27(1976).
0917
0918
 0919
0920
 0923
 0924
                   PINNINGTON, E.H., J.A. KERNAHAN, AND K.E. DONNELLY, J. OPT. SOC. AM. 67, 162-68(1977
                  VALERO, F.P.J., APPL. PHYS. LETT. 25,64-66(1974).
DOSCHEK, G.A., U. FELDMAN, J. DAVIS, AND R.D. COWAN, PHYS. REV. A, 12,980-86(1975).
RAASSEN, A.J.J. AND T.A.M. VAN KLEEF, PHYSICA 85C, 180-90(1977).
0925
 0926
 0927
                   FELDMAN, U. G. A. DOSCHEK, R.D. COWAN, AND L. COHEN, ASTROPHYS. J. 196, 613-16(1975). VAN KLEEF, T.A.M. AND Y.N.JOSHI, J.OPT. SOC.AM. 67, 472-76(1977). GRIFFIN, P.M., D.J. PEGG, I.A. SELLIN, K.W. JONES, D.J. PISAND, T.H. KRUSE, AND
0928
 0930
0931
                       S.BASHKIN, IN BEAM-FOIL SPECTROSCOPY (I.A. SELLIN AND D.J. PEGG, ED.)
                       VOL.1, PP321-29(1976).
                   PINNINGTON.E.H...H.O. | UTZ.AND G.W.CARRIVEAU.NUCL.INSTRUM.METH. 110,127-36(1973).
0932
0933
                  55-59(1973).

DUMONT, P.D., Y. BAUDINET-ROBINET, AND A.E. LIVINGSTON, PHYSICA SCRIPTA
13.365-69(1976).
                   EDLEN, B.AND E. BODEN, PHYSICA SCRIPTA 14,31-38(1976).
GARNIR, H.P., A. E. LIVINGSTON, Y. BAUDINET-ROBINET, P.D. DUMUNT, E. BIEMONT, AND N. GREVESSE, J. OPT. SOC. AM. 67,751-54(1977).
0935
0938
0939
                   BURKHALTER, P.G., G.A. DOSCHEK, U. FELDMAN, AND R.D. COWAN, J. OPT. SOC. AM. 67,741-47(1977).
0942
                   TO.K.X. AND R.DROUIN, PHYSICA SCRIPTA 14,277-80(1976).
                  TO.K.X. AND R.DROUIN, PHYSICA SCRIPTA 14,277-80(1976).
BROMAGE,G.E.,R.D.COWAN, AND B.C.FAWCETT, MON.NOT.ROY.ASTR.SOC. TBP
BROMAGE,G.E.,R.D.COWAN, B.C.FAWCETT, PHYSICA SCRIPTA TBP
BROMAGE,G.E.,R.D.COWAN, B.C.FAWCETT, H.GORDON, M.G.HOBBY, N.J.PEACOCK,
AND A.RIDGELEY.CULHAM LAB.REPORT CLM-RITO(1977).
BROMAGE,G.E.,R.D.COWAN, B.C.FAWCETT, AND A.RIDGELEY, J.OPT.SOC.AM. TB.
BROMAGE,G.E., ADD.COWAN, B.C.FAWCETT, MON.NOT.ROY.ASTR.SOC.178,591-98(1977).
BROMAGE,G.E.,B.C.FAWCETT, AND R.D.COWAN, MON.NOT.ROY.ASTR.SOC.
0943
0945
0946
0947
0948
                  178.599-604(1977).

BROMAGE.G.E. AND B.C.FAWCETT, MON.NOT.ROY.ASTR.SOC. 178,605-10(1977).

BROMAGE.G.E. AND B.C.FAWCETT, MON.NOT.ROY.ASTR.SOC. 179,683-90(1977).

CANTU.A.M., W.H.PARKINSON, G.TONDELLO, AND G.P.TOZZI, J.OPT.SOC.AM.

67.1030-33(1977).
0951
                  GUNNVALD, P. AND L.MINNHAGEN, ARK.FYS. 22,327-31(1962).
ANDERSEN, N., W.S. BICKEL, G. W. CARRIVEAU, K. JENSEN, AND E. VEJE, PHYSICA
SCRIPTA 4,113-14(1971).
1002
1004
                  EDLEN, B., A. OLME, G. HERZBERG, AND J.W.C. JOHNS J. OPT. SOC. AM. 60, 889-91 (1970).
```

```
1008 HOLSTROM, J.E. AND L.JOHANSSON, ARK.FYS. 40,133-38(1969).
1010 JOHANSSON, I., ARK.FYS. 15,169-79(1958).
1023 HALLIN, R. AND T.P.HUGHES, PROC. PHYS.SOC. 78,201-3(1961).
1024 MORILLON, C. AND J.VERGES, PHYSICA SCRIPTA 10,227-35(1974).
1035 HAPPER, C.D., S.E. WHEATLEY, AND M.D. LEVENSON, J.OPT. SOC.AM. 67,579-83(1977).
1036 SUGAR, J. AND C.CORLISS, J.PHYS. CHEM.REF. DATA 6,317-83(1977).
1037 MARTIN, W.C., J. PHYS. CHEM. REF. DATA 2,257-66(1973).
```

XEROX TEKIMKL2 ON TAPE FILE 2 BOX 671 CLASS 6 R# R0173 3/13/79 7.16.36/91 - 43940 lines

XEROX TEKIMKL2 ON TAPE FILE 2 BOX 671 CLASS 6 R# R0173 3/13/79 7.16.36/91 - 43940 lines

XEROX TEKIMKL2 ON TAPE FILE 2 BOX 671 CLASS 6 R# R0173 3/13/79 7.16.36/91 - 43940 lines

BIBLIOGRAPHIC DATA SHEET

1. Report No.	2. Government Acc	ession No. 3.	. Recipient's Catalo	g No.		
80268						
4. Title and Subtitle ATOMIC EMISSION LINES	IN THE NEAD		Report Date			
ULTRAVIOLET; HYDROG KRYPTON – SECTION II		 -	. Performing Organi	zation Code		
7. Author(s)		8.	. Performing Organi	zation Report No.		
Prof. Raymond L. Kelly	·					
9. Performing Organization Name an	d Address	10	D. Work Unit No.			
Naval Postgraduate School Monterey, California		11	I. Contract or Gran	t No.		
		13	3. Type of Report a	nd Period Covered		
12. Sponsoring Agency Name and A	ddress					
Goddard Space Flight Cente	er		TM			
Greenbelt, Md.		14	I. Sponsoring Agend	cv Code		
				,		
15. Supplementary Notes						
Performed under Contract NAS 5-50891b with Laboratory for Astronomy and Solar Physics, Goddard Space Flight Center.						
16. Abstract						
A compilation of atomic or absorption covering the List. Section II is the Find	wavelength range	rst 36 elements (2000Å–3200Å.	observed in emis Section I is the	sion Multiplet		
17. Key Words (Selected by Author(s))	18. Distribution St	tatement			
Atomic Spectra						
19. Security Classif. (of this report)	20. Security Class	if. (of this page)	21. No. of Pages	22. Price*		
Un	Un		J			
<u> </u>	i on					

•		
	·	
·		

	·			
		·		
				,
				• .
			,	
·				